

# Seralynne D Vann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5606804/publications.pdf>

Version: 2024-02-01

94  
papers

8,348  
citations

71004

43  
h-index

56606

87  
g-index

99  
all docs

99  
docs citations

99  
times ranked

7607  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mammillary body injury in neonatal encephalopathy: a multicentre, retrospective study. <i>Pediatric Research</i> , 2022, 92, 174-179.	1.1	14
2	Apolipoprotein Îµ4 modifies obesity-related atrophy in the hippocampal formation of cognitively healthy adults. <i>Neurobiology of Aging</i> , 2022, 113, 39-54.	1.5	0
3	The Mammillary Bodies: A Review of Causes of Injury in Infants and Children. <i>American Journal of Neuroradiology</i> , 2022, 43, 802-812.	1.2	18
4	Construction of complex memories via parallel distributed corticalâ€“subcortical iterative integration. <i>Trends in Neurosciences</i> , 2022, 45, 550-562.	4.2	18
5	Time to put the mammillothalamic pathway into context. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 121, 60-74.	2.9	20
6	Stable Encoding of Visual Cues in the Mouse Retrosplenial Cortex. <i>Cerebral Cortex</i> , 2020, 30, 4424-4437.	1.6	42
7	Precommissural and postcommissural fornix microstructure in healthy aging and cognition. <i>Brain and Neuroscience Advances</i> , 2020, 4, 239821281989931.	1.8	12
8	The retrosplenial cortex and long-term spatial memory: from the cell to the network. <i>Current Opinion in Behavioral Sciences</i> , 2020, 32, 50-56.	2.0	20
9	Lack of change in CA1 dendritic spine density or clustering in rats following training on a radial-arm maze task. <i>Wellcome Open Research</i> , 2020, 5, 68.	0.9	1
10	Lack of change in CA1 dendritic spine density or clustering in rats following training on a radial-arm maze task. <i>Wellcome Open Research</i> , 2020, 5, 68.	0.9	5
11	Striking reduction in neurons and glial cells in anterior thalamic nuclei of older patients with Down syndrome. <i>Neurobiology of Aging</i> , 2019, 75, 54-61.	1.5	27
12	Signal Change in the Mammillary Bodies after Perinatal Asphyxia. <i>American Journal of Neuroradiology</i> , 2019, 40, 1829-1834.	1.2	14
13	Why Isnâ€™t the Head Direction System Necessary for Direction? Lessons From the Lateral Mammillary Nuclei. <i>Frontiers in Neural Circuits</i> , 2019, 13, 60.	1.4	17
14	The Cognitive Thalamus as a Gateway to Mental Representations. <i>Journal of Neuroscience</i> , 2019, 39, 3-14.	1.7	239
15	Mammillothalamic Disconnection Alters Hippocampocortical Oscillatory Activity and Microstructure: Implications for Diencephalic Amnesia. <i>Journal of Neuroscience</i> , 2019, 39, 6696-6713.	1.7	36
16	Lesions within the head direction system reduce retrosplenial c-fos expression but do not impair performance on a radial-arm maze task. <i>Behavioural Brain Research</i> , 2018, 338, 153-158.	1.2	12
17	Lesions of retrosplenial cortex spare immediate-early gene activity in related limbic regions in the rat. <i>Brain and Neuroscience Advances</i> , 2018, 2, 239821281881123.	1.8	4
18	The Papez Circuit and Recognition Memory. <i>Handbook of Behavioral Neuroscience</i> , 2018, , 217-226.	0.7	4

#	ARTICLE	IF	CITATIONS
19	Anterior thalamic nuclei lesions have a greater impact than mammillothalamic tract lesions on the extended hippocampal system: A reply. <i>Hippocampus</i> , 2018, 28, 691-693.	0.9	1
20	Spatial Memory Engram in the Mouse Retrosplenial Cortex. <i>Current Biology</i> , 2018, 28, 1975-1980.e6.	1.8	87
21	When is the rat retrosplenial cortex required for stimulus integration?. <i>Behavioral Neuroscience</i> , 2018, 132, 366-377.	0.6	13
22	Collateral Projections Innervate the Mammillary Bodies and Retrosplenial Cortex: A New Category of Hippocampal Cells. <i>ENeuro</i> , 2018, 5, ENEURO.0383-17.2018.	0.9	33
23	Topographic separation of fornical fibers associated with the anterior and posterior hippocampus in the human brain: An <scp>MRI</scp>â€diffusion study. <i>Brain and Behavior</i> , 2017, 7, e00604.	1.0	17
24	The retrosplenial cortex and object recency memory in the rat. <i>European Journal of Neuroscience</i> , 2017, 45, 1451-1464.	1.2	39
25	The rat retrosplenial cortex as a link for frontal functions: A lesion analysis. <i>Behavioural Brain Research</i> , 2017, 335, 88-102.	1.2	24
26	The importance of mammillary body efferents for recency memory: towards a better understanding of diencephalic amnesia. <i>Brain Structure and Function</i> , 2017, 222, 2143-2156.	1.2	20
27	Comparable reduction in Zif268 levels and cytochrome oxidase activity in the retrosplenial cortex following mammillothalamic tract lesions. <i>Neuroscience</i> , 2016, 330, 39-49.	1.1	15
28	Complementary subicular pathways to the anterior thalamic nuclei and mammillary bodies in the rat and macaque monkey brain. <i>European Journal of Neuroscience</i> , 2016, 43, 1044-1061.	1.2	42
29	Amyloid imaging and Alzheimerâ€™s disease: the unsolved cases. <i>Brain</i> , 2016, 139, 2342-2344.	3.7	1
30	The status of the precommissural and postcommissural fornix in normal ageing and mild cognitive impairment: An MRI tractography study. <i>NeuroImage</i> , 2016, 130, 35-47.	2.1	38
31	Calcium-binding protein immunoreactivity in Guddenâ€™s tegmental nuclei and the hippocampal formation: differential co-localization in neurons projecting to the mammillary bodies. <i>Frontiers in Neuroanatomy</i> , 2015, 9, 103.	0.9	13
32	What does spatial alternation tell us about retrosplenial cortex function?. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 126.	1.0	37
33	Evidence for spatially-responsive neurons in the rostral thalamus. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 256.	1.0	85
34	How do mammillary body inputs contribute to anterior thalamic function?. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 54, 108-119.	2.9	80
35	Fornical and nonfornical projections from the rat hippocampal formation to the anterior thalamic nuclei. <i>Hippocampus</i> , 2015, 25, 977-992.	0.9	32
36	A Critical Role for the Anterior Thalamus in Directing Attention to Task-Relevant Stimuli. <i>Journal of Neuroscience</i> , 2015, 35, 5480-5488.	1.7	70

#	ARTICLE	IF	CITATIONS
37	The mammillary bodies and memory. <i>Progress in Brain Research</i> , 2015, 219, 163-185.	0.9	103
38	Mammilliothalamic tract lesions disrupt tests of visuo-spatial memory.. <i>Behavioral Neuroscience</i> , 2014, 128, 494-503.	0.6	29
39	The irregular firing properties of thalamic head direction cells mediate turn-specific modulation of the directional tuning curve. <i>Journal of Neurophysiology</i> , 2014, 112, 2316-2331.	0.9	8
40	The origin of projections from the posterior cingulate and retrosplenial cortices to the anterior, medial dorsal and laterodorsal thalamic nuclei of macaque monkeys. <i>European Journal of Neuroscience</i> , 2014, 39, 107-123.	1.2	41
41	The rat retrosplenial cortex is required when visual cues are used flexibly to determine location. <i>Behavioural Brain Research</i> , 2014, 263, 98-107.	1.2	47
42	A novel role for the rat retrosplenial cortex in cognitive control. <i>Learning and Memory</i> , 2014, 21, 90-97.	0.5	47
43	Dysgranular retrosplenial cortex lesions in rats disrupt cross-modal object recognition. <i>Learning and Memory</i> , 2014, 21, 171-179.	0.5	44
44	Nucleus reuniens of the thalamus contains head direction cells. <i>ELife</i> , 2014, 3, .	2.8	91
45	The anterior thalamus provides a subcortical circuit supporting memory and spatial navigation. <i>Frontiers in Systems Neuroscience</i> , 2013, 7, 45.	1.2	258
46	Segregation of parallel inputs to the anteromedial and anteroventral thalamic nuclei of the rat. <i>Journal of Comparative Neurology</i> , 2013, 521, 2966-2986.	0.9	66
47	Dismantling the Papez circuit for memory in rats. <i>ELife</i> , 2013, 2, e00736.	2.8	73
48	Medial temporal lobe projections to the retrosplenial cortex of the macaque monkey. <i>Hippocampus</i> , 2012, 22, 1883-1900.	0.9	58
49	Projections from Gudden's tegmental nuclei to the mammillary body region in the cynomolgus monkey ( <i>Macaca fascicularis</i> ). <i>Journal of Comparative Neurology</i> , 2012, 520, 1128-1145.	0.9	16
50	Oscillatory Entrainment of Thalamic Neurons by Theta Rhythm in Freely Moving Rats. <i>Journal of Neurophysiology</i> , 2011, 105, 4-17.	0.9	48
51	A role for the head-direction system in geometric learning. <i>Behavioural Brain Research</i> , 2011, 224, 201-206.	1.2	27
52	Hippocampus and neocortex: recognition and spatial memory. <i>Current Opinion in Neurobiology</i> , 2011, 21, 440-445.	2.0	67
53	Differential regulation of synaptic plasticity of the hippocampal and the hypothalamic inputs to the anterior thalamus. <i>Hippocampus</i> , 2011, 21, 1-8.	0.9	35
54	Selective disconnection of the hippocampal formation projections to the mammillary bodies produces only mild deficits on spatial memory tasks: Implications for fornix function. <i>Hippocampus</i> , 2011, 21, 945-957.	0.9	44

#	ARTICLE	IF	CITATIONS
55	Theta-Modulated Head Direction Cells in the Rat Anterior Thalamus. <i>Journal of Neuroscience</i> , 2011, 31, 9489-9502.	1.7	107
56	Re-evaluating the role of the mammillary bodies in memory. <i>Neuropsychologia</i> , 2010, 48, 2316-2327.	0.7	137
57	Parallel but separate inputs from limbic cortices to the mammillary bodies and anterior thalamic nuclei in the rat. <i>Journal of Comparative Neurology</i> , 2010, 518, 2334-2354.	0.9	80
58	Hippocampal-anterior thalamic pathways for memory: uncovering a network of direct and indirect actions. <i>European Journal of Neuroscience</i> , 2010, 31, 2292-2307.	1.2	384
59	New behavioral protocols to extend our knowledge of rodent object recognition memory. <i>Learning and Memory</i> , 2010, 17, 407-419.	0.5	72
60	Effects of selective granular retrosplenial cortex lesions on spatial working memory in rats. <i>Behavioural Brain Research</i> , 2010, 208, 566-575.	1.2	46
61	Impaired recollection but spared familiarity in patients with extended hippocampal system damage revealed by 3 convergent methods. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 5442-5447.	3.3	166
62	The Frequency and Extent of Mammillary Body Atrophy Associated with Surgical Removal of a Colloid Cyst. <i>American Journal of Neuroradiology</i> , 2009, 30, 736-743.	1.2	29
63	Gudden's ventral tegmental nucleus is vital for memory: re-evaluating diencephalic inputs for amnesia. <i>Brain</i> , 2009, 132, 2372-2384.	3.7	55
64	Hippocampal, retrosplenial, and prefrontal hypoactivity in a model of diencephalic amnesia: Evidence towards an interdependent subcortical-cortical memory network. <i>Hippocampus</i> , 2009, 19, 1090-1102.	0.9	63
65	What does the retrosplenial cortex do?. <i>Nature Reviews Neuroscience</i> , 2009, 10, 792-802.	4.9	1,170
66	Granular and dysgranular retrosplenial cortices provide qualitatively different contributions to spatial working memory: evidence from immediate-early gene imaging in rats. <i>European Journal of Neuroscience</i> , 2009, 30, 877-888.	1.2	73
67	Lesions of the fornix and anterior thalamic nuclei dissociate different aspects of hippocampal-dependent spatial learning: Implications for the neural basis of scene learning.. <i>Behavioral Neuroscience</i> , 2009, 123, 504-519.	0.6	48
68	A disproportionate role for the fornix and mammillary bodies in recall versus recognition memory. <i>Nature Neuroscience</i> , 2008, 11, 834-842.	7.1	256
69	Do rats with retrosplenial cortex lesions lack direction?. <i>European Journal of Neuroscience</i> , 2008, 28, 2486-2498.	1.2	80
70	Memory loss resulting from fornix and septal damage: Impaired supra-span recall but preserved recognition over a 24-hour delay.. <i>Neuropsychology</i> , 2008, 22, 658-668.	1.0	32
71	Chapter 5.2 Using hippocampal amnesia to understand the neural basis of diencephalic amnesia. <i>Handbook of Behavioral Neuroscience</i> , 2008, , 503-632.	0.7	1
72	Patients with hippocampal amnesia cannot imagine new experiences. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 1726-1731.	3.3	1,212

#	ARTICLE	IF	CITATIONS
73	Distinct, parallel pathways link the medial mammillary bodies to the anterior thalamus in macaque monkeys. <i>European Journal of Neuroscience</i> , 2007, 26, 1575-1586.	1.2	43
74	Impaired spatial and non-spatial configural learning in patients with hippocampal pathology. <i>Neuropsychologia</i> , 2007, 45, 2699-2711.	0.7	38
75	Selective dysgranular retrosplenial cortex lesions in rats disrupt allocentric performance of the radial-arm maze task.. <i>Behavioral Neuroscience</i> , 2005, 119, 1682-1686.	0.6	87
76	Transient spatial deficit associated with bilateral lesions of the lateral mammillary nuclei. <i>European Journal of Neuroscience</i> , 2005, 21, 820-824.	1.2	49
77	Projections from the hippocampal region to the mammillary bodies in macaque monkeys. <i>European Journal of Neuroscience</i> , 2005, 22, 2519-2530.	1.2	72
78	Sparing of the familiarity component of recognition memory in a patient with hippocampal pathology. <i>Neuropsychologia</i> , 2005, 43, 1810-1823.	0.7	252
79	Anterior thalamic lesions stop immediate early gene activation in selective laminae of the retrosplenial cortex: evidence of covert pathology in rats?. <i>European Journal of Neuroscience</i> , 2004, 19, 3291-3304.	1.2	67
80	The mammillary bodies: two memory systems in one?. <i>Nature Reviews Neuroscience</i> , 2004, 5, 35-44.	4.9	247
81	Testing the importance of the retrosplenial navigation system: lesion size but not strain matters: a reply to Harker and Wishaw. <i>Neuroscience and Biobehavioral Reviews</i> , 2004, 28, 525-531.	2.9	38
82	Testing the importance of the retrosplenial guidance system: effects of different sized retrosplenial cortex lesions on heading direction and spatial working memory. <i>Behavioural Brain Research</i> , 2004, 155, 97-108.	1.2	109
83	Lesions of the mammillothalamic tract impair the acquisition of spatial but not nonspatial contextual conditional discriminations. <i>European Journal of Neuroscience</i> , 2003, 18, 2413-2416.	1.2	19
84	Testing the importance of the caudal retrosplenial cortex for spatial memory in rats. <i>Behavioural Brain Research</i> , 2003, 140, 107-118.	1.2	96
85	Using Idiothetic Cues to Swim a Path With a Fixed Trajectory and Distance: Necessary Involvement of the Hippocampus, but Not the Retrosplenial Cortex.. <i>Behavioral Neuroscience</i> , 2003, 117, 1363-1377.	0.6	20
86	Evidence of a Spatial Encoding Deficit in Rats with Lesions of the Mammillary Bodies or Mammillothalamic Tract. <i>Journal of Neuroscience</i> , 2003, 23, 3506-3514.	1.7	118
87	Extensive cytotoxic lesions of the rat retrosplenial cortex reveal consistent deficits on tasks that tax allocentric spatial memory.. <i>Behavioral Neuroscience</i> , 2002, 116, 85-94.	0.6	168
88	Neurotoxic lesions of the rat perirhinal cortex fail to disrupt the acquisition of performance of tests of allocentric spatial memory.. <i>Behavioral Neuroscience</i> , 2002, 116, 232-240.	0.6	26
89	Sensory preconditioning in rats with lesions of the anterior thalamic nuclei: evidence for intact nonspatial "relational"™ processing. <i>Behavioural Brain Research</i> , 2002, 133, 125-133.	1.2	19
90	Extensive cytotoxic lesions of the rat retrosplenial cortex reveal consistent deficits on tasks that tax allocentric spatial memory. <i>Behavioral Neuroscience</i> , 2002, 116, 85-94.	0.6	80

#	ARTICLE	IF	CITATIONS
91	Identifying cortical inputs to the rat hippocampus that subserve allocentric spatial processes: A simple problem with a complex answer. <i>Hippocampus</i> , 2000, 10, 466-474.	0.9	120
92	Fos Imaging Reveals Differential Patterns of Hippocampal and Parahippocampal Subfield Activation in Rats in Response to Different Spatial Memory Tests. <i>Journal of Neuroscience</i> , 2000, 20, 2711-2718.	1.7	243
93	Using Fos Imaging in the Rat to Reveal the Anatomical Extent of the Disruptive Effects of Fornix Lesions. <i>Journal of Neuroscience</i> , 2000, 20, 8144-8152.	1.7	61
94	Fos expression in the rostral thalamic nuclei and associated cortical regions in response to different spatial memory tests. <i>Neuroscience</i> , 2000, 101, 983-991.	1.1	106