

Yoichiro Horii

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/560820/publications.pdf>

Version: 2024-02-01

127
papers

2,422
citations

218381

26
h-index

301761

39
g-index

128
all docs

128
docs citations

128
times ranked

2166
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Eimeria pragensis</i> infection alters the gut microenvironment to favor extrinsic shiga toxin-producing <i>Escherichia coli</i> O157:H7 colonization in mice. <i>Parasitology International</i> , 2022, 87, 102521.	0.6	0
2	<i>Theileria</i>-free grazing of dairy heifers on grassland in Kyushu, Japan where <i>T. orientalis</i> was epidemic before a 7-year vacancy. <i>Journal of Veterinary Medical Science</i> , 2022, , .	0.3	0
3	Activity-Integrated Hidden Markov Model to Predict Calving Time. <i>Animals</i> , 2021, 11, 385.	1.0	11
4	Effects of <i>Theileria orientalis</i> Infection on Health Status and Productivity of Dairy Cows Reared inside Barns. <i>Pathogens</i> , 2021, 10, 650.	1.2	2
5	An Absorbing Markov Chain Model to Predict Dairy Cow Calving Time. <i>Sensors</i> , 2021, 21, 6490.	2.1	9
6	A large-scale survey of <i>Theileria orientalis</i> infection in grazing dairy heifers in Kyushu, Japan. <i>Journal of Veterinary Medical Science</i> , 2021, 83, 36-41.	0.3	5
7	Epidemiological study to investigate the incidence and prevalence of clinical mastitis, peracute mastitis, metabolic disorders and peripartum disorders, on a dairy farm in a temperate zone in Japan. <i>BMC Veterinary Research</i> , 2020, 16, 389.	0.7	13
8	Technical note: Calving prediction in dairy cattle based on continuous measurements of ventral tail base skin temperature using supervised machine learning. <i>Journal of Dairy Science</i> , 2020, 103, 8535-8540.	1.4	16
9	Body Condition Score Estimation Based on Regression Analysis Using a 3D Camera. <i>Sensors</i> , 2020, 20, 3705.	2.1	23
10	Body Condition Score Assessment of Depth Image using Artificial Neural Network. , 2020, , .		1
11	Feature Detection and Classification of Cow Motion for Predicting Calving time. , 2020, , .		0
12	Hepatoprotective immune response during <i>Trichinella spiralis</i> infection in mice. <i>Journal of Veterinary Medical Science</i> , 2019, 81, 169-176.	0.3	8
13	Genetic characteristics of feral Misaki horses based on polymorphisms of microsatellites and mitochondrial DNA. <i>Journal of Veterinary Medical Science</i> , 2019, 81, 707-711.	0.3	11
14	Exploration of factors determining milk production by Holstein cows raised on a dairy farm in a temperate climate area. <i>Tropical Animal Health and Production</i> , 2019, 51, 529-536.	0.5	12
15	An Automatic Estimation of Dairy Cow Body Condition Score Using Analytic Geometric Image Features. , 2018, , .		6
16	Evaluation of the natural vertical transmission of <i>Theileria orientalis</i> . <i>Veterinary Parasitology</i> , 2018, 263, 1-4.	0.7	22
17	First intermediate hosts of <i>Paragonimus</i> spp. in Vietnam and identification of intramolluscan stages of different <i>Paragonimus</i> species. <i>Parasites and Vectors</i> , 2018, 11, 328.	1.0	8
18	New hematological key for bovine leukemia virus-infected Japanese Black cattle. <i>Journal of Veterinary Medical Science</i> , 2018, 80, 316-319.	0.3	10

#	ARTICLE	IF	CITATIONS
19	Paraoxonase activity is related to <i>Trichinella spiralis</i> -induced hepatitis in rats. <i>European Journal of Clinical Investigation</i> , 2017, 47, 250-261.	1.7	6
20	Assessment of the <i>Campylobacter jejuni</i> and <i>C. coli</i> in broiler chicken ceca by conventional culture and loop-mediated isothermal amplification method. <i>Food Control</i> , 2017, 74, 107-111.	2.8	7
21	Evaluation of real-time PCR assay for the detection of <i>Ascaris suum</i> contamination in meat and organ meats. <i>Journal of Food Safety</i> , 2017, 37, e12301.	1.1	4
22	<i>Strongyloides</i> spp. infections of veterinary importance. <i>Parasitology</i> , 2017, 144, 274-284.	0.7	89
23	Automatic evaluation of Cow's body-condition-score using 3D camera. , 2017, , .		7
24	A study on cow monitoring system for calving process. , 2017, , .		9
25	Infection with <i>Paragonimus westermani</i> of boar-hunting dogs in Western Japan maintained via artificial feeding with wild boar meat by hunters. <i>Journal of Veterinary Medical Science</i> , 2017, 79, 1419-1425.	0.3	11
26	Intrauterine infection with bovine leukemia virus in pregnant dam with high viral load. <i>Journal of Veterinary Medical Science</i> , 2017, 79, 2036-2039.	0.3	21
27	Development of LAMP assays for the molecular detection of taeniid infection in canine in Tibetan rural area. <i>Journal of Veterinary Medical Science</i> , 2017, 79, 1986-1993.	0.3	10
28	Phylogenetic analysis of <i>env</i> gene of bovine leukemia virus strains spread in Miyazaki prefecture, Japan. <i>Journal of Veterinary Medical Science</i> , 2017, 79, 912-916.	0.3	12
29	Cattle with the BoLA class II <i>DRB3*0902</i> allele have significantly lower bovine leukemia proviral loads. <i>Journal of Veterinary Medical Science</i> , 2017, 79, 1552-1555.	0.3	35
30	Molecular and morphological variation of <i>Paragonimus westermani</i> in Vietnam with records of new second intermediate crab hosts and a new locality in a northern province. <i>Parasitology</i> , 2016, 143, 1639-1646.	0.7	14
31	Quantitative effects of a declaration of a state of emergency on foot-and-mouth disease. <i>Environmental Health and Preventive Medicine</i> , 2016, 21, 237-247.	1.4	0
32	Cross-Reactivity Pattern of Asian and American Human Gnathostomiasis in Western Blot Assays Using Crude Antigens Prepared from <i>Gnathostoma spinigerum</i> and <i>Gnathostoma binucleatum</i> Third-Stage Larvae. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 95, 413-416.	0.6	12
33	Horizontal transmission and phylogenetic analysis of bovine leukemia virus in two districts of Miyazaki, Japan. <i>Journal of Veterinary Medical Science</i> , 2015, 77, 1115-1120.	0.3	37
34	Paragonimiasis in Japan: A Twelve-year Retrospective Case Review (2001-2012). <i>Internal Medicine</i> , 2015, 54, 179-186.	0.3	62
35	Immunomodulatory and antiparasitic effects of garlic extract on <i>Eimeria vermiformis</i> -infected mice. <i>Parasitology Research</i> , 2015, 114, 2735-2742.	0.6	17
36	Evaluation of the MGL method to detect <i>Paragonimus</i> eggs and its improvement. <i>Parasitology Research</i> , 2015, 114, 4051-4058.	0.6	6

#	ARTICLE	IF	CITATIONS
37	Evaluation of the natural perinatal transmission of bovine leukaemia virus. <i>Veterinary Record</i> , 2015, 176, 254-254.	0.2	52
38	Comparative analysis of LTR and structural genes in an equine infectious anemia virus strain isolated from a feral horse in Japan. <i>Archives of Virology</i> , 2014, 159, 3413-3420.	0.9	8
39	Epidemiological Study and Control Trial of Taeniid Cestode Infection in Farm Dogs in Qinghai Province, China. <i>Journal of Veterinary Medical Science</i> , 2014, 76, 395-400.	0.3	10
40	Serum paraoxonase-1 as biomarker for improved diagnosis of fatty liver in dairy cows. <i>BMC Veterinary Research</i> , 2013, 9, 73.	0.7	39
41	Plasma anti-MÅ½llerian hormone as a biomarker for bovine granulosa-theca cell tumors: Comparison with immunoreactive inhibin and ovarian steroid concentrations. <i>Theriogenology</i> , 2013, 80, 940-949.	0.9	41
42	Natural hybridization between <i>Paragonimus bangkokensis</i> and <i>Paragonimus harinasutai</i> . <i>Parasitology International</i> , 2013, 62, 240-245.	0.6	6
43	Development and evaluation of multiplex RT-LAMP assays for rapid and sensitive detection of foot-and-mouth disease virus. <i>Journal of Virological Methods</i> , 2013, 192, 18-24.	1.0	54
44	Identification of a novel equine infectious anemia virus field strain isolated from feral horses in southern Japan. <i>Journal of General Virology</i> , 2013, 94, 360-365.	1.3	28
45	Survey on Helminths in the Small Intestine of Wild Foxes in Qinghai, China. <i>Journal of Veterinary Medical Science</i> , 2013, 75, 1329-1333.	0.3	22
46	Continuous & Moniezia benedeni Infection in Confined Cattle Possibly Maintained by an Intermediate Host on the Farm. <i>Journal of Veterinary Medical Science</i> , 2013, 75, 1585-1589.	0.3	12
47	<i>Paragonimus</i> and Paragonimiasis in Vietnam: an Update. <i>Korean Journal of Parasitology</i> , 2013, 51, 621-627.	0.5	34
48	<i>Paragonimus paishuihoensis</i> Metacercariae in Freshwater Crabs, <i>Potamon lipkei</i> , in Vientiane Province, Lao PDR. <i>Korean Journal of Parasitology</i> , 2013, 51, 683-687.	0.5	4
49	Development of a nested PCR assay to detect equine infectious anemia proviral DNA from peripheral blood of naturally infected horses. <i>Archives of Virology</i> , 2012, 157, 2105-2111.	0.9	24
50	Co-existence of <i>Paragonimus harinasutai</i> and <i>Paragonimus bangkokensis</i> metacercariae in fresh water crab hosts in central Viet Nam with special emphasis on their close phylogenetic relationship. <i>Parasitology International</i> , 2012, 61, 399-404.	0.6	11
51	Modulation of paraoxonases during infectious diseases and its potential impact on atherosclerosis. <i>Lipids in Health and Disease</i> , 2012, 11, 92.	1.2	36
52	A novel C-type lectin identified by EST analysis in tissue migratory larvae of <i>Ascaris suum</i> . <i>Parasitology Research</i> , 2012, 110, 1583-1586.	0.6	15
53	<i>Trichinella spiralis</i> : Infection changes serum paraoxonase-1 levels, lipid profile, and oxidative status in rats. <i>Experimental Parasitology</i> , 2012, 131, 190-194.	0.5	12
54	Human paragonimiasis in Viet Nam: Epidemiological survey and identification of the responsible species by DNA sequencing of eggs in patients' sputum. <i>Parasitology International</i> , 2011, 60, 534-537.	0.6	37

#	ARTICLE	IF	CITATIONS
55	Growth and genotypes of <i>Echinococcus granulosus</i> found in cattle imported from Australia and fattened in Japan. <i>Parasitology International</i> , 2011, 60, 498-502.	0.6	28
56	Q fever in Japan: An update review. <i>Veterinary Microbiology</i> , 2011, 149, 298-306.	0.8	26
57	Eosinophilic Venulitis in the Small Intestines in a Mouse Model of Late Asthma. <i>Inflammation</i> , 2011, 34, 499-508.	1.7	4
58	An atherogenic lipid profile with low serum paraoxonase-1 activity during nematode infection in rats. <i>European Journal of Clinical Investigation</i> , 2010, 40, 984-993.	1.7	17
59	<i>Nippostrongylus brasiliensis</i> : Infection decreases plasma butyrylcholinesterase activity in rats. <i>Experimental Parasitology</i> , 2009, 122, 162-164.	0.5	3
60	Rumen ciliates from Tanzanian short horn zebu cattle, <i>Bos taurus indicus</i> , and the infraciliature of <i>Entodinium palmare</i> n.sp. and <i>Enoploplastron stoky</i> (). <i>European Journal of Protistology</i> , 2009, 45, 77-86.	0.5	15
61	<i>Eimeria vermiformis</i> infection reduces goblet cells by multiplication in the crypt cells of the small intestine of C57BL/6 mice. <i>Parasitology Research</i> , 2009, 104, 789-794.	0.6	22
62	Discovery of <i>Paragonimus westermani</i> in Vietnam and its molecular phylogenetic status in <i>P. westermani</i> complex. <i>Parasitology Research</i> , 2009, 104, 1149-1155.	0.6	27
63	Morphological differences and molecular similarities between <i>Paragonimus bangkokensis</i> and <i>P. harinasutai</i> . <i>Parasitology Research</i> , 2009, 105, 429-439.	0.6	17
64	A seroepidemiological survey for paragonimosis among boar-hunting dogs in central and southern Kyushu, Japan. <i>Veterinary Parasitology</i> , 2009, 161, 335-338.	0.7	13
65	Paralytic ileus and subsequent death caused by enteric parasite, <i>Strongyloides papillosus</i> , in Mongolian gerbils. <i>Veterinary Parasitology</i> , 2009, 162, 100-105.	0.7	10
66	Intestinally implanted <i>Nippostrongylus brasiliensis</i> adult worms decrease serum paraoxonase-1 activity in rats. <i>Parasitology International</i> , 2009, 58, 178-183.	0.6	3
67	Large-Group Infection of Boar-Hunting Dogs with <i>Paragonimus westermani</i> in Miyazaki Prefecture, Japan, with Special Reference to a Case of Sudden Death Due to Bilateral Pneumothorax. <i>Journal of Veterinary Medical Science</i> , 2009, 71, 657-660.	0.3	13
68	Discovery of <i>Paragonimus proliferus</i> in Northern Vietnam and their molecular phylogenetic status among genus <i>Paragonimus</i> . <i>Parasitology Research</i> , 2008, 102, 677-683.	0.6	21
69	Sequence analyses of ITS2 and CO1 genes of <i>Paragonimus proliferus</i> obtained in Yunnan province, China and their similarities with those of <i>P. hokuoensis</i> . <i>Parasitology Research</i> , 2008, 102, 1379-1383.	0.6	10
70	Gastrointestinal motor disturbance in rabbits experimentally infected with <i>Strongyloides papillosus</i> . <i>Veterinary Parasitology</i> , 2008, 158, 67-72.	0.7	9
71	Infection of a group of boar-hunting dogs with <i>Paragonimus westermani</i> in Miyazaki Prefecture, Japan. <i>Veterinary Parasitology</i> , 2008, 158, 376-379.	0.7	8
72	Gastrointestinal nematode infection increases organophosphate toxicity in rats. <i>Toxicology Letters</i> , 2008, 180, 33-37.	0.4	6

#	ARTICLE	IF	CITATIONS
73	Neuropsin (KLK8)-Dependent and -Independent Synaptic Tagging in the Schaffer-Collateral Pathway of Mouse Hippocampus. <i>Journal of Neuroscience</i> , 2008, 28, 843-849.	1.7	43
74	Increased anxiety-like behavior in neuropsin (kallikrein-related peptidase 8) gene-deficient mice.. <i>Behavioral Neuroscience</i> , 2008, 122, 498-504.	0.6	28
75	INCREASED INTESTINAL ENDOTOXIN ABSORPTION DURING ENTERIC NEMATODE BUT NOT PROTOZOAL INFECTIONS THROUGH A MAST CELL-MEDIATED MECHANISM. <i>Shock</i> , 2008, 29, 709-716.	1.0	29
76	Decreased Serum Paraoxonase-1 Activity during Intestinal Nematode (<i>Nippostrongylus brasiliensis</i>) Infection in Rats. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 78, 770-776.	0.6	20
77	Decreased serum paraoxonase-1 activity during intestinal nematode (<i>Nippostrongylus brasiliensis</i>) infection in rats. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 78, 770-6.	0.6	7
78	Morphological and molecular identification of two <i>Paragonimus</i> spp., of which metacercariae concurrently found in a land crab, <i>Potamiscus tannanti</i> , collected in Yenbai Province, Vietnam. <i>Parasitology Research</i> , 2007, 100, 1075-1082.	0.6	31
79	Description of a new lung fluke species, <i>Paragonimus vietnamensis</i> sp. nov. (Trematoda,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50</i>	0.6	29
80	Intestinal Intraepithelial Lymphocytes Sustain the Epithelial Barrier Function against <i>Eimeria vermiformis</i> Infection. <i>Infection and Immunity</i> , 2006, 74, 5292-5301.	1.0	85
81	The Relationship Between the Anticoccidial Effects of Clindamycin and the Development of Immunity in the <i>Eimeria pragensis</i> /Mouse Model of Large Intestinal Coccidiosis. <i>Journal of Veterinary Medical Science</i> , 2005, 67, 165-170.	0.3	10
82	Murine Goblet Cell Hypoplasia during <i>Eimeria pragensis</i> Infection is Ameliorate by Clindamycin Treatment. <i>Journal of Veterinary Medical Science</i> , 2005, 67, 311-315.	0.3	26
83	Identification of tissue-embedded ascarid larvae by ribosomal DNA sequencing. <i>Parasitology Research</i> , 2004, 92, 50-52.	0.6	53
84	Histopathological and Enzyme Histochemical Observations on Mast Cells in Pulmonary Arterial Lesion of Dogs with <i>Dirofilaria immitis</i> Infestation. <i>Journal of Veterinary Medical Science</i> , 2004, 66, 1457-1462.	0.3	4
85	Distribution, Histochemical and Enzyme Histochemical Characterization of Mast Cells in Dogs. <i>Journal of Molecular Histology</i> , 2003, 35, 123-132.	1.0	22
86	Clindamycin in the Treatment of <i>Babesia gibsoni</i> Infections in Dogs. <i>Journal of the American Animal Hospital Association</i> , 2003, 39, 558-562.	0.5	36
87	Lymphocyte Subsets and Specific IgG Antibody Levels in Clindamycin-Treated and Untreated Dogs Experimentally Infected with <i>Babesia gibsoni</i> . <i>Journal of Veterinary Medical Science</i> , 2003, 65, 579-584.	0.3	22
88	Resistance of Cotton Rats, <i>Sigmodon hispidus</i> , to Primary Infection by <i>Nippostrongylus brasiliensis</i> .. <i>Journal of Veterinary Medical Science</i> , 2002, 64, 423-426.	0.3	3
89	Demonstration of Continuously Seropositive Population against Borna Disease Virus in Misaki Feral Horses, a Japanese Strain: A Four-Year Follow-Up Study from 1998 to 2001.. <i>Journal of Veterinary Medical Science</i> , 2002, 64, 445-448.	0.3	11
90	Age- and Sex-Related Changes in Susceptibility of Wistar Rats to <i>Strongyloides venezuelensis</i> Infection.. <i>Journal of Veterinary Medical Science</i> , 2002, 64, 519-521.	0.3	8

#	ARTICLE	IF	CITATIONS
91	Enhanced Protection against the Migratory Phase, but Defective Protection against the Intestinal Phase of <i>Strongyloides venezuelensis</i> Infection in Cotton Rats, <i>Sigmodon hispidus</i> .. <i>Journal of Veterinary Medical Science</i> , 2002, 64, 1031-1035.	0.3	3
92	Androgen- and Estrogen-Dependent Sex Differences in Host Resistance to <i>Strongyloides venezuelensis</i> Infection in Wistar Rats.. <i>Journal of Veterinary Medical Science</i> , 2002, 64, 457-461.	0.3	19
93	A Defect in Collagen Receptor-Ca ²⁺ Signaling System in Platelets from Cattle with Chediak-Higashi Syndrome. <i>Thrombosis and Haemostasis</i> , 2002, 87, 334-341.	1.8	4
94	Region-specific and epileptogenic-dependent expression of six subtypes of α 2,3-sialyltransferase in the adult mouse brain. <i>Journal of Neurochemistry</i> , 2002, 84, 53-66.	2.1	15
95	Detection of Anti-Borna Disease Virus Antibodies from Cats in Asian Countries, Japan, Philippines and Indonesia Using Electrochemiluminescence Immunoassay.. <i>Journal of Veterinary Medical Science</i> , 2001, 63, 921-923.	0.3	22
96	Amebiasis in Four Ball Pythons, <i>Python reginus</i> .. <i>Journal of Veterinary Medical Science</i> , 2001, 63, 1365-1368.	0.3	29
97	Synthetic peptide-based electrochemiluminescence immunoassay for anti-Borna disease virus p40 and p24 antibodies in rat and horse serum. <i>Annals of Clinical Biochemistry</i> , 2001, 38, 348-355.	0.8	18
98	Distribution and enzyme histochemical characterisation of mast cells in cats. <i>The Histochemical Journal</i> , 2001, 33, 597-603.	0.6	12
99	Detection of Borna Disease Virus-Reactive Antibodies from Patients with Psychiatric Disorders and from Horses by Electrochemiluminescence Immunoassay. <i>Vaccine Journal</i> , 1999, 6, 696-700.	2.6	51
100	Gnathostomiasis in Wild Boars from Japan. <i>Journal of Wildlife Diseases</i> , 1998, 34, 155-157.	0.3	11
101	Anthelmintic Efficacy of Milbemycin Oxime against <i>Trichuris vulpis</i> in Dogs.. <i>Journal of Veterinary Medical Science</i> , 1998, 60, 271-272.	0.3	6
102	Sensitive Enzyme-Linked Immunosorbent Assay(ELISA) to Measure Parasite-Specific Antibodies of Indian Soft-Furred Rats, <i>Millardia melitana</i> .. <i>Journal of Veterinary Medical Science</i> , 1997, 59, 491-494.	0.3	1
103	Plasma Levels of Diethylcarbamazine and Their Effects on Implanted Microfilariae of <i>Brugia pahangi</i> in Rats.. <i>Journal of Veterinary Medical Science</i> , 1997, 59, 961-963.	0.3	6
104	Cloning of the cDNAs for mast-cell chymases from the jejunum of Mongolian gerbils, <i>Meriones unguiculatus</i> , and their sequence similarities with chymases expressed in the connective-tissue mast cells of mice and rats. <i>Biochemical Journal</i> , 1996, 314, 923-929.	1.7	13
105	Immunologic Characteristics of Anti-Erythrocyte Membrane Antibody Produced in Dogs during <i>Babesia gibsoni</i> Infection.. <i>Journal of Veterinary Medical Science</i> , 1995, 57, 121-123.	0.3	19
106	Selective effector mechanisms for the expulsion of intestinal helminths. <i>Parasite Immunology</i> , 1994, 16, 333-338.	0.7	159
107	The indian soft-furred rat, <i>Millardia melitana</i> , a new host for <i>Nippostrongylus brasiliensis</i> , showing androgen-dependent sex difference in intestinal mucosal defence. <i>International Journal for Parasitology</i> , 1994, 24, 1055-1057.	1.3	26
108	Protective Immunity against Multiple Challenges of <i>Brugia pahangi</i> in Mongolian Gerbils Induced by Drug-Abbreviated Infection.. <i>Journal of Veterinary Medical Science</i> , 1994, 56, 803-804.	0.3	0

#	ARTICLE	IF	CITATIONS
109	Quantitation of Erythrocyte-Bound IgG by Competitive Solid Phase Enzyme Immunoassay.. Journal of Veterinary Medical Science, 1994, 56, 499-502.	0.3	1
110	Elevated Erythrocyte-Bound IgG Value in Dogs with Clinical Babesia gibsoni Infection.. Journal of Veterinary Medical Science, 1994, 56, 757-759.	0.3	20
111	Reactivity of Serum Anti-Erythrocyte Membrane Antibody in Babesia gibsoni-Infected Dogs.. Journal of Veterinary Medical Science, 1994, 56, 997-999.	0.3	11
112	A Case Report of Serologically Diagnosed Pulmonary Anisakiasis with Pleural Effusion and Multiple Lesions. American Journal of Tropical Medicine and Hygiene, 1994, 51, 819-822.	0.6	43
113	Brugia pahangi: Production of a monoclonal antibody reactive with the surface of infective larvae. Experimental Parasitology, 1992, 75, 146-154.	0.5	8
114	Importance of Mast-Cell-Derived Eosinophil Chemotactic Factor A on Granuloma Formation in Murine Schistosomiasis japonica: Evaluation Using Mast-Cell-Deficient W/W ^v Mice. International Archives of Allergy and Immunology, 1990, 92, 64-68.	0.9	13
115	Age-Related Changes of the Susceptibility to Infection with Brugia pahangi in Male and Female BALB/c Mice. Journal of Parasitology, 1990, 76, 283.	0.3	8
116	Effect of Testosterone on the Susceptibility of C57BL/6 Mice to Infection with Brugia pahangi with Reference to Inflammatory Cell Response. Journal of Parasitology, 1989, 75, 455.	0.3	30
117	The role of macrophages on the expression of sex difference in the susceptibility to Brugia pahangi infection in C57BL/6 mice. Journal of Helminthology, 1989, 63, 213-217.	0.4	12
118	Eosinophil Hyporesponse of Jirds Induced by Microfilariae of Brugia Pahangi. American Journal of Tropical Medicine and Hygiene, 1989, 41, 183-188.	0.6	12
119	Purification and Characterization of a Neutrophil Chemotactic Factor from Dirofilaria immitis. Journal of Parasitology, 1986, 72, 315.	0.3	19
120	Detection of High Molecular Weight Eosinophil Chemotactic Factor in Murine Schistosomiasis Sera. American Journal of Tropical Medicine and Hygiene, 1986, 35, 1192-1197.	0.6	3
121	Experimental transmission of Trichuris ova from monkeys to man. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1985, 79, 423.	0.7	17
122	Schistosoma japonicum: Identification and characterization of neutrophil chemotactic factors from egg antigen. Experimental Parasitology, 1985, 60, 229-238.	0.5	20
123	In Vitro and In Vivo Induction of Neutrophil and Eosinophil Chemotactic Responses by Schistosoma japonicum Cercaria. American Journal of Tropical Medicine and Hygiene, 1985, 34, 513-518.	0.6	9
124	Eosinophil and Neutrophil Chemotactic Activities of Adult Worm Extracts of Schistosoma japonicum In vivo and In vitro. Journal of Parasitology, 1984, 70, 955.	0.3	15
125	Leukocyte Accumulation in Sparganosis: Demonstration of Eosinophil and Neutrophil Chemotactic Factors from the Plerocercoid of Spirometra Erinacei In Vivo and In Vitro. American Journal of Tropical Medicine and Hygiene, 1984, 33, 138-143.	0.6	26
126	Eosinophil Chemotactic Factor in Schistosome Eggs: A Comparative Study of Eosinophil Chemotactic Factors in the Eggs of Schistosoma Japonicum and S. Mansoni In Vitro. American Journal of Tropical Medicine and Hygiene, 1983, 32, 359-366.	0.6	39

#	ARTICLE	IF	CITATIONS
127	Parasite changes and their influence on the body weight of Japanese monkeys (<i>Macaca fuscata fuscata</i>) of the Koshima troop. <i>Primates</i> , 1982, 23, 416-431.	0.7	22