

Mateusz Reczynski

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5609435/mateusz-reczynski-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

30
papers

388
citations

11
h-index

19
g-index

33
ext. papers

483
ext. citations

5.1
avg, IF

3.71
L-index

#	Paper	IF	Citations
30	Tunable magnetic anisotropy in luminescent cyanido-bridged {DyPt} molecules incorporating heteroligand Pt linkers. <i>Dalton Transactions</i> , 2021 , 50, 16242-16253	4.3	0
29	Solvent- and Temperature-Driven Photoluminescence Modulation in Porous Hofmann-Type Sr-Re Metal-Organic Frameworks. <i>Inorganic Chemistry</i> , 2021 , 60, 4093-4107	5.1	1
28	Room-Temperature Bistability in a Ni-Fe Chain: Electron Transfer Controlled by Temperature, Pressure, Light, and Humidity. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 2330-2338	16.4	6
27	Room-Temperature Bistability in a Ni-Fe Chain: Electron Transfer Controlled by Temperature, Pressure, Light, and Humidity. <i>Angewandte Chemie</i> , 2021 , 133, 2360-2368	3.6	0
26	Tuning of magnetic properties of the 2D CN-bridged Ni-Nb framework by incorporation of guest cations of alkali and alkaline earth metals. <i>Dalton Transactions</i> , 2021 , 50, 7537-7544	4.3	0
25	Large breathing effect induced by water sorption in a remarkably stable nonporous cyanide-bridged coordination polymer. <i>Chemical Science</i> , 2021 , 12, 9176-9188	9.4	3
24	Rücktitelbild: Room-Temperature Bistability in a Ni-Fe Chain: Electron Transfer Controlled by Temperature, Pressure, Light, and Humidity (Angew. Chem. 5/2021). <i>Angewandte Chemie</i> , 2021 , 133, 2740-2740	3.6	1
23	Hepta-coordinated Ni(II) assemblies - structure and magnetic studies. <i>Dalton Transactions</i> , 2021 , 50, 5251-5261	4.5	12
22	Tuning the Optical Properties of Magnetic Materials. <i>European Journal of Inorganic Chemistry</i> , 2020 , 2020, 2669-2678	2.3	10
21	Guest-Dependent Pressure-Induced Spin Crossover in Fe [M(CN)] (M=Mo, W) Cluster-Based Material Showing Persistent Solvent-Driven Structural Transformations. <i>Chemistry - A European Journal</i> , 2020 , 26, 11187-11198	4.8	7
20	Multi-colour uranyl emission efficiently tuned by hexacyanidometallates within hybrid coordination frameworks. <i>Chemical Communications</i> , 2019 , 55, 3057-3060	5.8	19
19	Modification of Structure and Magnetic Properties in Coordination Assemblies Based on [Cu(cyclam)] ²⁺ and [W(CN) ₈] ³⁻ . <i>Crystals</i> , 2019 , 9, 45	2.3	4
18	Humidity driven molecular switch based on photoluminescent Dy(III)Co(III) single-molecule magnets. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 4164-4172	7.1	21
17	Proton-Conducting Humidity-Sensitive Ni-Nb Magnetic Coordination Network. <i>Inorganic Chemistry</i> , 2019 , 58, 15812-15823	5.1	9
16	Connecting Visible Photoluminescence and Slow Magnetic Relaxation in Dysprosium(III) Octacyanidodihydroxide(V) Helices. <i>Inorganic Chemistry</i> , 2018 , 57, 14039-14043	5.1	11
15	A Photomagnetic Sponge: High-Temperature Light-Induced Ferrimagnet Controlled by Water Sorption. <i>Journal of the American Chemical Society</i> , 2018 , 140, 15876-15882	16.4	29
14	Dehydration-Triggered Charge Transfer and High Proton Conductivity in (HO)[Ni(cyclam)][M(CN)] (M = Ru, Os) Cyanide-Bridged Chains. <i>Inorganic Chemistry</i> , 2018 , 57, 13415-13422	5.1	16

13	Dehydration of Octacyanido-Bridged Ni-W Framework toward Negative Thermal Expansion and Magneto-Colorimetric Switching. <i>Inorganic Chemistry</i> , 2017 , 56, 179-185	5.1	22
12	Solvatomagnetic Studies on Cyano-Bridged Bimetallic Chains Based on [Mn(cyclam)] ³⁺ and Hexacyanometallates. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 99-106	2.3	12
11	Exploration of a new building block for the construction of cyano-bridged solvatomagnetic assemblies: [Ni(cyclam)] ³⁺ . <i>CrystEngComm</i> , 2016 , 18, 7011-7020	3.3	9
10	The Rule Rather than the Exception: Structural Flexibility of [Ni(cyclam)] ²⁺ -Based Cyano-Bridged Magnetic Networks. <i>Crystal Growth and Design</i> , 2016 , 16, 4736-4743	3.5	11
9	Ligand dependent topology and spontaneous resolution in high-spin cyano-bridged Ni ₃ W ₂ clusters. <i>Dalton Transactions</i> , 2016 , 45, 12423-31	4.3	4
8	Hydration-switchable charge transfer in the first bimetallic assembly based on the [Ni(cyclam)] ³⁺ -magnetic CN-bridged chain {(H ₃ O)[Ni(III)(cyclam)][Fe(II)(CN) ₆][B ₂ H ₂ O]} _n . <i>Chemical Communications</i> , 2015 , 51, 11485-8	5.8	32
7	Implementation of Chirality into High-Spin Ferromagnetic CoII ₉ W ₆ and NiII ₉ W ₆ Cyanido-Bridged Clusters. <i>Crystal Growth and Design</i> , 2015 , 15, 3573-3581	3.5	27
6	Larger pores and higher T _c : {[Ni(cyclam)] ₃ [W(CN) ₈] ₂ [solv] _n } _n a new member of the largest family of pseudo-polymorphic isomers among octacyanometallate-based assemblies. <i>CrystEngComm</i> , 2015 , 17, 3526-3532	3.3	27
5	New topology of CN-bridged clusters: dodecanuclear face-sharing defective cubes based on octacyanometallates(IV) and nickel(II) with diimine ligands. <i>Dalton Transactions</i> , 2015 , 44, 12780-7	4.3	3
4	Multifunctionality in molecular magnetism. <i>Science Progress</i> , 2015 , 98, 346-78	1.1	11
3	Magnetic clusters based on octacyanidometallates. <i>Inorganic Chemistry Frontiers</i> , 2015 , 2, 10-27	6.8	63
2	A water sensitive ferromagnetic [Ni(cyclam)] ₂ [Nb(CN) ₈] network. <i>Dalton Transactions</i> , 2013 , 42, 2616-214.3	14.3	17
1	Cyclams with varied degree of protonation in the assemblies with cyano complexes of Mo and W. <i>Polyhedron</i> , 2012 , 47, 73-78	2.7	11