

# laurent Castera

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5609603/laurent-castera-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130  
papers

14,307  
citations

51  
h-index

119  
g-index

144  
ext. papers

18,156  
ext. citations

7  
avg, IF

6.88  
L-index

#	Paper	IF	Citations
130	Impact of non-invasive biomarkers on hepatology practice: Past, present and future.. <i>Journal of Hepatology</i> , <b>2022</b> , 76, 1362-1378	13.4	1
129	2D-shear wave elastography: number of acquisitions can be reduced according to clinical setting. <i>Insights Into Imaging</i> , <b>2021</b> , 12, 145	5.6	0
128	Advancing the global public health agenda for NAFLD: a consensus statement. <i>Nature Reviews Gastroenterology and Hepatology</i> , <b>2021</b> ,	24.2	37
127	Disease burden and economic impact of diagnosed non-alcoholic steatohepatitis in five European countries in 2018: A cost-of-illness analysis. <i>Liver International</i> , <b>2021</b> , 41, 1227-1242	7.9	20
126	NON-INVASIVE DIAGNOSIS AND FOLLOW-UP OF PORTAL HYPERTENSION. <i>Clinics and Research in Hepatology and Gastroenterology</i> , <b>2021</b> , 101767	2.4	
125	A Global Survey of Physicians Knowledge About Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> ,	6.9	9
124	Refining the Baveno VI elastography criteria for the definition of compensated advanced chronic liver disease. <i>Journal of Hepatology</i> , <b>2021</b> , 74, 1109-1116	13.4	39
123	Liver Stiffness by Transient Elastography to Detect Porto-Sinusoidal Vascular Liver Disease With Portal Hypertension. <i>Hepatology</i> , <b>2021</b> , 74, 364-378	11.2	9
122	Two-dimensional shear wave elastography predicts survival in advanced chronic liver disease. <i>Gut</i> , <b>2021</b> ,	19.2	16
121	Assessment of Liver Disease Severity <b>2021</b> , 1-20		
120	Prospective external validation of a new non-invasive test for the diagnosis of non-alcoholic steatohepatitis in patients with type 2 diabetes. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2021</b> , 54, 952-966	6.1	3
119	Population screening for liver fibrosis: Toward early diagnosis and intervention for chronic liver diseases. <i>Hepatology</i> , <b>2021</b> ,	11.2	8
118	Prospective comparison of transient elastography, MRI and serum scores for grading steatosis and detecting non-alcoholic steatohepatitis in bariatric surgery candidates. <i>JHEP Reports</i> , <b>2021</b> , 3, 100381	10.3	1
117	EASL Clinical Practice Guidelines on non-invasive tests for evaluation of liver disease severity and prognosis - 2021 update. <i>Journal of Hepatology</i> , <b>2021</b> , 75, 659-689	13.4	102
116	Liver surface nodularity on non-contrast MRI identifies advanced fibrosis in patients with NAFLD. <i>European Radiology</i> , <b>2021</b> , 1	8	3
115	Elastography Methods to Assess Chronic Liver Diseases: A Critical Comparison <b>2021</b> , 143-158		
114	Low accuracy of FIB-4 and NAFLD fibrosis scores for screening for liver fibrosis in the population.. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> ,	6.9	5

113 Noninvasive markers of fibrosis: how reliable are they? **2020**, 1-8

112 2D shear wave liver elastography by Aixplorer to detect portal hypertension in cirrhosis: An individual patient data meta-analysis. *Liver International*, **2020**, 40, 1435-1446 7.9 22

111 Relationship of Tumor Radiation-absorbed Dose to Survival and Response in Hepatocellular Carcinoma Treated with Transarterial Radioembolization with Y in the SARAH Study. *Radiology*, **2020**, 296, 673-684 20.5 41

110 Non-invasive tests for liver fibrosis in NAFLD: Creating pathways between primary healthcare and liver clinics. *Liver International*, **2020**, 40 Suppl 1, 77-81 7.9 26

109 A new definition for metabolic dysfunction-associated fatty liver disease: An international expert consensus statement. *Journal of Hepatology*, **2020**, 73, 202-209 13.4 764

108 Liver Diseases, Noninvasive Diagnosis and Staging of **2020**, 429-435

107 Performance of liver biomarkers, in patients at risk of nonalcoholic steato-hepatitis, according to presence of type-2 diabetes. *European Journal of Gastroenterology and Hepatology*, **2020**, 32, 998-1007 2.2 5

106 Quantification of hepatic steatosis with ultrasound: promising role of attenuation imaging coefficient in a biopsy-proven cohort. *European Radiology*, **2020**, 30, 2293-2301 8 29

105 Biological response under treatment and prognostic value of protein induced by vitamin K absence or antagonist-II in a French cohort of patients with hepatocellular carcinoma. *European Journal of Gastroenterology and Hepatology*, **2020**, 32, 1364-1372 2.2 6

104 Transient elastography for screening of liver fibrosis: Cost-effectiveness analysis from six prospective cohorts in Europe and Asia. *Journal of Hepatology*, **2019**, 71, 1141-1151 13.4 51

103 Noninvasive Assessment of Liver Disease in Patients With Nonalcoholic Fatty Liver Disease. *Gastroenterology*, **2019**, 156, 1264-1281.e4 13.3 447

102 Noninvasive Tests of Liver Fibrosis **2019**, 445-453

101 Ultrasonic Adaptive Sound Speed Estimation for the Diagnosis and Quantification of Hepatic Steatosis: A Pilot Study. *Ultraschall in Der Medizin*, **2019**, 40, 722-733 3.8 23

100 Quantitative Elastography Methods in Liver Disease: Current Evidence and Future Directions. *Radiology*, **2018**, 286, 738-763 20.5 145

99 Diagnosis of non-alcoholic fatty liver disease/non-alcoholic steatohepatitis: Non-invasive tests are enough. *Liver International*, **2018**, 38 Suppl 1, 67-70 7.9 43

98 Liver Stiffness by Ultrasound Elastography **2018**, 95-111 1

97 Assessment of biopsy-proven liver fibrosis by two-dimensional shear wave elastography: An individual patient data-based meta-analysis. *Hepatology*, **2018**, 67, 260-272 11.2 213

96 Case definitions for inclusion and analysis of endpoints in clinical trials for nonalcoholic steatohepatitis through the lens of regulatory science. *Hepatology*, **2018**, 67, 2001-2012 11.2 79

95	Landscape of pathogenic variations in a panel of 34 genes and cancer risk estimation from 5131 HBOC families. <i>Genetics in Medicine</i> , <b>2018</b> , 20, 1677-1686	8.1	40
94	Full in-frame exon 3 skipping of confers high risk of breast and/or ovarian cancer. <i>Oncotarget</i> , <b>2018</b> , 9, 17334-17348	3.3	13
93	Ultrasonic fat fraction quantification using in vivo adaptive sound speed estimation. <i>Physics in Medicine and Biology</i> , <b>2018</b> , 63, 215013	3.8	14
92	Non-invasive Fibrosis Testing in Patients with Chronic Hepatitis B. <i>Current Hepatology Reports</i> , <b>2018</b> , 17, 492-501	1	1
91	Liver Ultrasound Elastography: An Update to the World Federation for Ultrasound in Medicine and Biology Guidelines and Recommendations. <i>Ultrasound in Medicine and Biology</i> , <b>2018</b> , 44, 2419-2440	3.5	195
90	EFSUMB Guidelines and Recommendations on the Clinical Use of Liver Ultrasound Elastography, Update 2017 (Long Version). <i>Ultraschall in Der Medizin</i> , <b>2017</b> , 38, e16-e47	3.8	383
89	EFSUMB Guidelines and Recommendations on the Clinical Use of Liver Ultrasound Elastography, Update 2017 (Short Version). <i>Ultraschall in Der Medizin</i> , <b>2017</b> , 38, 377-394	3.8	62
88	Screening studies of transient elastography and FibroTest in the general population - AuthorsR reply. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2017</b> , 2, 246-247	18.8	
87	A Glycomics-Based Test Predicts the Development of Hepatocellular Carcinoma in Cirrhosis. <i>Clinical Cancer Research</i> , <b>2017</b> , 23, 2750-2758	12.9	25
86	Efficacy and safety of selective internal radiotherapy with yttrium-90 resin microspheres compared with sorafenib in locally advanced and inoperable hepatocellular carcinoma (SARAH): an open-label randomised controlled phase 3 trial. <i>Lancet Oncology</i> , <b>2017</b> , 18, 1624-1636	21.7	400
85	Detecting splicing patterns in genes involved in hereditary breast and ovarian cancer. <i>European Journal of Human Genetics</i> , <b>2017</b> , 25, 1147-1154	5.3	28
84	Contribution of germline deleterious variants in the RAD51 paralogs to breast and ovarian cancers. <i>European Journal of Human Genetics</i> , <b>2017</b> , 25, 1345-1353	5.3	21
83	Are targeted treatment recommendations in chronic hepatitis C tailored to diagnostic methods of fibrosis?. <i>Journal of Hepatology</i> , <b>2017</b> , 66, 304-312	13.4	7
82	BRCA1 allele-specific expression in genetic predisposed breast/ovarian cancer. <i>Familial Cancer</i> , <b>2017</b> , 16, 167-171	3	
81	Non-invasive diagnosis of hepatic steatosis. <i>Hepatology International</i> , <b>2017</b> , 11, 70-78	8.8	64
80	Correlation of tumor response on computed tomography with pathological necrosis in hepatocellular carcinoma treated by chemoembolization before liver transplantation. <i>Liver Transplantation</i> , <b>2016</b> , 22, 1491-1500	4.5	20
79	Critical comparison of elastography methods to assess chronic liver disease. <i>Nature Reviews Gastroenterology and Hepatology</i> , <b>2016</b> , 13, 402-11	24.2	154
78	How to Screen? <b>2016</b> , 51-62		

77	Non-invasive tests for liver fibrosis progression and regression. <i>Journal of Hepatology</i> , <b>2016</b> , 64, 232-3	13.4	11
76	OutLyzer: software for extracting low-allele-frequency tumor mutations from sequencing background noise in clinical practice. <i>Oncotarget</i> , <b>2016</b> , 7, 79485-79493	3.3	12
75	Mechanistic signatures of HPV insertions in cervical carcinomas. <i>Npj Genomic Medicine</i> , <b>2016</b> , 1, 16004	6.2	48
74	Screening for liver fibrosis in the general population: a call for action. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2016</b> , 1, 256-260	18.8	81
73	Presence of diabetes mellitus and steatosis is associated with liver stiffness in a general population: The Rotterdam study. <i>Hepatology</i> , <b>2016</b> , 63, 138-47	11.2	175
72	Characterization of fortuitously discovered focal liver lesions: additional information provided by shearwave elastography. <i>European Radiology</i> , <b>2015</b> , 25, 346-58	8	29
71	Reply to "Points to be considered when using transient elastography for diagnosis of portal hypertension according to the Baveno® VI consensus". <i>Journal of Hepatology</i> , <b>2015</b> , 63, 1049-50	13.4	5
70	Noninvasive Assessment of Liver Fibrosis. <i>Digestive Diseases</i> , <b>2015</b> , 33, 498-503	3.2	40
69	WFUMB guidelines and recommendations for clinical use of ultrasound elastography: Part 1: basic principles and terminology. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 1126-47	3.5	483
68	WFUMB guidelines and recommendations for clinical use of ultrasound elastography: Part 3: liver. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 1161-79	3.5	390
67	TRIP: a pathological score for transarterial chemoembolization resistance individualized prediction in hepatocellular carcinoma. <i>Liver International</i> , <b>2015</b> , 35, 2466-73	7.9	19
66	Noninvasive Evaluation of Nonalcoholic Fatty Liver Disease. <i>Seminars in Liver Disease</i> , <b>2015</b> , 35, 291-303	7.3	56
65	Prospective comparison of spleen and liver stiffness by using shear-wave and transient elastography for detection of portal hypertension in cirrhosis. <i>Radiology</i> , <b>2015</b> , 275, 589-98	20.5	150
64	FibroScan (vibration-controlled transient elastography): where does it stand in the United States practice. <i>Clinical Gastroenterology and Hepatology</i> , <b>2015</b> , 13, 27-36	6.9	103
63	Histologic and noninvasive estimates of liver fibrosis. <i>Clinical Liver Disease</i> , <b>2015</b> , 6, 5-8	2.2	9
62	Genetic profiles of cervical tumors by high-throughput sequencing for personalized medical care. <i>Cancer Medicine</i> , <b>2015</b> , 4, 1484-93	4.8	28
61	Assessing liver disease in HIV-HCV coinfecting patients. <i>Current Opinion in HIV and AIDS</i> , <b>2015</b> , 10, 316-22	4.2	8
60	Diagnosis of liver fibrosis: present and future. <i>Seminars in Liver Disease</i> , <b>2015</b> , 35, 166-83	7.3	38

59	WFUMB guidelines and recommendations for clinical use of ultrasound elastography: Part 2: breast. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 1148-60	3.5	255
58	Non-invasive diagnosis tests <b>2015</b> , 53-62		
57	Performance of PIVKA-II for early hepatocellular carcinoma diagnosis and prediction of microvascular invasion. <i>Journal of Hepatology</i> , <b>2015</b> , 62, 848-54	13.4	157
56	Assessment of portal hypertension and high-risk oesophageal varices with liver and spleen three-dimensional multifrequency MR elastography in liver cirrhosis. <i>European Radiology</i> , <b>2014</b> , 24, 1394-402	8.0	82
55	Next-generation sequencing for the diagnosis of hereditary breast and ovarian cancer using genomic capture targeting multiple candidate genes. <i>European Journal of Human Genetics</i> , <b>2014</b> , 22, 1305-13	5.3	181
54	Hepatitis B: are non-invasive markers of liver fibrosis reliable?. <i>Liver International</i> , <b>2014</b> , 34 Suppl 1, 91-67.9	7.9	41
53	Alternative Response Criteria (Choi, European association for the study of the liver, and modified Response Evaluation Criteria in Solid Tumors [RECIST]) Versus RECIST 1.1 in patients with advanced hepatocellular carcinoma treated with sorafenib. <i>Oncologist</i> , <b>2014</b> , 19, 394-402	5.7	104
52	Radioembolisation with yttrium-90 microspheres versus sorafenib for treatment of advanced hepatocellular carcinoma (SARAH): study protocol for a randomised controlled trial. <i>Trials</i> , <b>2014</b> , 15, 474	2.8	32
51	Noninvasive evaluation of NAFLD. <i>Nature Reviews Gastroenterology and Hepatology</i> , <b>2013</b> , 10, 666-75	24.2	198
50	Update on ultrasound imaging of liver fibrosis. <i>Journal of Hepatology</i> , <b>2013</b> , 59, 180-2	13.4	72
49	Natural History of Chronic HCV Infection and Non-Invasive Assessment of Hepatic Fibrosis <b>2013</b> , 341-352		
48	Non invasive evaluation of portal hypertension using transient elastography. <i>Journal of Hepatology</i> , <b>2012</b> , 56, 696-703	13.4	231
47	Noninvasive methods to assess liver disease in patients with hepatitis B or C. <i>Gastroenterology</i> , <b>2012</b> , 142, 1293-1302.e4	13.3	455
46	Biomarkers in liver disease: emerging methods and potential applications. <i>International Journal of Hepatology</i> , <b>2012</b> , 2012, 437508	2.7	4
45	How to assess liver fibrosis in chronic hepatitis C: serum markers or transient elastography vs. liver biopsy?. <i>Liver International</i> , <b>2011</b> , 31 Suppl 1, 13-7	7.9	49
44	Invasive and non-invasive methods for the assessment of fibrosis and disease progression in chronic liver disease. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , <b>2011</b> , 25, 291-303	2.5	94
43	Non-invasive assessment of liver fibrosis in chronic hepatitis C. <i>Hepatology International</i> , <b>2011</b> , 5, 625-348.8	8.8	59
42	EMMA, a cost- and time-effective diagnostic method for simultaneous detection of point mutations and large-scale genomic rearrangements: application to BRCA1 and BRCA2 in 1,525 patients. <i>Human Mutation</i> , <b>2011</b> , 32, 325-34	4.7	31

41	Screening the general population for cirrhosis using transient elastography: finding a needle in a haystack?. <i>Gut</i> , <b>2011</b> , 60, 883-4	19.2	5
40	Prospective comparison of two algorithms combining non-invasive methods for staging liver fibrosis in chronic hepatitis C. <i>Journal of Hepatology</i> , <b>2010</b> , 52, 191-8	13.4	158
39	Prediction of oesophageal varices in hepatic cirrhosis by simple serum non-invasive markers: Results of a multicenter, large-scale study. <i>Journal of Hepatology</i> , <b>2010</b> , 53, 630-8	13.4	92
38	Non-invasive assessment of liver fibrosis: are we ready?. <i>Lancet, The</i> , <b>2010</b> , 375, 1419-20	40	106
37	Biopsy and non-invasive methods for the diagnosis of liver fibrosis: does it take two to tango?. <i>Gut</i> , <b>2010</b> , 59, 861-6	19.2	148
36	Pitfalls of liver stiffness measurement: a 5-year prospective study of 13,369 examinations. <i>Hepatology</i> , <b>2010</b> , 51, 828-35	11.2	736
35	Apoptosis-related mitochondrial dysfunction defines human monocyte-derived dendritic cells with impaired immuno-stimulatory capacities. <i>Journal of Cellular and Molecular Medicine</i> , <b>2009</b> , 13, 1321-35	5.6	14
34	Factors of accuracy of transient elastography (fibroscan) for the diagnosis of liver fibrosis in chronic hepatitis C. <i>Hepatology</i> , <b>2009</b> , 49, 1083-9	11.2	175
33	SAFE biopsy: a validated method for large-scale staging of liver fibrosis in chronic hepatitis C. <i>Hepatology</i> , <b>2009</b> , 49, 1821-7	11.2	132
32	Liver stiffness and hepatocellular carcinoma: liaisons dangereuses?. <i>Hepatology</i> , <b>2009</b> , 49, 1793-4	11.2	10
31	Transient elastography and other noninvasive tests to assess hepatic fibrosis in patients with viral hepatitis. <i>Journal of Viral Hepatitis</i> , <b>2009</b> , 16, 300-14	3.4	127
30	Early detection in routine clinical practice of cirrhosis and oesophageal varices in chronic hepatitis C: comparison of transient elastography (FibroScan) with standard laboratory tests and non-invasive scores. <i>Journal of Hepatology</i> , <b>2009</b> , 50, 59-68	13.4	289
29	Interpreting liver stiffness in the cirrhotic range: What are we measuring?. <i>Journal of Hepatology</i> , <b>2009</b> , 50, 424-425	13.4	2
28	Transient elastography vs. blood tests for the diagnosis of cirrhosis: An empiric victory. <i>Journal of Hepatology</i> , <b>2009</b> , 51, 229	13.4	
27	Impact psychologique de l'annonce du diagnostic de l'hépatite chronique C <b>2009</b> , 65-71		
26	Overestimation of liver fibrosis staging using transient elastography in patients with chronic hepatitis C and significant liver inflammation. <i>Antiviral Therapy</i> , <b>2009</b> , 14, 187-193	1.6	35
25	Non-invasive evaluation of liver fibrosis using transient elastography. <i>Journal of Hepatology</i> , <b>2008</b> , 48, 835-47	13.4	964
24	Assessing liver fibrosis. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2008</b> , 2, 541-52	4.2	31



23	Validation and comparison of simple noninvasive indexes for predicting liver fibrosis in HIV-HCV-coinfected patients: ANRS CO3 Aquitaine cohort. <i>American Journal of Gastroenterology</i> , <b>2008</b> , 103, 1973-80	0.7	55
22	Reply:. <i>Hepatology</i> , <b>2007</b> , 46, 282-283	11.2	2
21	Meta-analyses of FibroTest diagnostic value in chronic liver disease. <i>BMC Gastroenterology</i> , <b>2007</b> , 7, 40	3	223
20	HEPACOM: multicenter, observational prospective study of outcome and monitoring of HCV positive antiviral-naïve patients managed in the French health care system. <i>Gastroenterologie Clinique Et Biologique</i> , <b>2007</b> , 31, 1074-80		7
19	Standardization of ROC curve areas for diagnostic evaluation of liver fibrosis markers based on prevalences of fibrosis stages. <i>Clinical Chemistry</i> , <b>2007</b> , 53, 1615-22	5.5	208
18	Influence of heat stress on human monocyte-derived dendritic cell functions with immunotherapeutic potential for antitumor vaccines. <i>Journal of Leukocyte Biology</i> , <b>2007</b> , 81, 1179-87	6.5	35
17	Liver stiffness measurement in children using FibroScan: feasibility study and comparison with Fibrotest, aspartate transaminase to platelets ratio index, and liver biopsy. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2007</b> , 45, 443-50	2.8	179
16	Prevalence of and factors associated with hepatic steatosis in patients coinfecting with hepatitis C virus and HIV: Agence Nationale pour la Recherche contre le SIDA et les hépatites virales CO3 Aquitaine Cohort. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2007</b> , 45, 168-73	3.1	26
15	Evolving practices of non-invasive markers of liver fibrosis in patients with chronic hepatitis C in France: time for new guidelines?. <i>Journal of Hepatology</i> , <b>2007</b> , 46, 528-9; author reply 529-30	13.4	74
14	Outbreak of hepatitis C virus infection during sclerotherapy of varicose veins: long-term follow-up of 196 patients (4535 patient-years). <i>Journal of Hepatology</i> , <b>2007</b> , 46, 19-25	13.4	21
13	FibroScan and FibroTest to assess liver fibrosis in HCV with normal aminotransferases. <i>Hepatology</i> , <b>2006</b> , 43, 373-4; author reply 375-6	11.2	38
12	Accuracy of liver stiffness measurement for the diagnosis of cirrhosis in patients with chronic liver diseases. <i>Hepatology</i> , <b>2006</b> , 44, 1511-7	11.2	382
11	Prevalence and factors associated with failure of liver stiffness measurement using FibroScan in a prospective study of 2114 examinations. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2006</b> , 18, 411-2	2.2	265
10	Psychosocial factors associated with perceived disease severity in patients with chronic hepatitis C: relationship with information sources and attentional coping styles. <i>Psychosomatics</i> , <b>2005</b> , 46, 25-33	2.6	21
9	Prospective comparison of transient elastography, Fibrotest, APRI, and liver biopsy for the assessment of fibrosis in chronic hepatitis C. <i>Gastroenterology</i> , <b>2005</b> , 128, 343-50	13.3	1857
8	Epidemiological and phylogenetic evidence for patient-to-patient hepatitis C virus transmission during sclerotherapy of varicose veins. <i>Journal of Medical Virology</i> , <b>2005</b> , 76, 279-84	19.7	8
7	Hepatitis C virus-induced hepatocellular steatosis. <i>American Journal of Gastroenterology</i> , <b>2005</b> , 100, 711-5.7		63
6	Noninvasive diagnosis of liver fibrosis in patients with chronic hepatitis C. <i>MedGenMed: Medscape General Medicine</i> , <b>2005</b> , 7, 39		3



5	Incidence of interferon alfa-induced depression in patients with chronic hepatitis C. <i>Hepatology</i> , <b>2002</b> , 35, 978-9	11.2	34
4	Patient-administered nitrous oxide/oxygen inhalation provides safe and effective analgesia for percutaneous liver biopsy: a randomized placebo-controlled trial. <i>American Journal of Gastroenterology</i> , <b>2001</b> , 96, 1553-7	0.7	31
3	Patient-administered nitrous oxide/oxygen inhalation provides safe and effective analgesia for percutaneous liver biopsy: A randomized placebo-controlled trial. <i>American Journal of Gastroenterology</i> , <b>2001</b> , 96, 1553-1557	0.7	40
2	Serum laminin and type IV collagen are accurate markers of histologically severe alcoholic hepatitis in patients with cirrhosis. <i>Journal of Hepatology</i> , <b>2000</b> , 32, 412-8	13.4	46
1	Pain experienced during percutaneous liver biopsy. <i>Hepatology</i> , <b>1999</b> , 30, 1529-30	11.2	204