

Stephen Rattigan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/561079/stephen-rattigan-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131
papers

4,457
citations

36
h-index

63
g-index

136
ext. papers

4,782
ext. citations

4.5
avg, IF

5.01
L-index

#	Paper	IF	Citations
131	Microvascular recruitment is an early insulin effect that regulates skeletal muscle glucose uptake in vivo. <i>Diabetes</i> , 2004 , 53, 1418-23	0.9	326
130	Blood flow and muscle metabolism: a focus on insulin action. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003 , 284, E241-58	6	257
129	Inhibiting NOS blocks microvascular recruitment and blunts muscle glucose uptake in response to insulin. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003 , 285, E123-9	6	232
128	Physiologic hyperinsulinemia enhances human skeletal muscle perfusion by capillary recruitment. <i>Diabetes</i> , 2001 , 50, 2682-90	0.9	197
127	Skeletal muscle microvascular recruitment by physiological hyperinsulinemia precedes increases in total blood flow. <i>Diabetes</i> , 2002 , 51, 42-8	0.9	171
126	Acute impairment of insulin-mediated capillary recruitment and glucose uptake in rat skeletal muscle in vivo by TNF-alpha. <i>Diabetes</i> , 2000 , 49, 1904-9	0.9	148
125	Insulin sensitivity of muscle capillary recruitment in vivo. <i>Diabetes</i> , 2004 , 53, 447-53	0.9	136
124	Lipid infusion impairs physiologic insulin-mediated capillary recruitment and muscle glucose uptake in vivo. <i>Diabetes</i> , 2002 , 51, 1138-45	0.9	133
123	Insulin-mediated hemodynamic changes are impaired in muscle of Zucker obese rats. <i>Diabetes</i> , 2002 , 51, 3492-8	0.9	111
122	Acute vasoconstriction-induced insulin resistance in rat muscle in vivo. <i>Diabetes</i> , 1999 , 48, 564-9	0.9	100
121	Exercise Increases Human Skeletal Muscle Insulin Sensitivity via Coordinated Increases in Microvascular Perfusion and Molecular Signaling. <i>Diabetes</i> , 2017 , 66, 1501-1510	0.9	96
120	Contraction-associated translocation of protein kinase C in rat skeletal muscle. <i>FEBS Letters</i> , 1987 , 217, 232-6	3.8	89
119	Reply from J. Newman, R. Dwyer, P. St-Pierre, S. Richards, M. Clark and S. Rattigan. <i>Journal of Physiology</i> , 2009 , 587, 5291-5292	3.9	78
118	The vasodilatory actions of insulin on resistance and terminal arterioles and their impact on muscle glucose uptake. <i>Diabetes/Metabolism Research and Reviews</i> , 2004 , 20, 3-12	7.5	78
117	Breast-milk production in Australian women. <i>British Journal of Nutrition</i> , 1981 , 45, 243-9	3.6	65
116	A new method to study changes in microvascular blood volume in muscle and adipose tissue: real-time imaging in humans and rat. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 301, H450-8	5.2	61
115	Vascular and metabolic actions of the green tea polyphenol epigallocatechin gallate. <i>Current Medicinal Chemistry</i> , 2015 , 22, 59-69	4.3	61

114	Insulin-induced microvascular recruitment in skin and muscle are related and both are associated with whole-body glucose uptake. <i>Microcirculation</i> , 2012 , 19, 494-500	2.9	59
113	Local nitric oxide synthase inhibition reduces skeletal muscle glucose uptake but not capillary blood flow during in situ muscle contraction in rats. <i>Diabetes</i> , 2007 , 56, 2885-92	0.9	59
112	Activation of AMP-activated protein kinase by 5-aminoimidazole-4-carboxamide-1-beta-D-ribofuranoside in the muscle microcirculation increases nitric oxide synthesis and microvascular perfusion. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 1137-42	9.4	58
111	Skeletal muscle nitric oxide signaling and exercise: a focus on glucose metabolism. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012 , 303, E301-7	6	55
110	Active role for the vasculature in the delivery of insulin to skeletal muscle. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2005 , 32, 302-7	3	53
109	Decreased microvascular vasomotion and myogenic response in rat skeletal muscle in association with acute insulin resistance. <i>Journal of Physiology</i> , 2009 , 587, 2579-88	3.9	52
108	Exercise training improves insulin-mediated capillary recruitment in association with glucose uptake in rat hindlimb. <i>Diabetes</i> , 2001 , 50, 2659-65	0.9	51
107	Nutritive and non-nutritive blood flow: rest and exercise. <i>Acta Physiologica Scandinavica</i> , 2000 , 168, 519-30		51
106	Vasopressin and angiotensin II stimulate oxygen uptake in the perfused rat hindlimb. <i>Life Sciences</i> , 1988 , 43, 1747-54	6.8	51
105	TNF-alpha acutely inhibits vascular effects of physiological but not high insulin or contraction. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003 , 285, E654-60	6	49
104	Insulin-like action of catecholamines and Ca ²⁺ to stimulate glucose transport and GLUT4 translocation in perfused rat heart. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1991 , 1094, 217-23	4.9	49
103	Hemodynamic actions of insulin in rat skeletal muscle: evidence for capillary recruitment. <i>Diabetes</i> , 1997 , 46, 1381-1388	0.9	46
102	Skeletal muscle contraction stimulates capillary recruitment and glucose uptake in insulin-resistant obese Zucker rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004 , 287, E804-9	6	44
101	Point: There is capillary recruitment in active skeletal muscle during exercise. <i>Journal of Applied Physiology</i> , 2008 , 104, 889-91	3.7	42
100	Muscle microvascular blood flow responses in insulin resistance and ageing. <i>Journal of Physiology</i> , 2016 , 594, 2223-31	3.9	41
99	Interleukin-6 attenuates insulin-mediated increases in endothelial cell signaling but augments skeletal muscle insulin action via differential effects on tumor necrosis factor-alpha expression. <i>Diabetes</i> , 2009 , 58, 1086-95	0.9	41
98	Inhibition by vasodilators of noradrenaline and vasoconstrictor-mediated, but not skeletal muscle contraction-induced oxygen uptake in the perfused rat hindlimb; implications for non-shivering thermogenesis in muscle tissue. <i>General Pharmacology</i> , 1990 , 21, 141-8		41
97	GLP-1 increases microvascular recruitment but not glucose uptake in human and rat skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014 , 306, E355-62	6	40

96	Insulin stimulates laser Doppler signal by rat muscle in vivo, consistent with nutritive flow recruitment. <i>Clinical Science</i> , 2001 , 100, 283-290	6.5	39
95	Skeletal Muscle Microvascular-Linked Improvements in Glycemic Control From Resistance Training in Individuals With Type 2 Diabetes. <i>Diabetes Care</i> , 2017 , 40, 1256-1263	14.6	36
94	Muscle perfusion: its measurement and role in metabolic regulation. <i>Diabetes</i> , 2012 , 61, 2661-8	0.9	36
93	Serotonin-mediated acute insulin resistance in the perfused rat hindlimb but not in incubated muscle: a role for the vascular system. <i>Life Sciences</i> , 1993 , 53, 1545-55	6.8	36
92	The microvasculature in insulin resistance and type 2 diabetes. <i>Seminars in Vascular Medicine</i> , 2002 , 2, 21-31		35
91	Serotonin inhibition of 1-methylxanthine metabolism parallels its vasoconstrictor activity and inhibition of oxygen uptake in perfused rat hindlimb. <i>Acta Physiologica Scandinavica</i> , 1997 , 161, 161-9		34
90	N-Acetylcysteine infusion does not affect glucose disposal during prolonged moderate-intensity exercise in humans. <i>Journal of Physiology</i> , 2010 , 588, 1623-34	3.9	33
89	Treatment with the thiazolidinedione (BRL 49653) decreases insulin resistance in obese Zucker hindlimb. <i>Hormone and Metabolic Research</i> , 1995 , 27, 169-72	3.1	31
88	Muscle insulin resistance resulting from impaired microvascular insulin sensitivity in Sprague Dawley rats. <i>Cardiovascular Research</i> , 2013 , 98, 28-36	9.9	28
87	Local NOS inhibition impairs vascular and metabolic actions of insulin in rat hindleg muscle in vivo. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013 , 305, E745-50	6	28
86	Alpha-adrenergic receptors in rat skeletal muscle. <i>Biochemical and Biophysical Research Communications</i> , 1986 , 136, 1071-7	3.4	28
85	Loss of insulin-mediated microvascular perfusion in skeletal muscle is associated with the development of insulin resistance. <i>Diabetes, Obesity and Metabolism</i> , 2010 , 12, 798-805	6.7	27
84	Nutritive blood flow as an essential element supporting muscle anabolism. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2006 , 9, 185-9	3.8	27
83	Acute glucosamine-induced insulin resistance in muscle in vivo is associated with impaired capillary recruitment. <i>Diabetologia</i> , 2005 , 48, 2131-9	10.3	26
82	Obesity, insulin resistance, and capillary recruitment. <i>Microcirculation</i> , 2007 , 14, 299-309	2.9	25
81	Exercise and insulin-mediated capillary recruitment in muscle. <i>Exercise and Sport Sciences Reviews</i> , 2005 , 33, 43-8	6.7	25
80	Acute blockade by endothelin-1 of haemodynamic insulin action in rats. <i>Diabetologia</i> , 2007 , 50, 443-51	10.3	24
79	Nutritive blood flow affects microdialysis O/I ratio for [(14)C]ethanol and (3)H(2)O in perfused rat hindlimb. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001 , 281, H2731-7	5.2	23

78	A vascular mechanism for high-sodium-induced insulin resistance in rats. <i>Diabetologia</i> , 2014 , 57, 2586-95	10.3	21
77	Differential effects of glucagon-like peptide-1 on microvascular recruitment and glucose metabolism in short- and long-term insulin resistance. <i>Journal of Physiology</i> , 2015 , 593, 2185-98	3.9	18
76	Local hindlimb antioxidant infusion does not affect muscle glucose uptake during in situ contractions in rat. <i>Journal of Applied Physiology</i> , 2010 , 108, 1275-83	3.7	18
75	Adiponectin opposes endothelin-1-mediated vasoconstriction in the perfused rat hindlimb. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 301, H79-86	5.2	18
74	Local methacholine but not bradykinin potentiates insulin-mediated glucose uptake in muscle in vivo by augmenting capillary recruitment. <i>Diabetologia</i> , 2004 , 47, 2226-34	10.3	18
73	Heterogeneity of laser Doppler flowmetry in perfused muscle indicative of nutritive and nonnutritive flow. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001 , 280, H1324-33	5.2	18
72	The apparent absence of serotonin-mediated vascular thermogenesis in perfused rat hindlimb may result from vascular shunting. <i>Life Sciences</i> , 1991 , 48, 1555-64	6.8	18
71	The effects of alpha- and beta-adrenergic agents, Ca ²⁺ and insulin on 2-deoxyglucose uptake and phosphorylation in perfused rat heart. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1986 , 889, 225-35	4.9	18
70	Oral glucose challenge impairs skeletal muscle microvascular blood flow in healthy people. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018 , 315, E307-E315	6	17
69	cGMP phosphodiesterase inhibition improves the vascular and metabolic actions of insulin in skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011 , 301, E342-50	6	17
68	Insulin stimulates laser Doppler signal by rat muscle in vivo, consistent with nutritive flow recruitment. <i>Clinical Science</i> , 2001 , 100, 283	6.5	17
67	Vascular control of nutrient delivery by flow redistribution within muscle: implications for exercise and post-exercise muscle metabolism. <i>International Journal of Sports Medicine</i> , 1998 , 19, 391-400	3.6	17
66	Vasoconstrictor-mediated release of lactate from the perfused rat hindlimb. <i>Journal of Applied Physiology</i> , 1992 , 73, 2544-51	3.7	17
65	Regulation of microvascular flow and metabolism: An overview. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2017 , 44, 143-149	3	16
64	Metabolic and vascular actions of endothelin-1 are inhibited by insulin-mediated vasodilation in perfused rat hindlimb muscle. <i>British Journal of Pharmacology</i> , 2005 , 145, 992-1000	8.6	16
63	Microvascular blood flow responses to muscle contraction are not altered by high-fat feeding in rats. <i>Diabetes, Obesity and Metabolism</i> , 2012 , 14, 753-61	6.7	15
62	Insulin and contraction increase nutritive blood flow in rat muscle in vivo determined by microdialysis of L-[14C]glucose. <i>Journal of Physiology</i> , 2007 , 585, 217-29	3.9	15
61	Graded occlusion of perfused rat muscle vasculature decreases insulin action. <i>Clinical Science</i> , 2007 , 112, 457-66	6.5	15

60	Nonnutritive flow impairs uptake of fatty acid by white muscles of the perfused rat hindlimb. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003 , 284, E611-7	6	15
59	Glucose uptake during contraction in isolated skeletal muscles from neuronal nitric oxide synthase [knockout mice. <i>Journal of Applied Physiology</i> , 2015 , 118, 1113-21	3.7	14
58	Enantioselective disposition of (R/S)-albuterol in skeletal and cardiac muscle. <i>Drug Testing and Analysis</i> , 2014 , 6, 563-7	3.5	14
57	Nutritive blood flow improves interstitial glucose and lactate exchange in perfused rat hindlimb. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002 , 283, H186-92	5.2	14
56	Failure of laser Doppler signal to correlate with total flow in muscle: is this a question of vessel architecture?. <i>Microvascular Research</i> , 2000 , 60, 294-301	3.7	13
55	Exercise aortic stiffness: reproducibility and relation to end-organ damage in men. <i>Journal of Human Hypertension</i> , 2013 , 27, 516-22	2.6	12
54	Increased metabolism of infused 1-methylxanthine by working muscle. <i>Acta Physiologica Scandinavica</i> , 1999 , 166, 301-8		12
53	The effect of a high-fat diet and sucrose drinking option on the development of obesity in spontaneously hypertensive rats. <i>British Journal of Nutrition</i> , 1986 , 56, 73-80	3.6	12
52	Co-ordinated regulation of muscle glycolysis and hepatic glucose output in exercise by catecholamines acting via alpha-receptors. <i>FEBS Letters</i> , 1983 , 158, 1-6	3.8	12
51	Effect of sucrose solution drinking option on the development of obesity in rats. <i>Journal of Nutrition</i> , 1984 , 114, 1971-7	4.1	12
50	No effect of NOS inhibition on skeletal muscle glucose uptake during in situ hindlimb contraction in healthy and diabetic Sprague-Dawley rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015 , 308, R862-71	3.2	11
49	Microvascular contributions to insulin resistance. <i>Diabetes</i> , 2013 , 62, 343-5	0.9	11
48	Contrast-enhanced ultrasound measurement of microvascular perfusion relevant to nutrient and hormone delivery in skeletal muscle: a model study in vitro. <i>Microvascular Research</i> , 2008 , 75, 323-9	3.7	11
47	Insulin-mediated capillary recruitment in skeletal muscle: is this a mediator of insulin action on glucose metabolism?. <i>Current Diabetes Reports</i> , 2003 , 3, 195-200	5.6	11
46	Pulsatile interaction between the macro-vasculature and micro-vasculature: proof-of-concept among patients with type 2 diabetes. <i>European Journal of Applied Physiology</i> , 2018 , 118, 2455-2463	3.4	11
45	Acute effects of wortmannin on insulin β hemodynamic and metabolic actions in vivo. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007 , 292, E779-87	6	10
44	CrossTalk proposal: De novo capillary recruitment in healthy muscle is necessary. <i>Journal of Physiology</i> , 2014 , 592, 5129-31	3.9	9
43	Microsphere infusion reverses vasoconstrictor-mediated change in hindlimb oxygen uptake and energy status. <i>Acta Physiologica Scandinavica</i> , 1998 , 164, 61-9		9

42	Microvascular flow routes in muscle controlled by vasoconstrictors. <i>Microvascular Research</i> , 2005 , 70, 7-16	3.7	9
41	Impairments in Adipose Tissue Microcirculation in Type 2 Diabetes Mellitus Assessed by Real-Time Contrast-Enhanced Ultrasound. <i>Circulation: Cardiovascular Imaging</i> , 2018 , 11, e007074	3.9	8
40	Acute vascular and metabolic actions of the green tea polyphenol epigallocatechin 3-gallate in rat skeletal muscle. <i>Journal of Nutritional Biochemistry</i> , 2017 , 40, 23-31	6.3	8
39	Na ⁺ channel and Na ⁺ -K ⁺ ATPase involvement in norepinephrine- and veratridine-stimulated metabolism in perfused rat hind limb. <i>Canadian Journal of Physiology and Pharmacology</i> , 1999 , 77, 350-357 ⁴	2.4	8
38	Factors influencing the hemodynamic and metabolic effects of insulin in muscle. <i>Current Diabetes Reviews</i> , 2006 , 2, 61-70	2.7	7
37	T-1032, a cyclic GMP phosphodiesterase-5 inhibitor, acutely blocks physiologic insulin-mediated muscle haemodynamic effects and glucose uptake in vivo. <i>British Journal of Pharmacology</i> , 2003 , 140, 1283-91	8.6	7
36	Interaction between metabolism and flow in tendon and muscle. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2000 , 10, 338-45	4.6	7
35	Breastfeeding and reproduction in women in Western Australia--a review. <i>Birth</i> , 1981 , 8, 215-26	3.1	7
34	Muscle metabolism and control of capillary blood flow: insulin and exercise. <i>Essays in Biochemistry</i> , 2006 , 42, 133-44	7.6	7
33	Determination of Skeletal Muscle Microvascular Flowmotion with Contrast-Enhanced Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2017 , 43, 2013-2023	3.5	6
32	Relationship of MTT reduction to stimulants of muscle metabolism. <i>Chemico-Biological Interactions</i> , 2000 , 128, 127-40	5	6
31	Effect of phorbol esters on the distribution and total activity of protein kinase C in the perfused rat heart. <i>International Journal of Biochemistry & Cell Biology</i> , 1989 , 21, 1415-20		6
30	Metformin improves vascular and metabolic insulin action in insulin-resistant muscle. <i>Journal of Endocrinology</i> , 2019 , 243, 85-96	4.7	6
29	Nitric oxide is required for the insulin sensitizing effects of contraction in mouse skeletal muscle. <i>Journal of Physiology</i> , 2017 , 595, 7427-7439	3.9	5
28	Effects of central administration of insulin or L-NMMA on rat skeletal muscle microvascular perfusion. <i>Diabetes, Obesity and Metabolism</i> , 2010 , 12, 900-8	6.7	5
27	Last word on Point:Counterpoint: There is/is not capillary recruitment in active skeletal muscle during exercise. <i>Journal of Applied Physiology</i> , 2008 , 104, 900	3.7	5
26	Characterization of alpha 1-adrenergic receptors in perfused rat heart. <i>Journal of Molecular and Cellular Cardiology</i> , 1988 , 20, 1025-34	5.8	5
25	Postprandial microvascular blood flow in skeletal muscle: Similarities and disparities to the hyperinsulinaemic-euglycaemic clamp. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2020 , 47, 725-737	3	5

24	Enhancement of insulin-mediated rat muscle glucose uptake and microvascular perfusion by 5-aminoimidazole-4-carboxamide-1- β -D-ribofuranoside. <i>Cardiovascular Diabetology</i> , 2015 , 14, 91	8.7	4
23	Vascular and metabolic effects of methacholine in relation to insulin action in muscle. <i>Diabetologia</i> , 2006 , 49, 713-23	10.3	4
22	Axially symmetric semi-infinite domain models of microdialysis and their application to the determination of nutritive flow in rat muscle. <i>Journal of Physiology</i> , 2005 , 563, 213-28	3.9	4
21	Acute, local infusion of angiotensin II impairs microvascular and metabolic insulin sensitivity in skeletal muscle. <i>Cardiovascular Research</i> , 2019 , 115, 590-601	9.9	4
20	Perfusion controls muscle glucose uptake by altering the rate of glucose dispersion in vivo. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020 , 318, E311-E312	6	3
19	Vasoconstrictor-mediated thermogenesis present in perfused skeletal muscle but absent from perfused heart. <i>Journal of Thermal Biology</i> , 2002 , 27, 151-158	2.9	3
18	Endothelial Na ⁺ -D-glucose cotransporter: no role in insulin-mediated glucose uptake. <i>Hormone and Metabolic Research</i> , 2005 , 37, 657-61	3.1	3
17	Spatial distribution of nutritive and nonnutritive vascular routes in perfused rat hindlimb muscle using microspheres. <i>Microvascular Research</i> , 2001 , 61, 111-21	3.7	3
16	Similarities between vasoconstrictor- and veratridine-stimulated metabolism in perfused rat hind limb. <i>Canadian Journal of Physiology and Pharmacology</i> , 1998 , 76, 125-132	2.4	3
15	[³² P]phosphate autoradiography as an indicator of regional myocardial oxygen consumption?. <i>Journal of Molecular and Cellular Cardiology</i> , 1993 , 25, 289-302	5.8	3
14	Hypertension in obesity may reflect a homeostatic thermogenic response. <i>Life Sciences</i> , 1991 , 48, 939-476.8		3
13	Barriers to the management of Diabetes Mellitus - is there a future role for Laser Doppler Flowmetry?. <i>Australasian Medical Journal</i> , 2012 , 5, 627-32	2	2
12	Potential for endothelin-1-mediated impairment of contractile activity in hypertension. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2007 , 34, 217-22	3	2
11	Size-dependent effects of microspheres on vasoconstrictor-mediated change in oxygen uptake by perfused rat hindlimb. <i>Microvascular Research</i> , 2001 , 62, 306-14	3.7	2
10	Potential defect in the vascular control of nonshivering thermogenesis in the obese Zucker rat hind limb. <i>Canadian Journal of Physiology and Pharmacology</i> , 1994 , 72, 1567-73	2.4	2
9	A close association between vasoconstrictor-mediated uracil and lactate release by the perfused rat hindlimb. <i>General Pharmacology</i> , 1992 , 23, 65-9		2
8	Glucose-induced loss of exercise-mediated 3-O-methyl glucose uptake by isolated rat soleus and epitrochlearis muscles. <i>Hormone and Metabolic Research</i> , 1990 , 22, 121-2	3.1	2
7	Comparison of adrenergic agonist and insulin effects on 3-O-methyl-D-glucose efflux and sarcolemmal cytochalasin B binding by perfused rat heart. <i>International Journal of Biochemistry & Cell Biology</i> , 1988 , 20, 291-5		2

6	Rebuttal from Eugene J. Barrett, Michelle A. Keske, Stephen Rattigan and Etto C. Eringa. <i>Journal of Physiology</i> , 2014 , 592, 5137-8	3.9	1
5	Alpha adrenergic receptor mechanism: biochemical events. <i>Journal of Molecular and Cellular Cardiology</i> , 1986 , 18 Suppl 5, 69-77	5.8	1
4	Are the metabolic benefits of resistance training in type 2 diabetes linked to improvements in adipose tissue microvascular blood flow?. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018 , 315, E1242-E1250	6	1
3	Cardiac Ca ²⁺ Channels and Sarcolemma Redox 1988 , 359-368		1
2	Impaired postprandial skeletal muscle vascular responses to a mixed meal challenge in normoglycaemic people with a parent with type 2 diabetes. <i>Diabetologia</i> , 2022 , 65, 216-225	10.3	0
1	Re: "Precursors of essential hypertension: pulmonary function, heart rate, uric acid, serum cholesterol, and other serum chemistries". <i>American Journal of Epidemiology</i> , 1991 , 133, 753	3.8	