
## **Zhengfeng Xie**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5611228/publications.pdf Version: 2024-02-01



#	ARTICLE	IF	CITATIONS
1	A novel activation-hydrochar via hydrothermal carbonization and KOH activation of sewage sludge and coconut shell for biomass wastes: Preparation, characterization and adsorption properties. Journal of Colloid and Interface Science, 2021, 593, 390-407.	9.4	100
2	A novel thiosemicarbazone Schiff base derivative with aggregation-induced emission enhancement characteristics and its application in Hg2+ detection. Sensors and Actuators B: Chemical, 2016, 237, 563-569.	7.8	68
3	A new highly selective fluorescent turn-on chemosensor for cyanide anion. Talanta, 2015, 137, 38-42.	5.5	63
4	Highly efficient and selective adsorption of heavy metal ions by hydrazide-modified sodium alginate. Carbohydrate Polymers, 2022, 276, 118797.	10.2	63
5	A novel highly selective probe with both aggregation-induced emission enhancement and intramolecular charge transfer characteristics for CNâ^' detection. Sensors and Actuators B: Chemical, 2018, 257, 154-165.	7.8	46
6	Simple-structured, hydrazinecarbothioamide derivatived dual-channel optical probe for Hg2+ and Ag+. Journal of Luminescence, 2016, 174, 56-62.	3.1	39
7	Schiff base supported MCM-41 catalyzed the Knoevenagel condensation in water. RSC Advances, 2013, 3, 3222.	3.6	35
8	Functionalized polymethyl methacrylate-modified dialdehyde guar gum containing hydrazide groups for effective removal and enrichment of dyes, ion, and oil/water separation. Journal of Hazardous Materials, 2022, 426, 127799.	12.4	31
9	A novel optical probe for Hg 2+ in aqueous media based on mono-thiosemicarbazone Schiff base. Journal of Photochemistry and Photobiology A: Chemistry, 2017, 338, 1-7.	3.9	29
10	A highly selective and sensitive acylhydrazone-based turn-on optical sensor for Al <sup>3+</sup> . RSC Advances, 2016, 6, 28034-28037.	3.6	27
11	Isocyano-functionalized, 1,8-naphthalimide-based chromophore as efficient ratiometric fluorescence probe for Hg2+ in aqueous medium. Sensors and Actuators B: Chemical, 2018, 255, 3074-3084.	7.8	27
12	Atom-economical, room-temperature, and high-efficiency synthesis of polyamides <i>via</i> a three-component polymerization involving benzoxazines, odorless isocyanides, and water. Polymer Chemistry, 2018, 9, 5566-5571.	3.9	25
13	Barbituric acid–triphenylamine adduct as an AIEE-type molecule and optical probe for mercury( <scp>ii</scp> ). New Journal of Chemistry, 2016, 40, 7814-7820.	2.8	22
14	Functionalized boron carbide for enhancement of anticorrosion performance of epoxy resin. Polymers for Advanced Technologies, 2018, 29, 758-766.	3.2	20
15	Friedelâ€Crafts Alkylation of Indoles with Nitroalkenes Catalyzed by Zn(II)â€Thiourea Complex. Chinese Journal of Chemistry, 2012, 30, 311-315.	4.9	18
16	A highly selective and sensitive Schiff-base based turn-on optical sensor for Cu 2+ in aqueous medium and acetonitrile. Inorganic Chemistry Communication, 2017, 79, 50-54.	3.9	18
17	Tetraphenylethene-decorated functional polybenzoxazines: post-polymerization synthesis <i>via</i> benzoxazine–isocyanide chemistry and application in probing and catalyst fields. Polymer Chemistry, 2019, 10, 1130-1139.	3.9	18
18	An Intramolecular Charge Transfer and Aggregation Induced Emission Enhancement Fluorescent Probe Based on 2â€Phenylâ€1,2,3â€triazole for Highly Selective and Sensitive Detection of Homocysteine and Its Application in Living Cells. Chinese Journal of Chemistry, 2019, 37, 1216-1222.	4.9	17

ZHENGFENG XIE

#	Article	IF	CITATIONS
19	Bifunctional cyclomatrix polyphosphazene-based hybrid with abundant decorating groups: Synthesis and application as efficient electrochemical Pb(II) probe and methylene blue absorbent. Journal of Colloid and Interface Science, 2021, 587, 683-692.	9.4	16
20	Highly Efficient Adsorption of Heavy Metals and Cationic Dyes by Smart Functionalized Sodium Alginate Hydrogels. Gels, 2022, 8, 343.	4.5	16
21	Multiple-responsive organogels with self-colorimetric chemo sensing responsiveness towards Hg2+ ions. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2019, 583, 124003.	4.7	14
22	Study on removal of organic dyes by Fe3O4/amidation modified waste polystyrene composites. Environmental Technology and Innovation, 2021, 23, 101732.	6.1	14
23	PMoA/MCM-41 catalyzed aza-Michael reaction: special effects of mesoporous nanoreactor on chemical equilibrium and reaction rate through surface energy transformation. New Journal of Chemistry, 2015, 39, 5916-5919.	2.8	13
24	New Fast, Highly Selective Probe with Both Aggregation-Induced Emission Enhancement and Intramolecular Charge-Transfer Characteristics for Homocysteine Detection. ACS Omega, 2019, 4, 5367-5373.	3.5	13
25	Synthesis and crystal structure of 5â€pyrazolâ€4,5â€dihydropyrazoles derivatives. Journal of Heterocyclic Chemistry, 2008, 45, 1485-1488.	2.6	12
26	Synthesis of Sulfonylhydrazone Type Probe with High Selectivity for Rapid Detection of Mercury and Its Application in Adsorption and HeLa Cell. Chinese Journal of Organic Chemistry, 2021, 41, 1138.	1.3	12
27	Threeâ€component Synthesis of Homoallylic Amines Catalyzed by Phosphomolybdic Acid in Water. Chinese Journal of Chemistry, 2009, 27, 925-929.	4.9	11
28	Upcycling of expanded polystyrene waste: Amination as adsorbent to recover Eriochrome Black T and Congo red. Separation and Purification Technology, 2022, 289, 120669.	7.9	11
29	An aggregation-induced emission enhancement fluorescent benzoxazine-derived macromolecule: catalyst-free synthesis and its preliminary application for the determination of aqueous picric acid. RSC Advances, 2016, 6, 41340-41347.	3.6	10
30	Synthesis and Properties of a Novel Colorimetric and Fluorescent Turn-On Sensor for Cyanide. Chinese Journal of Organic Chemistry, 2018, 38, 2109.	1.3	9
31	Study of the Synthesis and Application of a Fluorescenceâ€Enhanced Mg <sup>2+</sup> Probe. ChemistrySelect, 2021, 6, 13809-13816.	1.5	9
32	N-Unsubstituted-1,2,3-triazole-tethered, AIEE type conjugated polymer as a ratiometric fluorescence probe for silver ions. New Journal of Chemistry, 2015, 39, 8552-8559.	2.8	8
33	Amidation modified waste polystyrene foam as an efficient recyclable adsorbent for organic dyes removal. Water Science and Technology, 2021, 83, 2192-2206.	2.5	8
34	Highly Selective and Sensitive Sulfonylhydrazone Type Fluorescent Probe for Rapid Detection of Mercury(II) and Its Application in Logic Gate and Adsorption. ChemistrySelect, 2021, 6, 7123-7129.	1.5	8
35	Synthesis and Optical Properties of Novel Spiro[chromo(2,3- <i>c</i> )-pyrazole-4,1'-isobenzofuran]-3'-one Compounds. Chinese Journal of Organic Chemistry, 2020, 40, 501.	1.3	6
36	Magnetic cross-linked chitosan for efficient removing anionic and cationic dyes from aqueous solution. International Journal of Biological Macromolecules, 2021, 193, 337-346.	7.5	6

ZHENGFENG XIE

#	Article	IF	CITATIONS
37	Highly selective and sensitive fluorescent probe possessing AIEE and ICT properties for rapid detection of Pb <sup>2+</sup> in aqueous medium and its applications in living cells. Luminescence, 2022, 37, 108-117.	2.9	6
38	Converting waste polystyrene foam into new valueâ€added materials: A large apacity scavenger to remove cationic dyes and heavy metals. Journal of Applied Polymer Science, 2022, 139, 51868.	2.6	6
39	Effective removal of metal ions and cationic dyes from aqueous solution using different hydrazine–dopamine modified sodium alginate. International Journal of Biological Macromolecules, 2022, 195, 317-328.	7.5	6
40	CrCl <sub>3</sub> ·6H <sub>2</sub> O/Hydrogenated Bis chiff Base as a New Efficient Catalyst System for Synthesis of Bis(indoly) Methane. Chinese Journal of Chemistry, 2011, 29, 2091-2096.	4.9	5
41	Aqueous nanodispersion of acetylene tethered, quinoxaline-containing conjugated polymer as fluorescence probe for Ag+. New Journal of Chemistry, 2014, 38, 4730-4735.	2.8	4
42	Diphenylphosphorylâ€Triazoleâ€Tethered, AIEEâ€Type Conjugated Polymer as Optical Probe for Silver Ion in Relatively Highâ€Waterâ€Fraction Medium. Macromolecular Chemistry and Physics, 2015, 216, 2263-2269.	2.2	4
43	Dimedoneâ€decorated conjugated polymer: Tandem knoevenagelâ€michael postâ€modification synthesis and its application as optical probe for Hg <sup>2+</sup> and ClO <sup>â^'</sup> in highâ€waterâ€fraction mediums. Journal of Polymer Science Part A, 2017, 55, 1067-1076.	2.3	4
44	A Novel Fluorescent Probe Based on Spiro[chromeno[2,3-c]pyrazole-4,1′-[2]benzofuran]-3′-one for Detecting Copper(II) ions in Aqueous Solution. Russian Journal of Organic Chemistry, 2019, 55, 866-873.	0.8	4
45	Synthesis of Salicylhydrazone Probe with High Selectivity and Rapid Detection Cu2+ and Its Application in Logic Gate and Adsorption. Chinese Journal of Organic Chemistry, 2021, 41, 2839.	1.3	4
46	Synthesis and Nitrite/Sulfite Electrochemical Response Investigation of Fluoreneâ€Based, Crossâ€Linked Polyisocyanide. Macromolecular Materials and Engineering, 2021, 306, 2100173.	3.6	4
47	Synthesis of new 3-(4-oxo-4H-chromen-3-yl)-3a,6a-dihydropyrrolo[3,4-d]isoxazole-4,6-dione derivatives by 1,3-dipolar cycloaddition reaction. Journal of Heterocyclic Chemistry, 2005, 42, 695-697.	2.6	3
48	Efficient Allylation of Active Ketones Promoted by <i>p</i> â€Nitrobenzoic Acid. Chinese Journal of Chemistry, 2010, 28, 1212-1216.	4.9	3
49	A Novel 2-Phenyl-1,2,3-Triazole Derived Fluorescent Probe for Recyclable Detection of Al3+ in Aqueous Medium and Its Application. Russian Journal of Bioorganic Chemistry, 2020, 46, 627-641.	1.0	3
50	1-[(2-Hydroxy-phenylimino)-methyl]-naphthalen-2-ol: application in detection and adsorption of aluminum ions. Research on Chemical Intermediates, 2021, 47, 4333-4347.	2.7	2
51	Synthesis of Triazole Functionalized Triphenylamine Cu <sup>2+</sup> Fluorescent Probe and Its Application in Detection and HeLa Cells. Chinese Journal of Organic Chemistry, 2022, 42, 1463.	1.3	2
52	Study on Oxidative Desulfurization of Simulated Oil Catalyzed With Glycine Modified Phosphotungstic Acid. Russian Journal of Applied Chemistry, 2020, 93, 1899-1905.	0.5	1