

# Tiffany A Melhuish

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5611377/publications.pdf>

Version: 2024-02-01

13  
papers

253  
citations

1040056

9  
h-index

1199594

12  
g-index

13  
all docs

13  
docs citations

13  
times ranked

573  
citing authors

#	ARTICLE	IF	CITATIONS
1	Tgif1 and Tgif2 regulate Nodal signaling and are required for gastrulation. <i>Development (Cambridge)</i> , 2010, 137, 249-259.	2.5	56
2	The Tgif2 gene contains a retained intron within the coding sequence. , 2006, 7, 2.		30
3	The protein kinase C superfamily member PKN is regulated by mTOR and influences differentiation during prostate cancer progression. <i>Prostate</i> , 2017, 77, 1452-1467.	2.3	29
4	Analysis of transcriptional activity by the Myt1 and Myt1l transcription factors. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 4644-4655.	2.6	23
5	Myt1 and Myt1l transcription factors limit proliferation in GBM cells by repressing YAP1 expression. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2018, 1861, 983-995.	1.9	21
6	Tgif1 represses apolipoprotein gene expression in liver. <i>Journal of Cellular Biochemistry</i> , 2010, 111, 380-390.	2.6	17
7	TGIF transcription factors repress acetyl CoA metabolic gene expression and promote intestinal tumor growth. <i>Genes and Development</i> , 2019, 33, 388-402.	5.9	16
8	Genetic and Molecular Analyses indicate independent effects of TGIFs on Nodal and Gli3 in neural tube patterning. <i>European Journal of Human Genetics</i> , 2017, 25, 208-215.	2.8	15
9	Prostate Cancer Induced by Loss of Apc Is Restrained by TGF $\beta$ 2 Signaling. <i>PLoS ONE</i> , 2014, 9, e92800.	2.5	13
10	Tgif1 and Tgif2 Repress Expression of the RabGAP Evi5l. <i>Molecular and Cellular Biology</i> , 2017, 37, .	2.3	12
11	TGF $\beta$ 2 signaling limits lineage plasticity in prostate cancer. <i>PLoS Genetics</i> , 2018, 14, e1007409.	3.5	9
12	Tgif1 and Tgif2 Regulate Axial Patterning in Mouse. <i>PLoS ONE</i> , 2016, 11, e0155837.	2.5	8
13	Overexpression of transforming growth factor $\beta$ 2 induced factor homeobox 1 represses NPC1L1 and lowers markers of intestinal cholesterol absorption. <i>Atherosclerosis</i> , 2018, 275, 246-255.	0.8	4