

# Roland Gerhards

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5611910/publications.pdf>

Version: 2024-02-01

119  
papers

2,932  
citations

172457

29  
h-index

214800

47  
g-index

122  
all docs

122  
docs citations

122  
times ranked

2155  
citing authors

#	ARTICLE	IF	CITATIONS
1	Precision agriculture on grassland: Applications, perspectives and constraints. <i>European Journal of Agronomy</i> , 2008, 29, 59-71.	4.1	160
2	Practical experiences with a system for site-specific weed control in arable crops using real-time image analysis and GPS-controlled patch spraying. <i>Weed Research</i> , 2006, 46, 185-193.	1.7	158
3	Real-time weed detection, decision making and patch spraying in maize, sugarbeet, winter wheat and winter barley. <i>Weed Research</i> , 2003, 43, 385-392.	1.7	147
4	The Economic Impact of Site-Specific Weed Control. <i>Precision Agriculture</i> , 2003, 4, 249-260.	6.0	111
5	Potential use of ground-based sensor technologies for weed detection. <i>Pest Management Science</i> , 2014, 70, 190-199.	3.4	89
6	Growth and weed suppression ability of common and new cover crops in Germany. <i>Crop Protection</i> , 2014, 63, 1-8.	2.1	89
7	Characterizing spatial stability of weed populations using interpolated maps. <i>Weed Science</i> , 1997, 45, 108-119.	1.5	79
8	Precision farming for weed management: techniques. <i>Gesunde Pflanzen</i> , 2008, 60, 171-181.	3.0	65
9	Discriminating Crop, Weeds and Soil Surface with a Terrestrial LIDAR Sensor. <i>Sensors</i> , 2013, 13, 14662-14675.	3.8	63
10	Sequential support vector machine classification for small-grain weed species discrimination with special regard to <i>Cirsium arvense</i> and <i>Galium aparine</i> . <i>Computers and Electronics in Agriculture</i> , 2012, 80, 89-96.	7.7	61
11	Allelopathic effects and weed suppressive ability of cover crops. <i>Plant, Soil and Environment</i> , 2016, 62, 60-66.	2.2	59
12	Target-site resistance to ALS-inhibiting herbicides in <i>Apera spica-venti</i> populations is conferred by documented and previously unknown mutations. <i>Weed Research</i> , 2011, 51, 294-303.	1.7	58
13	Sensor-based mechanical weed control: Present state and prospects. <i>Computers and Electronics in Agriculture</i> , 2020, 176, 105638.	7.7	53
14	Advances in site-specific weed management in agriculture – A review. <i>Weed Research</i> , 2022, 62, 123-133.	1.7	53
15	An Ultrasonic System for Weed Detection in Cereal Crops. <i>Sensors</i> , 2012, 12, 17343-17357.	3.8	52
16	Contribution of allelopathic effects to the overall weed suppression by different cover crops. <i>Weed Research</i> , 2018, 58, 331-337.	1.7	52
17	Camera steered mechanical weed control in sugar beet, maize and soybean. <i>Precision Agriculture</i> , 2018, 19, 708-720.	6.0	47
18	Benefits of Precision Farming Technologies for Mechanical Weed Control in Soybean and Sugar Beet – Comparison of Precision Hoeing with Conventional Mechanical Weed Control. <i>Agronomy</i> , 2015, 5, 130-142.	3.0	45

#	ARTICLE	IF	CITATIONS
19	Weed Identification in Maize, Sunflower, and Potatoes with the Aid of Convolutional Neural Networks. <i>Remote Sensing</i> , 2020, 12, 4185.	4.0	45
20	Weed Control Using Conventional Tillage, Reduced Tillage, No-Tillage, and Cover Crops in Organic Soybean. <i>Agriculture (Switzerland)</i> , 2017, 7, 43.	3.1	40
21	Efficacy of four post-emergence herbicides applied at reduced doses on weeds in summer maize ( <i>Zea mays</i> L.) cv. Tj ETQq1 10784314 rgBT /Over...	2.1	38
22	Advancing cover cropping in temperate integrated weed management. <i>Pest Management Science</i> , 2020, 76, 42-46.	3.4	37
23	The influence of post-emergence weed harrowing on selectivity, crop recovery and crop yield in different growth stages of winter wheat. <i>Weed Research</i> , 2011, 51, 478-488.	1.7	36
24	Site Specific Weed Control in Winter Wheat. <i>Journal of Agronomy and Crop Science</i> , 1997, 178, 219-225.	3.5	35
25	Mechanical Weed Control. , 2010, , 279-294.		35
26	Chlorophyll fluorescence imaging: a new method for rapid detection of herbicide resistance in <i>Alopecurus myosuroides</i> . <i>Weed Research</i> , 2013, 53, 399-406.	1.7	35
27	An on-farm approach to quantify yield variation and to derive decision rules for site-specific weed management. <i>Precision Agriculture</i> , 2008, 9, 133-146.	6.0	33
28	Photocontrol of Weeds. <i>Journal of Agronomy and Crop Science</i> , 2004, 190, 402-415.	3.5	31
29	Multi-Temporal Site-Specific Weed Control of <i>Cirsium arvense</i> (L.) Scop. and <i>Rumex crispus</i> L. in Maize and Sugar Beet Using Unmanned Aerial Vehicle Based Mapping. <i>Agriculture (Switzerland)</i> , 2018, 8, 65.	3.1	31
30	Low-Cost Three-Dimensional Modeling of Crop Plants. <i>Sensors</i> , 2019, 19, 2883.	3.8	31
31	Site-Specific Weed Control in Maize, Sugar Beet, Winter Wheat, and Winter Barley. <i>Precision Agriculture</i> , 2002, 3, 25-35.	6.0	29
32	Evaluation of two patch spraying systems in winter wheat and maize. <i>Weed Research</i> , 2012, 52, 510-519.	1.7	29
33	Using precision farming technology to quantify yield effects attributed to weed competition and herbicide application. <i>Weed Research</i> , 2012, 52, 6-15.	1.7	28
34	Automatic control of farming operations based on spatial web services. <i>Computers and Electronics in Agriculture</i> , 2014, 100, 110-115.	7.7	28
35	Acetohydroxyacid synthase (AHAS) amino acid substitution Asp376Glu in <i>Lolium perenne</i> : effect on herbicide efficacy and plant growth. <i>Journal of Plant Diseases and Protection</i> , 2016, 123, 145-153.	2.9	28
36	Investigation of biochemical and competitive effects of cover crops on crops and weeds. <i>Crop Protection</i> , 2015, 71, 79-87.	2.1	27

#	ARTICLE	IF	CITATIONS
37	Determination of the Critical Period for Weed Control in Corn. <i>Weed Technology</i> , 2013, 27, 63-71.	0.9	25
38	Long-term changes in weed occurrence, yield and use of herbicides in maize in southwestern Germany, with implications for the determination of economic thresholds. <i>Weed Research</i> , 2014, 54, 457-466.	1.7	25
39	Inhibitory effects of cover crop mulch on germination and growth of <i>Stellaria media</i> (L.) Vill., <i>Chenopodium album</i> L. and <i>Matricaria chamomilla</i> L.. <i>Crop Protection</i> , 2016, 90, 125-131.	2.1	25
40	Early Identification of Herbicide Stress in Soybean ( <i>Glycine max</i> (L.) Merr.) Using Chlorophyll Fluorescence Imaging Technology. <i>Sensors</i> , 2018, 18, 21.	3.8	25
41	Mineral-Ecological Cropping Systems – A New Approach to Improve Ecosystem Services by Farming without Chemical Synthetic Plant Protection. <i>Agronomy</i> , 2021, 11, 1710.	3.0	25
42	Weed Control Ability of Single Sown Cover Crops Compared to Species Mixtures. <i>Agronomy</i> , 2019, 9, 294.	3.0	24
43	Estimating economic thresholds for site-specific weed control using manual weed counts and sensor technology: An example based on three winter wheat trials. <i>Pest Management Science</i> , 2014, 70, 200-211.	3.4	23
44	Using Optical Sensors to Identify Water Deprivation, Nitrogen Shortage, Weed Presence and Fungal Infection in Wheat. <i>Agriculture (Switzerland)</i> , 2016, 6, 24.	3.1	22
45	Utilization of Chlorophyll Fluorescence Imaging Technology to Detect Plant Injury by Herbicides in Sugar Beet and Soybean. <i>Weed Technology</i> , 2017, 31, 523-535.	0.9	22
46	Camera-guided Weed Hoeing in Winter Cereals with Narrow Row Distance. <i>Gesunde Pflanzen</i> , 2020, 72, 403-411.	3.0	22
47	Precision Chemical Weed Management Strategies: A Review and a Design of a New CNN-Based Modular Spot Sprayer. <i>Agronomy</i> , 2022, 12, 1620.	3.0	22
48	Quality Improvement of Fresh-Cut Endive ( <i>Cichorium endivia</i> L.) and Recycling of Washing Water by Low-Dose UV-C Irradiation. <i>Food and Bioprocess Technology</i> , 2016, 9, 1979-1990.	4.7	20
49	Weed Suppressive Ability of Cover Crop Mixtures Compared to Repeated Stubble Tillage and Glyphosate Treatments. <i>Agriculture (Switzerland)</i> , 2018, 8, 144.	3.1	20
50	Sensor-Based Intrarow Mechanical Weed Control in Sugar Beets with Motorized Finger Weeders. <i>Agronomy</i> , 2021, 11, 1517.	3.0	20
51	A Non-Chemical System for Online Weed Control. <i>Sensors</i> , 2015, 15, 7691-7707.	3.8	18
52	Development of a Geo-Referenced Database for Weed Mapping and Analysis of Agronomic Factors Affecting Herbicide Resistance in <i>Apera spica-venti</i> L. Beauv. (Silky Windgrass). <i>Agronomy</i> , 2013, 3, 13-27.	3.0	17
53	A long-term study of crop rotations, herbicide strategies and tillage practices: Effects on <i>Alopecurus myosuroides</i> Huds. Abundance and contribution margins of the cropping systems. <i>Crop Protection</i> , 2021, 145, 105613.	2.1	17
54	Automatische Erkennung von zehn Unkrautarten mit Hilfe digitaler Bildverarbeitung und Fouriertransformation. <i>Journal of Agronomy and Crop Science</i> , 1993, 171, 321-328.	3.5	16

#	ARTICLE	IF	CITATIONS
55	An approach to investigate the costs of herbicide-resistant <i>Alopecurus myosuroides</i> . Weed Research, 2016, 56, 407-414.	1.7	16
56	Chlorophyll Fluorescence Imaging for Monitoring the Effects of Minimal Processing and Warm Water Treatments on Physiological Properties and Quality Attributes of Fresh-Cut Salads. Food and Bioprocess Technology, 2016, 9, 650-663.	4.7	16
57	Linking weed patterns with soil properties: a long-term case study. Precision Agriculture, 2020, 21, 569-588.	6.0	16
58	Investigations on herbicide resistance in European silky bent grass ( <i>Apera spica-venti</i> ) populations. Journal of Plant Diseases and Protection, 2011, 118, 31-39.	2.9	15
59	Rapid in-season detection of herbicide resistant <i>Alopecurus myosuroides</i> using a mobile fluorescence imaging sensor. Crop Protection, 2016, 89, 170-177.	2.1	15
60	Modeling spatial and temporal dynamics of <i>Chenopodium album</i> L. under the influence of site-specific weed control. Crop Protection, 2007, 26, 206-211.	2.1	14
61	Development and Testing of a Decision Making Based Method to Adjust Automatically the Harrowing Intensity. Sensors, 2013, 13, 6254-6271.	3.8	14
62	Weed Suppression Ability and Yield Impact of Living Mulch in Cereal Crops. Agriculture (Switzerland), 2018, 8, 39.	3.1	14
63	Decision Rules for Site-Specific Weed Management. , 2010, , 223-239.		14
64	Kartierung und geostatistische Analyse der Unkrautverteilung in Zuckerrübenschlâgen als Grundlage für eine teilschlagspezifische Bekämpfung. Journal of Agronomy and Crop Science, 1996, 176, 259-266.	3.5	13
65	The Mechanism of Methylated Seed Oil on Enhancing Biological Efficacy of Topramezone on Weeds. PLoS ONE, 2013, 8, e74280.	2.5	13
66	Sensor-based assessment of herbicide effects. Weed Research, 2014, 54, 223-233.	1.7	13
67	How Management Factors Influence Weed Communities of Cereals, Their Diversity and Endangered Weed Species in Central Europe. Agriculture (Switzerland), 2018, 8, 172.	3.1	13
68	Effects of weed biodiversity on the ecosystem service of weed seed predation along a farming intensity gradient. Global Ecology and Conservation, 2020, 24, e01316.	2.1	13
69	Sensor-based evaluation of maize ( <i>Zea mays</i> ) and weed response to post-emergence herbicide applications of <i>Isoxaflutole</i> and <i>Cyprosulfamide</i> applied as crop seed treatment or herbicide mixing partner. Pest Management Science, 2020, 76, 1856-1865.	3.4	12
70	Evaluation of two chemical weed control systems in sugar beet in Germany and the Russian Federation. Plant, Soil and Environment, 2015, 61, 489-495.	2.2	11
71	Smart Harrowing—Adjusting the Treatment Intensity Based on Machine Vision to Achieve a Uniform Weed Control Selectivity under Heterogeneous Field Conditions. Agronomy, 2020, 10, 1925.	3.0	11
72	Title is missing!. Precision Agriculture, 2000, 2, 247-263.	6.0	10

#	ARTICLE	IF	CITATIONS
73	Changes in Weed Communities, Herbicides, Yield Levels and Effect of Weeds on Yield in Winter Cereals Based on Three Decades of Field Experiments in South-Western Germany. <i>Gesunde Pflanzen</i> , 2015, 67, 11-20.	3.0	10
74	Weed Suppression of Living Mulch in Sugar Beets. <i>Gesunde Pflanzen</i> , 2016, 68, 145-154.	3.0	10
75	Adjustment of Weed Hoeing to Narrowly Spaced Cereals. <i>Agriculture (Switzerland)</i> , 2018, 8, 54.	3.1	10
76	A Fluorescence Sensor Capable of Real-Time Herbicide Effect Monitoring in Greenhouses and the Field. <i>Sensors</i> , 2018, 18, 3771.	3.8	10
77	Automatic adjustment of harrowing intensity in cereals using digital image analysis. <i>Weed Research</i> , 2021, 61, 68-77.	1.7	10
78	Features and applications of a field imaging chlorophyll fluorometer to measure stress in agricultural plants. <i>Precision Agriculture</i> , 2021, 22, 947-963.	6.0	10
79	Spatial and Temporal Dynamics of Weed Weeds Epidemiology Weeds Distribution Populations. , 2010, , 17-25.		10
80	Plant species identification using fuzzy set theory. , 0, , .		9
81	Winter wheat yield loss in response to <i>Avena fatua</i> competition and effect of reduced herbicide dose rates on seed production of this species. <i>Journal of Plant Diseases and Protection</i> , 2017, 124, 371-382.	2.9	9
82	Influence of Anaerobic Digestion Processes on the Germination of Weed Seeds. <i>Gesunde Pflanzen</i> , 2020, 72, 181-194.	3.0	9
83	Japanese Bindweed ( <i>Calystegia hederacea</i> ) Abundance and Response to Winter Wheat Seeding Rate and Nitrogen Fertilization in the North China Plain. <i>Weed Technology</i> , 2013, 27, 768-777.	0.9	8
84	Weed suppressive ability of cover crops under water-limited conditions. <i>Plant, Soil and Environment</i> , 2019, 65, 541-548.	2.2	8
85	Evaluating Sensor-Based Mechanical Weeding Combined with Pre- and Post-Emergence Herbicides for Integrated Weed Management in Cereals. <i>Agronomy</i> , 2022, 12, 1465.	3.0	8
86	Spatial and Temporal Definition of Weed Patches Using Quantitative Image Analysis. <i>Journal of Agronomy and Crop Science</i> , 2006, 192, 72-78.	3.5	7
87	Degradation and Metabolism of Fenoxaprop and Mesosulfuron + Iodosulfuron in Multiple Resistant Blackgrass ( <i>Alopecurus myosuroides</i> ). <i>Gesunde Pflanzen</i> , 2015, 67, 109-117.	3.0	7
88	Suppressing <i>Alopecurus myosuroides</i> Huds. in Rotations of Winter-Annual and Spring Crops. <i>Agriculture (Switzerland)</i> , 2018, 8, 91.	3.1	7
89	In-field classification of herbicide-resistant <i>Papaver rhoeas</i> and <i>Stellaria media</i> using an imaging sensor of the maximum quantum efficiency of photosystem II. <i>Weed Research</i> , 2019, 59, 357-366.	1.7	7
90	Efficacy of Various Mechanical Weeding Methods—Single and in Combination—In Terms of Different Field Conditions and Weed Densities. <i>Agronomy</i> , 2021, 11, 2084.	3.0	7

#	ARTICLE	IF	CITATIONS
91	Dynamisches Entscheidungsmodell zur Lenkung von Unkrautkontrollmaßnahmen in Wintergetreide mit Hilfe digitaler Bildverarbeitung. <i>Journal of Agronomy and Crop Science</i> , 1993, 171, 329-335.	3.5	6
92	Integrating Economics in the Critical Period for Weed Control Concept in Corn. <i>Weed Science</i> , 2014, 62, 608-618.	1.5	6
93	Thiencarbazone-Methyl Efficacy, Absorption, Translocation, and Metabolism in Vining Weed Species. <i>Weed Science</i> , 2014, 62, 512-519.	1.5	6
94	Comparing Sensor-Based Adjustment of Weed Harrowing Intensity with Conventional Harrowing under Heterogeneous Field Conditions. <i>Agronomy</i> , 2021, 11, 1605.	3.0	6
95	Photobiologische Unkrautregulierung annualer Ackerunkrauter. <i>Journal of Agronomy and Crop Science</i> , 2002, 188, 389-397.	3.5	5
96	Multivariate Analysis of the Agricultural Management Presence of Sorghum Halepense (L.) Pers. Relationships in Maize Crops. <i>Gesunde Pflanzen</i> , 2014, 66, 17-22.	3.0	5
97	Economic Evaluation of Precision Crop Protection Measures. , 2010, , 417-426.		5
98	Site-Specific Weed Control. , 2013, , 273-294.		5
99	The Nature of Sorghum Halepense (L.) Pers. Spatial Distribution Patterns in Tomato Cropping Fields. <i>Gesunde Pflanzen</i> , 2013, 65, 85-91.	3.0	4
100	Rapid monitoring of herbicide-resistant <i>Alopecurus myosuroides</i> Huds. using chlorophyll fluorescence imaging technology. <i>Journal of Plant Diseases and Protection</i> , 2018, 125, 187.	2.9	4
101	Modelling of low input herbicide strategies for the control of wild oat in intensive winter wheat cropping systems. <i>Field Crops Research</i> , 2017, 201, 1-9.	5.1	4
102	Crop Response to Leaf and Seed Applications of the Biostimulant ComCat® under Stress Conditions. <i>Agronomy</i> , 2021, 11, 1161.	3.0	4
103	Analyse der Ertrags- und Unkrautverteilung in Ackerschlglen mit einem Geo-Informationssystem (GIS). <i>Journal of Agronomy and Crop Science</i> , 2002, 188, 34-42.	3.5	3
104	Two-year Investigations on Herbicide-Resistant Silky Bent Grass ( <i>Apera spica-venti</i> L. Beauv.) Populations in Winter Wheat – Population Dynamics, Yield Losses, Control Efficacy and Introgression into Sensitive Population. <i>Gesunde Pflanzen</i> , 2011, 63, 75-82.	3.0	3
105	Sprouting Ability and Seasonal Changes of Sugar Concentrations in Rhizomes of <i>Calystegia sepium</i> and Roots of <i>Convolvulus arvensis</i> . <i>Journal of Plant Diseases and Protection</i> , 2015, 122, 133-140.	2.9	3
106	In field identification of herbicide resistant <i>Apera spica-venti</i> using chlorophyll fluorescence. <i>Advances in Animal Biosciences</i> , 2017, 8, 283-287.	1.0	3
107	Precision harrowing with a flexible tine harrow and an ultrasonic sensor. , 2015, , 579-586.		3
108	Using sensors to assess herbicide stress in sugar beet. , 2015, , 561-570.		3

#	ARTICLE	IF	CITATIONS
109	Weed Management in Ridge Tillage Systemsâ€”A Review. <i>Agronomy</i> , 2022, 12, 910.	3.0	3
110	Uptake Studies on a Fluorescein-Labelled Seed Oil Adjuvant in <i>Abutilon theophrasti</i> , <i>Sinapis arvensis</i> and <i>Beta vulgaris</i> . <i>Gesunde Pflanzen</i> , 2012, 64, 167-174.	3.0	2
111	A new logarithmic sprayer for dose-response studies in the field. <i>Computers and Electronics in Agriculture</i> , 2019, 157, 166-172.	7.7	2
112	Fractioning of an ethoxylated soybean oil adjuvant and studies on the potency of the fractions in combination with bromoxynil octanoate and sulfonylurea herbicides. <i>Journal of Plant Diseases and Protection</i> , 2012, 119, 208-215.	2.9	1
113	DFG Research Training Group 722 Use of Information Technologies for Precision Crop Protection. <i>IT - Information Technology</i> , 2009, 51, 347-354.	0.9	1
114	Aircraft Design Optimizing Operators, Environmental System and Manufacturers Requirements. , 2000, , .		0
115	&lt;i>&gt;A novel chlorophyll fluorescence sensor for real-time herbicide effect monitoring&lt;/i>. , 2018, , .		0
116	30. Comparison of sensor-based harrowing technology (SenHa) with a conventional manual harrowing-system. , 2021, , .		0
117	Integriertes Unkrautmanagement zur Vermeidung von Herbizidresistenz*. , 0, , .		0
118	Identifying the <i>Fusarium</i> spp. infestation in winter wheat based on RGB imaginary. , 2019, , .		0
119	Exploring the Effects of Different Stubble Tillage Practices and Glyphosate Application Combined with the New Soil Residual Herbicide Cinmethylin against <i>Alopecurus myosuroides</i> Huds. in Winter Wheat. <i>Agronomy</i> , 2022, 12, 167.	3.0	0