

Chang Woo Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5613458/publications.pdf>

Version: 2024-02-01

13
papers

136
citations

1163117

8
h-index

1199594

12
g-index

13
all docs

13
docs citations

13
times ranked

126
citing authors

#	ARTICLE	IF	CITATIONS
1	A technique for concurrent procedure of mastoid obliteration and meatoplasty after canal wall down mastoidectomy. <i>Auris Nasus Larynx</i> , 2012, 39, 557-561.	1.2	23
2	Facial canal dehiscence in the initial operation for chronic otitis media without cholesteatoma. <i>Auris Nasus Larynx</i> , 2008, 35, 353-356.	1.2	22
3	Primary middle ear schwannoma. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2007, 28, 342-346.	1.3	17
4	Clinical characteristics of spontaneous cholesteatoma of the external auditory canal in children comparing with cholesteatoma in adults. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 3179-3185.	1.6	13
5	Attic cholesteatoma with tiny retraction of pars flaccida. <i>Auris Nasus Larynx</i> , 2015, 42, 107-112.	1.2	11
6	microRNA-183 is Essential for Hair Cell Regeneration after Neomycin Injury in Zebrafish. <i>Yonsei Medical Journal</i> , 2018, 59, 141.	2.2	10
7	A case of ceruminous adenocarcinoma of the external auditory canal presenting as an aural polyp. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2008, 29, 205-208.	1.3	9
8	Comparison of sequential same-day middle ear surgeries: bilateral mastoidectomy, unilateral mastoidectomy with contralateral tympanoplasty, and bilateral tympanoplasty. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 1395-1402.	1.6	9
9	Clinical Characteristics of Epidermoid Cysts of the External Auditory Canal. <i>Journal of Audiology and Otology</i> , 2016, 20, 36.	0.8	7
10	A Case of Dysplastic Nevus of the External Auditory Canal Presenting with Conductive Hearing Loss. <i>Yonsei Medical Journal</i> , 2009, 50, 845.	2.2	6
11	A tiny retraction of the pars flaccida may conceal an attic cholesteatoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020, 277, 735-741.	1.6	6
12	Posterior tympanotomy is a riskier procedure in chronic otitis media than in a normal mastoid: a high-resolution computed tomography study. <i>Surgical and Radiologic Anatomy</i> , 2016, 38, 717-721.	1.2	3
13	Response. <i>Auris Nasus Larynx</i> , 2016, 43, 717.	1.2	0