

Ahmet Karataş

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5614258/publications.pdf>

Version: 2024-02-01

26
papers

170
citations

1307594

7
h-index

1199594

12
g-index

26
all docs

26
docs citations

26
times ranked

302
citing authors

#	ARTICLE	IF	CITATIONS
1	Resveratrol inhibits Src tyrosine kinase, STAT3, and Wnt signaling pathway in collagen induced arthritis model. <i>BioFactors</i> , 2019, 45, 69-74.	5.4	30
2	Epigallocatechin 3- <i>g</i> allate attenuates arthritis by regulating Nrf2, HO-1, and cytokine levels in an experimental arthritis model. <i>Biotechnology and Applied Biochemistry</i> , 2020, 67, 317-322.	3.1	22
3	Relationship of maternal serum resistin and visfatin levels with gestational diabetes mellitus. <i>Gynecological Endocrinology</i> , 2014, 30, 355-358.	1.7	16
4	Lapatinib Ameliorates Experimental Arthritis in Rats. <i>Inflammation</i> , 2015, 38, 252-259.	3.8	13
5	Effect of COVID-19 pandemic on anxiety depression and intention to go to hospital in chronic patients. <i>International Journal of Clinical Practice</i> , 2021, 75, e14219.	1.7	11
6	Secukinumab and metformin ameliorate dermal fibrosis by decreasing tissue interleukin-17 levels in bleomycin-induced dermal fibrosis. <i>International Journal of Rheumatic Diseases</i> , 2021, 24, 795-802.	1.9	10
7	Effects of acute aerobic exercise on cytokines, klotho, irisin, and vascular endothelial growth factor responses in rheumatoid arthritis patients. <i>Irish Journal of Medical Science</i> , 2023, 192, 491-497.	1.5	9
8	Pemetrexed Ameliorates Experimental Arthritis in Rats. <i>Inflammation</i> , 2015, 38, 9-15.	3.8	8
9	Wnt signaling pathway activities may be altered in primary Sjogren's syndrome. <i>Turkish Journal of Medical Sciences</i> , 2021, 51, 2015-2022.	0.9	8
10	Sorafenib Reveals Anti-Arthritic Potentials in Collagen Induced Experimental Arthritis Model. <i>Archives of Rheumatology</i> , 2018, 33, 309-315.	0.9	7
11	Tofacitinib and metformin reduce the dermal thickness and fibrosis in mouse model of systemic sclerosis. <i>Scientific Reports</i> , 2022, 12, 2553.	3.3	7
12	Mango ginger (<i>curcuma amada</i>) inhibits collagen-induced arthritis by modulating inflammatory cytokine levels in rats. <i>Turkish Journal of Medical Sciences</i> , 2020, 50, 2040-2047.	0.9	5
13	The effect of secukinumab treatment on hematological parameters in ankylosing spondylitis and psoriatic arthritis. <i>European Journal of Rheumatology</i> , 2020, 7, 169-172.	0.6	5
14	Antiinflammatory and antioxidant effects of gemcitabine in collagen-induced arthritis model. <i>Turkish Journal of Medical Sciences</i> , 2017, 47, 1037-1044.	0.9	4
15	Alterations in placental pendrin expression in pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 687-690.	1.5	3
16	An Investigation of Saliva and Plasma Levels of Urotensin-2 in Recently Diagnosed Type 2 Diabetes Mellitus Patients on Metformin Treatment. <i>Endokrynologia Polska</i> , 2020, 71, 249-255.	1.0	3
17	Late Postpartum HELLP Syndrome 60 Hours after Delivery Associated with Mild Pre-eclampsia. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2013, 7, 2998-9.	0.8	2
18	Maternal Serum Soluble HLA-G Levels in Missed Abortions. <i>Medicina (Lithuania)</i> , 2013, 49, 68.	2.0	2

#	ARTICLE	IF	CITATIONS
19	The effect of smoking on placental pendrin expression*. Journal of Obstetrics and Gynaecology, 2017, 37, 11-14.	0.9	1
20	Imaging of sacroiliac joints in patients with acromegaly. Scientific Reports, 2019, 9, 11645.	3.3	1
21	The main differences between connective tissue diseases-associated interstitial lung disease and idiopathic pulmonary fibrosis. Ulusal Romatoloji Dergisi, 2021, 13, 22-28.	0.0	1
22	In the era of disease-modifying antirheumatic drugs, how close are we to treating rheumatoid arthritis without the use of glucocorticoids?. Rheumatology International, 2021, 41, 1915-1924.	3.0	1
23	Maternal serum soluble HLA-G levels in missed abortions. Medicina (Lithuania), 2013, 49, 435-8.	2.0	1
24	Plasma urotensin II levels in primary Raynaudâ€™s phenomenon and systemic sclerosis. Turkish Journal of Medical Sciences, 2017, 47, 1687-1692.	0.9	0
25	The 6-month drug survival rate in patients with rheumatoid arthritis treated with tofacitinib. Annals of Medical Research, 2021, 28, 1332.	0.1	0
26	Subcutaneous and intravenous applications of abatacept therapy used in the treatment of rheumatoid arthritis show similar efficacy. Ulusal Romatoloji Dergisi, 2020, 12, 17-21.	0.0	0