

Denise C Cornelius

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5616739/publications.pdf>

Version: 2024-02-01

117
papers

2,362
citations

236612

25
h-index

233125

45
g-index

119
all docs

119
docs citations

119
times ranked

2520
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of inflammation in the pathology of preeclampsia. <i>Clinical Science</i> , 2016, 130, 409-419.	1.8	379
2	Preeclampsia: From Inflammation to Immunoregulation. <i>Plasmatology</i> , 2018, 11, 1179545X1775232.	4.0	120
3	Preeclampsia: long-term consequences for vascular health. <i>Vascular Health and Risk Management</i> , 2015, 11, 403.	1.0	116
4	Role of Mitochondrial Dysfunction and Reactive Oxygen Species in Mediating Hypertension in the Reduced Uterine Perfusion Pressure Rat Model of Preeclampsia. <i>Hypertension</i> , 2018, 72, 703-711.	1.3	112
5	Administration of Interleukin-17 Soluble Receptor C Suppresses T _H 17 Cells, Oxidative Stress, and Hypertension in Response to Placental Ischemia During Pregnancy. <i>Hypertension</i> , 2013, 62, 1068-1073.	1.3	99
6	Plasma syndecan-1 levels identify a cohort of patients with severe sepsis at high risk for intubation after large-volume intravenous fluid resuscitation. <i>Journal of Critical Care</i> , 2016, 36, 125-129.	1.0	84
7	Elucidating Immune Mechanisms Causing Hypertension During Pregnancy. <i>Physiology</i> , 2013, 28, 225-233.	1.6	78
8	Identifying immune mechanisms mediating the hypertension during preeclampsia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 311, R1-R9.	0.9	74
9	IL-10 supplementation increases Tregs and decreases hypertension in the RUPP rat model of preeclampsia. <i>Hypertension in Pregnancy</i> , 2015, 34, 291-306.	0.5	68
10	An increased population of regulatory T cells improves the pathophysiology of placental ischemia in a rat model of preeclampsia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R884-R891.	0.9	68
11	Reduced uterine perfusion pressure T-helper 17 cells cause pathophysiology associated with preeclampsia during pregnancy. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 311, R1192-R1199.	0.9	61
12	Inflammatory mediators: a causal link to hypertension during preeclampsia. <i>British Journal of Pharmacology</i> , 2019, 176, 1914-1921.	2.7	59
13	AT1-AA (Angiotensin II Type 1 Receptor Agonistic Autoantibody) Blockade Prevents Preeclamptic Symptoms in Placental Ischemic Rats. <i>Hypertension</i> , 2018, 71, 886-893.	1.3	56
14	Placental Ischemia and Resultant Phenotype in Animal Models of Preeclampsia. <i>Current Hypertension Reports</i> , 2016, 18, 38.	1.5	52
15	17-Hydroxyprogesterone Caproate Significantly Improves Clinical Characteristics of Preeclampsia in the Reduced Uterine Perfusion Pressure Rat Model. <i>Hypertension</i> , 2015, 65, 225-231.	1.3	51
16	Natural killer cells mediate pathophysiology in response to reduced uterine perfusion pressure. <i>Clinical Science</i> , 2017, 131, 2753-2762.	1.8	44
17	NLRP3 inflammasome inhibition attenuates sepsis-induced platelet activation and prevents multi-organ injury in cecal-ligation puncture. <i>PLoS ONE</i> , 2020, 15, e0234039.	1.1	44
18	NLRP3 inflammasome activation in platelets in response to sepsis. <i>Physiological Reports</i> , 2019, 7, e14073.	0.7	43

#	ARTICLE	IF	CITATIONS
19	CD4 ⁺ T Cells Are Important Mediators of Oxidative Stress That Cause Hypertension in Response to Placental Ischemia. <i>Hypertension</i> , 2014, 64, 1151-1158.	1.3	37
20	Genetic Characterization of <i>Trichomonas vaginalis</i> Isolates by Use of Multilocus Sequence Typing. <i>Journal of Clinical Microbiology</i> , 2012, 50, 3293-3300.	1.8	34
21	Vitamin D supplementation improves pathophysiology in a rat model of preeclampsia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 310, R346-R354.	0.9	33
22	Renal natural killer cell activation and mitochondrial oxidative stress; new mechanisms in AT1-AA mediated hypertensive pregnancy. <i>Pregnancy Hypertension</i> , 2019, 15, 72-77.	0.6	32
23	Hypertension, inflammation and T lymphocytes are increased in a rat model of HELLP syndrome. <i>Hypertension in Pregnancy</i> , 2014, 33, 41-54.	0.5	31
24	Placental ischemia-stimulated T-helper 17 cells induce preeclampsia-associated cytolytic natural killer cells during pregnancy. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018, 315, R336-R343.	0.9	31
25	Chronic infusion of interleukin-17 promotes hypertension, activation of cytolytic natural killer cells, and vascular dysfunction in pregnant rats. <i>Physiological Reports</i> , 2019, 7, e14038.	0.7	27
26	Progesterone supplementation attenuates hypertension and the autoantibody to the angiotensin II type I receptor in response to elevated interleukin-6 during pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 211, 158.e1-158.e6.	0.7	26
27	Blockade of endogenous angiotensin II type I receptor agonistic autoantibody activity improves mitochondrial reactive oxygen species and hypertension in a rat model of preeclampsia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2020, 318, R256-R262.	0.9	26
28	Prevention of the progression of renal injury in diabetic rodent models with preexisting renal disease with chronic endothelin A receptor blockade. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, F977-F985.	1.3	24
29	Interleukin-4 supplementation improves the pathophysiology of hypertension in response to placental ischemia in RUPP rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2019, 316, R165-R171.	0.9	24
30	Proliferation of endogenous regulatory T cells improve the pathophysiology associated with placental ischaemia of pregnancy. <i>American Journal of Reproductive Immunology</i> , 2017, 78, e12724.	1.2	22
31	Impact of obesity as an independent risk factor for the development of renal injury: implications from rat models of obesity. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 316, F316-F327.	1.3	21
32	Continued Investigation Into 17-OHPC. <i>Hypertension</i> , 2017, 70, 1250-1255.	1.3	20
33	Interleukin-17 signaling mediates cytolytic natural killer cell activation in response to placental ischemia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2020, 318, R1036-R1046.	0.9	20
34	Tumor necrosis factor alpha (TNF- α) blockade improves natural killer cell (NK) activation, hypertension, and mitochondrial oxidative stress in a preclinical rat model of preeclampsia. <i>Hypertension in Pregnancy</i> , 2020, 39, 399-404.	0.5	19
35	Blockade of CD40 ligand for intercellular communication reduces hypertension, placental oxidative stress, and AT1-AA in response to adoptive transfer of CD4 ⁺ T lymphocytes from RUPP rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R1243-R1250.	0.9	17
36	17-Hydroxyprogesterone caproate improves T cells and NK cells in response to placental ischemia; new mechanisms of action for an old drug. <i>Pregnancy Hypertension</i> , 2020, 19, 226-232.	0.6	16

#	ARTICLE	IF	CITATIONS
37	Platelet Inhibition Prevents NLRP3 Inflammasome Activation and Sepsis-Induced Kidney Injury. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10330.	1.8	16
38	Vitamin D supplementation reduces some AT ₁ -AA-induced downstream targets implicated in preeclampsia including hypertension. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017, 312, R125-R131.	0.9	15
39	CD4+ T cells cause renal and placental mitochondrial oxidative stress as mechanisms of hypertension in response to placental ischemia. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 320, F47-F54.	1.3	15
40	Natural killer cells contribute to mitochondrial dysfunction in response to placental ischemia in reduced uterine perfusion pressure rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2019, 316, R441-R447.	0.9	14
41	Altered renal hemodynamics is associated with glomerular lipid accumulation in obese Dahl salt-sensitive leptin receptor mutant rats. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, F911-F921.	1.3	14
42	Progesterone-induced blocking factor improves blood pressure, inflammation, and pup weight in response to reduced uterine perfusion pressure (RUPP). <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021, 320, R719-R727.	0.9	14
43	The role of tumor necrosis factor in triggering activation of natural killer cell, multi-organ mitochondrial dysfunction and hypertension during pregnancy. <i>Pregnancy Hypertension</i> , 2021, 24, 65-72.	0.6	14
44	Placental CD4+ T cells isolated from preeclamptic women cause preeclampsia-like symptoms in pregnant nude-athymic rats. <i>Pregnancy Hypertension</i> , 2019, 15, 7-11.	0.6	13
45	Adoptive transfer of placental ischemia-stimulated natural killer cells causes a preeclampsia-like phenotype in pregnant rats. <i>American Journal of Reproductive Immunology</i> , 2021, 85, e13386.	1.2	13
46	Characterization of Mitochondrial Bioenergetics in Preeclampsia. <i>Journal of Clinical Medicine</i> , 2021, 10, 5063.	1.0	13
47	Depletion of macrophages slows the early progression of renal injury in obese Dahl salt-sensitive leptin receptor mutant rats. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, F1489-F1499.	1.3	11
48	Copeptin. <i>Hypertension</i> , 2014, 64, 1189-1191.	1.3	10
49	Decidual natural killer cells: A critical pregnancy mediator altered in preeclampsia. <i>EBioMedicine</i> , 2019, 39, 31-32.	2.7	10
50	Vascular endothelial mitochondrial oxidative stress in response to preeclampsia: a role for angiotensin II type 1 autoantibodies. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2021, 3, 100275.	1.3	10
51	Endothelin-1 is not a Mechanism of IL-17 Induced Hypertension during Pregnancy. <i>Medical Journal of Obstetrics and Gynecology</i> , 2013, 1, .	0.2	10
52	Tumor Necrosis Factor-alpha Blockade Improves Uterine Artery Resistance, Maternal Blood Pressure, and Fetal Growth in Placental Ischemic Rats. <i>Pregnancy Hypertension</i> , 2021, 25, 39-47.	0.6	9
53	Phosphatidylserine expressing platelet microparticle levels at hospital presentation are decreased in sepsis non-survivors and correlate with thrombocytopenia. <i>Thrombosis Research</i> , 2018, 168, 138-144.	0.8	8
54	Autophagy in preeclampsia: A new target?. <i>EBioMedicine</i> , 2020, 57, 102864.	2.7	8

#	ARTICLE	IF	CITATIONS
55	Vitamin D Supplementation Suppresses Hypoxia-Stimulated Placental Cytokine Secretion, Hypertension and CD4 T Cell Stimulation in Response to Placental Ischemia. <i>Medical Journal of Obstetrics and Gynecology</i> , 2013, 1, .	0.2	8
56	Interferon β neutralization reduces blood pressure, uterine artery resistance index, and placental oxidative stress in placental ischemic rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021, 321, R112-R124.	0.9	7
57	Progesterone Induced Blocking Factor Reduces Hypertension and Placental Mitochondrial Dysfunction in Response to sFlt-1 during Pregnancy. <i>Cells</i> , 2021, 10, 2817.	1.8	7
58	Treatment With Lisinopril Prevents the Early Progression of Glomerular Injury in Obese Dahl Salt-Sensitive Rats Independent of Lowering Arterial Pressure. <i>Frontiers in Physiology</i> , 2021, 12, 765305.	1.3	7
59	Natural killer cells in placentation and cancer: Implications for hypertension during pregnancy. <i>Placenta</i> , 2017, 56, 59-64.	0.7	6
60	Investigation of interleukin-2-mediated changes in blood pressure, fetal growth restriction, and innate immune activation in normal pregnant rats and in a preclinical rat model of preeclampsia. <i>Biology of Sex Differences</i> , 2021, 12, 4.	1.8	6
61	Placental CD4+ T cells from preeclamptic patients cause autoantibodies to the angiotensin II type I receptor and hypertension in a pregnant rat model of preeclampsia. <i>Exploration of Medicine</i> , 0, , 99-111.	1.5	6
62	Genetic Relatedness of <i>Trichomonas vaginalis</i> Reference and Clinical Isolates. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 83, 1283-1286.	0.6	5
63	The ^{SS} LepR mutant rat represents a novel model to study obesity-induced renal injury before puberty. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2022, 322, R299-R308.	0.9	4
64	Preeclampsia and COVID-19: the Role of Inflammasome Activation. <i>Current Hypertension Reports</i> , 2022, 24, 341-348.	1.5	4
65	[35-OR]. <i>Pregnancy Hypertension</i> , 2015, 5, 17.	0.6	3
66	The Role of Sex Differences in Inflammation and Autoimmune Diseases. , 2019, , 205-217.		2
67	Treatment With Gemfibrozil Prevents the Progression of Chronic Kidney Disease in Obese Dahl Salt-Sensitive Rats. <i>Frontiers in Physiology</i> , 2020, 11, 566403.	1.3	2
68	A Plate-based Cytotoxicity Assay for the Assessment of Rat Placental Natural Killer Cell Cytolytic Function. <i>Journal of Visualized Experiments</i> , 2019, , .	0.2	1
69	109: Etanercept improves natural killer cell activation and hypertension in a preclinical rat model of pre-eclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, S86-S87.	0.7	1
70	Sex Differences in Macrophage Polarization During the Early Progression of Renal Disease in Obese Dahl Salt-Sensitive Rats Prior to Puberty. <i>FASEB Journal</i> , 2021, 35, .	0.2	1
71	Administration of MIP3 α neutralizing antibody reduces the renal infiltration of dendritic cells and Th17s and attenuates progressive proteinuria in obese Dahl salt-sensitive rats. <i>FASEB Journal</i> , 2021, 35, .	0.2	1
72	Abstract P1110: Tumor Necrosis Factor Alpha Blockade Improves Natural Killer Cell Activation, Hypertension, and Mitochondrial Oxidative Stress in a Preclinical Rat Model of Preeclampsia. <i>Hypertension</i> , 2019, 74, .	1.3	1

#	ARTICLE	IF	CITATIONS
73	Sex Differences in the Development of Renal Injury in Obese Dahl Salt-Sensitive Leptin Receptor Mutant Rats During Prepubertal Obesity. <i>FASEB Journal</i> , 2018, 32, 906.5.	0.2	1
74	The Role of Interleukin-2 (IL-2) in Natural Killer Cell (NK) Activation and Hypertension in a Preclinical Rat Model of Preeclampsia. <i>FASEB Journal</i> , 2018, 32, 911.1.	0.2	1
75	The Early Progression of Renal Injury in Obese Dahl Salt-Sensitive Rats is Associated with Increased M2 Macrophage Infiltration. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.2	1
76	5 17-Hydroxyprogesterone caproate improves fetal growth restriction possibly by reducing sFlt-1 and placental cytolytic NK cells in the reduced uterine perfusion pressure (RUPP) rat model of preeclampsia. <i>Pregnancy Hypertension</i> , 2016, 6, 139.	0.6	0
77	181: Administration of 17-hydroxyprogesterone caproate in mid-gestation improves fetal growth possibly by reducing sFlt-1 and placental cytolytic NK cells in the Reduced Uterine Perfusion Pressure (RUPP) rat model of Preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, S113.	0.7	0
78	882: A role for natural killer cells in the pathophysiology of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, S503-S504.	0.7	0
79	23: Interleukin-4 supplementation improves the pathophysiology of preeclampsia in response to placental ischemia. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, S19.	0.7	0
80	1816. <i>Critical Care Medicine</i> , 2019, 47, 881.	0.4	0
81	240: Mitochondrial oxidative stress and respiration in Tumor Necrosis Alpha induced hypertension in normal pregnant rats. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, S166.	0.7	0
82	72 IL-17 stimulates B cells to secrete AT1-AA in hypertension and multi-organ tissue dysfunction during pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, S51.	0.7	0
83	NLRP3 Plays a Causative Role in Vascular and Renal Dysfunction and Hypertension in Placental Ischemic Pregnancy. <i>FASEB Journal</i> , 2021, 35, .	0.2	0
84	Neutralization of Natural Killer Cell Associated Cytokines Improves Vascular Function and Reduces Blood Pressure in Placental Ischemic Rats. <i>FASEB Journal</i> , 2021, 35, .	0.2	0
85	IL-25 reduces early progression of renal injury in obese Dahl salt-sensitive rats via inducing renal M2 macrophages and suppressing M1 macrophages. <i>FASEB Journal</i> , 2021, 35, .	0.2	0
86	IL-17 causes hypertension and multi-organ tissue dysfunction which is attenuated with blockade of agonistic autoantibodies to the angiotensin II type I (AT1-AA) receptor during pregnancy. <i>FASEB Journal</i> , 2021, 35, .	0.2	0
87	Elevations in arterial pressure are associated with increases in plasma angiotensin III and angiotensin I in female obese SS rats prior to puberty. <i>FASEB Journal</i> , 2021, 35, .	0.2	0
88	Progesterone and PIBF: new insights into treatment options for preeclampsia. <i>FASEB Journal</i> , 2021, 35, .	0.2	0
89	Blunting Circulating TH17 cells Decreases Hypertension and Oxidative Stress in Response to Placental Ischemia. <i>FASEB Journal</i> , 2013, 27, 1115.4.	0.2	0
90	T Cell-Dependent B Cell Activation Mediates Pathophysiology in Response to CD4 + T Cells from Reduced Uterine Perfusion Pregnant Rats. <i>FASEB Journal</i> , 2015, 29, 810.4.	0.2	0

#	ARTICLE	IF	CITATIONS
91	Agonistic Autoantibodies to the Angiotensin II Type 1 Receptor Enhance ANGII Binding on Vascular Endothelial Cells. FASEB Journal, 2015, 29, 810.12.	0.2	0
92	Early Administration of 17 β -Hydroxyprogesterone Caproate to Reduced Uterine Perfusion Pressure (RUPP) Rat Model of Preeclampsia Improves Inflammation, Uterine artery Vasoconstriction and Blood Pressure During Pregnancy. FASEB Journal, 2015, 29, 810.6.	0.2	0
93	Early Development of Glomerular Injury in Dahl Salt-Sensitive (SS) Rats with Metabolic Syndrome Independent of Diabetes and Hypertension. FASEB Journal, 2015, 29, 964.8.	0.2	0
94	Placental Ischemia-Induced T H 17 Cells Mediate the Pathophysiology Associated with Preeclampsia. FASEB Journal, 2015, 29, 667.6.	0.2	0
95	Role of Cerebral Vascular Dysfunction on Alzheimer-Like Cognitive Deficits in Diabetic T2DN rats. FASEB Journal, 2018, 32, .	0.2	0
96	Progesterone induced blocking factor improves fetal growth restriction possibly by reducing inflammation and placental cytolytic NK cells in response to placental ischemia during pregnancy. FASEB Journal, 2018, 32, 729.5.	0.2	0
97	Placental Ischemia-Stimulated T H 17 Cells Induce Preeclampsia-Associated Cytolytic Natural Killer Cells During Pregnancy. FASEB Journal, 2018, 32, 729.6.	0.2	0
98	Abstract P265: Early Renal Hyperfiltration In Obese Dahl Salt-Sensitive Leptin Receptor Mutant Rats is Associated With Glomerular Leukocyte Extravasation and Renal Disease. Hypertension, 2018, 72, .	1.3	0
99	Abstract P307: Renal Natural Killer Cell Activation and Mitochondrial Oxidative Stress; New Mechanisms in AT1-AA Mediated Hypertensive Pregnancy. Hypertension, 2018, 72, .	1.3	0
100	Abstract 128: Interleukin-17 Mediates Hypertension, Intrauterine Growth Restriction, Cytolytic Natural Killer Cells and Vascular Dysfunction in Pregnant Rats. Hypertension, 2018, 72, .	1.3	0
101	Interleukin-4 supplementation improves the proinflammatory cell ratios, autoantibodies and blood pressure in response to placental ischemia. FASEB Journal, 2019, 33, 865.18.	0.2	0
102	Suppression of T H 17 Cells Blunts Preeclampsia-Associated Cytolytic Natural Killer Cells during Pregnancy. FASEB Journal, 2019, 33, 865.17.	0.2	0
103	Depletion of macrophages with clodronate partially reduces the progression renal injury in obese Dahl salt-sensitive rats during prepubertal obesity. FASEB Journal, 2019, 33, 573.5.	0.2	0
104	Abstract P101: Interleukin 17 Signaling Mediates Cytolytic Natural Killer Cell Activation in Response to Placental Ischemia. Hypertension, 2019, 74, .	1.3	0
105	Abstract 017: Cytolytic Natural Killer Cells Play a Direct Role in Causing Hypertension and Intrauterine Growth Restriction in Pregnant Rats. Hypertension, 2019, 74, .	1.3	0
106	Placental Ischemia Stimulated Natural Killer Cells Play a Direct Role in Causing Hypertension and Intrauterine Growth Restriction in Pregnant Rats. FASEB Journal, 2020, 34, 1-1.	0.2	0
107	Abstract P207: Mitochondrial Dysfunction And Natural Killer Cell Activation Stimulated By Il-17 Signaling From Th17 Cells In Response To Placental Ischemia During Pregnancy; Sarah Fitzgerald, Evangeline Deer, Owen Herrock, Tarek Ibrahim, Lorena Amaral, Denise Cornelius And Babbette Lamarca; ¹ Department Of Pharmacology, University Of Mississippi Medical Center.. Hypertension, 2020, 76, .	1.3	0
108	Il-17 Signaling Mediates Cytolytic Natural Killer Cell Activation in Placental Ischemic Rats. FASEB Journal, 2020, 34, 1-1.	0.2	0

#	ARTICLE	IF	CITATIONS
109	Progesterone induced blocking factor improves blood pressure, mitochondrial dysfunction and reactive oxygen species in response to sFlt-1 induced hypertension during pregnancy. FASEB Journal, 2020, 34, 1-1.	0.2	0
110	Abstract MP15: Treatment With IL-25 Slows The Early Progression Of Proteinuria In Obese Dahl Salt-sensitive Rats. Hypertension, 2020, 76, .	1.3	0
111	Abstract P222: Progesterone Induced Blocking Factor Decreases Hypertension, Mitochondrial Dysfunction And Reactive Oxygen Species In Response To Elevated Sflt-1 During Pregnancy. Hypertension, 2020, 76, .	1.3	0
112	Abstract P213: Placental Ischemia-Stimulated Natural Killer Cells Contribute To Hypertension, Vascular Dysfunction, And Intrauterine Growth Restriction In Pregnant Rats. Hypertension, 2020, 76, .	1.3	0
113	Treatment with rapamycin reduces progressive proteinuria while inducing hyperglycemia in obese Dahl salt-sensitive leptin receptor mutant rats prior to puberty. FASEB Journal, 2022, 36, .	0.2	0
114	Decreasing Insulin Resistance Reduces Early Progressive Proteinuria by Decreasing Renal Hyperfiltration and Inflammation in Obese Dahl Salt-sensitive Rats. FASEB Journal, 2022, 36, .	0.2	0
115	NLRP3 Inhibition Improves Maternal Blood Pressure, Inflammation, and Vascular Function During Placental Ischemia. FASEB Journal, 2022, 36, .	0.2	0
116	IL17 administration in the Absence of T cells Results in Hypertension, NK cell Activation, and Reduced Pup Weight at Birth, but No Changes in Blood Pressure or Weight at Maturation of Offspring. FASEB Journal, 2022, 36, .	0.2	0
117	IL-25 Supplementation Induces M2 Macrophage Polarization, Reduces Blood Pressure, and Improves Fetal Weight in Placental Ischemic Rats. FASEB Journal, 2022, 36, .	0.2	0