

Jehad K El-Demellawi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5617357/publications.pdf>

Version: 2024-02-01

255
papers

11,886
citations

34076

52
h-index

33869

99
g-index

255
all docs

255
docs citations

255
times ranked

13061
citing authors

#	ARTICLE	IF	CITATIONS
1	A novel metal-organic framework-derived NiSe ₂ /ZnSe@NC as advanced anode materials for high-performance asymmetric supercapacitors. <i>Electrochemical Science Advances</i> , 2022, 2, e2100047.	1.2	8
2	Hotspots, frontiers, and emerging trends of tandem solar cell research: A comprehensive review. <i>International Journal of Energy Research</i> , 2022, 46, 104-123.	2.2	12
3	n-type absorber by Cd ²⁺ doping achieves high-performance carbon-based CsPbBr ₂ perovskite solar cells. <i>Journal of Colloid and Interface Science</i> , 2022, 608, 40-47.	5.0	30
4	Enhancing efficiency of perovskite solar cells from surface passivation of Co ²⁺ doped CuGaO ₂ nanocrystals. <i>Journal of Colloid and Interface Science</i> , 2022, 607, 1280-1286.	5.0	11
5	Rear Interface Engineering to Suppress Migration of Iodide Ions for Efficient Perovskite Solar Cells with Minimized Hysteresis. <i>Advanced Functional Materials</i> , 2022, 32, 2107823.	7.8	57
6	Efficient and Stable Carbon-Based CsPbBr ₂ Perovskite Solar Cells by 4-Aminomethyltetrahydropyran Acetate Modification. <i>Advanced Materials Interfaces</i> , 2022, 9, 2101463.	1.9	11
7	Porous Ti ₃ C ₂ T _x MXene Membranes for Highly Efficient Salinity Gradient Energy Harvesting. <i>ACS Nano</i> , 2022, 16, 792-800.	7.3	60
8	Simultaneously Mitigating Anion and Cation Defects Both in Bulk and Interface for Highly Effective Perovskite Solar Cells. <i>Solar Rrl</i> , 2022, 6, .	3.1	2
9	Face-on oriented hydrophobic conjugated polymers as dopant-free hole-transport materials for efficient and stable perovskite solar cells with a fill factor approaching 85%. <i>Journal of Materials Chemistry A</i> , 2022, 10, 3409-3417.	5.2	19
10	Interlayer Modification Using Phenylethylamine Tetrafluoroborate for Highly Effective Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2022, 5, 658-666.	2.5	8
11	5-Chloroindole as Interface Modifier to Improve the Efficiency and Stability of Planar Perovskite Solar Cells. <i>Solar Rrl</i> , 2022, 6, .	3.1	9
12	MXene-Coated Membranes for Autonomous Solar-Driven Desalination. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 5265-5274.	4.0	57
13	Bulky ammonium iodide and in-situ formed 2D Ruddlesden-Popper layer enhances the stability and efficiency of perovskite solar cells. <i>Journal of Colloid and Interface Science</i> , 2022, 614, 247-255.	5.0	12
14	Scaled Deposition of Ti ₃ C ₂ T _x MXene on Complex Surfaces: Application Assessment as Rear Electrodes for Silicon Heterojunction Solar Cells. <i>ACS Nano</i> , 2022, 16, 2419-2428.	7.3	28
15	Zinc and Acetate Co-doping for Stable Carbon-Based CsPbBr ₂ Solar Cells with Efficiency over 10.6%. <i>ACS Applied Energy Materials</i> , 2022, 5, 2720-2726.	2.5	4
16	Interfacial Defect Passivation Effect of N-Methyl-(thien-2-ylmethyl)amine for Highly Effective Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2022, 5, 4270-4278.	2.5	2
17	High-efficiency and ultraviolet stable carbon-based CsPbBr ₂ solar cells from single crystal three-dimensional anatase titanium dioxide nanoarrays with ultraviolet light shielding function. <i>Journal of Colloid and Interface Science</i> , 2022, 616, 201-209.	5.0	9
18	Self-Activation Enables Cationic and Anionic Co-Storage in Organic Frameworks. <i>Advanced Energy Materials</i> , 2022, 12, .	10.2	11

#	ARTICLE	IF	CITATIONS
19	Multifunctional Molecule Modification toward Efficient Carbon-Based All-Inorganic CsPbBr ₂ Perovskite Solar Cells. <i>Advanced Sustainable Systems</i> , 2022, 6, .	2.7	15
20	Single-crystalline TiO ₂ nanoparticles for stable and efficient perovskite modules. <i>Nature Nanotechnology</i> , 2022, 17, 598-605.	15.6	121
21	Plasmonic Nb ₂ C ₁ T ₃ MXene-MAPbI ₃ Heterostructure for Self-Powered Visible-NIR Photodiodes. <i>ACS Nano</i> , 2022, 16, 7904-7914.	7.3	19
22	4-Hydroxy-2,2,6,6-tetramethylpiperidine as a Bifunctional Interface Modifier for High-Efficiency and Stable Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2022, 5, 6754-6763.	2.5	3
23	Performance Improvement of Planar Perovskite Solar Cells Using Lauric Acid as Interfacial Modifier. <i>ACS Applied Energy Materials</i> , 2022, 5, 8501-8509.	2.5	2
24	Polarized Molecule 4-(Aminomethyl) Benzonitrile Hydrochloride for Efficient and Stable Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 33383-33391.	4.0	7
25	High thermally stable hybrid materials based on amorphous porous silicon nanoparticles and imidazolium-based ionic liquids: Structural and chemical analysis. <i>Materials Today: Proceedings</i> , 2021, 39, 1132-1140.	0.9	0
26	Guanidinium iodide modification enabled highly efficient and stable all-inorganic CsPbBr ₃ perovskite solar cells. <i>Electrochimica Acta</i> , 2021, 365, 137360.	2.6	27
27	Enhanced photovoltage and stability of perovskite photovoltaics enabled by a cyclohexylmethylammonium iodide-based 2D perovskite passivation layer. <i>Nanoscale</i> , 2021, 13, 14915-14924.	2.8	16
28	Ti ₃ C ₂ T _x MXene-Activated Fast Gelation of Stretchable and Self-Healing Hydrogels: A Molecular Approach. <i>ACS Nano</i> , 2021, 15, 2698-2706.	7.3	157
29	Postpassivation of Cs _{0.05} (FA _{0.83} MA _{0.17}) _{0.95} Pb(I _{0.83} Br _{0.17}) ₃ Perovskite Films with Tris(pentafluorophenyl)borane. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 2472-2482.	4.0	34
30	Highly efficient and stable planar perovskite solar cells with K ₃ [Fe(CN) ₆]-doped spiro-OMeTAD. <i>Journal of Materials Chemistry C</i> , 2021, 9, 7726-7733.	2.7	20
31	The Impact of Pbl ₂ :KI Alloys on the Performance of Sequentially Deposited Perovskite Solar Cells. <i>European Journal of Inorganic Chemistry</i> , 2021, 2021, 821-830.	1.0	5
32	Supermolecule Cucurbituril Subnanoporous Carbon Supercapacitor (SCSCS). <i>Nano Letters</i> , 2021, 21, 2156-2164.	4.5	40
33	Engineering Band-Type Alignment in CsPbBr ₃ Perovskite-Based Artificial Multiple Quantum Wells. <i>Advanced Materials</i> , 2021, 33, e2005166.	11.1	12
34	In Situ Interface Engineering with a Spiro-OMeTAD/CoO Hierarchical Structure via One-Step Spin-Coating for Efficient and Stable Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2021, 8, 2002041.	1.9	2
35	Additive Engineering by 6-Aminoquinoline Monohydrochloride for High-Performance Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2021, 4, 7083-7090.	2.5	9
36	Carbon-Based Stable CsPbBr ₂ Solar Cells with Efficiency of over 10% from Bifunctional Quinoline Sulfate Modification. <i>ACS Applied Energy Materials</i> , 2021, 4, 5747-5755.	2.5	13

#	ARTICLE	IF	CITATIONS
37	Hotspots, Frontiers, and Emerging Trends of Superabsorbent Polymer Research: A Comprehensive Review. <i>Frontiers in Chemistry</i> , 2021, 9, 688127.	1.8	14
38	High-Efficiency Carbon-Based CsPbBr ₂ Solar Cells with Interfacial Energy Loss Suppressed by a Thin Bulk-Heterojunction Layer. <i>Solar Rrl</i> , 2021, 5, 2100375.	3.1	30
39	Efficient and Stable 2D@3D/2D Perovskite Solar Cells Based on Dual Optimization of Grain Boundary and Interface. <i>ACS Energy Letters</i> , 2021, 6, 3614-3623.	8.8	113
40	Alkali Metal Fluoride-Modified Tin Oxide for n-i-p Planar Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 50083-50092.	4.0	12
41	Phthalide and 1-iodooctadecane Synergistic Optimization for Highly Efficient and Stable Perovskite Solar Cells. <i>Small</i> , 2021, 17, e2103336.	5.2	23
42	Defect Passivation through Cyclohexylethylamine Post-treatment for High-Performance and Stable Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2021, 4, 12848-12857.	2.5	6
43	Surface Reconstruction and In Situ Formation of 2D Layer for Efficient and Stable 2D/3D Perovskite Solar Cells. <i>Small Methods</i> , 2021, 5, e2101000.	4.6	33
44	High-Performance Perovskite Solar Cells by Doping Didodecyl Dimethyl Ammonium Bromide in the Hole Transport Layer. <i>ACS Applied Energy Materials</i> , 2021, 4, 13471-13481.	2.5	2
45	Ammonium Fluoride Interface Modification for High-Performance and Long-Term Stable Perovskite Solar Cells. <i>Energy Technology</i> , 2020, 8, 1901017.	1.8	12
46	Synergy of Plasmonic Silver Nanorod and Water for Enhanced Planar Perovskite Photovoltaic Devices. <i>Solar Rrl</i> , 2020, 4, 1900231.	3.1	26
47	Regulation of Interfacial Charge Transfer and Recombination for Efficient Planar Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 1900198.	3.1	46
48	CoBr ₂ -doping-induced efficiency improvement of CsPbBr ₃ planar perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2020, 8, 1649-1655.	2.7	37
49	Efficient mesoscopic perovskite solar cells from emulsion-based bottom-up self-assembled TiO ₂ microspheres. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 1969-1975.	1.1	0
50	Suppressing Vacancy Defects and Grain Boundaries via Ostwald Ripening for High-Performance and Stable Perovskite Solar Cells. <i>Advanced Materials</i> , 2020, 32, e1904347.	11.1	172
51	Highly efficient tin perovskite solar cells achieved in a wide oxygen concentration range. <i>Journal of Materials Chemistry A</i> , 2020, 8, 2760-2768.	5.2	85
52	Single Source, Surfactant-Free, and One-Step Solvothermal Route Synthesized TiO ₂ Microspheres for Highly Efficient Mesoscopic Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000519.	3.1	7
53	Autonomous MXene-PVDF actuator for flexible solar trackers. <i>Nano Energy</i> , 2020, 77, 105277.	8.2	35
54	Strong electron acceptor additive based spiro-OMeTAD for high-performance and hysteresis-less planar perovskite solar cells. <i>RSC Advances</i> , 2020, 10, 38736-38745.	1.7	12

#	ARTICLE	IF	CITATIONS
55	MXene hydrogels: fundamentals and applications. <i>Chemical Society Reviews</i> , 2020, 49, 7229-7251.	18.7	368
56	Additive Engineering by Bifunctional Guanidine Sulfamate for Highly Efficient and Stable Perovskites Solar Cells. <i>Small</i> , 2020, 16, e2004877.	5.2	35
57	Building Lithiophilic Ion-Conduction Highways on Garnet-Type Solid-State Li ⁺ Conductors. <i>Advanced Energy Materials</i> , 2020, 10, 1904230.	10.2	62
58	Unprecedented Surface Plasmon Modes in Monoclinic MoO ₂ Nanostructures. <i>Advanced Materials</i> , 2020, 32, e1908392.	11.1	28
59	MXene Printing and Patterned Coating for Device Applications. <i>Advanced Materials</i> , 2020, 32, e1908486.	11.1	239
60	Defect Control Strategy by Bifunctional Thioacetamide at Low Temperature for Highly Efficient Planar Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 12883-12891.	4.0	24
61	T-ZnOw/ZnONP Double-Layer Composite Photoanode with One-Dimensional Low-Resistance Photoelectron Channels for High-Efficiency DSSCs. <i>Journal of Physical Chemistry C</i> , 2020, 124, 4408-4413.	1.5	3
62	Highly Efficient CsPbBr ₃ Planar Perovskite Solar Cells via Additive Engineering with NH ₄ SCN. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 10579-10587.	4.0	80
63	Polymeric Sulfur as a Li Ion Conductor. <i>Nano Letters</i> , 2020, 20, 2191-2196.	4.5	15
64	High-Efficiency Low-Temperature-Processed Mesoscopic Perovskite Solar Cells from SnO ₂ Nanorod Self-Assembled Microspheres. <i>Solar Rrl</i> , 2020, 4, 1900558.	3.1	21
65	High-Performance Perovskite Solar Cells Using Iodine as Effective Dopant for Spiro-OMeTAD. <i>Energy Technology</i> , 2020, 8, 1901171.	1.8	14
66	Fluoroaromatic Cation-Assisted Planar Junction Perovskite Solar Cells with Improved v_{oc} and Stability: The Role of Fluorination Position. <i>Solar Rrl</i> , 2020, 4, 2000107.	3.1	68
67	MXene improves the stability and electrochemical performance of electropolymerized PEDOT films. <i>APL Materials</i> , 2020, 8, .	2.2	25
68	Inkjet-printed Ti ₃ C ₂ T _x MXene electrodes for multimodal cutaneous biosensing. <i>JPhys Materials</i> , 2020, 3, 044004.	1.8	30
69	Efficient inverted planar perovskite solar cells based on inorganic hole-transport layers from nickel-containing organic sol. <i>Functional Materials Letters</i> , 2019, 12, 1850088.	0.7	7
70	Synergistic Cobalt Sulfide/Eggshell Membrane Carbon Electrode. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 32244-32250.	4.0	32
71	Toward Highly Reproducible, Efficient, and Stable Perovskite Solar Cells via Interface Engineering with CoO Nanoplates. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 32159-32168.	4.0	41
72	Metal Halide Perovskite and Phosphorus Doped g-C ₃ N ₄ Bulk Heterojunctions for Air-Stable Photodetectors. <i>ACS Energy Letters</i> , 2019, 4, 2315-2322.	8.8	36

#	ARTICLE	IF	CITATIONS
73	Visible light-driven flower-like Bi/BiOCl _x Br(1- <i>x</i>) heterojunction with excellent photocatalytic performance. <i>Journal of the Iranian Chemical Society</i> , 2019, 16, 2743-2754.	1.2	7
74	Solvent engineering of LiTFSI towards high-efficiency planar perovskite solar cells. <i>Solar Energy</i> , 2019, 194, 321-328.	2.9	17
75	MAPbI ₃ Single Crystals Free from Hole-Trapping Centers for Enhanced Photodetectivity. <i>ACS Energy Letters</i> , 2019, 4, 2579-2584.	8.8	40
76	A high-performance asymmetric supercapacitor based on Ni ₃ S ₂ -coated NiSe arrays as positive electrode. <i>New Journal of Chemistry</i> , 2019, 43, 2389-2399.	1.4	41
77	Improved photovoltaic performance of perovskite solar cells by utilizing down-conversion NaYF ₄ :Eu ³⁺ nanophosphors. <i>Journal of Materials Chemistry C</i> , 2019, 7, 937-942.	2.7	40
78	MXenes for Plasmonic Photodetection. <i>Advanced Materials</i> , 2019, 31, e1807658.	11.1	175
79	High performance and stable perovskite solar cells using vanadic oxide as a dopant for spiro-OMeTAD. <i>Journal of Materials Chemistry A</i> , 2019, 7, 13256-13264.	5.2	81
80	Pyrrrole: an additive for improving the efficiency and stability of perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 11764-11770.	5.2	61
81	A C ₆₀ /TiO _x bilayer for conformal growth of perovskite films for UV stable perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 11086-11094.	5.2	64
82	Polymer Electrolyte Glue: A Universal Interfacial Modification Strategy for All-Solid-State Li Batteries. <i>Nano Letters</i> , 2019, 19, 2343-2349.	4.5	105
83	Hollow rod-like hybrid Co ₂ CrO ₄ /Co _{1-x} S for high-performance asymmetric supercapacitor. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 1045-1055.	1.1	4
84	Low-temperature solution-processing high quality Nb-doped SnO ₂ nanocrystals-based electron transport layers for efficient planar perovskite solar cells. <i>Functional Materials Letters</i> , 2019, 12, 1850091.	0.7	21
85	High-Performance and Hysteresis-Free Perovskite Solar Cells Based on Rare-Earth-Doped SnO ₂ Mesoporous Scaffold. <i>Research</i> , 2019, 2019, 4049793.	2.8	35
86	Preparation of MnO ₂ /porous carbon material with core-shell structure and its application in supercapacitor. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 7957-7964.	1.1	6
87	Cadmium sulfide as an efficient electron transport material for inverted planar perovskite solar cells. <i>Chemical Communications</i> , 2018, 54, 3170-3173.	2.2	41
88	Hydrothermal Synthesis of Hybrid Rod-Like Hollow CoWO ₄ /Co _{1-x} S for High-Performance Supercapacitors. <i>ChemElectroChem</i> , 2018, 5, 1047-1055.	1.7	30
89	Growth of Ni ₃ Se ₂ nanosheets on Ni foam for asymmetric supercapacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 4649-4657.	1.1	33
90	Annealing-Free Cr ₂ O ₃ Electron-Selective Layer for Efficient Hybrid Perovskite Solar Cells. <i>ChemSusChem</i> , 2018, 11, 619-628.	3.6	22

#	ARTICLE	IF	CITATIONS
91	Improving the Performance of a Perovskite Solar Cell by Adjusting the Dispersant for Titanium Dioxide. <i>Energy Technology</i> , 2018, 6, 677-682.	1.8	2
92	Improved performance of a CoTe//AC asymmetric supercapacitor using a redox additive aqueous electrolyte. <i>RSC Advances</i> , 2018, 8, 7997-8006.	1.7	63
93	CdSe x S1 ^x /CdS-cosensitized 3D TiO ₂ hierarchical nanostructures for efficient energy conversion. <i>Journal of Solid State Electrochemistry</i> , 2018, 22, 347-353.	1.2	7
94	Construction of NiTe/NiSe Composites on Ni Foam for High-Performance Asymmetric Supercapacitor. <i>ChemElectroChem</i> , 2018, 5, 507-514.	1.7	36
95	Multipolar Surface Plasmons in 2D Ti ₃ C ₂ T _x Flakes: an Ultra-High Resolution EELS with Conventional TEM and In-Situ Heating Study. <i>Microscopy and Microanalysis</i> , 2018, 24, 1578-1579.	0.2	4
96	An Additive of Sulfonic Lithium Salt for High-Performance Perovskite Solar Cells. <i>ChemistrySelect</i> , 2018, 3, 12320-12324.	0.7	8
97	Dual interfacial modification engineering with p-type NiO nanocrystals for preparing efficient planar perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2018, 6, 13034-13042.	2.7	37
98	Thiourea Interfacial Modification for Highly Efficient Planar Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2018, 1, 6700-6706.	2.5	20
99	Diboron-Assisted Interfacial Defect Control Strategy for Highly Efficient Planar Perovskite Solar Cells. <i>Advanced Materials</i> , 2018, 30, e1805085.	11.1	128
100	Giant Photoluminescence Enhancement in CsPbCl ₃ Perovskite Nanocrystals by Simultaneous Dual-Surface Passivation. <i>ACS Energy Letters</i> , 2018, 3, 2301-2307.	8.8	244
101	N, O-Codoped Hierarchically Porous Carbons Derived from Squid Pen for High-Capacity Supercapacitors. <i>ChemistrySelect</i> , 2018, 3, 8144-8150.	0.7	4
102	An efficient solvent additive for the preparation of anion-cation-mixed hybrid and the high performance perovskite solar cells. <i>Journal of Colloid and Interface Science</i> , 2018, 531, 602-608.	5.0	15
103	High-Efficiency Planar Hybrid Perovskite Solar Cells Using Indium Sulfide as Electron Transport Layer. <i>ACS Applied Energy Materials</i> , 2018, 1, 4050-4056.	2.5	30
104	Tunable Multipolar Surface Plasmons in 2D Ti ₃ C ₂ T _x MXene Flakes. <i>ACS Nano</i> , 2018, 12, 8485-8493.	7.3	179
105	Low-temperature sintered SnO ₂ electron transport layer for efficient planar perovskite solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 13138-13147.	1.1	12
106	Low-temperature solution-processed efficient electron-transporting layers based on BF ₄ ⁻ -capped TiO ₂ nanorods for high-performance planar perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2018, 6, 334-341.	2.7	31
107	Solvent engineering for forming stonehenge-like PbI ₂ nano-structures towards efficient perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 4376-4383.	5.2	59
108	Fabrication of ZnO/SnO ₂ hierarchical structures as the composite photoanodes for efficient CdS/CdSe co-sensitized solar cells. <i>Applied Physics A: Materials Science and Processing</i> , 2017, 123, 1.	1.1	3

#	ARTICLE	IF	CITATIONS
109	Nickel selenide/reduced graphene oxide nanocomposite as counter electrode for high efficient dye-sensitized solar cells. <i>Journal of Colloid and Interface Science</i> , 2017, 498, 217-222.	5.0	41
110	Fabrication a thin nickel oxide layer on photoanodes for control of charge recombination in dye-sensitized solar cells. <i>Journal of Solid State Electrochemistry</i> , 2017, 21, 1523-1531.	1.2	7
111	Hybrid electrolytes based on ionic liquids and amorphous porous silicon nanoparticles: Organization and electrochemical properties. <i>Applied Materials Today</i> , 2017, 9, 10-20.	2.3	16
112	Modulated CH ₃ NH ₃ PbI ₃ xBr film for efficient perovskite solar cells exceeding 18%. <i>Scientific Reports</i> , 2017, 7, 44603.	1.6	60
113	Counter electrodes in dye-sensitized solar cells. <i>Chemical Society Reviews</i> , 2017, 46, 5975-6023.	18.7	609
114	CH ₃ NH ₃ Br Additive for Enhanced Photovoltaic Performance and Air Stability of Planar Perovskite Solar Cells prepared by Two-Step Dipping Method. <i>Energy Technology</i> , 2017, 5, 1887-1894.	1.8	18
115	A gradient engineered hole-transporting material for monolithic series-type large-area perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 21161-21168.	5.2	35
116	Addition of Lithium Iodide into Precursor Solution for Enhancing the Photovoltaic Performance of Perovskite Solar Cells. <i>Energy Technology</i> , 2017, 5, 1814-1819.	1.8	4
117	Interface Engineering of electron Transport Layer-Free Planar Perovskite Solar Cells with Efficiency Exceeding 15%. <i>Energy Technology</i> , 2017, 5, 1844-1851.	1.8	13
118	Tuning the Fermi Level of TiO ₂ Electron Transport Layer through Europium Doping for Highly Efficient Perovskite Solar Cells. <i>Energy Technology</i> , 2017, 5, 1820-1826.	1.8	42
119	Synthesis and Characterization of Luminescent Amorphous Porous Silicon (ap-Si) Nanoparticles via unconventional Stain Etching. <i>Journal of Physics: Conference Series</i> , 2016, 758, 012018.	0.3	1
120	Facile synthesis of porous CuS film as a high efficient counter electrode for quantum-dot-sensitized solar cells. <i>Applied Physics A: Materials Science and Processing</i> , 2016, 122, 1.	1.1	1
121	Synthesis and gas sensing properties of SnO ₂ nanoparticles with different morphologies. <i>Journal of Porous Materials</i> , 2016, 23, 1189-1196.	1.3	8
122	High-Performance Molybdenum Diselenide Electrodes Used in Dye-Sensitized Solar Cells and Supercapacitors. <i>IEEE Journal of Photovoltaics</i> , 2016, 6, 1196-1202.	1.5	24
123	Multifunctional Rare-Earth-Doped Tin Oxide Compact Layers for Improving Performances of Photovoltaic Devices. <i>Advanced Materials Interfaces</i> , 2016, 3, 1600881.	1.9	16
124	Optimization of CdSe layer on modified ZnO hierarchical spheres by spin-SILAR for efficient CdS/CdSe co-sensitized solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 6656-6664.	1.1	4
125	An efficient method to prepare high-performance dye-sensitized photoelectrodes using ordered TiO ₂ nanotube arrays and TiO ₂ quantum dot blocking layers. <i>Journal of Solid State Electrochemistry</i> , 2016, 20, 2643-2650.	1.2	13
126	Mesoporous Co _{0.85} Se nanosheets supported on Ni foam as a positive electrode material for asymmetric supercapacitor. <i>Applied Surface Science</i> , 2016, 362, 469-476.	3.1	83

#	ARTICLE	IF	CITATIONS
127	Preparation of long persistent phosphor SrAl ₂ O ₄ :Eu ²⁺ , Dy ³⁺ and its application in dye-sensitized solar cells. Journal of Materials Science: Materials in Electronics, 2016, 27, 1350-1356.	1.1	25
128	High-performance and transparent counter electrodes based on polypyrrole and ferrous sulfide nanoparticles for dye-sensitized solar cells. Journal of Materials Science: Materials in Electronics, 2016, 27, 5680-5685.	1.1	8
129	High-performance Pt-NiO nanosheet-based counter electrodes for dye-sensitized solar cells. Journal of Solid State Electrochemistry, 2016, 20, 759-766.	1.2	21
130	An efficient titanium foil based perovskite solar cell: using a titanium dioxide nanowire array anode and transparent poly(3,4-ethylenedioxythiophene) electrode. RSC Advances, 2016, 6, 2778-2784.	1.7	51
131	An in situ polymerized PEDOT/Fe ₃ O ₄ composite as a Pt-free counter electrode for highly efficient dye sensitized solar cells. RSC Advances, 2016, 6, 1637-1643.	1.7	28
132	Oxidation Induced Giant Modulation in the Luminescence of Colloidal Amorphous Porous Silicon Nanoparticles. Materials Research Society Symposia Proceedings, 2015, 1748, 44.	0.1	0
133	High-performing dye-sensitized solar cells based on reduced graphene oxide/PEDOT-PSS counter electrodes with sulfuric acid post-treatment. Journal of Applied Polymer Science, 2015, 132, .	1.3	15
134	Petal-like cobalt selenide nanosheets used as counter electrode in high efficient dye-sensitized solar cells. Journal of Materials Science: Materials in Electronics, 2015, 26, 2501-2507.	1.1	16
135	PEDOT:PSS assisted preparation of a graphene/nickel cobalt oxide hybrid counter electrode to serve in efficient dye-sensitized solar cells. RSC Advances, 2015, 5, 100159-100168.	1.7	15
136	TiO ₂ quantum dots as superb compact block layers for high-performance CH ₃ NH ₃ PbI ₃ perovskite solar cells with an efficiency of 16.97%. Nanoscale, 2015, 7, 20539-20546.	2.8	87
137	Electrolytes in Dye-Sensitized Solar Cells. Chemical Reviews, 2015, 115, 2136-2173.	23.0	852
138	Improved photovoltaic performance of CdS/CdSe co-sensitized solar cells by using calcined starch-ZnO mesoporous spheres. Journal of Materials Science: Materials in Electronics, 2015, 26, 2955-2961.	1.1	2
139	Preparation of nano-flower-like SnO ₂ particles and their applications in efficient CdS quantum dots sensitized solar cells. Journal of Materials Science: Materials in Electronics, 2015, 26, 7914-7920.	1.1	10
140	Room-Temperature Reactivity Of Silicon Nanocrystals With Solvents: The Case Of Ketone And Hydrogen Production From Secondary Alcohols: Catalysis?. ACS Applied Materials & Interfaces, 2015, 7, 13794-13800.	4.0	19
141	Synthesis of hierarchical nanowires-based TiO ₂ spheres for their application as the light blocking layers in CdS/CdSe co-sensitized solar cells. Journal of Materials Science: Materials in Electronics, 2015, 26, 693-699.	1.1	5
142	Cadmium selenide quantum dots solar cells featuring nickel sulfide/polyaniline as efficient counter electrode provide 4.15% efficiency. RSC Advances, 2015, 5, 42101-42108.	1.7	12
143	A strategy to enhance overall efficiency for dye-sensitized solar cells with a transparent electrode of nickel sulfide decorated with poly(3,4-ethylenedioxythiophene). RSC Advances, 2015, 5, 43639-43647.	1.7	17
144	A highly efficient flexible dye-sensitized solar cell based on nickel sulfide/platinum/titanium counter electrode. Nanoscale Research Letters, 2015, 10, 1.	3.1	959

#	ARTICLE	IF	CITATIONS
145	Hydrothermal synthesis of CoMoO ₄ /Co ₉ S ₈ hybrid nanotubes based on counter electrodes for highly efficient dye-sensitized solar cells. RSC Advances, 2015, 5, 83029-83035.	1.7	19
146	Facile synthesis of Ni _{0.85} Se on Ni foam for high-performance asymmetric capacitors. RSC Advances, 2015, 5, 81474-81481.	1.7	41
147	Cobalt selenide/tin selenide hybrid used as a high efficient counter electrode for dye-sensitized solar cells. Journal of Materials Science: Materials in Electronics, 2015, 26, 10102-10108.	1.1	21
148	Preparation of PAA-g-PEG/PANI polymer gel electrolyte and its application in quasi solid state dye-sensitized solar cells. Polymer Engineering and Science, 2015, 55, 322-326.	1.5	18
149	Band-gap engineering by molecular mechanical strain-induced giant tuning of the luminescence in colloidal amorphous porous silicon nanostructures. Physical Chemistry Chemical Physics, 2014, 16, 25273-25279.	1.3	10
150	Nickel sulfide films with significantly enhanced electrochemical performance induced by self-assembly of 4-aminothiophenol and their application in dye-sensitized solar cells. RSC Advances, 2014, 4, 64068-64074.	1.7	18
151	A redox mediator-doped gel polymer electrolyte applied in quasi-solid-state supercapacitors. Journal of Applied Polymer Science, 2014, 131, .	1.3	33
152	Influences of solvents on morphology, light absorbing ability and photovoltaic performance of Sb ₂ S ₃ -sensitized TiO ₂ photoanodes by chemical bath deposition method. Journal of Materials Science: Materials in Electronics, 2014, 25, 673-677.	1.1	4
153	Efficient Mn-doped CdS quantum dot sensitized solar cells based on SnO ₂ microsphere photoelectrodes. Journal of Materials Science: Materials in Electronics, 2014, 25, 754-759.	1.1	13
154	Room temperature polymerization of poly(3,4-ethylenedioxythiophene) as transparent counter electrodes for dye-sensitized solar cells. Polymers for Advanced Technologies, 2014, 25, 1560-1564.	1.6	11
155	Electrospun lead-doped titanium dioxide nanofibers and the in situ preparation of perovskite-sensitized photoanodes for use in high performance perovskite solar cells. Journal of Materials Chemistry A, 2014, 2, 16856-16862.	5.2	81
156	Improving photoelectrical performance of dye sensitized solar cells by doping Y ₂ O ₃ :Tb ³⁺ nanorods. Journal of Materials Science: Materials in Electronics, 2014, 25, 2060-2065.	1.1	6
157	Bifacial illuminated PbS quantum dot-sensitized solar cells with translucent CuS counter electrodes. Journal of Materials Science: Materials in Electronics, 2014, 25, 3016-3022.	1.1	6
158	TiCl ₄ assisted formation of nano-TiO ₂ secondary structure in photoactive electrodes for high efficiency dye-sensitized solar cells. Science China Chemistry, 2014, 57, 888-894.	4.2	7
159	Template-free synthesis of polyaniline nanobelts as a catalytic counter electrode in dye-sensitized solar cells. Polymers for Advanced Technologies, 2014, 25, 343-346.	1.6	13
160	Preparation of high performance perovskite-sensitized nanoporous titanium dioxide photoanodes by in situ method for use in perovskite solar cells. Journal of Materials Chemistry A, 2014, 2, 16531-16537.	5.2	62
161	Bifacial dye-sensitized solar cells: A strategy to enhance overall efficiency based on transparent polyaniline electrode. Scientific Reports, 2014, 4, 4028.	1.6	141
162	An ultraviolet responsive hybrid solar cell based on titania/poly(3-hexylthiophene). Scientific Reports, 2013, 3, 1283.	1.6	59

#	ARTICLE	IF	CITATIONS
163	Efficiency improvement of flexible dye-sensitized solar cells by introducing mesoporous TiO ₂ microsphere. <i>Science China Chemistry</i> , 2013, 56, 1470-1477.	4.2	6
164	A dye-sensitized solar cell based on PEDOT:PSS counter electrode. <i>Science Bulletin</i> , 2013, 58, 559-566.	1.7	36
165	A high performance Pt-free counter electrode of nickel sulfide/multi-wall carbon nanotube/titanium used in dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2013, 1, 13885.	5.2	89
166	High performance platinum-free counter electrode of molybdenum sulfide-carbon used in dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2013, 1, 1495-1501.	5.2	185
167	Quantum dot-sensitized solar cells employing Pt/C ₆₀ counter electrode provide an efficiency exceeding 2%. <i>Science China Chemistry</i> , 2013, 56, 93-100.	4.2	5
168	Application of poly(3,4-ethylenedioxythiophene);polystyrenesulfonate in polymer heterojunction solar cells. <i>Journal of Materials Science</i> , 2013, 48, 3528-3534.	1.7	8
169	Pulse electrodeposition of CoS on MWCNT/Ti as a high performance counter electrode for a Pt-free dye-sensitized solar cell. <i>Journal of Materials Chemistry A</i> , 2013, 1, 1289-1295.	5.2	95
170	Dual functions of YF ₃ :Eu ³⁺ for improving photovoltaic performance of dye-sensitized solar cells. <i>Scientific Reports</i> , 2013, 3, 2058.	1.6	80
171	A HIGH EFFICIENCY DYE-SENSITIZED SOLAR CELL WITH NANO-TiO ₂ SECONDARY STRUCTURE IN THE PHOTOANODE. <i>Functional Materials Letters</i> , 2013, 06, 1350014.	0.7	4
172	LARGE-SIZED DYE-SENSITIZED SOLAR CELLS WITH TiO ₂ CEMENTED AND PROTECTED SILVER GRIDS. <i>Functional Materials Letters</i> , 2012, 05, 1250010.	0.7	1
173	Preparation of hierarchical tin oxide microspheres and their application in dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 25335.	6.7	35
174	High efficient PANI/Pt nanofiber counter electrode used in dye-sensitized solar cell. <i>RSC Advances</i> , 2012, 2, 4062.	1.7	42
175	Heterojunction on dye-sensitized ZnO nanorod arrays and macroporous polyaniline network. <i>RSC Advances</i> , 2012, 2, 1863.	1.7	19
176	Controllably hierarchical growth of large-scale ZnO microrods. <i>RSC Advances</i> , 2012, 2, 2211.	1.7	3
177	A simple and high-effective electrolyte mediated with p-phenylenediamine for supercapacitor. <i>Journal of Materials Chemistry</i> , 2012, 22, 19025.	6.7	154
178	Pulse electropolymerization of high performance PEDOT/MWCNT counter electrodes for Pt-free dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 19919.	6.7	189
179	Preparation of a three-dimensional interpenetrating network of TiO ₂ nanowires for large-area flexible dye-sensitized solar cells. <i>RSC Advances</i> , 2012, 2, 10550.	1.7	17
180	Morphology controllable fabrication of Pt counter electrodes for highly efficient dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 3948.	6.7	56

#	ARTICLE	IF	CITATIONS
181	High-temperature proton exchange membranes from ionic liquid absorbed/doped superabsorbents. <i>Journal of Materials Chemistry</i> , 2012, 22, 15836.	6.7	33
182	Facile Synthesis of Mesoporous Tin Oxide Spheres and Their Applications in Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2012, 116, 20140-20145.	1.5	71
183	Redox-active alkaline electrolyte for carbon-based supercapacitor with pseudocapacitive performance and excellent cyclability. <i>RSC Advances</i> , 2012, 2, 6736.	1.7	140
184	Glucose Aided Preparation of Tungsten Sulfide/Multi-Wall Carbon Nanotube Hybrid and Use as Counter Electrode in Dye-Sensitized Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 6530-6536.	4.0	94
185	Template-free synthesis of a hierarchical flower-like platinum counter electrode and its application in dye-sensitized solar cells. <i>RSC Advances</i> , 2012, 2, 5034.	1.7	22
186	Alcohol elastomer based on superabsorbents. <i>Polymers for Advanced Technologies</i> , 2012, 23, 870-876.	1.6	0
187	Controllable hydrothermal synthesis of nanocrystal TiO ₂ particles and their use in dye-sensitized solar cells. <i>Science China Chemistry</i> , 2012, 55, 1308-1313.	4.2	11
188	Application of a novel redox-active electrolyte in MnO ₂ -based supercapacitors. <i>Science China Chemistry</i> , 2012, 55, 1319-1324.	4.2	56
189	Low temperature fabrication of high performance and transparent Pt counter electrodes for use in flexible dye-sensitized solar cells. <i>Science Bulletin</i> , 2012, 57, 2329-2334.	1.7	10
190	Preparation of titanium dioxide-double-walled carbon nanotubes and its application in flexible dye-sensitized solar cells. <i>Frontiers of Optoelectronics</i> , 2012, 5, 224-230.	1.9	9
191	A Large Area Light Weight Dye Sensitized Solar Cell based on All Titanium Substrates with an Efficiency of 6.69% Outdoors. <i>Advanced Materials</i> , 2012, 24, 1884-1888.	11.1	146
192	Enhancement of the Photovoltaic Performance of Dye Sensitized Solar Cells by Doping Y _{0.78} Yb _{0.20} Er _{0.02} F ₃ in the Photoanode. <i>Advanced Energy Materials</i> , 2012, 2, 78-81.	10.2	131
193	Gelation of a liquid electrolyte with aniline for use in a quasi-solid-state dye-sensitized solar cell. <i>Science China Chemistry</i> , 2012, 55, 242-246.	4.2	5
194	Anhydrous proton exchange membrane operated at 200 Å°C and a well-aligned anode catalyst. <i>Journal of Materials Chemistry</i> , 2011, 21, 16010.	6.7	18
195	A facile route to a macroporous silver network for methanol oxidation. <i>RSC Advances</i> , 2011, 1, 1453.	1.7	10
196	A facile way to fabricate highly efficient photoelectrodes with chemical sintered scattering layers for dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2011, 21, 15552.	6.7	28
197	Flexible and macroporous network-structured catalysts composed of conducting polymers and Pt/Ag with high electrocatalytic activity for methanol oxidation. <i>Journal of Materials Chemistry</i> , 2011, 21, 13354.	6.7	37
198	Highly conducting multilayer films from graphene nanosheets by a spin self-assembly method. <i>Journal of Materials Chemistry</i> , 2011, 21, 5378.	6.7	24

#	ARTICLE	IF	CITATIONS
199	Facile secondary-template synthesis of polyaniline microtube array for enhancing glucose biosensitivity. <i>Journal of Materials Chemistry</i> , 2011, 21, 12927.	6.7	13
200	Application of Poly (3, 4-ethylenedioxythiophene): polystyrenesulfonate counter electrode in polymer heterojunction dye-sensitized solar cells. <i>Frontiers of Optoelectronics in China</i> , 2011, 4, 369-377.	0.2	4
201	Flexible solar cells based on PCBM/P3HT heterojunction. <i>Frontiers of Optoelectronics in China</i> , 2011, 4, 108-113.	0.2	6
202	Influence of surfactants on the morphology and photocatalytic activity of Bi ₂ WO ₆ by hydrothermal synthesis. <i>Science China Chemistry</i> , 2011, 54, 211-216.	4.2	13
203	Flexible dye-sensitized solar cell based on PCBM/P3HT heterojunction. <i>Science Bulletin</i> , 2011, 56, 325-330.	1.7	38
204	Application of upconversion luminescence in dye-sensitized solar cells. <i>Science Bulletin</i> , 2011, 56, 96-101.	1.7	36
205	Preparation of porous nanoparticle TiO ₂ films for flexible dye-sensitized solar cells. <i>Science Bulletin</i> , 2011, 56, 2649-2653.	1.7	16
206	Preparation of Gd ₂ O ₃ :Eu ³⁺ downconversion luminescent material and its application in dye-sensitized solar cells. <i>Science Bulletin</i> , 2011, 56, 3114-3118.	1.7	31
207	Quasi-solid-state dye-sensitized solar cells containing P (MMA-co-AN)-based polymeric gel electrolyte. <i>Polymers for Advanced Technologies</i> , 2011, 22, 1812-1815.	1.6	12
208	Oligomer ethylene glycol based electrolytes for dye-sensitized solar cell. <i>Journal of Applied Polymer Science</i> , 2011, 120, 2786-2789.	1.3	1
209	Application of thermosetting organic solvent free polymer gel electrolyte in quasi-solid-state dye-sensitized solar cell. <i>Journal of Applied Polymer Science</i> , 2010, 116, 1329-1333.	1.3	4
210	A multifunctional hydrogel with high conductivity, pH-responsive, and release properties from polyacrylate/polypyrrole. <i>Journal of Applied Polymer Science</i> , 2010, 116, 1376-1383.	1.3	9
211	A highly efficient electric additive for enhancing photovoltaic performance of dye-sensitized solar cells. <i>Science China Chemistry</i> , 2010, 53, 1352-1357.	4.2	7
212	Preparation of sub-micron size anatase TiO ₂ particles for use as light-scattering centers in dye-sensitized solar cell. <i>Journal of Materials Science: Materials in Electronics</i> , 2010, 21, 833-837.	1.1	19
213	PF127 aided preparation of super-porous TiO ₂ film used in highly efficient quasi-solid-state dye-sensitized solar cell. <i>Journal of Materials Science: Materials in Electronics</i> , 2010, 21, 1000-1004.	1.1	6
214	Dye-sensitized solar cell with a solid state organic-inorganic composite electrolyte containing catalytic functional polypyrrole nanoparticles. <i>Journal of Sol-Gel Science and Technology</i> , 2010, 53, 599-604.	1.1	9
215	High conducting multilayer films from poly(acrylic acid) and graphite by layer-by-layer self-assembly. <i>Polymer Composites</i> , 2010, 31, 145-151.	2.3	3
216	Preparation and electrical conductivity of SiO ₂ /polypyrrole nanocomposite. <i>Journal of Materials Science</i> , 2009, 44, 849-854.	1.7	34

#	ARTICLE	IF	CITATIONS
217	Synthesis of polyacrylate/polyethylene glycol interpenetrating network hydrogel and its sorption for Fe ³⁺ ion. <i>Journal of Materials Science</i> , 2009, 44, 726-733.	1.7	25
218	Preparation of porous polyacrylate/poly(ethylene glycol) interpenetrating network hydrogel and simplification of Flory theory. <i>Journal of Materials Science</i> , 2009, 44, 3712-3718.	1.7	29
219	Synthesis and properties of poly(acrylamide-co-acrylic acid)/polyacrylamide superporous IPN hydrogels. <i>Polymers for Advanced Technologies</i> , 2009, 20, 1044-1049.	1.6	10
220	Two steps synthesis and conductivity of polyacrylamide/Cu conducting hydrogel. <i>Polymer Composites</i> , 2009, 30, 1132-1137.	2.3	4
221	Synthesis of polyacrylate/poly(ethylene glycol) hydrogel and its absorption properties for heavy metal ions and dye. <i>Polymer Composites</i> , 2009, 30, 1183-1189.	2.3	26
222	Application of polymer gel electrolyte with graphite powder in quasi-solid-state dye-sensitized solar cells. <i>Polymer Composites</i> , 2009, 30, 1687-1692.	2.3	14
223	Design and electrical conductivity of poly(acrylic acid-gelatin)/graphite conducting gel. <i>Polymer Engineering and Science</i> , 2009, 49, 1871-1878.	1.5	11
224	A multifunctional poly(acrylic acid)/gelatin hydrogel. <i>Journal of Materials Research</i> , 2009, 24, 1653-1661.	1.2	24
225	Synthesis of polyacrylate/polyethylene glycol interpenetrating network hydrogel and its sorption of heavy-metal ions. <i>Science and Technology of Advanced Materials</i> , 2009, 10, 015002.	2.8	47
226	Template-free synthesis of closed-microporous hybrid and its application in quasi-solid-state dye-sensitized solar cells. <i>Energy and Environmental Science</i> , 2009, 2, 524.	15.6	66
227	A simple route to high-strength hydrogel with an interpenetrating polymer network. <i>E-Polymers</i> , 2009, 9, .	1.3	2
228	Two-step synthesis of polyacrylamide/poly(vinyl alcohol)/polyacrylamide/graphite interpenetrating network hydrogel and its swelling, conducting and mechanical properties. <i>Journal of Materials Science</i> , 2008, 43, 5898-5904.	1.7	38
229	Two-step synthesis of polyacrylamide/polyacrylate interpenetrating network hydrogels and its swelling/deswelling properties. <i>Journal of Materials Science</i> , 2008, 43, 5884-5890.	1.7	39
230	The preparation and electrical conductivity of polyacrylamide/graphite conducting hydrogel. <i>Journal of Applied Polymer Science</i> , 2008, 108, 1490-1495.	1.3	26
231	Synthesis, characterization, and properties of polypyrrole/expanded vermiculite intercalated nanocomposite. <i>Journal of Applied Polymer Science</i> , 2008, 110, 2862-2866.	1.3	16
232	Progress on the electrolytes for dye-sensitized solar cells. <i>Pure and Applied Chemistry</i> , 2008, 80, 2241-2258.	0.9	234
233	Crystal Morphology of Anatase Titania Nanocrystals Used in Dye-Sensitized Solar Cells. <i>Crystal Growth and Design</i> , 2008, 8, 247-252.	1.4	83
234	An All-Solid-State Dye-Sensitized Solar Cell-Based Poly(N-alkyl-4-vinyl-pyridine iodide) Electrolyte with Efficiency of 5.64%. <i>Journal of the American Chemical Society</i> , 2008, 130, 11568-11569.	6.6	243

#	ARTICLE	IF	CITATIONS
235	Conducting Film from Graphite Oxide Nanoplatelets and Poly(acrylic acid) by Layer-by-Layer Self-Assembly. <i>Langmuir</i> , 2008, 24, 4800-4805.	1.6	90
236	Synthesis, characterization and properties of polyaniline/expanded vermiculite intercalated nanocomposite. <i>Science and Technology of Advanced Materials</i> , 2008, 9, 025010.	2.8	12
237	A high mechanical strength hydrogel from polyacrylamide/polyacrylamide with interpenetrating network structure by two-steps synthesis method. <i>E-Polymers</i> , 2008, 8, .	1.3	2
238	Fabrication and Photocatalytic Properties of HLaNb2O7/(Pt, Fe2O3) Pillared Nanomaterial. <i>Journal of Physical Chemistry C</i> , 2007, 111, 3624-3628.	1.5	43
239	Preparation and water absorbency of a novel poly(acrylate-co-acrylamide)/vermiculite superabsorbent composite. <i>Journal of Applied Polymer Science</i> , 2007, 104, 735-739.	1.3	45
240	Preparation of a novel polymer gel electrolyte based on N-methyl-quinoline iodide and its application in quasi-solid-state dye-sensitized solar cell. <i>Journal of Sol-Gel Science and Technology</i> , 2007, 42, 65-70.	1.1	18
241	Photocatalytic intercalated material based on HLaNb2O7 as host and Cd0.8Zn0.2S as guest. <i>Science in China Series B: Chemistry</i> , 2007, 50, 514-519.	0.8	9
242	Swelling behavior of poly(sodium acrylate)/kaoline superabsorbent composite. <i>Polymer Engineering and Science</i> , 2006, 46, 324-328.	1.5	14
243	Synthesis and photocatalytic properties of H2La2Ti3O10/TiO2 intercalated nanomaterial. <i>Journal of Porous Materials</i> , 2006, 13, 55-59.	1.3	12
244	Synthesis and Photocatalytic Properties of HTaWO6 Intercalated with Oxide Materials. <i>Journal of Porous Materials</i> , 2005, 12, 23-27.	1.3	4
245	Photocatalytic activities of layered intercalated materials H2NiTi4O10/TiO2 under UV and visible light irradiation. <i>Materials Research Society Symposia Proceedings</i> , 2005, 876, 1.	0.1	0
246	Preparation of a starch-graft-acrylamide/kaolinite superabsorbent composite and the influence of the hydrophilic group on its water absorbency. <i>Polymer International</i> , 2003, 52, 1909-1912.	1.6	50
247	Synthesis and photocatalytic properties of layered HNbWO6/(Pt, Cd0.8Zn0.2S) nanocomposites. <i>Journal of Materials Chemistry</i> , 2001, 11, 3343-3347.	6.7	58
248	Influence of the COOH and COONa groups and crosslink density of poly(acrylic Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 Td (acid)/mo 50, 1050-1053.	1.6	124
249	Synthesis and Properties of Poly(acrylic acid)/Mica Superabsorbent Nanocomposite. <i>Macromolecular Rapid Communications</i> , 2001, 22, 422-424.	2.0	253
250	Hydrothermal synthesis of HNbWO6/MO series nanocomposites and their photocatalytic properties. <i>Journal of Materials Science</i> , 2001, 36, 3055-3059.	1.7	10
251	Synthesis and Photochemical Properties of Semiconductor/Layered Compound Nanocomposites. <i>International Journal of the Society of Materials Engineering for Resources</i> , 2001, 9, 1-5.	0.1	0
252	Study on Bound Rubber in Silicone Rubber Filled with Modified Ultrafine Mineral Powder. <i>Rubber Chemistry and Technology</i> , 2000, 73, 19-24.	0.6	10

#	ARTICLE	IF	CITATIONS
253	Surface Energy of Mineral Powders and Interaction Between Silicone Rubber Matrix and Mineral Filler. Journal of Materials Science Letters, 1999, 18, 461-462.	0.5	11
254	Improvement of Quasi-Solid-State Supercapacitors Based on "Water-in-Salt" Hydrogel Electrolyte by Introducing Redox-Active Ionic Liquid and Carbon Nanotubes. New Journal of Chemistry, 0, , .	1.4	3
255	Potassium oleate as an effective interface modifier for defect passivation in planar perovskite solar cells. Functional Materials Letters, 0, , .	0.7	1