Ilya M Veer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5618026/publications.pdf

Version: 2024-02-01

		109137	102304
70	5,035	35	66
papers	citations	h-index	g-index
78	78	78	8760
all docs	docs citations	times ranked	citing authors
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	The resilience framework as a strategy to combat stress-related disorders. Nature Human Behaviour, 2017, 1, 784-790.	6.2	420
2	Whole brain resting-state analysis reveals decreased functional connectivity in major depression. Frontiers in Systems Neuroscience, 2010, 4, .	1.2	414
3	ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. Translational Psychiatry, 2020, 10, 100.	2.4	365
4	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E5154-E5163.	3.3	299
5	White matter disturbances in major depressive disorder: a coordinated analysis across 20 international cohorts in the ENIGMA MDD working group. Molecular Psychiatry, 2020, 25, 1511-1525.	4.1	218
6	Beyond acute social stress: Increased functional connectivity between amygdala and cortical midline structures. Neurolmage, 2011, 57, 1534-1541.	2.1	207
7	Hierarchical functional modularity in the restingâ€state human brain. Human Brain Mapping, 2009, 30, 2220-2231.	1.9	174
8	Deconstructing and Reconstructing Resilience: A Dynamic Network Approach. Perspectives on Psychological Science, 2019, 14, 765-777.	5.2	145
9	Cortical thickness across the lifespan: Data from 17,075 healthy individuals aged 3–90 years. Human Brain Mapping, 2022, 43, 431-451.	1.9	143
10	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. Molecular Psychiatry, 2021, 26, 5124-5139.	4.1	136
11	Psycho-social factors associated with mental resilience in the Corona lockdown. Translational Psychiatry, 2021, 11, 67.	2.4	136
12	Resting-state functional connectivity abnormalities in limbic and salience networks in social anxiety disorder without comorbidity. European Neuropsychopharmacology, 2013, 23, 186-195.	0.3	128
13	Aberrant restingâ€state functional connectivity in limbic and salience networks in treatmentâ€naÃ⁻ve clinically depressed adolescents. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 1317-1327.	3.1	124
14	ENIGMA MDD: seven years of global neuroimaging studies of major depression through worldwide data sharing. Translational Psychiatry, 2020, 10, 172.	2.4	121
15	Endogenous cortisol is associated with functional connectivity between the amygdala and medial prefrontal cortex. Psychoneuroendocrinology, 2012, 37, 1039-1047.	1.3	113
16	Stress shifts brain activation towards ventral â€~affective' areas during emotional distraction. Social Cognitive and Affective Neuroscience, 2012, 7, 403-412.	1.5	98
17	Resting-state functional connectivity of brain regions involved in cognitive control, motivation, and reward is enhanced in obese females. American Journal of Clinical Nutrition, 2014, 100, 524-531.	2.2	95
18	Aberrant limbic and salience network resting-state functional connectivity in panic disorder without comorbidity. Journal of Affective Disorders, 2013, 145, 29-35.	2.0	92

#	Article	IF	CITATIONS
19	Neuroticism and extraversion are associated with amygdala resting-state functional connectivity. Cognitive, Affective and Behavioral Neuroscience, 2014, 14, 836-848.	1.0	83
20	Neural sensitivity to social reward and punishment anticipation in social anxiety disorder. Frontiers in Behavioral Neuroscience, 2014, 8, 439.	1.0	82
21	Childhood adversity impacts on brain subcortical structures relevant to depression. Journal of Psychiatric Research, 2017, 86, 58-65.	1.5	81
22	Greater male than female variability in regional brain structure across the lifespan. Human Brain Mapping, 2022, 43, 470-499.	1.9	76
23	Brain structural abnormalities in obesity: relation to age, genetic risk, and common psychiatric disorders. Molecular Psychiatry, 2021, 26, 4839-4852.	4.1	76
24	Evidence for smaller right amygdala volumes in posttraumatic stress disorder following childhood trauma. Psychiatry Research - Neuroimaging, 2015, 233, 436-442.	0.9	69
25	Subcortical shape alterations in major depressive disorder: Findings from the ENIGMA major depressive disorder working group. Human Brain Mapping, 2022, 43, 341-351.	1.9	64
26	The impact of "physiological correction―on functional connectivity analysis of pharmacological resting state fMRI. Neurolmage, 2013, 65, 499-510.	2.1	62
27	Timeâ€encoded pseudocontinuous arterial spin labeling: Basic properties and timing strategies for human applications. Magnetic Resonance in Medicine, 2014, 72, 1712-1722.	1.9	60
28	Interactive impact of childhood maltreatment, depression, and age on cortical brain structure: mega-analytic findings from a large multi-site cohort. Psychological Medicine, 2020, 50, 1020-1031.	2.7	59
29	Resilience to childhood maltreatment is associated with increased resting-state functional connectivity of the salience network with the lingual gyrus. Child Abuse and Neglect, 2013, 37, 1021-1029.	1.3	57
30	Disorganized Amygdala Networks in Conduct-Disordered Juvenile Offenders With Callous-Unemotional Traits. Biological Psychiatry, 2017, 82, 283-293.	0.7	56
31	Evaluating the replicability, specificity, and generalizability of connectome fingerprints. Neurolmage, 2017, 158, 371-377.	2.1	54
32	Tractâ€based spatial statistics on diffusion tensor imaging in systemic lupus erythematosus reveals localized involvement of white matter tracts. Arthritis and Rheumatism, 2010, 62, 3716-3721.	6.7	50
33	Ketamine interactions with biomarkers of stress: A randomized placebo-controlled repeated measures resting-state fMRI and PCASL pilot study in healthy men. Neurolmage, 2015, 108, 396-409.	2.1	46
34	Abnormal functional architecture of amygdalaâ€eentered networks in adolescent posttraumatic stress disorder. Human Brain Mapping, 2016, 37, 1120-1135.	1.9	44
35	No Alterations of Brain Structural Asymmetry in Major Depressive Disorder: An ENIGMA Consortium Analysis. American Journal of Psychiatry, 2019, 176, 1039-1049.	4.0	39
36	The burden of conscientiousness? Examining brain activation and cortisol response during social evaluative stress. Psychoneuroendocrinology, 2017, 78, 48-56.	1.3	37

#	Article	IF	CITATIONS
37	Identification of neurobehavioural symptom groups based on shared brain mechanisms. Nature Human Behaviour, 2019, 3, 1306-1318.	6.2	37
38	Dissociable relations between amygdala subregional networks and psychopathy trait dimensions in conductâ€disordered juvenile offenders. Human Brain Mapping, 2016, 37, 4017-4033.	1.9	36
39	Whole-brain functional connectivity during emotional word classification in medication-free Major Depressive Disorder: Abnormal salience circuitry and relations to positive emotionality. NeuroImage: Clinical, 2013, 2, 790-796.	1.4	30
40	A comparison of neural correlates underlying social cognition in Klinefelter syndrome and autism. Social Cognitive and Affective Neuroscience, 2014, 9, 1926-1933.	1.5	27
41	Influence of Familial Risk for Depression on Cortico-Limbic Connectivity During Implicit Emotional Processing. Neuropsychopharmacology, 2017, 42, 1729-1738.	2.8	26
42	Sliding-window analysis tracks fluctuations in amygdala functional connectivity associated with physiological arousal and vigilance during fear conditioning. NeuroImage, 2017, 153, 168-178.	2.1	26
43	Pavlovian-To-Instrumental Transfer and Alcohol Consumption in Young Male Social Drinkers: Behavioral, Neural and Polygenic Correlates. Journal of Clinical Medicine, 2019, 8, 1188.	1.0	24
44	Amygdala functional connectivity in major depression $\hat{a}\in$ disentangling markers of pathology, risk and resilience. Psychological Medicine, 2020, 50, 2740-2750.	2.7	24
45	Cortical Surfaces Mediate the Relationship Between Polygenic Scores for Intelligence and General Intelligence. Cerebral Cortex, 2020, 30, 2708-2719.	1.6	24
46	<scp>ENIGMA HALFpipe</scp> : Interactive, reproducible, and efficient analysis for restingâ€state and taskâ€based <scp>fMRI</scp> data. Human Brain Mapping, 2022, 43, 2727-2742.	1.9	23
47	Chronotype is associated with psychological well-being depending on the composition of the study sample. Journal of Health Psychology, 2020, 25, 1236-1247.	1.3	20
48	Segregation of face sensitive areas within the fusiform gyrus using global signal regression? A study on amygdala restingâ€state functional connectivity. Human Brain Mapping, 2015, 36, 4089-4103.	1.9	18
49	Cortical surfaceâ€based thresholdâ€free cluster enhancement and cortexwise mediation. Human Brain Mapping, 2017, 38, 2795-2807.	1.9	18
50	How Accumulated Real Life Stress Experience and Cognitive Speed Interact on Decision-Making Processes. Frontiers in Human Neuroscience, 2017, 11, 302.	1.0	17
51	A multimodal neuroimaging classifier for alcohol dependence. Scientific Reports, 2020, 10, 298.	1.6	17
52	Self-control and interoception: Linking the neural substrates of craving regulation and the prediction of aversive interoceptive states induced by inspiratory breathing restriction. Neurolmage, 2020, 215, 116841.	2.1	15
53	Differences in Neural Recovery From Acute Stress Between Cortisol Responders and Non-responders. Frontiers in Psychiatry, 2018, 9, 631.	1.3	13
54	Coping with COVID: risk and resilience factors for mental health in a German representative panel study. Psychological Medicine, 2023, 53, 3897-3907.	2.7	11

#	Article	IF	CITATIONS
55	Association of the <i>OPRM1</i> Al18G polymorphism and Pavlovian-to-instrumental transfer: Clinical relevance for alcohol dependence. Journal of Psychopharmacology, 2021, 35, 566-578.	2.0	9
56	Testing the antidepressant properties of the peptide ARA290 in a human neuropsychological model of drug action. European Neuropsychopharmacology, 2015, 25, 2289-2299.	0.3	8
57	Nucleus accumbens connectivity at rest is associated with alcohol consumption in young male adults. European Neuropsychopharmacology, 2019, 29, 1476-1485.	0.3	8
58	Non-parametric model selection for subject-specific topological organization of resting-state functional connectivity. NeuroImage, 2011, 56, 1453-1462.	2.1	7
59	Stress evokes stronger medial posterior cingulate deactivations during emotional distraction in slower paced aging. Biological Psychology, 2018, 135, 84-92.	1.1	7
60	Association of naturally occurring sleep loss with reduced amygdala resting-state functional connectivity following psychosocial stress. Psychoneuroendocrinology, 2020, 114, 104585.	1.3	7
61	The interaction of child abuse and rs1360780 of the FKBP5 gene is associated with amygdala restingâ€state functional connectivity in young adults. Human Brain Mapping, 2021, 42, 3269-3281.	1.9	7
62	Natural sleep loss is associated with lower mPFC activity during negative distracter processing. Cognitive, Affective and Behavioral Neuroscience, 2021, 21, 242-253.	1.0	7
63	Impact of Longâ€Term Alcohol Consumption and Relapse on Genomeâ€Wide DNA Methylation Changes in Alcoholâ€Dependent Subjects: A Longitudinal Study. Alcoholism: Clinical and Experimental Research, 2020, 44, 1356-1365.	1.4	7
64	How alcohol makes the epigenetic clock tick faster and the clock reversing effect of abstinence. Addiction Biology, 2022, 27, .	1.4	7
65	Preserved white matter integrity is a marker of familial longevity. Annals of Neurology, 2013, 74, 883-892.	2.8	5
66	The temporal dynamics of resilience: Neural recovery as a biomarker. Behavioral and Brain Sciences, 2015, 38, e126.	0.4	4
67	Machine Learning for Large-Scale Quality Control of 3D Shape Models in Neuroimaging. Lecture Notes in Computer Science, 2017, 10541, 371-378.	1.0	4
68	Precuneus connectivity and symptom severity in chronic depression✰. Psychiatry Research - Neuroimaging, 2022, 322, 111471.	0.9	2
69	148. Nucleus Accumbens Functional Connectivity at Rest is Related to Alcohol Consumption in Young Adults. Biological Psychiatry, 2017, 81, S61-S62.	0.7	1
70	22. Meta-Analysis of Hippocampal Subfields: Results From the ENIGMA-MDD Working Group. Biological Psychiatry, 2019, 85, S9.	0.7	1