

Ilya M Veer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5618026/publications.pdf>

Version: 2024-02-01

70
papers

5,035
citations

109137

35
h-index

102304

66
g-index

78
all docs

78
docs citations

78
times ranked

8760
citing authors

#	ARTICLE	IF	CITATIONS
1	Coping with COVID: risk and resilience factors for mental health in a German representative panel study. <i>Psychological Medicine</i> , 2023, 53, 3897-3907.	2.7	11
2	Greater male than female variability in regional brain structure across the lifespan. <i>Human Brain Mapping</i> , 2022, 43, 470-499.	1.9	76
3	Subcortical shape alterations in major depressive disorder: Findings from the ENIGMA major depressive disorder working group. <i>Human Brain Mapping</i> , 2022, 43, 341-351.	1.9	64
4	Cortical thickness across the lifespan: Data from 17,075 healthy individuals aged 3-90 years. <i>Human Brain Mapping</i> , 2022, 43, 431-451.	1.9	143
5	<sc>ENIGMA HALPipe</sc>: Interactive, reproducible, and efficient analysis for resting-state and task-based <sc>fMRI</sc> data. <i>Human Brain Mapping</i> , 2022, 43, 2727-2742.	1.9	23
6	Precuneus connectivity and symptom severity in chronic depression. <i>Psychiatry Research - Neuroimaging</i> , 2022, 322, 111471.	0.9	2
7	How alcohol makes the epigenetic clock tick faster and the clock reversing effect of abstinence. <i>Addiction Biology</i> , 2022, 27, .	1.4	7
8	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021, 26, 5124-5139.	4.1	136
9	Brain structural abnormalities in obesity: relation to age, genetic risk, and common psychiatric disorders. <i>Molecular Psychiatry</i> , 2021, 26, 4839-4852.	4.1	76
10	Psycho-social factors associated with mental resilience in the Corona lockdown. <i>Translational Psychiatry</i> , 2021, 11, 67.	2.4	136
11	Association of the <i>OPRM1</i> A118G polymorphism and Pavlovian-to-instrumental transfer: Clinical relevance for alcohol dependence. <i>Journal of Psychopharmacology</i> , 2021, 35, 566-578.	2.0	9
12	The interaction of child abuse and rs1360780 of the FKBP5 gene is associated with amygdala resting-state functional connectivity in young adults. <i>Human Brain Mapping</i> , 2021, 42, 3269-3281.	1.9	7
13	Natural sleep loss is associated with lower mPFC activity during negative distracter processing. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2021, 21, 242-253.	1.0	7
14	Chronotype is associated with psychological well-being depending on the composition of the study sample. <i>Journal of Health Psychology</i> , 2020, 25, 1236-1247.	1.3	20
15	Interactive impact of childhood maltreatment, depression, and age on cortical brain structure: mega-analytic findings from a large multi-site cohort. <i>Psychological Medicine</i> , 2020, 50, 1020-1031.	2.7	59
16	Amygdala functional connectivity in major depression - disentangling markers of pathology, risk and resilience. <i>Psychological Medicine</i> , 2020, 50, 2740-2750.	2.7	24
17	White matter disturbances in major depressive disorder: a coordinated analysis across 20 international cohorts in the ENIGMA MDD working group. <i>Molecular Psychiatry</i> , 2020, 25, 1511-1525.	4.1	218
18	Cortical Surfaces Mediate the Relationship Between Polygenic Scores for Intelligence and General Intelligence. <i>Cerebral Cortex</i> , 2020, 30, 2708-2719.	1.6	24

#	ARTICLE	IF	CITATIONS
19	ENIGMA MDD: seven years of global neuroimaging studies of major depression through worldwide data sharing. <i>Translational Psychiatry</i> , 2020, 10, 172.	2.4	121
20	ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. <i>Translational Psychiatry</i> , 2020, 10, 100.	2.4	365
21	A multimodal neuroimaging classifier for alcohol dependence. <i>Scientific Reports</i> , 2020, 10, 298.	1.6	17
22	Association of naturally occurring sleep loss with reduced amygdala resting-state functional connectivity following psychosocial stress. <i>Psychoneuroendocrinology</i> , 2020, 114, 104585.	1.3	7
23	Self-control and interoception: Linking the neural substrates of craving regulation and the prediction of aversive interoceptive states induced by inspiratory breathing restriction. <i>NeuroImage</i> , 2020, 215, 116841.	2.1	15
24	Impact of Long-Term Alcohol Consumption and Relapse on Genome-Wide DNA Methylation Changes in Alcohol-Dependent Subjects: A Longitudinal Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2020, 44, 1356-1365.	1.4	7
25	Pavlovian-To-Instrumental Transfer and Alcohol Consumption in Young Male Social Drinkers: Behavioral, Neural and Polygenic Correlates. <i>Journal of Clinical Medicine</i> , 2019, 8, 1188.	1.0	24
26	Deconstructing and Reconstructing Resilience: A Dynamic Network Approach. <i>Perspectives on Psychological Science</i> , 2019, 14, 765-777.	5.2	145
27	No Alterations of Brain Structural Asymmetry in Major Depressive Disorder: An ENIGMA Consortium Analysis. <i>American Journal of Psychiatry</i> , 2019, 176, 1039-1049.	4.0	39
28	Identification of neurobehavioural symptom groups based on shared brain mechanisms. <i>Nature Human Behaviour</i> , 2019, 3, 1306-1318.	6.2	37
29	22. Meta-Analysis of Hippocampal Subfields: Results From the ENIGMA-MDD Working Group. <i>Biological Psychiatry</i> , 2019, 85, S9.	0.7	1
30	Nucleus accumbens connectivity at rest is associated with alcohol consumption in young male adults. <i>European Neuropsychopharmacology</i> , 2019, 29, 1476-1485.	0.3	8
31	Stress evokes stronger medial posterior cingulate deactivations during emotional distraction in slower paced aging. <i>Biological Psychology</i> , 2018, 135, 84-92.	1.1	7
32	Differences in Neural Recovery From Acute Stress Between Cortisol Responders and Non-responders. <i>Frontiers in Psychiatry</i> , 2018, 9, 631.	1.3	13
33	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5154-E5163.	3.3	299
34	Disorganized Amygdala Networks in Conduct-Disordered Juvenile Offenders With Callous-Unemotional Traits. <i>Biological Psychiatry</i> , 2017, 82, 283-293.	0.7	56
35	The burden of conscientiousness? Examining brain activation and cortisol response during social evaluative stress. <i>Psychoneuroendocrinology</i> , 2017, 78, 48-56.	1.3	37
36	Influence of Familial Risk for Depression on Cortico-Limbic Connectivity During Implicit Emotional Processing. <i>Neuropsychopharmacology</i> , 2017, 42, 1729-1738.	2.8	26

#	ARTICLE	IF	CITATIONS
37	Sliding-window analysis tracks fluctuations in amygdala functional connectivity associated with physiological arousal and vigilance during fear conditioning. <i>NeuroImage</i> , 2017, 153, 168-178.	2.1	26
38	Cortical surface-based threshold-free cluster enhancement and cortexwise mediation. <i>Human Brain Mapping</i> , 2017, 38, 2795-2807.	1.9	18
39	Childhood adversity impacts on brain subcortical structures relevant to depression. <i>Journal of Psychiatric Research</i> , 2017, 86, 58-65.	1.5	81
40	The resilience framework as a strategy to combat stress-related disorders. <i>Nature Human Behaviour</i> , 2017, 1, 784-790.	6.2	420
41	Evaluating the replicability, specificity, and generalizability of connectome fingerprints. <i>NeuroImage</i> , 2017, 158, 371-377.	2.1	54
42	148. Nucleus Accumbens Functional Connectivity at Rest is Related to Alcohol Consumption in Young Adults. <i>Biological Psychiatry</i> , 2017, 81, S61-S62.	0.7	1
43	How Accumulated Real Life Stress Experience and Cognitive Speed Interact on Decision-Making Processes. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 302.	1.0	17
44	Machine Learning for Large-Scale Quality Control of 3D Shape Models in Neuroimaging. <i>Lecture Notes in Computer Science</i> , 2017, 10541, 371-378.	1.0	4
45	Abnormal functional architecture of amygdala-centered networks in adolescent posttraumatic stress disorder. <i>Human Brain Mapping</i> , 2016, 37, 1120-1135.	1.9	44
46	Dissociable relations between amygdala subregional networks and psychopathy trait dimensions in conduct-disordered juvenile offenders. <i>Human Brain Mapping</i> , 2016, 37, 4017-4033.	1.9	36
47	The temporal dynamics of resilience: Neural recovery as a biomarker. <i>Behavioral and Brain Sciences</i> , 2015, 38, e126.	0.4	4
48	Segregation of face sensitive areas within the fusiform gyrus using global signal regression? A study on amygdala resting-state functional connectivity. <i>Human Brain Mapping</i> , 2015, 36, 4089-4103.	1.9	18
49	Testing the antidepressant properties of the peptide ARA290 in a human neuropsychological model of drug action. <i>European Neuropsychopharmacology</i> , 2015, 25, 2289-2299.	0.3	8
50	Ketamine interactions with biomarkers of stress: A randomized placebo-controlled repeated measures resting-state fMRI and PCASL pilot study in healthy men. <i>NeuroImage</i> , 2015, 108, 396-409.	2.1	46
51	Evidence for smaller right amygdala volumes in posttraumatic stress disorder following childhood trauma. <i>Psychiatry Research - Neuroimaging</i> , 2015, 233, 436-442.	0.9	69
52	Time-encoded pseudocontinuous arterial spin labeling: Basic properties and timing strategies for human applications. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 1712-1722.	1.9	60
53	A comparison of neural correlates underlying social cognition in Klinefelter syndrome and autism. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 1926-1933.	1.5	27
54	Resting-state functional connectivity of brain regions involved in cognitive control, motivation, and reward is enhanced in obese females. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 524-531.	2.2	95

#	ARTICLE	IF	CITATIONS
55	Aberrant resting-state functional connectivity in limbic and salience networks in treatment-naïve clinically depressed adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 1317-1327.	3.1	124
56	Neuroticism and extraversion are associated with amygdala resting-state functional connectivity. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2014, 14, 836-848.	1.0	83
57	Neural sensitivity to social reward and punishment anticipation in social anxiety disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 439.	1.0	82
58	Aberrant limbic and salience network resting-state functional connectivity in panic disorder without comorbidity. <i>Journal of Affective Disorders</i> , 2013, 145, 29-35.	2.0	92
59	Resilience to childhood maltreatment is associated with increased resting-state functional connectivity of the salience network with the lingual gyrus. <i>Child Abuse and Neglect</i> , 2013, 37, 1021-1029.	1.3	57
60	Whole-brain functional connectivity during emotional word classification in medication-free Major Depressive Disorder: Abnormal salience circuitry and relations to positive emotionality. <i>NeuroImage: Clinical</i> , 2013, 2, 790-796.	1.4	30
61	Resting-state functional connectivity abnormalities in limbic and salience networks in social anxiety disorder without comorbidity. <i>European Neuropsychopharmacology</i> , 2013, 23, 186-195.	0.3	128
62	The impact of "physiological correction" on functional connectivity analysis of pharmacological resting state fMRI. <i>NeuroImage</i> , 2013, 65, 499-510.	2.1	62
63	Preserved white matter integrity is a marker of familial longevity. <i>Annals of Neurology</i> , 2013, 74, 883-892.	2.8	5
64	Stress shifts brain activation towards ventral "affective" areas during emotional distraction. <i>Social Cognitive and Affective Neuroscience</i> , 2012, 7, 403-412.	1.5	98
65	Endogenous cortisol is associated with functional connectivity between the amygdala and medial prefrontal cortex. <i>Psychoneuroendocrinology</i> , 2012, 37, 1039-1047.	1.3	113
66	Non-parametric model selection for subject-specific topological organization of resting-state functional connectivity. <i>NeuroImage</i> , 2011, 56, 1453-1462.	2.1	7
67	Beyond acute social stress: Increased functional connectivity between amygdala and cortical midline structures. <i>NeuroImage</i> , 2011, 57, 1534-1541.	2.1	207
68	Tract-based spatial statistics on diffusion tensor imaging in systemic lupus erythematosus reveals localized involvement of white matter tracts. <i>Arthritis and Rheumatism</i> , 2010, 62, 3716-3721.	6.7	50
69	Whole brain resting-state analysis reveals decreased functional connectivity in major depression. <i>Frontiers in Systems Neuroscience</i> , 2010, 4, .	1.2	414
70	Hierarchical functional modularity in the resting-state human brain. <i>Human Brain Mapping</i> , 2009, 30, 2220-2231.	1.9	174