

Mehmet Yakup Arica

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5618460/mehmet-yakup-arica-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53
papers

1,727
citations

25
h-index

41
g-index

53
ext. papers

1,898
ext. citations

4
avg, IF

5.31
L-index

#	Paper	IF	Citations
53	Immobilization of <i>Candida rugosa</i> Lipase on Magnetic Biosilica Particles: Hydrolysis and Transesterification Studies. <i>Biotechnology and Bioprocess Engineering</i> , 2021 , 26, 827-840	3.1	0
52	Surface plasmon resonance aptasensor for <i>Brucella</i> detection in milk. <i>Talanta</i> , 2021 , 239, 123074	6.2	4
51	Aggrandizement of uranium (VI) removal performance of <i>Lentinus concinnus</i> biomass by attachment of 2,5-diaminobenzenesulfonic acid ligand. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2021 , 328, 1085-1098	1.5	3
50	Utilization of immobilized horseradish peroxidase for facilitated detoxification of a benzidine based azo dye. <i>Chemical Engineering Research and Design</i> , 2021 , 165, 435-444	5.5	5
49	Fibrous polymer functionalized magnetic biocatalysts for improved performance. <i>Methods in Enzymology</i> , 2020 , 630, 111-132	1.7	6
48	Catalytic Activity of Immobilized Chymotrypsin on Hybrid Silica-Magnetic Biocompatible Particles and Its Application in Peptide Synthesis. <i>Applied Biochemistry and Biotechnology</i> , 2020 , 190, 1224-1241	3.2	8
47	Preparation and characterization of strong cation exchange terpolymer resin as effective adsorbent for removal of disperse dyes. <i>Polymer Engineering and Science</i> , 2020 , 60, 192-201	2.3	23
46	Hydrophilic spacer-arm containing magnetic nanoparticles for immobilization of proteinase K: Employment for speciation of proteins for mass spectrometry-based analysis. <i>Talanta</i> , 2020 , 206, 120218	6.2	7
45	Star type polymer grafted and polyamidoxime modified silica coated-magnetic particles for adsorption of U(VI) ions from solution. <i>Chemical Engineering Research and Design</i> , 2019 , 147, 146-159	5.5	36
44	Rapid and label-free detection of <i>Brucella melitensis</i> in milk and milk products using an aptasensor. <i>Talanta</i> , 2019 , 200, 263-271	6.2	31
43	Design of an aptamer-based magnetic adsorbent and biosensor systems for selective and sensitive separation and detection of thrombin. <i>Talanta</i> , 2019 , 191, 59-66	6.2	40
42	Biodegradation of Cibacron Blue 3GA by insolubilized laccase and identification of enzymatic byproduct using MALDI-ToF-MS: Toxicity assessment studies by <i>Daphnia magna</i> and <i>Chlorella vulgaris</i> . <i>Ecotoxicology and Environmental Safety</i> , 2019 , 170, 453-460	7	32
41	Uranium sorption by native and nitrilotriacetate-modified <i>Bangia atropurpurea</i> biomass: kinetics and thermodynamics. <i>Journal of Applied Phycology</i> , 2018 , 30, 649-661	3.2	27
40	Magnetic MCM-41 silica particles grafted with poly(glycidylmethacrylate) brush: Modification and application for removal of direct dyes. <i>Microporous and Mesoporous Materials</i> , 2017 , 243, 164-175	5.3	101
39	Polyethylenimine and tris(2-aminoethyl)amine modified p(GAEGMA) microbeads for sorption of uranium ions: equilibrium, kinetic and thermodynamic studies. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2017 , 312, 293-303	1.5	27
38	Immobilization of laccase on the fibrous polymer-grafted film and study of textile dye degradation by MALDI-ToF-MS. <i>Chemical Engineering Research and Design</i> , 2017 , 128, 107-119	5.5	35
37	Polyaniline coated magnetic carboxymethylcellulose beads for selective removal of uranium ions from aqueous solution. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2016 , 310, 711-724	1.5	47

36	Amidoxime functionalized <i>Trametes trogii</i> pellets for removal of uranium(VI) from aqueous medium. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2016 , 307, 373-384	1.5	38
35	Magnetic Polymeric Beads Functionalized with Different Mixed-Mode Ligands for Reversible Immobilization of Trypsin. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 132-140	3.9	27
34	Activity and stability of urease entrapped in thermosensitive poly(N-isopropylacrylamide-co-poly(ethyleneglycol)-methacrylate) hydrogel. <i>Bioprocess and Biosystems Engineering</i> , 2014 , 37, 235-43	3.7	11
33	Immobilization of tyrosinase on modified diatom biosilica: enzymatic removal of phenolic compounds from aqueous solution. <i>Journal of Hazardous Materials</i> , 2013 , 244-245, 528-36	12.8	77
32	Reversible immobilization of <i>Candida rugosa</i> lipase on fibrous polymer grafted and sulfonated p(HEMA/EGDMA) beads. <i>Bioprocess and Biosystems Engineering</i> , 2010 , 33, 227-36	3.7	67
31	Immobilization of laccase onto poly(glycidylmethacrylate) brush grafted poly(hydroxyethylmethacrylate) films: Enzymatic oxidation of phenolic compounds. <i>Materials Science and Engineering C</i> , 2009 , 29, 1990-1997	8.3	88
30	Glycidyl methacrylate grafted on p(VBC) beads by SI-ATRP technique: Modified with hydrazine as a salt resistance ligand for adsorption of invertase. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2009 , 345, 127-134	5.1	20
29	Enzymatic removal of phenol and p-chlorophenol in enzyme reactor: horseradish peroxidase immobilized on magnetic beads. <i>Journal of Hazardous Materials</i> , 2008 , 156, 148-55	12.8	195
28	Studies on accumulation of uranium by fungus <i>Lentinus sajor-caju</i> . <i>Journal of Hazardous Materials</i> , 2006 , 136, 345-53	12.8	100
27	Dye-ligand immobilized IPNs membrane for removal heavy metal ions. <i>Macromolecular Symposia</i> , 2003 , 203, 219-224	0.8	5
26	Poly(hydroxyethyl methacrylate) membranes: as a hydrogel support for use in immobilized metal affinity chromatography. <i>Macromolecular Symposia</i> , 2003 , 203, 207-212	0.8	2
25	Polyhydroxyethylmethacrylate/polyhydroxybutyrate composite membranes for fluoride release. <i>Journal of Applied Polymer Science</i> , 2003 , 87, 976-981	2.9	10
24	DNA adsorption on a poly-L-lysine-immobilized poly(2-hydroxyethyl methacrylate) membrane. <i>Polymer International</i> , 2003 , 52, 1169-1174	3.3	12
23	A novel pH sensitive porous membrane carrier for various biomedical applications based on pHEMA/chitosan: preparation and its drug release characteristics. <i>Macromolecular Symposia</i> , 2003 , 203, 213-218	0.8	22
22	Poly(hydroxyethyl methacrylate-co-glycidyl methacrylate) reactive membrane utilised for cholesterol oxidase immobilisation. <i>Polymer International</i> , 2002 , 51, 1316-1322	3.3	21
21	Membrane with incorporated hydrophobic ligand for hydrophobic interaction with proteins: application to lipase adsorption. <i>Polymer International</i> , 2002 , 51, 966-972	3.3	27
20	Separation of human-immunoglobulin-G from human plasma with l-histidine immobilized pseudo-specific bioaffinity adsorbents. <i>Separation Science and Technology</i> , 2002 , 37, 717-731	2.5	36
19	Novel hydrophobic ligand-containing hydrogel membrane matrix: preparation and application to gamma-globulins adsorption. <i>Colloids and Surfaces B: Biointerfaces</i> , 2001 , 21, 273-283	6	12

18	Fibronectin purification from human plasma in a packed-bed column system with gelatin immobilized PHEMA microspheres. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2001 , 12, 479-89	3.5	5
17	In vitro cadmium removal from human serum by Cibacron Blue F3GA β thionein-complex conjugated affinity membranes. <i>Polymer International</i> , 2000 , 49, 302-308	3.3	3
16	Invertase immobilized on spacer-arm attached poly(hydroxyethyl methacrylate) membrane: Preparation and properties. <i>Journal of Applied Polymer Science</i> , 2000 , 75, 1685-1692	2.9	68
15	Immobilization of polyphenol oxidase on carboxymethylcellulose hydrogel beads: preparation and characterization. <i>Polymer International</i> , 2000 , 49, 775-781	3.3	75
14	Epoxy-derived pHEMA membrane for use bioactive macromolecules immobilization: Covalently bound urease in a continuous model system. <i>Journal of Applied Polymer Science</i> , 2000 , 77, 2000-2008	2.9	64
13	Preparation and characterization of magnetic polymethylmethacrylate microbeads carrying ethylene diamine for removal of Cu(II), Cd(II), Pb(II), and Hg(II) from aqueous solutions. <i>Journal of Applied Polymer Science</i> , 2000 , 78, 81-89	2.9	81
12	DYE AFFINITY POLY(2-HYDROXYETHYL METHACRYLATE) MEMBRANES FOR REMOVAL OF HEAVY METAL IONS. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2000 , 37, 343-356	2.2	7
11	Performance of Different MetalDye Chelated Affinity Adsorbents of Poly(2-Hydroxyethyl Methacrylate) in Lysozyme Separation. <i>Separation Science and Technology</i> , 2000 , 35, 2243-2257	2.5	12
10	Procion Blue MX-3G-Attached Microporous Poly(2-Hydroxyethyl Methacrylate) Membranes for Copper, Arsenic, Cadmium, and Mercury Adsorption. <i>Separation Science and Technology</i> , 1999 , 34, 2369-2381	2.5	25
9	β Galactosidase immobilization into poly(hydroxyethyl methacrylate) membrane and performance in a continuous system. <i>Journal of Applied Polymer Science</i> , 1999 , 72, 1367-1373	2.9	20
8	Controlled release of aldicarb from carboxymethyl cellulose microspheres: in vitro and field applications. <i>Pest Management Science</i> , 1999 , 55, 1194-1202		22
7	Affinity microspheres and their application to lysozyme adsorption: Cibacron Blue F3GA and Cu(II) with poly(HEMA-EGDMA). <i>Polymer International</i> , 1999 , 48, 360-366	3.3	15
6	Immobilization of catalase in poly(isopropylacrylamide-co-hydroxyethylmethacrylate) thermally reversible hydrogels. <i>Polymer International</i> , 1999 , 48, 879-884	3.3	63
5	Immobilization of catalase in poly(isopropylacrylamide-co-hydroxyethylmethacrylate) thermally reversible hydrogels 1999 , 48, 879		3
4	Dye derived and metal incorporated affinity poly(2-hydroxyethyl methacrylate) membranes for use in enzyme immobilization. <i>Polymer International</i> , 1998 , 46, 345-352	3.3	31
3	New metal chelate sorbent for albumin adsorption: Cibacron Blue F3GA-Zn(II) attached microporous poly(HEMA) membranes. <i>Journal of Applied Polymer Science</i> , 1998 , 68, 657-664	2.9	11
2	Dye derived and metal incorporated affinity poly(2-hydroxyethyl methacrylate) membranes for use in enzyme immobilization 1998 , 46, 345		3
1	Comparison of β galactosidase immobilization by entrapment in and adsorption on poly(2-hydroxyethylmethacrylate) membranes. <i>Polymer International</i> , 1997 , 44, 530-536	3.3	17

