
Farzaneh Ghazi Sherbaf

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/561862/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1162-e1185.	6.3	91
2	Brain microstructural abnormalities in type 2 diabetes mellitus: A systematic review of diffusion tensor imaging studies. Frontiers in Neuroendocrinology, 2019, 55, 100782.	5.2	45
3	White matter microstructure in fetal alcohol spectrum disorders: A systematic review of diffusion tensor imaging studies. Human Brain Mapping, 2019, 40, 1017-1036.	3.6	45
4	Association Between Peripheral Inflammation and DATSCAN Data of the Striatal Nuclei in Different Motor Subtypes of Parkinson Disease. Frontiers in Neurology, 2018, 9, 234.	2.4	38
5	Disruption of Inferior Longitudinal Fasciculus Microstructure in Parkinson's Disease: A Systematic Review of Diffusion Tensor Imaging Studies. Frontiers in Neurology, 2018, 9, 598.	2.4	23
6	Cerebrospinal Fluid C-Reactive Protein in Parkinson's Disease: Associations with Motor and Non-motor Symptoms. NeuroMolecular Medicine, 2018, 20, 376-385.	3.4	21
7	White Matter Tract Alterations in Drug-NaÃ⁻ve Parkinson's Disease Patients With Impulse Control Disorders. Frontiers in Neurology, 2018, 9, 163.	2.4	19
8	Comparison of structural connectivity in Parkinson's disease with depressive symptoms versus non-depressed: a diffusion MRI connectometry study. International Psychogeriatrics, 2019, 31, 5-12.	1.0	19
9	DECT in Detection of Vertebral Fracture–associated Bone Marrow Edema: A Systematic Review and Meta-Analysis with Emphasis on Technical and Imaging Interpretation Parameters. Radiology, 2021, 300, 110-119.	7.3	19
10	Microstructural changes in patients with Parkinson disease and REM sleep behavior disorder: depressive symptoms versus non-depressed. Acta Neurologica Belgica, 2018, 118, 415-421.	1.1	17
11	Microstructural Changes in Patients With Parkinson's Disease Comorbid With REM Sleep Behaviour Disorder and Depressive Symptoms. Frontiers in Neurology, 2018, 9, 441.	2.4	16
12	Serum Insulin-Like Growth Factor-1 in Parkinson's Disease; Study of Cerebrospinal Fluid Biomarkers and White Matter Microstructure. Frontiers in Endocrinology, 2018, 9, 608.	3.5	15
13	Can Preoperative Mapping with Functional MRI Reduce Morbidity in Brain Tumor Resection? A Systematic Review and Meta-Analysis of 68 Observational Studies. Radiology, 2021, 300, 338-349.	7.3	15
14	Altered white matter microstructure associated with mild and moderate depressive symptoms in young adults, a diffusion tensor imaging study. NeuroReport, 2018, 29, 685-689.	1.2	13
15	Uncovering the Dorsal Thalamo-hypothalamic Tract of the Human Limbic System. Neuroscience, 2020, 432, 55-62.	2.3	12
16	Parental Leave Policy in Radiology Residency Programs: Current Status. Journal of the American College of Radiology, 2020, 17, 1163-1171.	1.8	11
17	High angular resolution diffusion imaging correlates of depression in Parkinson's disease: a connectometry study. Acta Neurologica Belgica, 2018, 118, 573-579.	1.1	9
18	A direct visuosensory cortical connectivity of the human limbic system. Dissecting the trajectory of the parieto-occipito-hypothalamic tract in the human brain using diffusion weighted tractography. Neuroscience Letters, 2020, 728, 134955.	2.1	8

#	Article	IF	CITATIONS
19	Posterior limb of the internal capsule predicts poor quality of life in patients with Parkinson's disease: connectometry approach. Acta Neurologica Belgica, 2019, 119, 95-100.	1.1	5
20	Parental Leave and Neuroradiology Fellowships. American Journal of Neuroradiology, 2020, 41, 1348-1354.	2.4	4
21	First Case Report of Adnexal Fetus in Fetu. Journal of Pediatric and Adolescent Gynecology, 2020, 33, 745-747.	0.7	2
22	Value of Emergent Neurovascular Imaging for "Seat Belt Injury― A Multi-institutional Study. American Journal of Neuroradiology, 2021, 42, 743-748.	2.4	2
23	New link between Parkinson's and Alzheimer's: Research uncovers the role of mutant leucine rich repeat kinase 2 and amyloid precursor protein. Movement Disorders, 2017, 32, 1378-1379.	3.9	1