

# Jean-Nicolas Cornu

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5618885/jean-nicolas-cornu-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58  
papers

2,563  
citations

21  
h-index

50  
g-index

69  
ext. papers

3,160  
ext. citations

5.8  
avg, IF

4.84  
L-index

| #  | Paper   | IF   | Citations |
|----|---|------|-----------|
| 58 | Reply to Satoshi Funada, Takashi Yoshioka, and Yan Luot's Letter to the Editor re: Cosimo De Nunzio, Benjamin Brucker, Thomas Bschleipfer, et al. Beyond Antimuscarinics: A Review of Pharmacological and Interventional Options for Overactive Bladder Management in Men. <i>Eur Urol</i> 2021;79:492-504. <i>European Urology</i> , 2021, 79, e147-e148 | 10.2 | 1         |
| 57 | Prevalence and Risk Factors of Artificial Urinary Sphincter Revision in Nonneurological Male Patients. <i>Journal of Urology</i> , 2021, 206, 1248-1257   | 2.5  | 0         |
| 56 | Re: Paul Abrams, Lynda D. Constable, David Cooper, et al. Outcomes of a Noninferiority Randomised Controlled Trial of Surgery for Men with Urodynamic Stress Incontinence After Prostate Surgery (MASTER). <i>Eur Urol</i> 2021;79:812-23. <i>European Urology</i> , 2021, 79, e178-e179  | 10.2 |           |
| 55 | Transcorporal vs. bulbar artificial urinary sphincter implantation in male patients with fragile urethra. <i>World Journal of Urology</i> , 2021, 39, 4449-4457   | 4    | 0         |
| 54 | Robot-assisted artificial urinary sphincter implantation. <i>Current Opinion in Urology</i> , 2021, 31, 2-10  | 2.8  | 0         |
| 53 | Reply by Authors. <i>Journal of Urology</i> , 2021, 206, 1257   | 2.5  |           |
| 52 | Authors' reply re: The association between nocturia, hormonal symptoms and bladder parameters in women: an observational study: Nocturia in women is often the tip of the iceberg. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021,  | 3.7  |           |
| 51 | Differential Impact of COVID-19 on Urological Surgeries in Public and Private Institutions at a Nationwide Level: Towards the Day of Reckoning.. <i>European Urology</i> , 2021, 81, 435-435  | 10.2 | 0         |
| 50 | Overview of the Evaluation of Lower Urinary Tract Dysfunction (LUTD) 2020, 321-340  |      |           |
| 49 | The Changing Face of Artificial Urinary Sphincter Use in France: The Future is Female. <i>European Urology Focus</i> , 2020, 6, 1248-1250   | 5.1  | 3         |
| 48 | A Comprehensive Review of Overactive Bladder Pathophysiology: On the Way to Tailored Treatment. <i>European Urology</i> , 2019, 75, 988-1000  | 10.2 | 89        |
| 47 | Transcutaneous posterior tibial nerve stimulation: Ready for prime time?. <i>Neurourology and Urodynamics</i> , 2019, 38, 1024-1025   | 2.3  | 0         |
| 46 | AMS-800 Artificial urinary sphincter in female patients with stress urinary incontinence: A systematic review. <i>Neurourology and Urodynamics</i> , 2019, 38 Suppl 4, S28-S41  | 2.3  | 18        |
| 45 | What Is the Required Certainty of Evidence for the Implementation of Novel Techniques for the Treatment of Benign Prostatic Obstruction?. <i>European Urology Focus</i> , 2019, 5, 351-356  | 5.1  | 13        |
| 44 | Nocturia in Patients With Multiple Sclerosis. <i>Reviews in Urology</i> , 2019, 21, 63-73   | 1    | 4         |
| 43 | Long-Term Discontinuation of Botulinum Toxin A Intradetrusor Injections for Neurogenic Detrusor Overactivity: A Multicenter Study. <i>Journal of Urology</i> , 2019, 201, 769-776   | 2.5  | 10        |
| 42 | Intradetrusor Injections of Botulinum Toxin Type A in Children With Spina Bifida: A Multicenter Study. <i>Urology</i> , 2018, 116, 161-167  | 1.6  | 15        |

|    |  |      |     |
|----|--|------|-----|
| 41 | Intradetrusor Injections of Botulinum Toxin A in Adults with Spinal Dysraphism. <i>Journal of Urology</i> , <b>2018</b> , 200, 875-880   | 2.5  | 8   |
| 40 | Medical Aspects of the Treatment of LUTS/BPH: Alpha-Blockers <b>2018</b> , 177-188   |      |     |
| 39 | The maximum detrusor pressure as a predictive factor of success after sphincterotomy in detrusor-sphincter dyssynergia. <i>Neurourology and Urodynamics</i> , <b>2018</b> , 37, 2758-2762  | 2.3  | 2   |
| 38 | Correlation between prostate volume and single nucleotide polymorphisms implicated in the steroid pathway. <i>World Journal of Urology</i> , <b>2017</b> , 35, 293-298   | 4    | 7   |
| 37 | Re: OnabotulinumtoxinA vs Sacral Neuromodulation on Refractory Urgency Urinary Incontinence in Women: A Randomized Clinical Trial. <i>European Urology</i> , <b>2017</b> , 71, 988-989   | 10.2 | 1   |
| 36 | Learning curves and perioperative outcomes after endoscopic enucleation of the prostate: a comparison between GreenLight 532-nm and holmium lasers. <i>World Journal of Urology</i> , <b>2017</b> , 35, 973-983  | 4    | 52  |
| 35 | Urinary incontinence after hysterectomy. <i>American Journal of Obstetrics and Gynecology</i> , <b>2017</b> , 216, 425-426   | 4.6  | 2   |
| 34 | Multicentre prospective evaluation of the learning curve of holmium laser enucleation of the prostate (HoLEP). <i>BJU International</i> , <b>2016</b> , 117, 495-9   | 5.6  | 117 |
| 33 | Is benign prostatic obstruction surgery indicated for improving overactive bladder symptoms in men with lower urinary tract symptoms?. <i>Current Opinion in Urology</i> , <b>2016</b> , 26, 17-21   | 2.8  | 3   |
| 32 | Impact of Body Mass Index, Age, Prostate Volume, and Genetic Polymorphisms on Prostate-specific Antigen Levels in a Control Population. <i>European Urology</i> , <b>2016</b> , 70, 6-8  | 10.2 | 3   |
| 31 | Bipolar, Monopolar, Photovaporization of the Prostate, or Holmium Laser Enucleation of the Prostate: How to Choose What's Best?. <i>Urologic Clinics of North America</i> , <b>2016</b> , 43, 377-84   | 2.9  | 25  |
| 30 | Trends in the Use of the GreenLight Laser in the Surgical Management of Benign Prostatic Obstruction in France Over the Past 10 Years. <i>European Urology</i> , <b>2015</b> , 67, 1193-1195   | 10.2 | 13  |
| 29 | A Systematic Review and Meta-analysis of Functional Outcomes and Complications Following Transurethral Procedures for Lower Urinary Tract Symptoms Resulting from Benign Prostatic Obstruction: An Update. <i>European Urology</i> , <b>2015</b> , 67, 1066-1096 | 10.2 | 406 |
| 28 | Have mini-slings come of age?. <i>Current Opinion in Urology</i> , <b>2015</b> , 25, 296-9   | 2.8  |     |
| 27 | Comparative study of AdVance and AdVanceXP male slings in a tertiary reference center. <i>European Urology</i> , <b>2014</b> , 65, 502-4   | 10.2 | 19  |
| 26 | Long-term follow-up after regenerative therapy of the urethral sphincter for female stress urinary incontinence. <i>European Urology</i> , <b>2014</b> , 65, 256-8   | 10.2 | 15  |
| 25 | A pragmatic approach to the characterization and effective treatment of male patients with postprostatectomy incontinence. <i>Current Opinion in Urology</i> , <b>2014</b> , 24, 566-70  | 2.8  | 8   |
| 24 | First clinical evaluation of a new innovative ureteral access sheath (Re-Trace) a European study. <i>World Journal of Urology</i> , <b>2014</b> , 32, 143-7  | 4    | 15  |

|    |   |      |     |
|----|---|------|-----|
| 23 | Urine TMPRSS2:ERG fusion transcript integrated with PCA3 score, genotyping, and biological features are correlated to the results of prostatic biopsies in men at risk of prostate cancer. <i>Prostate</i> , <b>2013</b> , 73, 242-9  | 4.2  | 61  |
| 22 | Management of lower urinary tract symptoms related to benign prostatic hyperplasia in real-life practice in France: a comprehensive population study. <i>European Urology</i> , <b>2013</b> , 64, 493-501   | 10.2 | 49  |
| 21 | Systematic review of combination drug therapy for non-neurogenic male lower urinary tract symptoms. <i>European Urology</i> , <b>2013</b> , 64, 228-43  | 10.2 | 67  |
| 20 | Update in management of vaginal mesh erosion. <i>Current Urology Reports</i> , <b>2013</b> , 14, 471-5  | 2.9  | 11  |
| 19 | The artificial urinary sphincter after a quarter of a century: a critical systematic review of its use in male non-neurogenic incontinence. <i>European Urology</i> , <b>2013</b> , 63, 681-9   | 10.2 | 219 |
| 18 | Update in management of male urinary incontinence: injectables, balloons, minimally invasive approaches. <i>Current Opinion in Urology</i> , <b>2013</b> , 23, 536-9  | 2.8  | 10  |
| 17 | Prospective, multidimensional evaluation of sexual disorders in men after laser photovaporization of the prostate. <i>Journal of Sexual Medicine</i> , <b>2013</b> , 10, 1363-71  | 1.1  | 11  |
| 16 | Transcortical artificial urinary sphincter implantation as a salvage surgical procedure for challenging cases of male stress urinary incontinence: surgical technique and functional outcomes in a contemporary series. <i>BJU International</i> , <b>2013</b> , 112, 1163-8  | 5.6  | 39  |
| 15 | Photoselective vaporization of the prostate with GreenLight 120-W laser compared with monopolar transurethral resection of the prostate: a multicenter randomized controlled trial. <i>European Urology</i> , <b>2012</b> , 61, 1165-73                                       | 10.2 | 110 |
| 14 | Treatment of postprostatectomy male urinary incontinence with the transobturator retroluminal repositioning sling suspension: 3-year follow-up. <i>European Urology</i> , <b>2012</b> , 62, 140-5   | 10.2 | 136 |
| 13 | Ajust single incision transobturator sling procedure for stress urinary incontinence: results after 1-year follow-up. <i>International Urogynecology Journal</i> , <b>2012</b> , 23, 1265-70  | 2    | 16  |
| 12 | Evolution of the landscape of surgical management of prostate cancer in France: the case of radical prostatectomy. <i>European Urology</i> , <b>2012</b> , 62, 735-6  | 10.2 | 10  |
| 11 | TVT SECUR single-incision sling after 5 years of follow-up: the promises made and the promises broken. <i>European Urology</i> , <b>2012</b> , 62, 737-8  | 10.2 | 18  |
| 10 | A contemporary assessment of nocturia: definition, epidemiology, pathophysiology, and management—a systematic review and meta-analysis. <i>European Urology</i> , <b>2012</b> , 62, 877-90  | 10.2 | 173 |
| 9  | 75NC007 device for noninvasive stress urinary incontinence management in women: a randomized controlled trial. <i>International Urogynecology Journal</i> , <b>2012</b> , 23, 1727-34   | 2    | 9   |
| 8  | Assessment of oncologic control obtained after open versus laparoscopic nephroureterectomy for upper urinary tract urothelial carcinomas (UUT-UCs): results from a large French multicenter collaborative study. <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 301-8 | 3.1  | 70  |
| 7  | Mid-term evaluation of the transobturator male sling for post-prostatectomy incontinence: focus on prognostic factors. <i>BJU International</i> , <b>2011</b> , 108, 236-40   | 5.6  | 113 |
| 6  | Olfactory detection of prostate cancer by dogs sniffing urine: a step forward in early diagnosis. <i>European Urology</i> , <b>2011</b> , 59, 197-201   | 10.2 | 183 |

|   |   |      |    |
|---|---|------|----|
| 5 | Intrasphincteric injections of autologous muscular cells in women with refractory stress urinary incontinence: a prospective study. <i>International Urogynecology Journal</i> , <b>2011</b> , 22, 183-9                                    | 2    | 70 |
| 4 | Oncologic control obtained after exclusive flexible ureteroscopic management of upper urinary tract urothelial cell carcinoma. <i>World Journal of Urology</i> , <b>2010</b> , 28, 151-6  | 4    | 79 |
| 3 | Midterm prospective evaluation of TVT-Secur reveals high failure rate. <i>European Urology</i> , <b>2010</b> , 58, 157-61.2   | 6    | 64 |
| 2 | A widespread population study of actual medical management of lower urinary tract symptoms related to benign prostatic hyperplasia across Europe and beyond official clinical guidelines. <i>European Urology</i> , <b>2010</b> , 58, 450-6 | 10.2 | 66 |
| 1 | The AdVance transobturator male sling for postprostatectomy incontinence: clinical results of a prospective evaluation after a minimum follow-up of 6 months. <i>European Urology</i> , <b>2009</b> , 56, 923-7                             | 10.2 | 99 |