

Carl Ganter

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5619166/carl-ganter-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

52
papers

3,040
citations

23
h-index

55
g-index

68
ext. papers

3,388
ext. citations

4.3
avg, IF

4.76
L-index

#	Paper	IF	Citations
52	Pure balanced steady-state free precession imaging (pure bSSFP). <i>Magnetic Resonance in Medicine</i> , 2021 ,	4.4	1
51	T2 mapping of the distal sciatic nerve in healthy subjects and patients suffering from lumbar disc herniation with nerve compression. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2020 , 33, 713-724	2.8	8
50	Quantitative magnetic resonance imaging of the upper trapezius muscles - assessment of myofascial trigger points in patients with migraine. <i>Journal of Headache and Pain</i> , 2019 , 20, 8	8.8	13
49	Self-consistent Euclidean-random-matrix theory. <i>Journal of Physics A: Mathematical and Theoretical</i> , 2019 , 52, 464002	2	2
48	T2 mapping of lumbosacral nerves in patients suffering from unilateral radicular pain due to degenerative disc disease. <i>Journal of Neurosurgery: Spine</i> , 2019 , 1-9	2.8	4
47	High Isotropic Resolution T2 Mapping of the Lumbosacral Plexus with T2-Prepared 3D Turbo Spin Echo. <i>Clinical Neuroradiology</i> , 2019 , 29, 223-230	2.7	10
46	Magnetic resonance imaging of the inferior alveolar nerve with special regard to metal artifact reduction. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2017 , 45, 558-569	3.6	17
45	Observations With Simultaneous 18F-FDG PET and MR Imaging in Peripheral Artery Disease. <i>JACC: Cardiovascular Imaging</i> , 2017 , 10, 709-711	8.4	4
44	Variable flip angle T1 mapping in the human brain with reduced T2 sensitivity using fast radiofrequency-spoiled gradient echo imaging. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 1413-22	4.4	16
43	Reduction of the n-6:n-3 long-chain PUFA ratio during pregnancy and lactation on offspring body composition: follow-up results from a randomized controlled trial up to 5 y of age. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 1472-81	7	34
42	3.0T MR imaging of the ankle: Axial traction for morphological cartilage evaluation, quantitative T2 mapping and cartilage diffusion imaging-A preliminary study. <i>European Journal of Radiology</i> , 2015 , 84, 1546-1554	4.7	10
41	View-Angle Tilting and Slice-Encoding Metal Artifact Correction for Artifact Reduction in MRI: Experimental Sequence Optimization for Orthopaedic Tumor Endoprostheses and Clinical Application. <i>PLoS ONE</i> , 2015 , 10, e0124922	3.7	18
40	Multiparametric MR and PET Imaging of Intratumoral Biological Heterogeneity in Patients with Metastatic Lung Cancer Using Voxel-by-Voxel Analysis. <i>PLoS ONE</i> , 2015 , 10, e0132386	3.7	25
39	Synovitis in patients with early inflammatory arthritis monitored with quantitative analysis of dynamic contrast-enhanced optical imaging and MR imaging. <i>Radiology</i> , 2014 , 270, 176-85	20.5	41
38	Rapid estimation of cartilage T2 with reduced T1 sensitivity using double echo steady state imaging. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 1137-43	4.4	23
37	Triple echo steady-state (TESS) relaxometry. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 230-7	4.4	56
36	Evaluation of T1 ρ s as a potential MR biomarker for liver cirrhosis: comparison of healthy control subjects and patients with liver cirrhosis. <i>European Journal of Radiology</i> , 2014 , 83, 900-904	4.7	40

35	B1+-mapping with the transient phase of unbalanced steady-state free precession. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 1515-23	4.4	11
34	Fast diffusion-weighted steady state free precession imaging of in vivo knee cartilage. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 691-700	4.4	14
33	Quantitative in vivo diffusion imaging of cartilage using double echo steady-state free precession. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 720-9	4.4	40
32	On the fluid-tissue contrast behavior of high-resolution steady-state sequences. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 1586-92	4.4	11
31	Detection of synovitis in the hands of patients with rheumatologic disorders: diagnostic performance of optical imaging in comparison with magnetic resonance imaging. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2489-98		40
30	Clinical pilot study for the automatic segmentation and recognition of abdominal adipose tissue compartments from MRI data. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2012 , 184, 548-55	2.3	1
29	First clinical experience with integrated whole-body PET/MR: comparison to PET/CT in patients with oncologic diagnoses. <i>Journal of Nuclear Medicine</i> , 2012 , 53, 845-55	8.9	418
28	Restricted water diffusibility as measured by diffusion-weighted MR imaging and choline uptake in (11)C-choline PET/CT are correlated in pelvic lymph nodes in patients with prostate cancer. <i>Molecular Imaging and Biology</i> , 2011 , 13, 352-61	3.8	55
27	Whole-body MRI including diffusion-weighted imaging (DWI) for patients with recurring prostate cancer: technical feasibility and assessment of lesion conspicuity in DWI. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 33, 1160-70	5.6	67
26	Quantitative mapping of T2 using partial spoiling. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 410-8	4.4	28
25	Performance measurements of the Siemens mMR integrated whole-body PET/MR scanner. <i>Journal of Nuclear Medicine</i> , 2011 , 52, 1914-22	8.9	665
24	Euclidean random matrix theory: low-frequency non-analyticities and Rayleigh scattering. <i>Philosophical Magazine</i> , 2011 , 91, 1894-1909	1.6	3
23	Phenotyping of tumor biology in patients by multimodality multiparametric imaging: relationship of microcirculation, alphavbeta3 expression, and glucose metabolism. <i>Journal of Nuclear Medicine</i> , 2010 , 51, 1691-8	8.9	37
22	Rayleigh scattering, long-time tails, and the harmonic spectrum of topologically disordered systems. <i>Physical Review B</i> , 2010 , 82,	3.3	22
21	Characterization of small (10 mm) focal liver lesions: value of respiratory-triggered echo-planar diffusion-weighted MR imaging. <i>European Journal of Radiology</i> , 2010 , 76, 89-95	4.7	79
20	Preliminary results for characterization of pelvic lymph nodes in patients with prostate cancer by diffusion-weighted MR-imaging. <i>Investigative Radiology</i> , 2010 , 45, 15-23	10.1	122
19	Analytical solution to the transient phase of steady-state free precession sequences. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 149-64	4.4	11
18	In vivo intrauterine sound pressure and temperature measurements during magnetic resonance imaging (1.5 T) in pregnant ewes. <i>Fetal Diagnosis and Therapy</i> , 2008 , 24, 203-10	2.4	8

17	Characterization of focal liver lesions by ADC measurements using a respiratory triggered diffusion-weighted single-shot echo-planar MR imaging technique. <i>European Radiology</i> , 2008 , 18, 477-85 ⁸		336
16	MRI of the lung: value of different turbo spin-echo, single-shot turbo spin-echo, and 3D gradient-echo pulse sequences for the detection of pulmonary metastases. <i>Journal of Magnetic Resonance Imaging</i> , 2007 , 25, 73-81	5.6	71
15	Steady state of gradient echo sequences with radiofrequency phase cycling: analytical solution, contrast enhancement with partial spoiling. <i>Magnetic Resonance in Medicine</i> , 2006 , 55, 98-107	4.4	29
14	Static susceptibility effects in balanced SSFP sequences. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 687-91	4.4	22
13	Steady state of echo-shifted sequences with radiofrequency phase cycling. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 923-6	4.4	5
12	Comparison of multislice CT arthrography and MR arthrography for the detection of articular cartilage lesions of the elbow. <i>European Radiology</i> , 2005 , 15, 784-91	8	81
11	Off-resonance effects in the transient response of SSFP sequences. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 368-75	4.4	23
10	Entwicklung eines halbautomatischen Algorithmus zur Segmentierung von Lebermetastasen. <i>Informatik Aktuell</i> , 2004 , 175-179	0.3	
9	The quantification of DeltaR2(*) under brain activation: dependence on relaxation rate at rest and significance threshold. <i>Magnetic Resonance Imaging</i> , 2001 , 19, 649-57	3.3	0
8	Generalized effective-medium approximation for hopping transport in topologically disordered systems. <i>The Philosophical Magazine: Physics of Condensed Matter B, Statistical Mechanics, Electronic, Optical and Magnetic Properties</i> , 2001 , 81, 915-924		7
7	Xylem Water Content and Wood Density in Spruce and Oak Trees Detected by High-Resolution Computed Tomography. <i>Plant Physiology</i> , 2001 , 127, 416-425	6.6	87
6	Assessment of gunshot bullet injuries with the use of magnetic resonance imaging. <i>Journal of Trauma</i> , 2000 , 49, 704-9		27
5	Generalization of the Effective-Medium Approximation for Hopping Transport in Amorphous Materials. <i>Physica Status Solidi (B): Basic Research</i> , 2000 , 218, 71-74	1.3	6
4	Model calculations for the vibrational anomalies of a disordered Lennard-Jones solid. <i>Physica B: Condensed Matter</i> , 2000 , 284-288, 1147-1148	2.8	20
3	Segmentierung und Volumetrie von Tumorentitäten mit CT-Datensätzen. <i>Informatik Aktuell</i> , 2000 , 449-453	0.3	1
2	Model calculations for vibrational properties of disordered solids and the Boson peak. <i>Physica B: Condensed Matter</i> , 1999 , 263-264, 160-162	2.8	13
1	Harmonic Vibrational Excitations in Disordered Solids and the Boson Peak. <i>Physical Review Letters</i> , 1998 , 81, 136-139	7.4	357