

Shuizhu Wu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5620740/shuizhu-wu-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97
papers

4,187
citations

39
h-index

62
g-index

100
ext. papers

4,944
ext. citations

8.4
avg, IF

5.99
L-index

#	Paper	IF	Citations
97	Carbon-dot-based ratiometric fluorescent sensor for detecting hydrogen sulfide in aqueous media and inside live cells. <i>Chemical Communications</i> , 2013 , 49, 403-5	5.8	400
96	Pyrene Derivative Emitting Red or near-Infrared Light with Monomer/Excimer Conversion and Its Application to Ratiometric Detection of Hypochlorite. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 1511-9	9.5	162
95	Real-Time Monitoring of Endogenous Cysteine Levels In Vivo by near-Infrared Turn-on Fluorescent Probe with Large Stokes Shift. <i>Analytical Chemistry</i> , 2018 , 90, 1014-1020	7.8	155
94	Carbon dots-based fluorescent probes for sensitive and selective detection of iodide. <i>Mikrochimica Acta</i> , 2013 , 180, 453-460	5.8	139
93	Ratiometric detection and imaging of endogenous hypochlorite in live cells and in vivo achieved by using an aggregation induced emission (AIE)-based nanoprobe. <i>Chemical Communications</i> , 2016 , 52, 7288-91	5.8	132
92	A fluorescent probe for simultaneous discrimination of GSH and Cys/Hcy in human serum samples via distinctly-separated emissions with independent excitations. <i>Biosensors and Bioelectronics</i> , 2016 , 81, 341-348	11.8	115
91	A fluorescence turn-on sensor for iodide based on a thymine-Hg(II)-thymine complex. <i>Chemistry - A European Journal</i> , 2011 , 17, 14844-50	4.8	113
90	Ratiometric fluorescent probe for alkaline phosphatase based on betaine-modified polyethylenimine via excimer/monomer conversion. <i>Analytical Chemistry</i> , 2014 , 86, 9873-9	7.8	106
89	A two-photon fluorescent sensor revealing drug-induced liver injury via tracking Eglutamyltranspeptidase (GGT) level in vivo. <i>Biomaterials</i> , 2016 , 80, 46-56	15.6	102
88	Activatable probes for diagnosing and positioning liver injury and metastatic tumors by multispectral optoacoustic tomography. <i>Nature Communications</i> , 2018 , 9, 3983	17.4	95
87	A PEGylated fluorescent turn-on sensor for detecting fluoride ions in totally aqueous media and its imaging in live cells. <i>Chemistry - A European Journal</i> , 2013 , 19, 936-42	4.8	92
86	Preparation of a mitochondria-targeted and NO-releasing nanoplatform and its enhanced pro-apoptotic effect on cancer cells. <i>Small</i> , 2014 , 10, 3750-60	11	90
85	Polymer micelle with pH-triggered hydrophobic-hydrophilic transition and de-cross-linking process in the core and its application for targeted anticancer drug delivery. <i>Biomacromolecules</i> , 2012 , 13, 4126-37	6.9	88
84	A highly selective fluorescent nanoprobe based on AIE and ES IPT for imaging hydrogen sulfide in live cells and zebrafish. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 838-845	7.8	87
83	Nanoaggregate Probe for Breast Cancer Metastasis through Multispectral Optoacoustic Tomography and Aggregation-Induced NIR-I/II Fluorescence Imaging. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 10111-10121	16.4	87
82	A ratiometric fluorescent system for carboxylesterase detection with AIE dots as FRET donors. <i>Chemical Communications</i> , 2015 , 51, 12791-4	5.8	86
81	Dual-targeting nanosystem for enhancing photodynamic therapy efficiency. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 9287-96	9.5	81

80	Water-dispersible fullerene aggregates as a targeted anticancer prodrug with both chemo- and photodynamic therapeutic actions. <i>Small</i> , 2013 , 9, 613-21	11	81
79	A fast-responding fluorescent turn-on sensor for sensitive and selective detection of sulfite anions. <i>Analytical Methods</i> , 2012 , 4, 2638	3.2	74
78	An AIE-based fluorescent test strip for the portable detection of gaseous phosgene. <i>Chemical Communications</i> , 2017 , 53, 9813-9816	5.8	70
77	A fluorescent ratiometric nanosensor for detecting NO in aqueous media and imaging exogenous and endogenous NO in live cells. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 4152-4159	7.3	69
76	Ratiometric fluorescence assay for β -glutamyltranspeptidase detection based on a single fluorophore via analyte-induced variation of substitution. <i>Chemical Communications</i> , 2014 , 50, 3417-20	5.8	65
75	Hyperbranched polyester-based fluorescent probe for histone deacetylase via aggregation-induced emission. <i>Biomacromolecules</i> , 2013 , 14, 4507-14	6.9	64
74	A DT-diaphorase responsive theranostic prodrug for diagnosis, drug release monitoring and therapy. <i>Chemical Communications</i> , 2015 , 51, 9567-70	5.8	62
73	A water-soluble and specific BODIPY-based fluorescent probe for hypochlorite detection and cell imaging. <i>Analytical Methods</i> , 2013 , 5, 5589	3.2	61
72	A fluorescent assay for β -glutamyltranspeptidase via aggregation induced emission and its applications in real samples. <i>Biosensors and Bioelectronics</i> , 2016 , 85, 317-323	11.8	52
71	A ratiometric fluorescent probe for in vivo tracking of alkaline phosphatase level variation resulting from drug-induced organ damage. <i>Journal of Materials Chemistry B</i> , 2015 , 3, 1042-1048	7.3	49
70	A Gold Nanocage/Cluster Hybrid Structure for Whole-Body Multispectral Optoacoustic Tomography Imaging, EGFR Inhibitor Delivery, and Photothermal Therapy. <i>Small</i> , 2019 , 15, e1900309	11	46
69	Nanosized diblock copolymer micelles as a scaffold for constructing a ratiometric fluorescent sensor for metal ion detection in aqueous media. <i>Nanotechnology</i> , 2010 , 21, 195501	3.4	46
68	An Activatable Near-Infrared Chromophore for Multispectral Optoacoustic Imaging of Tumor Hypoxia and for Tumor Inhibition. <i>Theranostics</i> , 2019 , 9, 7313-7324	12.1	45
67	A Turn-On Optoacoustic Probe for Imaging Metformin-Induced Upregulation of Hepatic Hydrogen Sulfide and Subsequent Liver Injury. <i>Theranostics</i> , 2019 , 9, 77-89	12.1	44
66	Handy ratiometric detection of gaseous nerve agents with AIE-fluorophore-based solid test strips. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 10105-10110	7.1	43
65	One-pot fabrication of polymer nanoparticle-based chemosensors for Cu ²⁺ detection in aqueous media. <i>Polymer Chemistry</i> , 2013 , 4, 2325	4.9	41
64	Mesoporous silica particles for selective detection of dopamine with β -cyclodextrin as the selective barricade. <i>Chemical Communications</i> , 2011 , 47, 9086-8	5.8	41
63	Fluorescent nanoprobe for in-vivo ratiometric imaging of endogenous hydrogen peroxide resulted from drug-induced organ damages. <i>Biosensors and Bioelectronics</i> , 2017 , 94, 278-285	11.8	40

62	A self-immolative prodrug nanosystem capable of releasing a drug and a NIR reporter for in vivo imaging and therapy. <i>Biomaterials</i> , 2017 , 139, 139-150	15.6	40
61	A polylysine-based fluorescent probe for sulfite anion detection in aqueous media via analyte-induced charge generation and complexation. <i>Polymer Chemistry</i> , 2013 , 4, 5416	4.9	40
60	Diagnosing Drug-Induced Liver Injury by Multispectral Optoacoustic Tomography and Fluorescence Imaging Using a Leucine-Aminopeptidase-Activated Probe. <i>Analytical Chemistry</i> , 2019 , 91, 8085-8092	7.8	39
59	A Fluorescent Probe for Early Detection of Melanoma and Its Metastasis by Specifically Imaging Tyrosinase Activity in a Mouse Model. <i>Analytical Chemistry</i> , 2018 , 90, 8807-8815	7.8	39
58	Simultaneous Imaging of Endogenous Survivin mRNA and On-Demand Drug Release in Live Cells by Using a Mesoporous Silica Nanoquencher. <i>Small</i> , 2017 , 13, 1700569	11	35
57	Tumor Inhibition Achieved by Targeting and Regulating Multiple Key Elements in EGFR Signaling Pathway Using a Self-Assembled Nanoprodrug. <i>Advanced Functional Materials</i> , 2018 , 28, 1800692	15.6	34
56	A turn-on fluorescence probe based on aggregation-induced emission for leucine aminopeptidase in living cells and tumor tissue. <i>Analytica Chimica Acta</i> , 2018 , 1031, 169-177	6.6	34
55	A Nanoprobe for Diagnosing and Mapping Lymphatic Metastasis of Tumor Using 3D Multispectral Optoacoustic Tomography Owing to Aggregation/Deaggregation Induced Spectral Change. <i>Advanced Functional Materials</i> , 2019 , 29, 1807960	15.6	34
54	Cell-penetrating poly(disulfide)-based star polymers for simultaneous intracellular delivery of miRNAs and small molecule drugs. <i>Polymer Chemistry</i> , 2017 , 8, 4043-4051	4.9	33
53	A bioorthogonal nanosystem for imaging and in vivo tumor inhibition. <i>Biomaterials</i> , 2017 , 138, 57-68	15.6	33
52	A Nanosystem Capable of Releasing a Photosensitizer Bioprecursor under Two-Photon Irradiation for Photodynamic Therapy. <i>Advanced Science</i> , 2016 , 3, 1500254	13.6	33
51	A Fluorescent Probe with Aggregation-Induced Emission for Detecting Alkaline Phosphatase and Cell Imaging. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 802-808	4.5	32
50	Ratiometric sensing of mercury(II) based on a FRET process on silica core-shell nanoparticles acting as vehicles. <i>Mikrochimica Acta</i> , 2013 , 180, 845-853	5.8	29
49	Activatable Nanocomposite Probe for Preoperative Location and Intraoperative Navigation for Orthotopic Hepatic Tumor Resection via MSOT and Aggregation-Induced Near-IR-I/II Fluorescence Imaging. <i>Analytical Chemistry</i> , 2020 , 92, 9257-9264	7.8	28
48	Grafting zwitterionic polymer chains onto PEI as a convenient strategy to enhance gene delivery performance. <i>Polymer Chemistry</i> , 2013 , 4, 5810	4.9	28
47	A self-immolative and DT-diaphorase-activatable prodrug for drug-release tracking and therapy. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 2635-2643	7.3	27
46	A ratiometric fluorescent probe for aluminum ions based-on monomer/excimer conversion and its applications to real samples. <i>Talanta</i> , 2016 , 151, 8-13	6.2	27
45	Oligo(ethylene glycol)-Functionalized Squaraine Fluorophore as a Near-Infrared-Fluorescent Probe for the In Vivo Detection of Diagnostic Enzymes. <i>Analytical Chemistry</i> , 2018 , 90, 9359-9365	7.8	26

44	A mitochondrial-targeting and NO-based anticancer nanosystem with enhanced photo-controllability and low dark-toxicity. <i>Journal of Materials Chemistry B</i> , 2015 , 3, 4904-4912	7.3	25
43	A ratiometric fluorescent probe for hyaluronidase detection via hyaluronan-induced formation of red-light emitting excimers. <i>Biosensors and Bioelectronics</i> , 2016 , 79, 776-83	11.8	24
42	Low molecular weight PEIs modified by hydrazone-based crosslinker and betaine as improved gene carriers. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 122, 472-481	6	23
41	A sequential enzyme-activated and light-triggered pro-prodrug nanosystem for cancer detection and therapy. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 2547-2556	7.3	21
40	A conjugated-polymer-based ratiometric nanoprobe for evaluating in-vivo hepatotoxicity induced by herbal medicine via MSOT imaging. <i>Photoacoustics</i> , 2019 , 13, 6-17	9	21
39	Phase separation in poly(N-isopropyl acrylamide)/water solutions. II. Salt effects on cloud-point curves and gelation. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2001 , 39, 901-907	2.6	20
38	A two-photon-activated prodrug for therapy and drug release monitoring. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 7538-7546	7.3	18
37	An anthracenecarboximide fluorescent probe for in vitro and in vivo ratiometric imaging of endogenous alpha-L-fucosidase for hepatocellular carcinoma diagnosis. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 660-667	7.8	18
36	Nanoaggregate Probe for Breast Cancer Metastasis through Multispectral Optoacoustic Tomography and Aggregation-Induced NIR-I/II Fluorescence Imaging. <i>Angewandte Chemie</i> , 2020 , 132, 10197-10207	3.6	18
35	Emerging contrast agents for multispectral optoacoustic imaging and their biomedical applications. <i>Chemical Society Reviews</i> , 2021 , 50, 7924-7940	58.5	18
34	Targeted anti-cancer prodrug based on carbon nanotube with photodynamic therapeutic effect and pH-triggered drug release. <i>Journal of Nanoparticle Research</i> , 2013 , 15, 1	2.3	17
33	An Unsymmetrical Squaraine-Based Activatable Probe for Imaging Lymphatic Metastasis by Responding to Tumor Hypoxia with MSOT and Aggregation-Enhanced Fluorescent Imaging. <i>Chemistry - A European Journal</i> , 2019 , 25, 16740	4.8	16
32	Activatable fluorescent probe based on aggregation-induced emission for detecting hypoxia-related pathological conditions. <i>Analytica Chimica Acta</i> , 2020 , 1125, 152-161	6.6	16
31	Preparation of Highly Charged, Monodisperse Nanospheres. <i>Macromolecular Chemistry and Physics</i> , 2002 , 203, 673-677	2.6	14
30	A dopamine-precursor-based nanoprodrug for in-situ drug release and treatment of acute liver failure by inhibiting NLRP3 inflammasome and facilitating liver regeneration. <i>Biomaterials</i> , 2021 , 268, 120573	15.6	14
29	A HO-activatable nanoprobe for diagnosing interstitial cystitis and liver ischemia-reperfusion injury via multispectral optoacoustic tomography and NIR-II fluorescent imaging. <i>Nature Communications</i> , 2021 , 12, 6870	17.4	13
28	Tetranitrile-anthracene as a probe for fluorescence detection of viscosity in fluid drinks via aggregation-induced emission. <i>Analyst, The</i> , 2020 , 145, 844-850	5	13
27	An activatable probe for detecting alcoholic liver injury via multispectral optoacoustic tomography and fluorescence imaging. <i>Chemical Communications</i> , 2020 , 56, 11102-11105	5.8	13

26	A fluorescent probe based on aggregation-induced emission for hydrogen sulfide-specific assaying in food and biological systems. <i>Analyst, The</i> , 2019 , 144, 6570-6577	5	13
25	An Activatable Nano-Prodrug for Treating Tyrosine-Kinase-Inhibitor-Resistant Non-Small Cell Lung Cancer and for Optoacoustic and Fluorescent Imaging. <i>Small</i> , 2020 , 16, e2003451	11	12
24	Bioorthogonal Nanosystem for Near-Infrared Fluorescence Imaging and Prodrug Activation in Mouse Model 2019 , 1, 549-557		11
23	Therapeutic Nanosystem Consisting of Singlet-Oxygen-Responsive Prodrug and Photosensitizer Excited by Two-Photon Light. <i>ACS Medicinal Chemistry Letters</i> , 2018 , 9, 23-27	4.3	9
22	An Activatable Probe with Aggregation-Induced Emission for Detecting and Imaging Herbal Medicine Induced Liver Injury with Optoacoustic Imaging and NIR-II Fluorescence Imaging. <i>Advanced Healthcare Materials</i> , 2021 , e2100867	10.1	9
21	AIE fluorophore with enhanced cellular uptake for tracking esterase-activated release of taurine and ROS scavenging. <i>Faraday Discussions</i> , 2017 , 196, 335-350	3.6	8
20	Biomarker-activatable probes based on smart AIEgens for fluorescence and optoacoustic imaging. <i>Coordination Chemistry Reviews</i> , 2022 , 458, 214438	23.2	8
19	A biopolymer-based and inflammation-responsive nanodrug for rheumatoid arthritis treatment inhibiting JAK-STAT and JNK signalling pathways. <i>Nanoscale</i> , 2020 , 12, 23013-23027	7.7	8
18	Modulation of Fluorescence of a Terbium-Complex-Containing Polymer by Gold Nanoparticles through Energy Transfer. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2007 , 17, 679-685	2.2	7
17	Tetrazine-Mediated Bioorthogonal System for Prodrug Activation, Photothermal Therapy, and Optoacoustic Imaging. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 41875-41888	9.5	6
16	Tunability of Fluorescence Property of a Terbium-Complex-Containing Polymer via Incorporation of a Transition-Metal Complex. <i>Macromolecular Rapid Communications</i> , 2006 , 27, 937-942	4.8	6
15	Preparation of colloidal crystals with polyhedral building blocks through post-polymerization. <i>Colloid and Polymer Science</i> , 2004 , 282, 651-655	2.4	6
14	Thermal reversible gelation during phase separation of poly(N-isopropyl acrylamide)/water solution. <i>Science in China Series B: Chemistry</i> , 2000 , 43, 428-434		5
13	A turn-on probe for detecting antituberculous drug-induced liver injury in mice NIR-II fluorescence/optoacoustic imaging. <i>Chemical Communications</i> , 2021 , 57, 7842-7845	5.8	5
12	A Targeted Nanosystem for Detection of Inflammatory Diseases via Fluorescent/Optoacoustic Imaging and Therapy via Modulating Nrf2/NF- κ B Pathways. <i>Small</i> , 2021 , 17, e2102598	11	5
11	An AIEgen-based oral-administration nanosystem for detection and therapy of ulcerative colitis via 3D-MSOT/NIR-II fluorescent imaging and inhibiting NLRP3 inflammasome.. <i>Biomaterials</i> , 2022 , 283, 121468	15.6	4
10	An activatable probe for detection and therapy of food-additive-related hepatic injury via NIR-II fluorescence/optoacoustic imaging and biomarker-triggered drug release.. <i>Analytica Chimica Acta</i> , 2022 , 1208, 339831	6.6	4
9	Fluorophore-Dapagliflozin Dyad for Detecting Diabetic Liver/Kidney Damages via Fluorescent Imaging and Treating Diabetes via Inhibiting SGLT2. <i>Analytical Chemistry</i> , 2021 , 93, 4647-4656	7.8	3

8	Refashioning benzothiadiazole dye as an activatable nanoprobe for biomarker detection with NIR-II fluorescence/optoacoustic imaging. <i>Cell Reports Physical Science</i> , 2021 , 100570	6.1	3
7	Biomarker-responsive nanoprobe with aggregation-induced emission for locating and guiding resection of deep-seated tumors via optoacoustic and NIR fluorescence imaging. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 1962-1970	7.8	3
6	Near-Infrared Fluorescent Nanoprobe for Detecting Hydrogen Peroxide in Inflammation and Ischemic Kidney Injury. <i>Chinese Journal of Chemistry</i> , 2020 , 38, 1304-1310	4.9	3
5	Targeted and activatable nanosystem for fluorescent and optoacoustic imaging of immune-mediated inflammatory diseases and therapy via inhibiting NF- κ B/NLRP3 pathways.. <i>Bioactive Materials</i> , 2022 , 10, 79-92	16.7	2
4	Synthesis of NQO1-activatable Optoacoustic Probe and Its Imaging of Breast Cancer. <i>Acta Chimica Sinica</i> , 2021 , 79, 331	3.3	2
3	ALP-activated probe for diagnosis of liver injury by multispectral optoacoustic tomography. <i>Methods in Enzymology</i> , 2021 , 657, 301-330	1.7	0
2	A dual-targeting strategy to enhance photodynamic efficacy using a pH-responsive polymeric micelles. <i>Journal of Controlled Release</i> , 2015 , 213, e49	11.7	
1	Interactions Between Gold Nanoparticles and Polymer Bearing 3-Styryl Thiophene Chromophores. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2008 , 18, 463-471	3.2	