

# Uwe Fritz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5621553/publications.pdf>

Version: 2024-02-01

154  
papers

4,577  
citations

101384

36  
h-index

155451

55  
g-index

162  
all docs

162  
docs citations

162  
times ranked

3754  
citing authors

#	ARTICLE	IF	CITATIONS
1	Multi-locus Analyses Reveal Four Giraffe Species Instead of One. <i>Current Biology</i> , 2016, 26, 2543-2549.	1.8	175
2	Turtles and Tortoises Are in Trouble. <i>Current Biology</i> , 2020, 30, R721-R735.	1.8	166
3	Global Conservation Status of Turtles and Tortoises (Order Testudines). <i>Chelonian Conservation and Biology</i> , 2018, 17, 135.	0.1	165
4	Mitochondrial phylogeography of the European pond turtle, <i>Emys orbicularis</i> (Linnaeus 1758). <i>Molecular Ecology</i> , 1999, 8, 1911-1922.	2.0	155
5	Taxonomy based on science is necessary for global conservation. <i>PLoS Biology</i> , 2018, 16, e2005075.	2.6	149
6	Species list of the European herpetofauna – 2020 update by the Taxonomic Committee of the Societas Europaea Herpetologica. <i>Amphibia - Reptilia</i> , 2020, 41, 139-189.	0.1	107
7	Phylogeography of western Palaearctic reptiles – Spatial and temporal speciation patterns. <i>Zoologischer Anzeiger</i> , 2007, 246, 293-313.	0.4	104
8	Impact of mountain chains, sea straits and peripheral populations on genetic and taxonomic structure of a freshwater turtle, <i>Mauremys leprosa</i> (Reptilia, Testudines, Geoemydidae). <i>Zoologica Scripta</i> , 2006, 35, 97-108.	0.7	95
9	A new cryptic species of pond turtle from southern Italy, the hottest spot in the range of the genus <i>Emys</i> (Reptilia, Testudines, Emydidae). <i>Zoologica Scripta</i> , 2005, 34, 351-371.	0.7	87
10	A rangewide phylogeography of Hermann's tortoise, <i>Testudo hermanni</i> (Reptilia: Testudines: Testudinidae). <i>Amphibia - Reptilia</i> , 2007, 28, 97-121.	0.7	84
11	Phenotypic plasticity leads to incongruence between morphology-based taxonomy and genetic differentiation in western Palaearctic tortoises ( <i>Testudo graeca</i> complex; Testudines, Testudinidae). <i>Amphibia - Reptilia</i> , 2007, 28, 97-121.	0.1	79
12	When genes meet nomenclature: Tortoise phylogeny and the shifting generic concepts of <i>Testudo</i> and <i>Geochelone</i> . <i>Zoology</i> , 2007, 110, 298-307.	0.6	73
13	Cold Code: the global initiative to DNA barcode amphibians and nonavian reptiles. <i>Molecular Ecology Resources</i> , 2013, 13, 161-167.	2.2	72
14	Mitochondrial phylogeography of <i>Testudo graeca</i> in the Western Mediterranean: Old complex divergence in North Africa and recent arrival in Europe. <i>Amphibia - Reptilia</i> , 2009, 30, 63-80.	0.1	69
15	Phylogeography and cryptic variation within the <i>Lacerta viridis</i> complex (Lacertidae, Reptilia). <i>Zoologica Scripta</i> , 2007, 36, 119-131.	0.7	66
16	Molecular phylogeny of Central and South American slider turtles: implications for biogeography and systematics (Testudines: Emydidae: <i>Trachemys</i> ). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2012, 50, 125-136.	0.6	65
17	Mitochondrial phylogeography of European pond turtles ( <i>Emys orbicularis</i> , <i>Emys trinacris</i> ) – an update. <i>Amphibia - Reptilia</i> , 2007, 28, 418-426.	0.1	63
18	Mitochondrial phylogeography, contact zones and taxonomy of grass snakes ( <i>Natrix natrix</i> ). <i>Amphibia - Reptilia</i> , 2007, 28, 418-426.	0.7	63

#	ARTICLE	IF	CITATIONS
19	Phylogeny and taxonomy of endangered South and South-east Asian freshwater turtles elucidated by mtDNA sequence variation (Testudines: Geoemydidae: Batagur, Callagur, Hardella, Kachuga.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 222	0.7	47
20	Early Mesozoic Coexistence of Amniotes and Hepadnaviridae. PLoS Genetics, 2014, 10, e1004559.	1.5	61
21	Go east: phylogeographies of <i>Mauremys caspica</i> and <i>M. rivulata</i> “ discordance of morphology, mitochondrial and nuclear genomic markers and rare hybridization. Journal of Evolutionary Biology, 2008, 21, 527-540.	0.8	58
22	Mitochondrial diversity of European pond turtles ( <i>Emys orbicularis</i> ) in Anatolia and the Ponto-Caspian Region: Multiple old refuges, hotspot of extant diversification and critically endangered endemics. Organisms Diversity and Evolution, 2009, 9, 100-114.	0.7	55
23	Tropical ancient DNA reveals relationships of the extinct Bahamian giant tortoise <i>Chelonoidis alburyorum</i> . Proceedings of the Royal Society B: Biological Sciences, 2017, 284, 20162235.	1.2	55
24	Hybridization patterns in two contact zones of grass snakes reveal a new Central European snake species. Scientific Reports, 2017, 7, 7378.	1.6	55
25	Unexpected early extinction of the European pond turtle ( <i>Emys orbicularis</i> ) in Sweden and climatic impact on its Holocene range. Molecular Ecology, 2009, 18, 1252-1262.	2.0	54
26	Deep genealogical lineages in the widely distributed African helmeted terrapin: Evidence from mitochondrial and nuclear DNA (Testudines: Pelomedusidae: Pelomedusa subrufa). Molecular Phylogenetics and Evolution, 2010, 56, 428-440.	1.2	51
27	The freshwater turtle genus <i>Mauremys</i> (Testudines, Geoemydidae) - a textbook example of an east-west disjunction or a taxonomic misconception?. Zoologica Scripta, 2004, 33, 213-221.	0.7	48
28	Environmentally caused dwarfism or a valid species? Is <i>Testudo weissingeri</i> Bour, 1996 a distinct evolutionary lineage? New evidence from mitochondrial and nuclear genomic markers. Molecular Phylogenetics and Evolution, 2005, 37, 389-401.	1.2	48
29	The world’s economically most important chelonians represent a diverse species complex (Testudines:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 222	0.7	47
30	Diversity of the Southeast Asian leaf turtle genus <i>Cyclemys</i> : how many leaves on its tree of life?. Zoologica Scripta, 2008, 37, 367-390.	0.7	45
31	Molecular phylogeny and divergence times of ancient South American and Malagasy river turtles (Testudines: Pleurodira: Podocnemididae). Organisms Diversity and Evolution, 2008, 8, 388-398.	0.7	45
32	Stable Cretaceous sex chromosomes enable molecular sexing in softshell turtles (Testudines:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222	1.6	45
33	Funding, training, permits “the three big challenges of taxonomy. Megataxa, 2020, 1, .	1.5	45
34	Differences in gene flow in a twofold secondary contact zone of pond turtles in southern Italy (Testudines: Emydidae: <i>Emys orbicularis galloitalica</i> , <i>E. A. hellenica</i> , <i>E. A. trinacris</i> ). Zoologica Scripta, 2015, 44, 233-249.	0.7	44
35	Holocene recolonization and extinction of the pond turtle, <i>Emys orbicularis</i> (L., 1758), in Europe. Quaternary Science Reviews, 2007, 26, 3099-3107.	1.4	43
36	Phylogeography of the <i>Lacerta viridis</i> complex: mitochondrial and nuclear markers provide taxonomic insights. Journal of Zoological Systematics and Evolutionary Research, 2016, 54, 85-105.	0.6	43

#	ARTICLE	IF	CITATIONS
37	Gene flow across secondary contact zones of the <i>Emys orbicularis</i> complex in the Western Mediterranean and evidence for extinction and re-introduction of pond turtles on Corsica and Sardinia (Testudines: Emydidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2011, 49, 44-57.	0.6	42
38	A revision of African helmeted terrapins (Testudines: Pelomedusidae). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td (&amp;lt;er</i> 3795, 523.	0.2	41
39	Integrative taxonomy provides evidence for the species status of the Ibero-Maghrebian grass snake <i>Natrix astreptophora</i> . <i>Biological Journal of the Linnean Society</i> , 2016, 118, 873-888.	0.7	39
40	Where are you from, stranger? The enigmatic biogeography of North African pond turtles ( <i>Emys</i> ) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6</i>	0.7	37
41	Molecular phylogeny of African hinged and helmeted terrapins (Testudines: Pelomedusidae). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf</i>	0.7	36
42	Small edge populations at risk: genetic diversity of the green lizard ( <i>Lacerta viridis viridis</i> ) in Germany and implications for conservation management. <i>Conservation Genetics</i> , 2007, 8, 555-563.	0.8	35
43	Pleistocene diversification in Morocco and recent demographic expansion in the Mediterranean pond turtle <i>Mauremys leprosa</i> . <i>Biological Journal of the Linnean Society</i> , 2016, 119, 943-959.	0.7	32
44	Northern genetic richness and southern purity, but just one species in the <i>Chelonoidis chilensis</i> complex. <i>Zoologica Scripta</i> , 2012, 41, 220-232.	0.7	31
45	Mitochondrial phylogeography and subspecies of the wide-ranging sub-Saharan leopard tortoise <i>Stigmochelys pardalis</i> (Testudines: Testudinidae) - a case study for the pitfalls of pseudogenes and GenBank sequences. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2010, 48, 348-359.	0.6	30
46	Identity of <i>Pelodiscus sinensis</i> revealed by DNA sequences of an approximately 180-year-old type specimen and a taxonomic reappraisal of <i>Pelodiscus</i> species (Testudines: Trionychidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2011, 49, 335-339.	0.6	30
47	Variation of Sicilian pond turtles, <i>Emys trinacris</i> – What makes a species cryptic?. <i>Amphibia - Reptilia</i> , 2006, 27, 513-529.	0.1	29
48	Individualistic response to past climate changes: niche differentiation promotes diverging Quaternary range dynamics in the subspecies of <i>Testudo graeca</i> . <i>Ecography</i> , 2015, 38, 956-966.	2.1	29
49	An updated description of the osteology of the pancake tortoise <i>Malacochersus tornieri</i> (Testudines: Testudinidae) with special focus on intraspecific variation. <i>Journal of Morphology</i> , 2017, 278, 321-333.	0.6	29
50	Molecular phylogeny of African hinge-back tortoises (Kinixys): implications for phylogeography and taxonomy (Testudines: Testudinidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2012, 50, 192-201.	0.6	28
51	Threat or fiction: is the pond slider ( <i>Trachemys scripta</i> ) really invasive in Central Europe? A case study from Slovenia. <i>Conservation Genetics</i> , 2016, 17, 557-563.	0.8	28
52	Evolutionary distinctiveness of the extinct Yunnan box turtle ( <i>Cuora yunnanensis</i> ) revealed by DNA from an old museum specimen. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2004, 271, S391-4.	1.2	26
53	Red- and yellow-footed tortoises, <i>Chelonoidis carbonaria</i> and <i>C. denticulata</i> (Reptilia: Testudines): <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i> habitats?. <i>Organisms Diversity and Evolution</i> , 2010, 10, 161-172.	0.7	26
54	Distribution of <i>Testudo graeca</i> in the western Mediterranean according to climatic factors. <i>Amphibia - Reptilia</i> , 2012, 33, 285-296.	0.1	26

#	ARTICLE	IF	CITATIONS
55	Turtles of the genera <i>Geoemyda</i> and <i>Pangshura</i> (Testudines: Geoemydidae) lack differentiated sex chromosomes: the end of a 40-year error cascade for <i>Pangshura</i> . PeerJ, 2019, 7, e6241.	0.9	26
56	Extremely low genetic diversity and weak population differentiation in the endangered Colombian river turtle <i>Podocnemis lewyana</i> (Testudines: Podocnemididae). Conservation Genetics, 2012, 13, 65-77.	0.8	25
57	The uncertainty of Late Pleistocene range expansions in the western Mediterranean: a case study of the colonization of south-eastern Spain by the spur-thighed tortoise, <i>Testudo graeca</i> . Journal of Biogeography, 2013, 40, 323-334.	1.4	25
58	Ancient mitogenomics clarifies radiation of extinct Mascarene giant tortoises ( <i>Cylindraspis</i> spp.). Scientific Reports, 2019, 9, 17487.	1.6	25
59	When the pond turtle followed the reindeer: effect of the last extreme global warming event on the timing of faunal change in Northern Europe. Global Change Biology, 2011, 17, 2049-2053.	4.2	24
60	Native or not? Tracing the origin of wild-caught and captive freshwater turtles in a threatened and widely distributed species ( <i>Emys orbicularis</i> ). Conservation Genetics, 2011, 12, 583-588.	0.8	24
61	Integrative Taxonomy of Southeast Asian Snail-Eating Turtles (Geoemydidae: Malayemys) Reveals a New Species and Mitochondrial Introgression. PLoS ONE, 2016, 11, e0153108.	1.1	24
62	Expansion after expansion: dissecting the phylogeography of the widely distributed spur-thighed tortoise, <i>Testudo graeca</i> (Testudines: Testudinidae). Biological Journal of the Linnean Society, 2017, 121, 641-654.	0.7	24
63	Biogeography of Italy revisited: genetic lineages confirm major phylogeographic patterns and a pre-Pleistocene origin of its biota. Frontiers in Zoology, 2021, 18, 34.	0.9	24
64	Historical DNA from museum type specimens clarifies diversity of Asian leaf turtles ( <i>Cyclemys</i> ). Biological Journal of the Linnean Society, 0, 94, 131-141.	0.7	23
65	Millennium-old farm breeding of Chinese softshell turtles ( <i>Pelodiscus</i> spp.) results in massive erosion of biodiversity. Die Naturwissenschaften, 2018, 105, 34.	0.6	23
66	Sex is determined by XX/XY sex chromosomes in Australasian side-necked turtles (Testudines: Chelidae). Scientific Reports, 2020, 10, 4276.	1.6	22
67	Conservation genetics and phylogeography of the poorly known Middle Eastern terrapin <i>Mauremys caspica</i> (Testudines: Geoemydidae). Organisms Diversity and Evolution, 2013, 13, 77-85.	0.7	21
68	Genetic evidence for wild-living <i>Aspideretes nigricans</i> and a molecular phylogeny of South Asian softshell turtles (Reptilia: Trionychidae: Aspideretes, Nilssonina). Zoologica Scripta, 2007, 36, 301-310.	0.7	20
69	Is the imperilled spur-thighed tortoise ( <i>Testudo graeca</i> ) native in Sardinia? Implications from population genetics and for conservation. Amphibia - Reptilia, 2011, 32, 9-25.	0.1	20
70	AFLP analysis shows high incongruence between genetic differentiation and morphology-based taxonomy in a widely distributed tortoise. Biological Journal of the Linnean Society, 2013, 108, 151-160.	0.7	20
71	Extra-Mediterranean glacial refuges in barred and common grass snakes ( <i>Natrix helvetica</i> , <i>N. natrix</i> ). Scientific Reports, 2018, 8, 1821.	1.6	20
72	Mitogenomics of historical type specimens of Australasian turtles: clarification of taxonomic confusion and old mitochondrial introgression. Scientific Reports, 2019, 9, 5841.	1.6	20

#	ARTICLE	IF	CITATIONS
73	Mitochondrial ghost lineages blur phylogeography and taxonomy of <i>Natrix helvetica</i> and <i>N. natrix</i> in Italy and Corsica. <i>Zoologica Scripta</i> , 2020, 49, 395-411.	0.7	20
74	Genomic analyses reveal two species of the matamata (Testudines: Chelidae: <i>Chelus</i> spp.) and clarify their phylogeography. <i>Molecular Phylogenetics and Evolution</i> , 2020, 148, 106823.	1.2	20
75	A new subspecies of <i>Batagur affinis</i> (Cantor, 1847), one of the world's most critically endangered chelonians (Testudines: Geoemydidae). <i>Zootaxa</i> , 2009, 2233, 57-68.	0.2	19
76	Evolutionary and developmental aspects of phalangeal formula variation in pig-nose and soft-shelled turtles (Carettochelyidae and Trionychidae). <i>Organisms Diversity and Evolution</i> , 2010, 10, 69-79.	0.7	18
77	An integrative approach to examining a homology question: shell structures in soft-shell turtles. <i>Biological Journal of the Linnean Society</i> , 2010, 99, 462-476.	0.7	17
78	Mitochondrial DNA sequences suggest unexpected phylogenetic position of Corso-Sardinian grass snakes ( <i>Natrix cetti</i> ) and do not support their species status, with notes on phylogeography and subspecies delineation of grass snakes. <i>Organisms Diversity and Evolution</i> , 2012, 12, 71-80.	0.7	17
79	Massive transoceanic gene flow in a freshwater turtle (Testudines: Geoemydidae: <i>Mauremys</i> ). <i>Journal of Biogeography</i> , 2014, 41, 1078-1091.	0.7	17
80	Complex hybridization patterns in European pond turtles ( <i>Emys orbicularis</i> ) in the Pyrenean Region. <i>Scientific Reports</i> , 2018, 8, 15925.	1.6	17
81	Interstitial Telomeric Repeats Are Rare in Turtles. <i>Genes</i> , 2020, 11, 657.	1.0	17
82	Naming one of the world's rarest chelonians, the southern <i>Batagur</i> . <i>Zootaxa</i> , 2008, 1758, 61.	0.2	17
83	<i>Geoemyda silvatica</i> , an enigmatic turtle of the Geoemydidae (Reptilia: Testudines), represents a distinct genus. <i>Organisms Diversity and Evolution</i> , 2006, 6, 151-162.	0.7	16
84	Diversity of North American map and sawback turtles (Testudines: Emydidae: <i>Graptemys</i> ). <i>Zoologica Scripta</i> , 2017, 46, 675-682.	0.7	16
85	Phylogeography of the Ibero-Maghrebian red-eyed grass snake ( <i>Natrix astreptophora</i> ). <i>Organisms Diversity and Evolution</i> , 2018, 18, 143-150.	0.7	16
86	A new species of <i>Pelodiscus</i> from northeastern Indochina (Testudines, Trionychidae). <i>ZooKeys</i> , 2019, 824, 71-86.	0.5	16
87	It takes two to tango – Phylogeography, taxonomy and hybridization in grass snakes and dice snakes (Serpentes: Natricidae: <i>Natrix natrix</i> , <i>N. tessellata</i> ). <i>Vertebrate Zoology</i> , 2017, 67, 813-834.	2.0	16
88	Courtship of the Turtle, <i>Pseudemys nelsoni</i> . <i>Journal of Herpetology</i> , 1989, 23, 84.	0.2	15
89	Distribution of mtDNA haplotypes (cyt b) of <i>Emys orbicularis</i> in France and implications for postglacial recolonization. <i>Amphibia - Reptilia</i> , 2005, 26, 231-238.	0.1	14
90	One Extinct Turtle Species Less: <i>Pelusios seychellensis</i> Is Not Extinct, It Never Existed. <i>PLoS ONE</i> , 2013, 8, e57116.	1.1	14

#	ARTICLE	IF	CITATIONS
91	Out of Africa: did <i>Emys orbicularis occidentalis</i> cross the Strait of Gibraltar twice?. <i>Amphibia - Reptilia</i> , 2015, 36, 133-140.	0.1	14
92	Response to "How many species of giraffe are there?" <i>Current Biology</i> , 2017, 27, R137-R138.	1.8	13
93	Unexpected hybridization patterns in Near Eastern terrapins ( <i>Mauremys caspica</i> M.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 147 T</i> 401-413.	0.7	13
94	Ancient mitogenomics elucidates diversity of extinct West Indian tortoises. <i>Scientific Reports</i> , 2021, 11, 3224.	1.6	13
95	Competing generic concepts for Blanding's, Pacific and European pond turtles (Emydoidea, Actinemys) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 147 T</i>	0.2	12
96	Weak divergence among African, Malagasy and Seychellois hinged terrapins ( <i>Pelusios castanoides</i> , P.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 T</i> 2013, 13, 215-224.	0.7	12
97	Complex phylogeography in <i>Rhinoclemmys melanosterna</i> : conflicting mitochondrial and nuclear evidence suggests past hybridization (Testudines: Geoemydidae). <i>Zootaxa</i> , 2013, 3670, 238-54.	0.2	12
98	Order Testudines: 2013 update. <em>In</em> Zhang, Z.-Q. (Ed.) <i>Animal Biodiversity: An Outline of Higher-level Classification and Survey of Taxonomic Richness (Addenda 2013)</i> <strong></strong>. <i>Zootaxa</i> , 2013, 3703, 12.	0.2	12
99	Phylogeography of grass snakes ( <i>Natrix natrix</i> ) all around the Baltic Sea: implications for the Holocene colonization of Fennoscandia. <i>Amphibia - Reptilia</i> , 2014, 35, 413-424.	0.1	12
100	The enigmatic Crimean green lizard ( <i>Lacerta viridis magnifica</i> ) is extinct but not valid: Mitogenomics of a 120-year-old museum specimen reveals historical introduction. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2020, 58, 303-307.	0.6	12
101	Comparative phylogeographies of six species of hinged terrapins ( <i>Pelusios</i> spp.) reveal discordant patterns and unexpected differentiation in the <i>P. acastaneus</i> / <i>P. chapini</i> complex and <i>P. rhodesianus</i> . <i>Biological Journal of the Linnean Society</i> , 2016, 117, 305-321.	0.7	11
102	<i>Trachemys medemi</i> n. sp. from northwestern Colombia turns the biogeography of South American slider turtles upside down. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2017, 55, 326-339.	0.6	11
103	Distribution and hybridisation of barred and common grass snakes ( <i>Natrix helvetica</i> , <i>N. natrix</i> ) in Baden-Württemberg, South-western Germany. <i>Herpetozoa</i> , 0, 32, 229-236.	1.0	11
104	Osteology in the <i>Cuora galbinifrons</i> complex suggests conspecificity of <i>C. bourreti</i> and <i>C. galbinifrons</i> , with notes on shell osteology and phalangeal formulae within the Geoemydidae. <i>Amphibia - Reptilia</i> , 2006, 27, 195-205.	0.1	10
105	Eastern Mediterranean chameleons ( <i>Chamaeleo chamaeleon</i> , <i>Ch. africanus</i> ) are distinct. <i>Amphibia - Reptilia</i> , 2008, 29, 535-540.	0.1	10
106	Fifteen microsatellite markers for the stripe-necked terrapin <i>Mauremys caspica</i> (Testudines:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 T</i> 87-89.	0.4	10
107	Gene flow among deeply divergent mtDNA lineages of <i>Testudo graeca</i> (Linnaeus, 1758) in Transcaucasia. <i>Amphibia - Reptilia</i> , 2013, 34, 337-351.	0.1	10
108	Genetic diversity and Quaternary range dynamics in Iranian and Transcaucasian tortoises. <i>Biological Journal of the Linnean Society</i> , 2017, 121, 627-640.	0.7	10

#	ARTICLE	IF	CITATIONS
109	Human-mediated secondary contact of two tortoise lineages results in sex-biased introgression. <i>Scientific Reports</i> , 2017, 7, 4019.	1.6	10
110	In quest of contact: phylogeography of helmeted terrapins ( <i>Pelomedusa galeata</i> , <i>P. subrufa</i> sensu Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.9	10
111	Mitochondrial diversity of the widespread Central Asian steppe tortoise ( <i>Testudo horsfieldii</i> Gray,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 245-257.	0.1	9
112	Weak genetic divergence between the two South American toad-headed turtles <i>Mesoclemmys dahli</i> and <i>M. zuliae</i> (Testudines: Pleurodira: Chelidae). <i>Amphibia - Reptilia</i> , 2012, 33, 373-385.	0.1	9
113	Climate and patterns of body size variation in the European pond turtle, <i>Emys orbicularis</i> . <i>Biological Journal of the Linnean Society</i> , 2017, 122, 351-365.	0.7	9
114	Population estimate and body size of European pond turtles ( <i>Emys orbicularis</i> ) from PazaraÄŸaÅŠ (Afyonkarahisar/Turkey). <i>Biologia (Poland)</i> , 2007, 62, 225-227.	0.8	8
115	Phalangeal formulae and ontogenetic variation of carpal morphology in <i>Testudo horsfieldii</i> and <i>T. hermanni</i> . <i>Amphibia - Reptilia</i> , 2008, 29, 93-99.	0.1	8
116	<strong>Disentangling the <em>Pelomedusa</em> complex using type specimens and historical DNA (Testudines: Pelomedusidae)</strong>. <i>Zootaxa</i> , 2014, 3795, 501.	0.2	8
117	<strong>On the reclassification of Box Turtles (<em>Terrapene</em>): A response to Martin <em>et al.</em> (2014)</strong>. <i>Zootaxa</i> , 2014, 3835, 295.	0.2	8
118	How often do they do it? An in-depth analysis of the hybrid zone of two grass snake species (<i>Natrix) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 756-773.	0.7	8
119	Transalpine dispersal: Italian barred grass snakes in southernmost Bavariaâ€”This far but no further!. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 1136-1148.	0.6	8
120	Is <i>Testudo wernerii</i> a distinct species?. <i>Biologia (Poland)</i> , 2007, 62, 228-231.	0.8	7
121	Aspect of Population Structure of the European Pond Turtle ( <i>Emys orbicularis</i> ) in Lake Yayla, Western Anatolia, Turkey. <i>Journal of Herpetology</i> , 2008, 42, 518-522.	0.2	7
122	Comments on "Chersine Merrem, 1820 and Chersina Gray, 1831: a nomenclatural survey by Bour & Ohler, <i>Zootaxa</i> , 1752: 66Ä–68". <i>Zootaxa</i> , 2008, 1893, 65.	0.2	7
123	Phylogenetic position of <i>Pelusios williamsi</i> and a critique of current GenBank procedures (Reptilia:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.1	7
124	Hybridisation between turtle subspecies: a case study with the European pond turtle ( <i>Emys) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 T</i>	0.8	7
125	Stand out from the Crowd: Small-Scale Genetic Structuring in the Endemic Sicilian Pond Turtle. <i>Diversity</i> , 2020, 12, 343.	0.7	7
126	Phalangeal formulae of geoemydid terrapins ( <i>Batagur</i> , <i>Callagur</i> , <i>Hardella</i> , <i>Heosemys</i> , <i>Kachuga</i> , <i>Orlitia</i> .) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.1	6



#	ARTICLE	IF	CITATIONS
127	Phylogeography of the endangered black-breasted leaf turtle ( <i>Geoemyda spengleri</i> ) and conservation implications for other chelonians. <i>Amphibia - Reptilia</i> , 2009, 30, 57-62.	0.1	6
128	Chelonian type specimens at the Oxford University Museum. <i>Zootaxa</i> , 2010, 2604, 1.	0.2	6
129	How many species of angulate tortoises occur in Southern Africa? (Testudines: Testudinidae: Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.7	6
130	Kritischer Typen-Katalog der Schildkrötenammlung (Reptilia: Testudines) des Zoologischen Museums Berlin. <i>Mitteilungen Aus Dem Zoologischen Museum in Berlin</i> , 1994, 70, 157-175.	0.1	5
131	Variation of hyoid morphology in geoemydid terrapins. <i>Amphibia - Reptilia</i> , 2007, 28, 148-153.	0.1	5
132	Relict Populations and Endemic Clades in Palearctic Reptiles: Evolutionary History and Implications for Conservation. , 2010, , 119-143.		5
133	Order Testudines Batsch, 1788. In: Zhang, Z.-Q. (Ed.) <i>Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness</i> . <i>Zootaxa</i> , 2011, 3148, 61.	0.2	5
134	The leaf turtle population of Phnom Kulen National Park (northwestern Cambodia) has genetic and morphological signatures of hybridization. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2017, 55, 167-174.	0.6	5
135	Big data can cause big mistakes: using the <i>Societas Europaea Herpetologica atlas</i> by Sillero et al. (2014), the distribution of <i>Emys orbicularis</i> will be misunderstood. <i>Biologia (Poland)</i> , 2018, 73, 281-283.	0.8	5
136	Origins of Galápagos™ land-locked vertebrates: what, whence, when, how?. <i>Biological Journal of the Linnean Society</i> , 2021, 134, 261-284.	0.7	5
137	Disentangling the <i>Pelodiscus axenaria</i> complex, with the description of a new Chinese species and neotype designation for <i>P. axenaria</i> (Zhou, Zhang & Fang, 1991). <i>Zootaxa</i> , 2022, 5125, 131-143.	0.2	5
138	The last of the large-sized tortoises of the Mediterranean islands. <i>Zoological Journal of the Linnean Society</i> , 2022, 196, 1704-1717.	1.0	5
139	Leopard tortoises in southern Africa have greater genetic diversity in the north than in the south (Testudinidae). <i>Zoologica Scripta</i> , 2019, 48, 57-68.	0.7	4
140	Molecular phylogeny of <i>Eremias</i> spp. from Pakistan contributes to a better understanding of the diversity of racerunners. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 466-483.	0.6	4
141	“Ancient DNA” reveals that the scientific name for an extinct tortoise from Cape Verde refers to an extant South American species. <i>Scientific Reports</i> , 2021, 11, 17537.	1.6	4
142	Morphological variation in Tyrrhenian <i>Emys orbicularis</i> revisited. <i>Amphibia - Reptilia</i> , 2003, 24, 230-234.	0.1	2
143	Basic morphological data of native Czech <i>Emys orbicularis</i> revealed by subfossil finds. <i>Biologia (Poland)</i> , 2009, 64, 795-797.	0.8	2
144	Badger ( <i>Meles meles</i> ) predation on European pond turtle ( <i>Emys orbicularis</i> ) during the Eemian interglacial (MIS 5e). <i>Palaeobiodiversity and Palaeoenvironments</i> , 2015, 95, 223-235.	0.6	2

#	ARTICLE	IF	CITATIONS
145	Cytogenetic Analysis of the Asian Box Turtles of the Genus <i>Cuora</i> (Testudines, Geoemydidae). <i>Genes</i> , 2021, 12, 156.	1.0	2
146	Mitogenome evolution in the <i>Lacerta viridis</i> complex (Lacertidae, Squamata) reveals phylogeny of diverging clades. <i>Systematics and Biodiversity</i> , 0, , 1-12.	0.5	2
147	On the Brink of Extinction: Results of a 20-Year Quest for Eiselt's Pond Turtle ( <i>Emys orbicularis</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.1	2
148	Evolutionary history of mental glands in turtles reveals a single origin in an aquatic ancestor and recurrent losses independent of macrohabitat. <i>Scientific Reports</i> , 2021, 11, 10396.	1.6	1
149	Skeletal repatterning enhances the protective capacity of the shell in African hinge-back tortoises ( <i>Kinixys</i> ). <i>Anatomical Record</i> , 2023, 306, 1558-1573.	0.8	1
150	Words of welcome. <i>Zoologischer Anzeiger</i> , 2007, 246, 237-239.	0.4	0
151	Is the horned pitviper <i>Ceratrimeresurus shenlii</i> Liang and Liu, 2003 from China a valid <i>Protobothrops</i> ?. <i>Amphibia - Reptilia</i> , 2011, 32, 132-135.	0.1	0
152	Cross-amplification of microsatellite loci for the Mediterranean stripe-necked terrapin ( <i>Mauremys</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.1	0
153	Morphological and Molecular Evidence Reveals the First Record of the Coral Snake & Micrurus filiformis (Serpentes: Elapidae) as Prey of the Piranha & Pygocentrus cariba (Teleostei: Serrasalminidae). <i>Russian Journal of Herpetology</i> , 2021, 28, 117-121.	0.2	0
154	Population structure and gene flow of the syntopic turtles <i>Emys</i> and <i>Mauremys</i> from coastal and inland regions of Anatolia (Turkey): results from mitochondrial and microsatellite data. <i>Molecular Biology Reports</i> , 2021, 48, 4163-4169.	1.0	0