

Eiji Shimizu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5622131/publications.pdf>

Version: 2024-02-01

220
papers

12,874
citations

53939

47
h-index

29333

108
g-index

243
all docs

243
docs citations

243
times ranked

16848
citing authors

#	ARTICLE	IF	CITATIONS
1	False Safety Behavior Elimination Therapy for Social Anxiety Disorder in Japanese: A Pilot, Single-Arm Uncontrolled Study. Japanese Psychological Research, 2023, 65, 173-181.	0.4	0
2	Development of an assessment form for the performance of public transportation use in individuals with stroke. Disability and Rehabilitation, 2023, 45, 2336-2345.	0.9	1
3	Effectiveness of Unguided Internet-Based Cognitive Behavioral Therapy and the Three Good Things Exercise for Insomnia: 3-Arm Randomized Controlled Trial. Journal of Medical Internet Research, 2022, 24, e28747.	2.1	4
4	Improvement in social anxiety following a return-to-work intervention for patients with depression. Medicine (United States), 2022, 101, e28845.	0.4	1
5	Feasibility of guided internet-based cognitive behavioral therapy for patients with anorexia nervosa. Internet Interventions, 2022, 27, 100504.	1.4	9
6	Guided internet-based cognitive behavioral therapy for obsessive-compulsive disorder: A multicenter randomized controlled trial in Japan. Internet Interventions, 2022, 28, 100515.	1.4	11
7	Impact of post-COVID conditions on mental health: a cross-sectional study in Japan and Sweden. BMC Psychiatry, 2022, 22, 237.	1.1	35
8	False safety behaviour elimination therapy for social anxiety disorder in Japanese men. Clinical Psychologist, 2022, 26, 156-166.	0.5	1
9	Specific temperament in patients with nevroid basal cell carcinoma syndrome. Pediatrics International, 2021, 63, 177-182.	0.2	1
10	Eating Disorder Neuroimaging Initiative (EDNI): a multicentre prospective cohort study protocol for elucidating the neural effects of cognitive-behavioural therapy for eating disorders. BMJ Open, 2021, 11, e042685.	0.8	5
11	Serum Levels of Brain-Derived Neurotrophic Factor in Patients with Obsessive-Compulsive Disorder in a Japanese Population. Open Journal of Psychiatry, 2021, 11, 20-28.	0.2	3
12	Integrated cognitive behavioral therapy for chronic pain. Medicine (United States), 2021, 100, e23859.	0.4	5
13	Perception of and anxiety about COVID-19 infection and risk behaviors for spreading infection: an international comparison. Annals of General Psychiatry, 2021, 20, 13.	1.2	16
14	Associations between Japan's consumer confidence index and emotion-related variables such as depression, anxiety, and positive affect. Cogent Psychology, 2021, 8, 1897199.	0.6	3
15	Classroom-based cognitive behavioural therapy: a large-scale non-randomised controlled trial of the "Journey of the Brave". Child and Adolescent Psychiatry and Mental Health, 2021, 15, 21.	1.2	6
16	Ventrolateral prefrontal hemodynamic responses in autism spectrum disorder with and without depression. PLoS ONE, 2021, 16, e0256780.	1.1	1
17	A Cross-Cultural Comparison of the Bivalent Fear of Evaluation Model for Social Anxiety. Journal of Behavioral and Cognitive Therapy, 2021, 31, 205-213.	0.7	10
18	Memory rescripting in major depressive disorder. Asia Pacific Journal of Counselling and Psychotherapy, 2021, 12, 73-89.	0.3	0

#	ARTICLE	IF	CITATIONS
19	The changes in spinal reciprocal inhibition during motor imagery in lower extremity. <i>Neurological Sciences</i> , 2021, 42, 3813-3820.	0.9	0
20	Reliability and Validity of the Japanese Version of the Barriers to Access to Care Evaluation Scale Version 3 for People With Mental Disorders: an Online Survey Study. <i>Frontiers in Psychology</i> , 2021, 12, 760184.	1.1	7
21	Effectiveness of Videoconference-Delivered Cognitive Behavioral Therapy for Adults With Psychiatric Disorders: Systematic and Meta-Analytic Review. <i>Journal of Medical Internet Research</i> , 2021, 23, e31293.	2.1	24
22	Clinical Effectiveness and Cost-effectiveness of Videoconference-Based Integrated Cognitive Behavioral Therapy for Chronic Pain: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021, 23, e30690.	2.1	9
23	Attention and Imagery in Cognitive-Behavioral Therapy for Chronic Pain: An Exploratory Study. <i>Journal of Psychosocial Nursing and Mental Health Services</i> , 2021, , 1-10.	0.3	2
24	A Case Report of Cognitive Behavioral Therapy for A Housewife with Social Anxiety Disorder, Who Holed Up at Home After Being Scolded by Her "Mom Friend". <i>Fuansho Kenkyu</i> , 2021, 13, 46-51.	0.1	0
25	Hemodynamic responses in prefrontal cortex and personality characteristics in patients with bulimic disorders: a near-infrared spectroscopy study. <i>Eating and Weight Disorders</i> , 2020, 25, 59-67.	1.2	0
26	Mapping Cortical and Subcortical Asymmetry in Obsessive-Compulsive Disorder: Findings From the ENIGMA Consortium. <i>Biological Psychiatry</i> , 2020, 87, 1022-1034.	0.7	73
27	Reliability and validity of the Japanese version of the Obsessive-Compulsive Inventory-Revised (OCI-R). <i>Current Psychology</i> , 2020, 39, 89-95.	1.7	8
28	Patients' perspectives on imagery rescripting for aversive memories in social anxiety disorder. <i>Behavioural and Cognitive Psychotherapy</i> , 2020, 48, 229-242.	0.9	7
29	Deep learning-based classification of the mouse estrous cycle stages. <i>Scientific Reports</i> , 2020, 10, 11714.	1.6	11
30	Predictors of response to exposure and response prevention-based cognitive behavioral therapy for obsessive-compulsive disorder. <i>BMC Psychiatry</i> , 2020, 20, 433.	1.1	8
31	<p>>Neuropsychological Comparison Between Patients with Social Anxiety and Healthy Controls: Weak Central Coherence and Visual Scanning Deficit</p>>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 2849-2855.	1.0	1
32	Relationship between perception and anxiety about COVID-19 infection and risk behaviors for spreading infection: A national survey in Japan. <i>Brain, Behavior, & Immunity - Health</i> , 2020, 6, 100101.	1.3	63
33	Long-Term Effectiveness and Cost-Effectiveness of Videoconference-Delivered Cognitive Behavioral Therapy for Obsessive-Compulsive Disorder, Panic Disorder, and Social Anxiety Disorder in Japan: One-Year Follow-Up of a Single-Arm Trial. <i>JMIR Mental Health</i> , 2020, 7, e17157.	1.7	16
34	Guided Internet-Based Cognitive Behavioral Therapy in Japanese Patients With Obsessive-Compulsive Disorder: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e18216.	0.5	4
35	Digital Teaching Materials of Cognitive Behavioral Therapy for Obsessive-Compulsive Disorder: Case Series. <i>Fuansho Kenkyu</i> , 2020, 12, 45-59.	0.1	1
36	Assessing Subgroup Differences in Posttraumatic Stress Disorder Among Rescue Workers in Japan With the Impact of Event Scale"Revised. <i>Disaster Medicine and Public Health Preparedness</i> , 2019, 13, 309-318.	0.7	9

#	ARTICLE	IF	CITATIONS
37	Spontaneous recovery of fear differs among early “ late adolescent and adult male mice. <i>International Journal of Neuroscience</i> , 2019, 129, 1-9.	0.8	9
38	Cognitive behavioral therapy for postpartum panic disorder: a case series. <i>BMC Psychology</i> , 2019, 7, 53.	0.9	3
39	Long-Term Effectiveness of Cognitive Therapy for Refractory Social Anxiety Disorder: One-Year Follow-Up of a Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 244-246.	4.0	11
40	A pilot and feasibility study of a cognitive behavioural therapy-based anxiety prevention programme for junior high school students in Japan: a quasi-experimental study. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2019, 13, 40.	1.2	4
41	Insensitivity of auditory mismatch negativity to classical fear conditioning and extinction in healthy humans. <i>NeuroReport</i> , 2019, 30, 468-472.	0.6	2
42	Paternal methyl donor deficient diets during development affect male offspring behavior and memory-related gene expression in mice. <i>Developmental Psychobiology</i> , 2019, 61, 17-28.	0.9	10
43	Incidence and circumstances of falls among community-dwelling ambulatory stroke survivors: A prospective study. <i>Geriatrics and Gerontology International</i> , 2019, 19, 240-244.	0.7	34
44	Effectiveness of Internet-Delivered Computerized Cognitive Behavioral Therapy for Patients With Insomnia Who Remain Symptomatic Following Pharmacotherapy: Randomized Controlled Exploratory Trial. <i>Journal of Medical Internet Research</i> , 2019, 21, e12686.	2.1	19
45	Internet-Based Cognitive Behavioral Therapy via Videoconference for Patients With Bulimia Nervosa and Binge-Eating Disorder: Pilot Prospective Single-Arm Feasibility Trial. <i>JMIR Formative Research</i> , 2019, 3, e15738.	0.7	16
46	Prognosis Prediction Using Therapeutic Agreement of Video Conference-Delivered Cognitive Behavioral Therapy: Retrospective Secondary Analysis of a Single-Arm Pilot Trial. <i>JMIR Mental Health</i> , 2019, 6, e15747.	1.7	5
47	Treatment Preferences for Internet-Based Cognitive Behavioral Therapy for Insomnia in Japan: Online Survey. <i>JMIR Formative Research</i> , 2019, 3, e12635.	0.7	5
48	Educational Effectiveness of a Video Lesson for Bullying Prevention. <i>Children and Schools</i> , 2018, 40, 71-79.	0.6	6
49	Gender-specific associations of depression and anxiety symptoms with mental rotation. <i>Journal of Affective Disorders</i> , 2018, 235, 277-284.	2.0	9
50	Performance of the Japanese version of the Patient Health Questionnaire-9 (J-PHQ-9) for depression in primary care. <i>General Hospital Psychiatry</i> , 2018, 52, 64-69.	1.2	156
51	Randomised controlled trial on the effect of internet-delivered computerised cognitive-behavioural therapy on patients with insomnia who remain symptomatic following hypnotics: a study protocol. <i>BMJ Open</i> , 2018, 8, e018220.	0.8	6
52	Comparison of brain activity between motor imagery and mental rotation of the hand tasks: a functional magnetic resonance imaging study. <i>Brain Imaging and Behavior</i> , 2018, 12, 1596-1606.	1.1	20
53	Development of the fear regulation system from early adolescence to young adulthood in female mice. <i>Neurobiology of Learning and Memory</i> , 2018, 150, 93-98.	1.0	7
54	Exploratory study of imagery rescripting without focusing on early traumatic memories for major depressive disorder. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2018, 91, 345-362.	1.3	8

#	ARTICLE	IF	CITATIONS
55	Differential effects of high-definition transcranial direct current stimulation on verbal working memory performance according to sensory modality. <i>Neuroscience Letters</i> , 2018, 687, 131-136.	1.0	17
56	Effectiveness of a cognitive behavioural therapy-based anxiety prevention programme at an elementary school in Japan: a quasi-experimental study. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2018, 12, 33.	1.2	7
57	White Matter Features Associated With Autistic Traits in Obsessive-Compulsive Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 216.	1.3	8
58	Mental imagery in social anxiety disorder: the development and clinical utility of a Japanese version of the Spontaneous Use of Imagery Scale (SUIS-J). <i>Asia Pacific Journal of Counselling and Psychotherapy</i> , 2018, 9, 171-185.	0.3	3
59	Does cognitive behavioral therapy alter mental defeat and cognitive flexibility in patients with panic disorder?. <i>BMC Research Notes</i> , 2018, 11, 23.	0.6	13
60	The association of posttraumatic stress disorder risk with help-seeking behavior: A cross-sectional study of earthquake and tsunami survivors in Japan.. <i>Traumatology</i> , 2018, 24, 123-130.	1.6	4
61	Internet-Based Cognitive Behavioral Therapy With Real-Time Therapist Support via Videoconference for Patients With Obsessive-Compulsive Disorder, Panic Disorder, and Social Anxiety Disorder: Pilot Single-Arm Trial. <i>Journal of Medical Internet Research</i> , 2018, 20, e12091.	2.1	52
62	Effects of five-minute internet-based cognitive behavioral therapy and simplified emotion-focused mindfulness on depressive symptoms: a randomized controlled trial. <i>BMC Psychiatry</i> , 2017, 17, 85.	1.1	19
63	Relationship between symptom dimensions and white matter alterations in obsessive-compulsive disorder. <i>Acta Neuropsychiatrica</i> , 2017, 29, 153-163.	1.0	20
64	A pilot study on the effectiveness of a school-based cognitive-behavioral anxiety intervention for 8- and 9-year-old children: A controlled trial in Japan. <i>Mental Health and Prevention</i> , 2017, 8, 32-38.	0.7	7
65	Relationship between symptom dimensions and brain morphology in obsessive-compulsive disorder. <i>Brain Imaging and Behavior</i> , 2017, 11, 1326-1333.	1.1	17
66	<i>In vivo</i> estimation of gamma-aminobutyric acid levels in the neonatal brain. <i>NMR in Biomedicine</i> , 2017, 30, e3666.	1.6	15
67	Altered serum level of matrix metalloproteinase-9 and its association with decision-making in eating disorders. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 124-134.	1.0	10
68	Cognitive-Behavioral Therapy for Obsessive-Compulsive Disorder with and without Autism Spectrum Disorder: Gray Matter Differences Associated with Poor Outcome. <i>Frontiers in Psychiatry</i> , 2017, 8, 143.	1.3	18
69	Increased Subjective Distaste and Altered Insula Activity to Umami Tastant in Patients with Bulimia Nervosa. <i>Frontiers in Psychiatry</i> , 2017, 8, 172.	1.3	9
70	The development of fears of compassion scale Japanese version. <i>PLoS ONE</i> , 2017, 12, e0185574.	1.1	23
71	Group cognitive remediation therapy for younger adolescents with anorexia nervosa: a feasibility study in a Japanese sample. <i>BMC Research Notes</i> , 2017, 10, 317.	0.6	11
72	Feasibility of cognitive remediation therapy for adults with autism spectrum disorders: a single-group pilot study. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 2185-2191.	1.0	15

#	ARTICLE	IF	CITATIONS
73	Imaging of Neuronal Activity in Awake Mice by Measurements of Flavoprotein Autofluorescence Corrected for Cerebral Blood Flow. <i>Frontiers in Neuroscience</i> , 2017, 11, 723.	1.4	6
74	Risperidone long-acting injectable in the treatment of treatment-resistant schizophrenia with dopamine supersensitivity psychosis: Results of a 2-year prospective study, including an additional 1-year follow-up. <i>Journal of Psychopharmacology</i> , 2016, 30, 795-802.	2.0	26
75	How parents suspected of child maltreatment change their cognition and behavior: A process model of outreach and child protection, generated via grounded theory. <i>Children and Youth Services Review</i> , 2016, 71, 257-265.	1.0	2
76	The FRIENDS Cognitive Behavioral Program in Japanese schools: An examination of the treatment effects. <i>School Psychology International</i> , 2016, 37, 397-409.	1.1	63
77	Development and validation of the Japanese version of cognitive flexibility scale. <i>BMC Research Notes</i> , 2016, 9, 275.	0.6	14
78	Normal lactate concentration range in the neonatal brain. <i>Magnetic Resonance Imaging</i> , 2016, 34, 1269-1273.	1.0	9
79	Repetitive Transcranial Magnetic Stimulation Changes Cerebral Oxygenation on the Left Dorsolateral Prefrontal Cortex in Bulimia Nervosa: A Near-Infrared Spectroscopy Pilot Study. <i>European Eating Disorders Review</i> , 2016, 24, 83-88.	2.3	22
80	A feasibility study of the clinical effectiveness and cost-effectiveness of individual cognitive behavioral therapy for panic disorder in a Japanese clinical setting: an uncontrolled pilot study. <i>BMC Research Notes</i> , 2016, 9, 458.	0.6	19
81	Cognitive Behavioral Therapy for Patients with Social Anxiety Disorder Who Remain Symptomatic following Antidepressant Treatment: A Randomized, Assessor-Blinded, Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2016, 85, 208-217.	4.0	52
82	Effectiveness of a cognitive behavioural therapy-based anxiety prevention programme for children: a preliminary quasi-experimental study in Japan. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2016, 10, 4.	1.2	13
83	Increased Serum Levels of Oxytocin in Treatment Resistant Depression in Adolescents (TRDIA) Group. <i>PLoS ONE</i> , 2016, 11, e0160767.	1.1	23
84	A Comparison of Manifestations and Impact of Reassurance Seeking among Japanese Individuals with OCD and Depression. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 623-634.	0.9	6
85	Evolutional Biology of Social Anxiety Disorder and Gender Differences in the Brain. <i>Fuansho Kenkyu</i> , 2015, 7, 64-71.	0.1	1
86	Longitudinal Follow-Up of Mirror Movements after Stroke: A Case Study. <i>Case Reports in Neurological Medicine</i> , 2015, 2015, 1-4.	0.3	4
87	Cognitive Behavioral Therapy in Psychiatric Nursing in Japan. <i>Nursing Research and Practice</i> , 2015, 2015, 1-9.	0.4	7
88	Correlation between Morphologic Changes and Autism Spectrum Tendency in Obsessive-Compulsive Disorder. <i>Magnetic Resonance in Medical Sciences</i> , 2015, 14, 329-335.	1.1	8
89	Unwanted Sexual Experiences and Cognitive Appraisals That Evoke Mental Contamination. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 74-88.	0.9	19
90	Development and validation of the Japanese version of Responsibility Attitude Scale and Responsibility Interpretations Questionnaire. <i>International Journal of Culture and Mental Health</i> , 2015, 8, 231-243.	0.6	4

#	ARTICLE	IF	CITATIONS
91	Sex differences in fear extinction and involvements of extracellular signal-regulated kinase (ERK). <i>Neurobiology of Learning and Memory</i> , 2015, 123, 117-124.	1.0	52
92	Transient contribution of left posterior parietal cortex to cognitive restructuring. <i>Scientific Reports</i> , 2015, 5, 9199.	1.6	1
93	An isolated retrieval trial before extinction session does not prevent the return of fear. <i>Behavioural Brain Research</i> , 2015, 287, 139-145.	1.2	18
94	Comparison in decision-making between bulimia nervosa, anorexia nervosa, and healthy women: influence of mood status and pathological eating concerns. <i>Journal of Eating Disorders</i> , 2015, 3, 14.	1.3	14
95	Transcranial direct current stimulation (tDCS) on the dorsolateral prefrontal cortex alters P50 gating. <i>Neuroscience Letters</i> , 2015, 602, 139-144.	1.0	11
96	Methyl donor deficiency in adolescence affects memory and epigenetic status in the mouse hippocampus. <i>Genes, Brain and Behavior</i> , 2015, 14, 301-309.	1.1	51
97	Methyl Donor-Deficient Diet during Development Can Affect Fear and Anxiety in Adulthood in C57BL/6J Mice. <i>PLoS ONE</i> , 2014, 9, e105750.	1.1	33
98	Developing a Japanese version of the mental pollution questionnaire and examining the cognitions that contribute to mental contamination. <i>Asia Pacific Journal of Counselling and Psychotherapy</i> , 2014, 5, 179-192.	0.3	2
99	A positive correlation between serum levels of mature brain-derived neurotrophic factor and negative symptoms in schizophrenia. <i>Psychiatry Research</i> , 2014, 215, 268-273.	1.7	58
100	Effects of memory age and interval of fear extinction sessions on contextual fear extinction. <i>Neuroscience Letters</i> , 2014, 578, 139-142.	1.0	13
101	Comparing the roles of washing and non-washing behaviour in the reduction of mental contamination. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2014, 3, 60-64.	0.7	5
102	A prospective comparative study of risperidone long-acting injectable for treatment-resistant schizophrenia with dopamine supersensitivity psychosis. <i>Schizophrenia Research</i> , 2014, 155, 52-58.	1.1	48
103	Association between serum levels of glial cell-line derived neurotrophic factor and attention deficits in schizophrenia. <i>Neuroscience Letters</i> , 2014, 575, 37-41.	1.0	27
104	Transporting Cognitive Behavioral Therapy (CBT) and the Improving Access to Psychological Therapies (IAPT) project to Japan: preliminary observations and service evaluation in Chiba. <i>Journal of Mental Health Training, Education and Practice</i> , 2014, 9, 155-166.	0.3	36
105	A preliminary study of individual cognitive behavior therapy for social anxiety disorder in Japanese clinical settings: a single-arm, uncontrolled trial. <i>BMC Research Notes</i> , 2013, 6, 74.	0.6	19
106	Perinatal exposure to bisphenol A enhances contextual fear memory and affects the serotonergic system in juvenile female mice. <i>Hormones and Behavior</i> , 2013, 63, 709-716.	1.0	37
107	A comparison of the movement characteristics between the kneeling gait and the normal gait in healthy adults. <i>Gait and Posture</i> , 2013, 37, 402-407.	0.6	10
108	Orbitofrontal cortex abnormality and deficit schizophrenia. <i>Schizophrenia Research</i> , 2013, 143, 246-252.	1.1	72

#	ARTICLE	IF	CITATIONS
109	Strategy for treating selective serotonin reuptake inhibitor-resistant social anxiety disorder in the clinical setting: a randomised controlled trial protocol of cognitive behavioural therapy in combination with conventional treatment. <i>BMJ Open</i> , 2013, 3, e002242.	0.8	15
110	Cognitive behaviour therapy using the Clark & Wells model: a case study of a Japanese social anxiety disorder patient. <i>The Cognitive Behaviour Therapist</i> , 2013, 6, .	0.4	8
111	Cognitive behavioural therapy for somatoform pain disorder in adolescents: a case study. <i>Asia Pacific Journal of Counselling and Psychotherapy</i> , 2013, 4, 109-115.	0.3	1
112	Changes in Self-Regulation-Related Prefrontal Activities in Eating Disorders: A Near Infrared Spectroscopy Study. <i>PLoS ONE</i> , 2013, 8, e59324.	1.1	9
113	Onset Pattern and Long-Term Prognosis in Schizophrenia: 10-Year Longitudinal Follow-Up Study. <i>PLoS ONE</i> , 2013, 8, e67273.	1.1	11
114	Neonatal Brain Metabolite Concentrations: An In Vivo Magnetic Resonance Spectroscopy Study with a Clinical MR System at 3 Tesla. <i>PLoS ONE</i> , 2013, 8, e82746.	1.1	26
115	A Cognitive Behavioural Therapy Using Behavioural Experiments for Obsessive-Compulsive Disorder. <i>Anxiety Disorder Research</i> , 2013, 5, 54-60.	0.0	0
116	Is Major Depression a Risk for Bladder, Bowel, and Sexual Dysfunction?. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012, 4, 87-95.	0.6	12
117	Meta-analysis of genome-wide association studies for panic disorder in the Japanese population. <i>Translational Psychiatry</i> , 2012, 2, e186-e186.	2.4	59
118	Midkine in Psychiatric and Neurodegenerative Diseases. , 2012, , 165-170.		1
119	No erasure effect of retrievalâ€“extinction trial on fear memory in the hippocampus-independent and dependent paradigms. <i>Neuroscience Letters</i> , 2012, 523, 76-81.	1.0	37
120	P50 suppression in human discrimination fear conditioning paradigm using danger and safety signals. <i>International Journal of Psychophysiology</i> , 2012, 84, 26-32.	0.5	13
121	Effects of perinatal exposure to low dose of bisphenol A on anxiety like behavior and dopamine metabolites in brain. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 273-279.	2.5	99
122	Possible involvement of brainâ€“derived neurotrophic factor in eating disorders. <i>IUBMB Life</i> , 2012, 64, 355-361.	1.5	27
123	Pharmacokinetics and cerebral distribution of glycine administered to rats. <i>Amino Acids</i> , 2012, 42, 2129-2137.	1.2	20
124	Tuning of the excitability of transcortical cutaneous reflex pathways during mirror-like activity. <i>Experimental Brain Research</i> , 2012, 216, 135-144.	0.7	4
125	Changes in the brain activation balance in motor-related areas after constraint-induced movement therapy; a longitudinal fMRI study. <i>Brain Injury</i> , 2011, 25, 1047-1057.	0.6	20
126	Methyl donor deficient diet during the developmental period changes gene expressions patterns of NMDA receptor subtypes in adults. <i>Neuroscience Research</i> , 2011, 71, e270.	1.0	0

#	ARTICLE	IF	CITATIONS
127	Quadri-pulse stimulation (QPS) induced LTP/LTD was not affected by Val66Met polymorphism in the brain-derived neurotrophic factor (BDNF) gene. <i>Neuroscience Letters</i> , 2011, 487, 264-267.	1.0	45
128	Oral administration of glycine increases extracellular serotonin but not dopamine in the prefrontal cortex of rats. <i>Psychiatry and Clinical Neurosciences</i> , 2011, 65, 142-149.	1.0	13
129	Current status of research on cognitive therapy/cognitive behavior therapy in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2011, 65, 121-129.	1.0	29
130	Referred sensations induced by a mirror box in healthy subjects. <i>Psychological Research</i> , 2011, 75, 54-60.	1.0	15
131	Alterations of Responsibility Beliefs Through Cognitive-Behavioural Group Therapy for Obsessive-Compulsive Disorder. <i>Behavioural and Cognitive Psychotherapy</i> , 2011, 39, 481-486.	0.9	7
132	Effects of aripiprazole on MK-801-induced prepulse inhibition deficits and mitogen-activated protein kinase signal transduction pathway. <i>Neuroscience Letters</i> , 2010, 471, 53-57.	1.0	38
133	Neuronal activities of forebrain structures with respect to bladder contraction in cats. <i>Neuroscience Letters</i> , 2010, 473, 42-47.	1.0	24
134	Changes in brain monoamine levels in neonatal rats exposed to bisphenol A at low doses. <i>Chemosphere</i> , 2010, 78, 894-906.	4.2	31
135	Enhancement of acoustic prepulse inhibition by contextual fear conditioning in mice is maintained even after contextual fear extinction. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 183-188.	2.5	15
136	Impaired P50 suppression in fear extinction in obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 317-322.	2.5	25
137	d-serine enhances extinction of auditory cued fear conditioning via ERK1/2 phosphorylation in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 895-902.	2.5	48
138	Association study between the genetic polymorphisms of glutathione-related enzymes and schizophrenia in a Japanese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 86-94.	1.1	35
139	Effects of electrical stimulation of the striatum on bladder activity in cats. <i>Neurourology and Urodynamics</i> , 2009, 28, 549-554.	0.8	29
140	Does hypofrontality expand to global brain area in progression of schizophrenia?: A cross-sectional study between first-episode and chronic schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 410-415.	2.5	18
141	Dopaminergic hypofunctions and prepulse inhibition deficits in mice lacking midkine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 541-546.	2.5	24
142	Evaluating the cognitive decline in early-stage frontotemporal dementia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 1077-1079.	2.5	0
143	Alterations of Auditory P50 Suppression in Human Fear Conditioning and Extinction. <i>Biological Psychiatry</i> , 2009, 65, 495-502.	0.7	10
144	Efficacy of Constraint-Induced Movement Therapy for Post-Stroke Upper Extremity Hemiparesis Patients Attending a Day-Care Center. <i>Rigakuryoho Kagaku</i> , 2009, 24, 929-933.	0.0	0

#	ARTICLE	IF	CITATIONS
145	Glycine and d-serine, but not d-cycloserine, attenuate prepulse inhibition deficits induced by NMDA receptor antagonist MK-801. <i>Psychopharmacology</i> , 2008, 198, 363-374.	1.5	45
146	Deficits in auditory P50 inhibition in obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 288-296.	2.5	33
147	Negative Correlation between Brain Glutathione Level and Negative Symptoms in Schizophrenia: A 3T 1H-MRS Study. <i>PLoS ONE</i> , 2008, 3, e1944.	1.1	176
148	Identification of Functional Polymorphisms in the Promoter Region of the Human PICK1 Gene and Their Association With Methamphetamine Psychosis. <i>American Journal of Psychiatry</i> , 2007, 164, 1105-1114.	4.0	31
149	Combined intoxication with methylone and 5-MeO-MIPT. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 288-291.	2.5	95
150	Maintenance electroconvulsive therapy (ECT) for treatment-resistant disorganized schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 571-573.	2.5	18
151	Gender-specific association of a functional coding polymorphism in the Neuropeptide S receptor gene with panic disorder but not with schizophrenia or attention-deficit/hyperactivity disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 1444-1448.	2.5	117
152	The raphe magnus/pallidus regulates sweat secretion and skin vasodilation of the cat forepaw pad: A preliminary electrical stimulation study. <i>Neuroscience Letters</i> , 2007, 415, 283-287.	1.0	13
153	High Occupancy of Sigma-1 Receptors in the Human Brain after Single Oral Administration of Fluvoxamine: A Positron Emission Tomography Study Using [11C]SA4503. <i>Biological Psychiatry</i> , 2007, 62, 878-883.	0.7	122
154	Posterior cingulate gyrus metabolic changes in chronic schizophrenia with generalized cognitive deficits. <i>Journal of Psychiatric Research</i> , 2007, 41, 49-56.	1.5	34
155	Immune Activation During Pregnancy in Mice Leads to Dopaminergic Hyperfunction and Cognitive Impairment in the Offspring: A Neurodevelopmental Animal Model of Schizophrenia. <i>Biological Psychiatry</i> , 2006, 59, 546-554.	0.7	416
156	Analysis of correlation between serum d-serine levels and functional promoter polymorphisms of GRIN2A and GRIN2B genes. <i>Neuroscience Letters</i> , 2006, 394, 101-104.	1.0	10
157	Association between angiotensin I-converting enzyme insertion/deletion gene functional polymorphism and novelty seeking personality in healthy females. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 99-103.	2.5	8
158	No change between the serum brain-derived neurotrophic factor in female patients with anorexia nervosa before and after partial weight recovery. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 1117-1121.	2.5	35
159	Protective effects of minocycline on behavioral changes and neurotoxicity in mice after administration of methamphetamine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 1381-1393.	2.5	130
160	Protective effects of minocycline on 3,4-methylenedioxymethamphetamine-induced neurotoxicity in serotonergic and dopaminergic neurons of mouse brain. <i>European Journal of Pharmacology</i> , 2006, 544, 1-9.	1.7	62
161	Functional polymorphism of the NQO2 gene is associated with methamphetamine psychosis. <i>Addiction Biology</i> , 2005, 10, 145-148.	1.4	24
162	An open trial of outpatient group therapy for bulimic disorders: Combination program of cognitive behavioral therapy with assertive training and self-esteem enhancement. <i>Psychiatry and Clinical Neurosciences</i> , 2005, 59, 690-696.	1.0	18

#	ARTICLE	IF	CITATIONS
163	Correspondence. Australian and New Zealand Journal of Psychiatry, 2005, 39, 108-108.	1.3	0
164	Phencyclidine-induced cognitive deficits in mice are improved by subsequent subchronic administration of clozapine, but not haloperidol. European Journal of Pharmacology, 2005, 519, 114-117.	1.7	128
165	Elevated glutamine/glutamate ratio in cerebrospinal fluid of first episode and drug naive schizophrenic patients. BMC Psychiatry, 2005, 5, 6.	1.1	91
166	Association study between brain-derived neurotrophic factor gene polymorphisms and methamphetamine abusers in Japan. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2005, 132B, 70-73.	1.1	51
167	A functional glutathioneS-transferase P1 gene polymorphism is associated with methamphetamine-induced psychosis in Japanese population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2005, 135B, 5-9.	1.1	40
168	Further analysis of microsatellite marker in theBDNFgene. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2005, 135B, 103-103.	1.1	5
169	α7 Nicotinic Receptor Agonists as Potential Therapeutic Drugs for Schizophrenia. Current Medicinal Chemistry - Central Nervous System Agents, 2005, 5, 171-184.	0.6	31
170	Functional Polymorphism of the Glutathione Peroxidase 1 Gene Is Associated with Personality Traits in Healthy Subjects. Neuropsychobiology, 2005, 52, 68-70.	0.9	13
171	Dysfunction of Glia-Neuron Communication in Pathophysiology of Schizophrenia. Current Psychiatry Reviews, 2005, 1, 151-163.	0.9	73
172	Role of brain-derived neurotrophic factor in eating disorders: Recent findings and its pathophysiological implications. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2005, 29, 499-504.	2.5	54
173	Increased midkine levels in sera from patients with Alzheimer's disease. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2005, 29, 611-616.	2.5	18
174	Serum brain-derived neurotrophic factor (BDNF) levels in patients with panic disorder: As a biological predictor of response to group cognitive behavioral therapy. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2005, 29, 658-663.	2.5	72
175	No association of the brain-derived neurotrophic factor (BDNF) gene polymorphisms with panic disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2005, 29, 708-712.	2.5	38
176	Reduced d-serine to total serine ratio in the cerebrospinal fluid of drug naive schizophrenic patients. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2005, 29, 767-769.	2.5	219
177	The immunophilin ligand FK506 protects against methamphetamine-induced dopaminergic neurotoxicity in mouse striatum. Neuropharmacology, 2005, 48, 391-397.	2.0	19
178	No changes in serum epidermal growth factor levels in patients with schizophrenia. Psychiatry Research, 2005, 135, 257-260.	1.7	15
179	Identification of Multiple Serine Racemase (SRR) mRNA Isoforms and Genetic Analyses of SRR and DAO in Schizophrenia and d-Serine Levels. Biological Psychiatry, 2005, 57, 1493-1503.	0.7	138
180	Tropisetron improves deficits in auditory P50 suppression in schizophrenia. Schizophrenia Research, 2005, 76, 67-72.	1.1	125

#	ARTICLE	IF	CITATIONS
181	Glutamate Hypothesis of Schizophrenia and Approach for Possible Therapeutic Drugs. <i>Current Medicinal Chemistry - Central Nervous System Agents</i> , 2004, 4, 147-154.	0.6	31
182	Adenosine A1 Receptor Agonists Block the Neuropathological Changes in Rat Retrosplenial Cortex after Administration of the NMDA Receptor Antagonist Dizocilpine. <i>Neuropsychopharmacology</i> , 2004, 29, 544-550.	2.8	15
183	Protective Effects of N-acetyl-L-cysteine on the Reduction of Dopamine Transporters in the Striatum of Monkeys Treated with Methamphetamine. <i>Neuropsychopharmacology</i> , 2004, 29, 2018-2023.	2.8	64
184	Effect of antioxidant N-acetyl-L-cysteine on behavioral changes and neurotoxicity in rats after administration of methamphetamine. <i>Brain Research</i> , 2004, 1016, 90-95.	1.1	121
185	Effects of N-Acetyl-L-Cysteine on the Reduction of Brain Dopamine Transporters in Monkey Treated with Methamphetamine. <i>Annals of the New York Academy of Sciences</i> , 2004, 1025, 231-235.	1.8	18
186	Association between brain-derived neurotrophic factor 196 G/A polymorphism and personality traits in healthy subjects. <i>American Journal of Medical Genetics Part A</i> , 2004, 124B, 61-63.	2.4	75
187	Ethnic difference of the BDNF 196G/A (val66met) polymorphism frequencies: The possibility to explain ethnic mental traits. <i>American Journal of Medical Genetics Part A</i> , 2004, 126B, 122-123.	2.4	292
188	Association between the glutathione S-transferase M1 gene deletion and female methamphetamine abusers. <i>American Journal of Medical Genetics Part A</i> , 2004, 126B, 43-45.	2.4	28
189	Association between the brain-derived neurotrophic factor 196G/A polymorphism and eating disorders. <i>American Journal of Medical Genetics Part A</i> , 2004, 127B, 125-127.	2.4	63
190	Critical role of brain-derived neurotrophic factor in mood disorders. <i>Brain Research Reviews</i> , 2004, 45, 104-114.	9.1	447
191	Possible role of d-serine in the pathophysiology of Alzheimer's disease. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004, 28, 385-388.	2.5	93
192	Decreased cell proliferation in the dentate gyrus of $\alpha 7$ nicotinic acetylcholine receptor heterozygous mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004, 28, 517-520.	2.5	4
193	No changes in serum ghrelin levels in female patients with bulimia nervosa. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004, 28, 1181-1184.	2.5	26
194	Lack of association between angiotensin I-converting enzyme insertion/deletion gene functional polymorphism and panic disorder in humans. <i>Neuroscience Letters</i> , 2004, 363, 81-83.	1.0	18
195	Blepharospasm associated with olanzapine: a case report. <i>European Psychiatry</i> , 2004, 19, 389-389.	0.1	4
196	Protective effect of LY379268, a selective group II metabotropic glutamate receptor agonist, on dizocilpine-induced neuropathological changes in rat retrosplenial cortex. <i>Brain Research</i> , 2003, 992, 114-119.	1.1	14
197	Protective effect of the antipsychotic drug zotepine on dizocilpine-induced neuropathological changes in rat retrosplenial cortex. <i>European Journal of Pharmacology</i> , 2003, 461, 93-98.	1.7	18
198	Serum brain-derived neurotrophic factor (BDNF) levels in schizophrenia are indistinguishable from controls. <i>Neuroscience Letters</i> , 2003, 351, 111-111.	1.0	1

#	ARTICLE	IF	CITATIONS
199	Decreased levels of serum brain-derived neurotrophic factor in female patients with eating disorders. <i>Biological Psychiatry</i> , 2003, 54, 485-490.	0.7	140
200	Serum brain-derived neurotrophic factor (BDNF) levels in schizophrenia are indistinguishable from controls. <i>Neuroscience Letters</i> , 2003, 351, 111-114.	1.0	136
201	Alterations of serum levels of brain-derived neurotrophic factor (BDNF) in depressed patients with or without antidepressants. <i>Biological Psychiatry</i> , 2003, 54, 70-75.	0.7	990
202	Two clusters of serum midkine levels in drug-naive patients with schizophrenia. <i>Neuroscience Letters</i> , 2003, 344, 95-98.	1.0	12
203	A decrease in interleukin-1 receptor antagonist expression in the prefrontal cortex of schizophrenic patients. <i>Neuroscience Research</i> , 2003, 46, 299-307.	1.0	53
204	Increased levels of serum basic fibroblast growth factor in schizophrenia. <i>Psychiatry Research</i> , 2003, 120, 211-218.	1.7	47
205	Decreased Serum Levels of D-Serine in Patients With Schizophrenia. <i>Archives of General Psychiatry</i> , 2003, 60, 572.	13.8	461
206	Inducible protein knockout reveals temporal requirement of CaMKII reactivation for memory consolidation in the brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 4287-4292.	3.3	149
207	Delayed-onset nocturnal akathisia due to risperidone and levomepromazine: a case report. <i>European Psychiatry</i> , 2002, 17, 294-295.	0.1	41
208	Roles of endogenous glutathione levels on 6-hydroxydopamine-induced apoptotic neuronal cell death in human neuroblastoma SK-N-SH cells. <i>Neuropharmacology</i> , 2002, 43, 434-443.	2.0	52
209	Do 'smart' mice feel more pain, or are they just better learners?. <i>Nature Neuroscience</i> , 2001, 4, 453-453.	7.1	9
210	Genome-wide gene expression profiles of the developing mouse hippocampus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 8862-8867.	3.3	185
211	Enrichment induces structural changes and recovery from nonspatial memory deficits in CA1 NMDAR1-knockout mice. <i>Nature Neuroscience</i> , 2000, 3, 238-244.	7.1	699
212	A chemical switch for inhibitor-sensitive alleles of any protein kinase. <i>Nature</i> , 2000, 407, 395-401.	13.7	1,001
213	NMDA Receptor-Dependent Synaptic Reinforcement as a Crucial Process for Memory Consolidation. <i>Science</i> , 2000, 290, 1170-1174.	6.0	495
214	Structural basis for selective inhibition of Src family kinases by PP1. <i>Chemistry and Biology</i> , 1999, 6, 671-678.	6.2	227
215	Genetic enhancement of learning and memory in mice. <i>Nature</i> , 1999, 401, 63-69.	13.7	1,666
216	Study of the association between the serotonin transporter gene regulatory region polymorphism and personality traits in a Japanese population. <i>Neuroscience Letters</i> , 1999, 263, 205-207.	1.0	97

#	ARTICLE	IF	CITATIONS
217	Glutamate dehydrogenase mRNA is immediately induced after phencyclidine treatment in the rat brain. <i>Schizophrenia Research</i> , 1997, 25, 251-258.	1.1	9
218	Recovery from neuroendocrinological abnormalities and frontal hypoperfusion after remission in a case with rapid cycling bipolar disorder. <i>Psychiatry and Clinical Neurosciences</i> , 1997, 51, 207-212.	1.0	13
219	Expression, regulation and polymorphism of the mxil genes. <i>Gene</i> , 1996, 176, 45-48.	1.0	9
220	Cloning and sequencing of the murine Mxil cDNA. <i>Gene</i> , 1995, 152, 283-284.	1.0	2