

Jan S Lewin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5623078/publications.pdf>

Version: 2024-02-01

125
papers

7,290
citations

50170

46
h-index

62479

80
g-index

125
all docs

125
docs citations

125
times ranked

5234
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevention and Treatment of Dysphagia and Aspiration After Chemoradiation for Head and Neck Cancer. <i>Journal of Clinical Oncology</i> , 2006, 24, 2636-2643.	0.8	358
2	Late dysphagia after radiotherapy-based treatment of head and neck cancer. <i>Cancer</i> , 2012, 118, 5793-5799.	2.0	284
3	Induction Chemotherapy and Cetuximab for Locally Advanced Squamous Cell Carcinoma of the Head and Neck: Results From a Phase II Prospective Trial. <i>Journal of Clinical Oncology</i> , 2010, 28, 8-14.	0.8	234
4	Measuring head and neck cancer symptom burden: The development and validation of the M. D. Anderson symptom inventory, head and neck module. <i>Head and Neck</i> , 2007, 29, 923-931.	0.9	227
5	Use of Larynx-Preservation Strategies in the Treatment of Laryngeal Cancer: American Society of Clinical Oncology Clinical Practice Guideline Update. <i>Journal of Clinical Oncology</i> , 2018, 36, 1143-1169.	0.8	216
6	The role of salvage surgery in patients with recurrent squamous cell carcinoma of the oropharynx. <i>Cancer</i> , 2009, 115, 5723-5733.	2.0	210
7	Adaptive Radiotherapy for Head-and-Neck Cancer: Initial Clinical Outcomes From a Prospective Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, 986-993.	0.4	205
8	Functional Results of Primary Closure vs Flaps in Oropharyngeal Reconstruction. <i>JAMA Otolaryngology</i> , 1998, 124, 625.	1.5	197
9	Eat and Exercise During Radiotherapy or Chemoradiotherapy for Pharyngeal Cancers. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2013, 139, 1127.	1.2	194
10	Functional outcomes after TORS for oropharyngeal cancer: a systematic review. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 463-471.	0.8	179
11	Comparison of Clinical and Functional Outcomes and Hospital Costs following Pharyngoesophageal Reconstruction with the Anterolateral Thigh Free Flap versus the Jejunal Flap. <i>Plastic and Reconstructive Surgery</i> , 2006, 117, 968-974.	0.7	167
12	Candidate Dosimetric Predictors of Long-Term Swallowing Dysfunction After Oropharyngeal Intensity-Modulated Radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 78, 1356-1365.	0.4	156
13	Pharyngoesophageal reconstruction with the anterolateral thigh flap after total laryngopharyngectomy. <i>Cancer</i> , 2010, 116, 1718-1724.	2.0	151
14	Dynamic Imaging Grade of Swallowing Toxicity (DIGEST): Scale development and validation. <i>Cancer</i> , 2017, 123, 62-70.	2.0	149
15	Speech and Swallowing Function After Anterior Tongue and Floor of Mouth Resection With Distal Flap Reconstruction. <i>Journal of Speech, Language, and Hearing Research</i> , 1993, 36, 267-276.	0.7	146
16	Multifield Optimization Intensity Modulated Proton Therapy for Head and Neck Tumors: A Translation to Practice. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 89, 846-853.	0.4	128
17	What is a clinically relevant difference in <scp>MDADI</scp> scores between groups of head and neck cancer patients?. <i>Laryngoscope</i> , 2016, 126, 1108-1113.	1.1	111
18	Lymphedema management in head and neck cancer. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2010, 18, 153-158.	0.8	110

#	ARTICLE	IF	CITATIONS
19	Surgical Variables Affecting Speech in Treated Patients With Oral and Oropharyngeal Cancer. <i>Laryngoscope</i> , 1998, 108, 908-916.	1.1	102
20	Adherence to preventive exercises and self-reported swallowing outcomes in post-radiation head and neck cancer patients. <i>Head and Neck</i> , 2013, 35, 1707-1712.	0.9	101
21	Long-term outcomes after surgical or nonsurgical initial therapy for patients with T4 squamous cell carcinoma of the larynx: A decade survey. <i>Cancer</i> , 2015, 121, 1608-1619.	2.0	100
22	Gastrostomy tube placement in patients with oropharyngeal carcinoma treated with radiotherapy or chemoradiotherapy: Factors affecting placement and dependence. <i>Head and Neck</i> , 2013, 35, 1634-1640.	0.9	91
23	Lymphedema Outcomes in Patients with Head and Neck Cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 2015, 152, 284-291.	1.1	91
24	Simple Carotid-Sparing Intensity-Modulated Radiotherapy Technique and Preliminary Experience for T1-2 Glottic Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 77, 455-461.	0.4	89
25	Functional Outcomes after Chemoradiotherapy of Laryngeal and Pharyngeal Cancers. <i>Current Oncology Reports</i> , 2012, 14, 158-165.	1.8	89
26	Two-year prevalence of dysphagia and related outcomes in head and neck cancer survivors: An updated SEER-Medicare analysis. <i>Head and Neck</i> , 2019, 41, 479-487.	0.9	87
27	Beyond mean pharyngeal constrictor dose for beam path toxicity in non-target swallowing muscles: Dose-volume correlates of chronic radiation-associated dysphagia (RAD) after oropharyngeal intensity modulated radiotherapy. <i>Radiotherapy and Oncology</i> , 2016, 118, 304-314.	0.3	85
28	Enlarged tracheoesophageal puncture after total laryngectomy: A systematic review and meta-analysis. <i>Head and Neck</i> , 2011, 33, 20-30.	0.9	84
29	Functional analysis of swallowing outcomes after supracricoid partial laryngectomy. <i>Head and Neck</i> , 2008, 30, 559-566.	0.9	82
30	Functional Outcomes after Circumferential Pharyngoesophageal Reconstruction. <i>Laryngoscope</i> , 2005, 115, 1266-1271.	1.1	79
31	Swallowing Outcomes After Radiotherapy for Laryngeal Carcinoma. <i>JAMA Otolaryngology</i> , 2008, 134, 178.	1.5	74
32	Characterization of laryngopharyngeal reflux in patients with premalignant or early carcinomas of the larynx. <i>Cancer</i> , 2003, 97, 1010-1014.	2.0	73
33	The M. D. Anderson Symptom Inventory-Head and Neck Module, a Patient-Reported Outcome Instrument, Accurately Predicts the Severity of Radiation-Induced Mucositis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 72, 1355-1361.	0.4	72
34	Complications, hospital length of stay, and readmission after total laryngectomy. <i>Cancer</i> , 2017, 123, 1760-1767.	2.0	72
35	Gastrostomy tube placement in patients with hypopharyngeal cancer treated with radiotherapy or chemoradiotherapy: Factors affecting placement and dependence. <i>Head and Neck</i> , 2013, 35, 1641-1646.	0.9	69
36	Dose-volume correlates of mandibular osteoradionecrosis in Oropharynx cancer patients receiving intensity-modulated radiotherapy: Results from a case-matched comparison. <i>Radiotherapy and Oncology</i> , 2017, 124, 232-239.	0.3	69

#	ARTICLE	IF	CITATIONS
37	Analysis of Pharyngocutaneous Fistula following Free Jejunal Transfer for Total Laryngopharyngectomy. <i>Plastic and Reconstructive Surgery</i> , 2002, 109, 1522-1527.	0.7	64
38	Associations among speech, eating, and body image concerns for surgical patients with head and neck cancer. <i>Head and Neck</i> , 2013, 35, 354-360.	0.9	62
39	Phase I/II Study of Docetaxel, Cisplatin, and Concomitant Boost Radiation for Locally Advanced Squamous Cell Cancer of the Head and Neck. <i>Journal of Clinical Oncology</i> , 2006, 24, 4163-4169.	0.8	59
40	Editorial introductions. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2010, 18, vii.	0.8	58
41	Late radiation-associated dysphagia (late-RAD) with lower cranial neuropathy after oropharyngeal radiotherapy: A preliminary dosimetric comparison. <i>Oral Oncology</i> , 2014, 50, 746-752.	0.8	56
42	Experience with the Chin Tuck Maneuver in Postesophagectomy Aspirators. <i>Dysphagia</i> , 2001, 16, 216-219.	1.0	53
43	Dysphagia After Primary Transoral Robotic Surgery With Neck Dissection vs Nonsurgical Therapy in Patients With Low- to Intermediate-Risk Oropharyngeal Cancer. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2019, 145, 1053.	1.2	51
44	Multivariable analysis of risk factors for enlargement of the tracheoesophageal puncture after total laryngectomy. <i>Head and Neck</i> , 2012, 34, 557-567.	0.9	50
45	Expiratory muscle strength training for radiation-associated aspiration after head and neck cancer: A case series. <i>Laryngoscope</i> , 2018, 128, 1044-1051.	1.1	50
46	Outcomes of Elective Total Laryngectomy for Laryngopharyngeal Dysfunction in Disease-Free Head and Neck Cancer Survivors. <i>Otolaryngology - Head and Neck Surgery</i> , 2012, 146, 585-590.	1.1	48
47	Moderately Differentiated Neuroendocrine Carcinoma (Atypical Carcinoid) of the Larynx: A Clinically Aggressive Tumor. <i>Laryngoscope</i> , 2005, 115, 1191-1195.	1.1	47
48	Durable Long-Term Remission With Chemotherapy Alone for Stage II to IV Laryngeal Cancer. <i>Journal of Clinical Oncology</i> , 2009, 27, 1976-1982.	0.8	47
49	Device Life of the Tracheoesophageal Voice Prosthesis Revisited. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2017, 143, 65.	1.2	47
50	Long-Term, Prospective Performance of the MD Anderson Dysphagia Inventory in "Low-Intermediate Risk" Oropharyngeal Carcinoma After Intensity Modulated Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 97, 700-708.	0.4	46
51	Vocal rehabilitation of tracheoesophageal speech failures. <i>Head and Neck</i> , 1990, 12, 69-73.	0.9	45
52	Functional outcomes after laryngopharyngectomy with anterolateral thigh flap reconstruction. <i>Head and Neck</i> , 2006, 28, 142-149.	0.9	44
53	Outcomes and adverse events of enlarged tracheoesophageal puncture after total laryngectomy. <i>Laryngoscope</i> , 2011, 121, 1455-1461.	1.1	44
54	Aphasia in patients after brain tumour resection. <i>Aphasiology</i> , 2009, 23, 1196-1206.	1.4	43

#	ARTICLE	IF	CITATIONS
55	Long-term functional and survival outcomes after induction chemotherapy and risk-based definitive therapy for locally advanced squamous cell carcinoma of the head and neck. <i>Head and Neck</i> , 2014, 36, 474-480.	0.9	43
56	Further experience with botox injection for tracheoesophageal speech failure. <i>Head and Neck</i> , 2001, 23, 456-460.	0.9	42
57	Cyclin D1 and Cancer Development in Laryngeal Premalignancy Patients. <i>Cancer Prevention Research</i> , 2009, 2, 14-21.	0.7	42
58	Complications and functional outcomes following complex oropharyngeal reconstruction. <i>Head and Neck</i> , 2010, 32, 1003-1011.	0.9	41
59	Compliance with quality assurance measures in patients treated for early oral tongue cancer. <i>Cancer</i> , 2010, 116, 3408-3416.	2.0	39
60	Functional Assessment and Rehabilitation. <i>Otolaryngologic Clinics of North America</i> , 2013, 46, 657-670.	0.5	39
61	Influence of timing, radiation, and reconstruction on complications and speech outcomes with tracheoesophageal puncture. <i>Head and Neck</i> , 2016, 38, 1765-1771.	0.9	38
62	Symptom burden as a driver of decisional regret in long-term oropharyngeal carcinoma survivors. <i>Head and Neck</i> , 2017, 39, 2151-2158.	0.9	38
63	Speech and swallowing outcomes in reconstructions of the pharynx and cervical esophagus. <i>Head and Neck</i> , 2003, 25, 232-244.	0.9	37
64	Predicting two-year longitudinal MD Anderson Dysphagia Inventory outcomes after intensity modulated radiotherapy for locoregionally advanced oropharyngeal carcinoma. <i>Laryngoscope</i> , 2017, 127, 842-848.	1.1	37
65	Reconstruction of Large Composite Oromandibulomaxillary Defects with Free Vertical Rectus Abdominis Myocutaneous Flaps. <i>Plastic and Reconstructive Surgery</i> , 2004, 113, 499-507.	0.7	36
66	A hollow delayed surgical obturator for a bilateral subtotal maxillectomy patient: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2008, 99, 14-18.	1.1	34
67	Long-term outcomes after multidisciplinary management of T3 laryngeal squamous cell carcinomas: Improved functional outcomes and survival with modern therapeutic approaches. <i>Head and Neck</i> , 2016, 38, 1739-1751.	0.9	33
68	Dynamic contrast-enhanced MRI detects acute radiotherapy-induced alterations in mandibular microvasculature: prospective assessment of imaging biomarkers of normal tissue injury. <i>Scientific Reports</i> , 2016, 6, 29864.	1.6	33
69	Delayed lower cranial neuropathy after oropharyngeal intensity-modulated radiotherapy: A cohort analysis and literature review. <i>Head and Neck</i> , 2017, 39, 1516-1523.	0.9	32
70	Secondary Tracheoesophageal Puncture With In-Office Transnasal Esophagoscopy. <i>JAMA Otolaryngology</i> , 2009, 135, 1190.	1.5	31
71	PREOPERATIVE ASSESSMENT OF TRACHEOESOPHAGEAL SPEECH. <i>Laryngoscope</i> , 1987, 97, 461-466.	1.1	30
72	Tracheostomoplasty: A surgical method for improving retention of an intraluminal stoma button for hands-free tracheoesophageal speech. <i>Head and Neck</i> , 2010, 32, 1674-1680.	0.9	30

#	ARTICLE	IF	CITATIONS
73	Phase II trial of induction chemotherapy followed by surgery for squamous cell carcinoma of the oral tongue in young adults. <i>Head and Neck</i> , 2012, 34, 1255-1262.	0.9	30
74	Voice Rehabilitation after Total Laryngectomy and Tracheoesophageal Puncture Using Nonmuscle Closure. <i>Annals of Otology, Rhinology and Laryngology</i> , 1993, 102, 792-796.	0.6	29
75	Conditional Survival Analysis of Patients With Locally Advanced Laryngeal Cancer: Construction of a Dynamic Risk Model and Clinical Nomogram. <i>Scientific Reports</i> , 2017, 7, 43928.	1.6	28
76	Radiotherapy dose-volume parameters predict videofluoroscopy-detected dysphagia per DIGEST after IMRT for oropharyngeal cancer: Results of a prospective registry. <i>Radiotherapy and Oncology</i> , 2018, 128, 442-451.	0.3	28
77	An Objective Method for Prediction of Tracheoesophageal Speech Production. <i>The Journal of Speech and Hearing Disorders</i> , 1987, 52, 212-217.	1.3	28
78	Symptom burden and dysphagia associated with osteoradionecrosis in long-term oropharynx cancer survivors: A cohort analysis. <i>Oral Oncology</i> , 2017, 66, 75-80.	0.8	26
79	Late radiation-associated dysphagia with lower cranial neuropathy in long-term oropharyngeal cancer survivors: Video case reports. <i>Head and Neck</i> , 2015, 37, E56-62.	0.9	25
80	Patient-reported outcomes of symptom burden in patients receiving surgical or nonsurgical treatment for low-intermediate risk oropharyngeal squamous cell carcinoma: A comparative analysis of a prospective registry. <i>Oral Oncology</i> , 2019, 91, 13-20.	0.8	25
81	Outcomes of carotid-sparing IMRT for T1 glottic cancer: Comparison with conventional radiation. <i>Laryngoscope</i> , 2020, 130, 146-153.	1.1	25
82	Chronic radiation-associated dysphagia in oropharyngeal cancer survivors: Towards age-adjusted dose constraints for deglutitive muscles. <i>Clinical and Translational Radiation Oncology</i> , 2019, 18, 16-22.	0.9	24
83	Grading Dysphagia as a Toxicity of Head and Neck Cancer: Differences in Severity Classification Based on MBS DIGEST and Clinical CTCAE Grades. <i>Dysphagia</i> , 2018, 33, 185-191.	1.0	23
84	Symptom Burden Associated With Late Lower Cranial Neuropathy in Long-term Oropharyngeal Cancer Survivors. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2018, 144, 1066.	1.2	23
85	Dysphagia After Chemoradiation: Prevention and Treatment. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 69, S86-S87.	0.4	22
86	SURGICAL TREATMENT OF PHARYNGOESOPHAGEAL SPASM. <i>Laryngoscope</i> , 1988, 98, 1124-1126.	1.1	21
87	Experience with Barton button and peristomal breathing valve attachments for hands-free tracheoesophageal speech. , 2000, 22, 142-148.		21
88	Magnetic resonance imaging of swallowing-related structures in nasopharyngeal carcinoma patients receiving IMRT: Longitudinal dose-response characterization of quantitative signal kinetics. <i>Radiotherapy and Oncology</i> , 2016, 118, 315-322.	0.3	21
89	Single-item discrimination of quality-of-life-altering dysphagia among 714 long-term oropharyngeal cancer survivors: Comparison of patient-reported outcome measures of swallowing. <i>Cancer</i> , 2019, 125, 1654-1664.	2.0	21
90	How to reduce radiation-related toxicity in patients with cancer of the head and neck. <i>Current Oncology Reports</i> , 2006, 8, 140-145.	1.8	20

#	ARTICLE	IF	CITATIONS
91	Effect of induction chemotherapy on speech and swallowing function in patients with oral tongue cancer. <i>Head and Neck</i> , 2009, 31, 611-617.	0.9	20
92	Evaluation of Difluoromethylornithine for the Chemoprevention of Barrett's Esophagus and Mucosal Dysplasia. <i>Cancer Prevention Research</i> , 2011, 4, 829-839.	0.7	19
93	Customization of the voice prosthesis to prevent leakage from the enlarged tracheoesophageal puncture: Results of a prospective trial. <i>Laryngoscope</i> , 2012, 122, 1767-1772.	1.1	19
94	Biofilm on the tracheoesophageal voice prosthesis: considerations for oral decontamination. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 405-413.	0.8	19
95	Quantitative pretreatment CT volumetry: Association with oncologic outcomes in patients with T4a squamous carcinoma of the larynx. <i>Head and Neck</i> , 2017, 39, 1609-1620.	0.9	18
96	Cough strength and expiratory force in aspirating and nonaspirating postradiation head and neck cancer survivors. <i>Laryngoscope</i> , 2018, 128, 1615-1621.	1.1	18
97	Modeling symptom drivers of oral intake in long-term head and neck cancer survivors. <i>Supportive Care in Cancer</i> , 2019, 27, 1405-1415.	1.0	18
98	Examination of the Larynx and Pharynx. <i>New England Journal of Medicine</i> , 2008, 358, e2.	13.9	15
99	Office-based injection laryngoplasty in the irradiated larynx. <i>Laryngoscope</i> , 2010, 120, 703-706.	1.1	15
100	Decreased gastrostomy tube incidence and weight loss after transoral robotic surgery for low- to intermediate-risk oropharyngeal squamous cell carcinoma. <i>Head and Neck</i> , 2018, 40, 2507-2513.	0.9	15
101	Swallowing-related outcomes associated with late lower cranial neuropathy in long-term oropharyngeal cancer survivors: cross-sectional survey analysis. <i>Head and Neck</i> , 2019, 41, 3880-3894.	0.9	14
102	A prospective longitudinal assessment of MRI signal intensity kinetics of non-target muscles in patients with advanced stage oropharyngeal cancer in relationship to radiotherapy dose and post-treatment radiation-associated dysphagia: Preliminary findings from a randomized trial. <i>Radiotherapy and Oncology</i> , 2019, 130, 46-55.	0.3	14
103	Functional and Oncological Outcomes of Primary versus Salvage Transoral Laser Microsurgery for Supraglottic Carcinoma. <i>Annals of Otology, Rhinology and Laryngology</i> , 2012, 121, 664-670.	0.6	12
104	Minimally invasive approach for the management of the leaking tracheoesophageal puncture. <i>Laryngoscope</i> , 2012, 122, 590-594.	1.1	11
105	Outcomes after radiation therapy for T2N0 stage II glottic squamous cell carcinoma. <i>Head and Neck</i> , 2020, 42, 2791-2800.	0.9	11
106	Prospective longitudinal patient-reported outcomes of swallowing following intensity modulated proton therapy for oropharyngeal cancer. <i>Radiotherapy and Oncology</i> , 2020, 148, 133-139.	0.3	11
107	Preliminary Experience With Head and Neck Lymphedema and Swallowing Function in Patients Treated for Head and Neck Cancer. <i>Perspectives on Swallowing and Swallowing Disorders (Dysphagia)</i> , 2010, 19, 45-52.	0.2	11
108	Nonsurgical management of the stoma to maximize tracheoesophageal speech. <i>Otolaryngologic Clinics of North America</i> , 2004, 37, 585-596.	0.5	10

#	ARTICLE	IF	CITATIONS
109	Impact of selective neck dissection on chronic dysphagia after chemo-intensity-modulated radiotherapy for oropharyngeal carcinoma. <i>Head and Neck</i> , 2016, 38, 886-893.	0.9	10
110	Association between postoperative complications and long-term oncologic outcomes following total laryngectomy: 10-year experience at MD Anderson Cancer Center. <i>Cancer</i> , 2020, 126, 4905-4916.	2.0	10
111	Early Risk Factors for Enlargement of the Tracheoesophageal Puncture After Total Laryngectomy. <i>JAMA Otolaryngology</i> , 2012, 138, 833.	1.5	9
112	Pembrolizumab-induced mucositis in a patient with recurrent hypopharynx squamous cell cancer. <i>Laryngoscope</i> , 2020, 130, E140-E143.	1.1	8
113	Further experience with modification of an intraluminal button for hands-free tracheoesophageal speech after. <i>Journal of Prosthetic Dentistry</i> , 2009, 102, 328-331.	1.1	7
114	Addressing an unmet need in oncology patients: rehabilitation of upper aerodigestive tract function. <i>Annals of Oncology</i> , 2011, 22, 2299-2303.	0.6	7
115	Modification of the Barton button for tracheoesophageal speech: An innovative maxillofacial prosthetic technique. <i>Journal of Prosthetic Dentistry</i> , 2002, 87, 236-239.	1.1	6
116	Three-dimensional imaging assessment of anatomic invasion and volumetric considerations for chemo/radiotherapy-based laryngeal preservation in T3 larynx cancer. <i>Oral Oncology</i> , 2018, 79, 1-8.	0.8	6
117	Custom modification of the Blom-Singer tracheostoma valve housing. <i>Journal of Prosthodontics</i> , 2003, 12, 17-20.	1.7	4
118	Novel therapeutic approach to relieve pharyngoesophageal spasm after total laryngectomy. <i>Gastrointestinal Endoscopy</i> , 2012, 76, 193-196.	0.5	3
119	Evaluation of Ototoxicity in Patients Treated With Hyperthermic Intraperitoneal Chemotherapy (HIPEC) With Cisplatin and Sodium Thiosulfate. <i>Ear and Hearing</i> , 2014, 35, e243-e247.	1.0	3
120	Neurologic sequelae following radiation with and without chemotherapy for oropharyngeal cancer: Patient reported outcomes study. <i>Head and Neck</i> , 2020, 42, 2137-2144.	0.9	3
121	Clinical application of the Provox NiD voice prosthesis: A longitudinal study. <i>Laryngoscope</i> , 2014, 124, 1585-1591.	1.1	2
122	Feeding Tube Utilization in Patients with Salivary Gland Malignancies. <i>Otolaryngology - Head and Neck Surgery</i> , 2017, 156, 109-117.	1.1	1
123	Custom modification of the Blom-Singer tracheostoma valve housing. <i>Journal of Prosthodontics</i> , 2003, 12, 17-20.	1.7	1
124	Reversal of Laryngeal Paresis. <i>New England Journal of Medicine</i> , 2007, 357, e25.	13.9	0
125	A Contemporary View of Tracheoesophageal Voice Restoration. <i>Perspectives on Voice and Voice Disorders</i> , 2012, 22, 33-44.	0.3	0