

Jan S Lewin

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5623078/jan-s-lewin-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

5,549
citations

39
h-index

70
g-index

125
ext. papers

6,407
ext. citations

4.4
avg, IF

5.51
L-index

#	Paper	IF	Citations
125	Prevention and treatment of dysphagia and aspiration after chemoradiation for head and neck cancer. <i>Journal of Clinical Oncology</i> , 2006 , 24, 2636-43	2.2	316
124	Late dysphagia after radiotherapy-based treatment of head and neck cancer. <i>Cancer</i> , 2012 , 118, 5793-9	6.4	223
123	Induction chemotherapy and cetuximab for locally advanced squamous cell carcinoma of the head and neck: results from a phase II prospective trial. <i>Journal of Clinical Oncology</i> , 2010 , 28, 8-14	2.2	191
122	Measuring head and neck cancer symptom burden: the development and validation of the M. D. Anderson symptom inventory, head and neck module. <i>Head and Neck</i> , 2007 , 29, 923-31	4.2	168
121	Functional results of primary closure vs flaps in oropharyngeal reconstruction: a prospective study of speech and swallowing. <i>JAMA Otolaryngology</i> , 1998 , 124, 625-30		167
120	The role of salvage surgery in patients with recurrent squamous cell carcinoma of the oropharynx. <i>Cancer</i> , 2009 , 115, 5723-33	6.4	162
119	Adaptive radiotherapy for head-and-neck cancer: initial clinical outcomes from a prospective trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 83, 986-93	4	152
118	Eat and exercise during radiotherapy or chemoradiotherapy for pharyngeal cancers: use it or lose it. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2013 , 139, 1127-34	3.9	150
117	Functional outcomes after TORS for oropharyngeal cancer: a systematic review. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 463-71	3.5	142
116	Comparison of clinical and functional outcomes and hospital costs following pharyngoesophageal reconstruction with the anterolateral thigh free flap versus the jejunal flap. <i>Plastic and Reconstructive Surgery</i> , 2006 , 117, 968-74	2.7	142
115	Candidate dosimetric predictors of long-term swallowing dysfunction after oropharyngeal intensity-modulated radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 78, 1356-65	4	130
114	Pharyngoesophageal reconstruction with the anterolateral thigh flap after total laryngopharyngectomy. <i>Cancer</i> , 2010 , 116, 1718-24	6.4	118
113	Speech and swallowing function after anterior tongue and floor of mouth resection with distal flap reconstruction. <i>Journal of Speech, Language, and Hearing Research</i> , 1993 , 36, 267-76	2.8	116
112	Use of Larynx-Preservation Strategies in the Treatment of Laryngeal Cancer: American Society of Clinical Oncology Clinical Practice Guideline Update. <i>Journal of Clinical Oncology</i> , 2018 , 36, 1143-1169	2.2	108
111	Multifield optimization intensity modulated proton therapy for head and neck tumors: a translation to practice. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 89, 846-53	4	99
110	Dynamic Imaging Grade of Swallowing Toxicity (DIGEST): Scale development and validation. <i>Cancer</i> , 2017 , 123, 62-70	6.4	94
109	Surgical variables affecting speech in treated patients with oral and oropharyngeal cancer. <i>Laryngoscope</i> , 1998 , 108, 908-16	3.6	88

108	Adherence to preventive exercises and self-reported swallowing outcomes in post-radiation head and neck cancer patients. <i>Head and Neck</i> , 2013 , 35, 1707-12	4.2	81
107	Gastrostomy tube placement in patients with oropharyngeal carcinoma treated with radiotherapy or chemoradiotherapy: factors affecting placement and dependence. <i>Head and Neck</i> , 2013 , 35, 1634-40	4.2	79
106	Long-term outcomes after surgical or nonsurgical initial therapy for patients with T4 squamous cell carcinoma of the larynx: A 3-decade survey. <i>Cancer</i> , 2015 , 121, 1608-19	6.4	78
105	Lymphedema management in head and neck cancer. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2010 , 18, 153-158	2	78
104	Functional outcomes after chemoradiotherapy of laryngeal and pharyngeal cancers. <i>Current Oncology Reports</i> , 2012 , 14, 158-65	6.3	75
103	Simple carotid-sparing intensity-modulated radiotherapy technique and preliminary experience for T1-2 glottic cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 77, 455-61	4	72
102	Functional outcomes after circumferential pharyngoesophageal reconstruction. <i>Laryngoscope</i> , 2005 , 115, 1266-71	3.6	72
101	Functional analysis of swallowing outcomes after supracricoid partial laryngectomy. <i>Head and Neck</i> , 2008 , 30, 559-66	4.2	71
100	What is a clinically relevant difference in MDADI scores between groups of head and neck cancer patients?. <i>Laryngoscope</i> , 2016 , 126, 1108-13	3.6	71
99	Swallowing outcomes after radiotherapy for laryngeal carcinoma. <i>JAMA Otolaryngology</i> , 2008 , 134, 178-83		66
98	Beyond mean pharyngeal constrictor dose for beam path toxicity in non-target swallowing muscles: Dose-volume correlates of chronic radiation-associated dysphagia (RAD) after oropharyngeal intensity modulated radiotherapy. <i>Radiotherapy and Oncology</i> , 2016 , 118, 304-14	5.3	63
97	Enlarged tracheoesophageal puncture after total laryngectomy: a systematic review and meta-analysis. <i>Head and Neck</i> , 2011 , 33, 20-30	4.2	61
96	Lymphedema outcomes in patients with head and neck cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 2015 , 152, 284-291	5.5	60
95	Characterization of laryngopharyngeal reflux in patients with premalignant or early carcinomas of the larynx. <i>Cancer</i> , 2003 , 97, 1010-4	6.4	60
94	Analysis of pharyngocutaneous fistula following free jejunal transfer for total laryngopharyngectomy. <i>Plastic and Reconstructive Surgery</i> , 2002 , 109, 1522-7	2.7	58
93	The M. D. Anderson symptom inventory-head and neck module, a patient-reported outcome instrument, accurately predicts the severity of radiation-induced mucositis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 72, 1355-61	4	57
92	Phase I/II study of docetaxel, cisplatin, and concomitant boost radiation for locally advanced squamous cell cancer of the head and neck. <i>Journal of Clinical Oncology</i> , 2006 , 24, 4163-9	2.2	54
91	Associations among speech, eating, and body image concerns for surgical patients with head and neck cancer. <i>Head and Neck</i> , 2013 , 35, 354-60	4.2	52

90	Complications, hospital length of stay, and readmission after total laryngectomy. <i>Cancer</i> , 2017 , 123, 1766-1767-49		
89	Experience with the chin tuck maneuver in postesophagectomy aspirators. <i>Dysphagia</i> , 2001 , 16, 216-9	3.7	48
88	Late radiation-associated dysphagia (late-RAD) with lower cranial neuropathy after oropharyngeal radiotherapy: a preliminary dosimetric comparison. <i>Oral Oncology</i> , 2014 , 50, 746-52	4.4	42
87	Long-term functional and survival outcomes after induction chemotherapy and risk-based definitive therapy for locally advanced squamous cell carcinoma of the head and neck. <i>Head and Neck</i> , 2014 , 36, 474-80	4.2	39
86	Cyclin D1 and cancer development in laryngeal premalignancy patients. <i>Cancer Prevention Research</i> , 2009 , 2, 14-21	3.2	39
85	Vocal rehabilitation of tracheoesophageal speech failures. <i>Head and Neck</i> , 1990 , 12, 69-73	4.2	39
84	Dose-volume correlates of mandibular osteoradionecrosis in Oropharynx cancer patients receiving intensity-modulated radiotherapy: Results from a case-matched comparison. <i>Radiotherapy and Oncology</i> , 2017 , 124, 232-239	5.3	38
83	Functional outcomes after laryngopharyngectomy with anterolateral thigh flap reconstruction. <i>Head and Neck</i> , 2006 , 28, 142-9	4.2	38
82	Further experience with Botox injection for tracheoesophageal speech failure. <i>Head and Neck</i> , 2001 , 23, 456-60	4.2	38
81	Complications and functional outcomes following complex oropharyngeal reconstruction. <i>Head and Neck</i> , 2010 , 32, 1003-11	4.2	37
80	Lymphedema management in head and neck cancer. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2010 , 18, 153-8	2	36
79	Durable long-term remission with chemotherapy alone for stage II to IV laryngeal cancer. <i>Journal of Clinical Oncology</i> , 2009 , 27, 1976-82	2.2	35
78	Outcomes of elective total laryngectomy for laryngopharyngeal dysfunction in disease-free head and neck cancer survivors. <i>Otolaryngology - Head and Neck Surgery</i> , 2012 , 146, 585-90	5.5	34
77	Multivariable analysis of risk factors for enlargement of the tracheoesophageal puncture after total laryngectomy. <i>Head and Neck</i> , 2012 , 34, 557-67	4.2	34
76	Aphasia in patients after brain tumour resection. <i>Aphasiology</i> , 2009 , 23, 1196-1206	1.6	34
75	Compliance with quality assurance measures in patients treated for early oral tongue cancer. <i>Cancer</i> , 2010 , 116, 3408-16	6.4	34
74	Speech and swallowing outcomes in reconstructions of the pharynx and cervical esophagus. <i>Head and Neck</i> , 2003 , 25, 232-44	4.2	34
73	Moderately differentiated neuroendocrine carcinoma (atypical carcinoid) of the larynx: a clinically aggressive tumor. <i>Laryngoscope</i> , 2005 , 115, 1191-5	3.6	34

72	Long-Term, Prospective Performance of the MD Anderson Dysphagia Inventory in "Low-Intermediate Risk" Oropharyngeal Carcinoma After Intensity Modulated Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 97, 700-708	4	33
71	Gastrostomy tube placement in patients with hypopharyngeal cancer treated with radiotherapy or chemoradiotherapy: factors affecting placement and dependence. <i>Head and Neck</i> , 2013 , 35, 1641-6	4.2	33
70	Expiratory muscle strength training for radiation-associated aspiration after head and neck cancer: A case series. <i>Laryngoscope</i> , 2018 , 128, 1044-1051	3.6	31
69	Functional assessment and rehabilitation: how to maximize outcomes. <i>Otolaryngologic Clinics of North America</i> , 2013 , 46, 657-70	2	31
68	Outcomes and adverse events of enlarged tracheoesophageal puncture after total laryngectomy. <i>Laryngoscope</i> , 2011 , 121, 1455-61	3.6	31
67	Reconstruction of large composite oromandibulomaxillary defects with free vertical rectus abdominis myocutaneous flaps. <i>Plastic and Reconstructive Surgery</i> , 2004 , 113, 499-507	2.7	31
66	A hollow delayed surgical obturator for a bilateral subtotal maxillectomy patient: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2008 , 99, 14-8	4	30
65	Device Life of the Tracheoesophageal Voice Prosthesis Revisited. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2017 , 143, 65-71	3.9	29
64	Symptom burden as a driver of decisional regret in long-term oropharyngeal carcinoma survivors. <i>Head and Neck</i> , 2017 , 39, 2151-2158	4.2	28
63	Phase II trial of induction chemotherapy followed by surgery for squamous cell carcinoma of the oral tongue in young adults. <i>Head and Neck</i> , 2012 , 34, 1255-62	4.2	27
62	Long-term outcomes after multidisciplinary management of T3 laryngeal squamous cell carcinomas: Improved functional outcomes and survival with modern therapeutic approaches. <i>Head and Neck</i> , 2016 , 38, 1739-1751	4.2	26
61	Two-year prevalence of dysphagia and related outcomes in head and neck cancer survivors: An updated SEER-Medicare analysis. <i>Head and Neck</i> , 2019 , 41, 479-487	4.2	26
60	Predicting two-year longitudinal MD Anderson Dysphagia Inventory outcomes after intensity modulated radiotherapy for locoregionally advanced oropharyngeal carcinoma. <i>Laryngoscope</i> , 2017 , 127, 842-848	3.6	25
59	Dysphagia After Primary Transoral Robotic Surgery With Neck Dissection vs Nonsurgical Therapy in Patients With Low- to Intermediate-Risk Oropharyngeal Cancer. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2019 , 145, 1053-1063	3.9	25
58	Influence of timing, radiation, and reconstruction on complications and speech outcomes with tracheoesophageal puncture. <i>Head and Neck</i> , 2016 , 38, 1765-1771	4.2	25
57	Tracheostomoplasty: A surgical method for improving retention of an intraluminal stoma button for hands-free tracheoesophageal speech. <i>Head and Neck</i> , 2010 , 32, 1674-80	4.2	25
56	Dynamic contrast-enhanced MRI detects acute radiotherapy-induced alterations in mandibular microvasculature: prospective assessment of imaging biomarkers of normal tissue injury. <i>Scientific Reports</i> , 2016 , 6, 29864	4.9	24
55	Secondary tracheoesophageal puncture with in-office transnasal esophagoscopy. <i>JAMA Otolaryngology</i> , 2009 , 135, 1190-4		24

54	Voice rehabilitation after total laryngectomy and tracheoesophageal puncture using nonmuscle closure. <i>Annals of Otology, Rhinology and Laryngology</i> , 1993 , 102, 792-6	2.1	23
53	An objective method for prediction of tracheoesophageal speech production. <i>The Journal of Speech and Hearing Disorders</i> , 1987 , 52, 212-7		23
52	Late radiation-associated dysphagia with lower cranial neuropathy in long-term oropharyngeal cancer survivors: video case reports. <i>Head and Neck</i> , 2015 , 37, E56-62	4.2	22
51	Preoperative assessment of tracheoesophageal speech. <i>Laryngoscope</i> , 1987 , 97, 461-6	3.6	21
50	Delayed lower cranial neuropathy after oropharyngeal intensity-modulated radiotherapy: A cohort analysis and literature review. <i>Head and Neck</i> , 2017 , 39, 1516-1523	4.2	20
49	Dysphagia after chemoradiation: prevention and treatment. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 69, S86-7	4	20
48	Symptom burden and dysphagia associated with osteoradionecrosis in long-term oropharynx cancer survivors: A cohort analysis. <i>Oral Oncology</i> , 2017 , 66, 75-80	4.4	19
47	Customization of the voice prosthesis to prevent leakage from the enlarged tracheoesophageal puncture: results of a prospective trial. <i>Laryngoscope</i> , 2012 , 122, 1767-72	3.6	19
46	Radiotherapy dose-volume parameters predict videofluoroscopy-detected dysphagia per DIGEST after IMRT for oropharyngeal cancer: Results of a prospective registry. <i>Radiotherapy and Oncology</i> , 2018 , 128, 442-451	5.3	19
45	Experience with Barton button and peristomal breathing valve attachments for hands-free tracheoesophageal speech. <i>Head and Neck</i> , 2000 , 22, 142-8	4.2	18
44	Surgical treatment of pharyngoesophageal spasm. <i>Laryngoscope</i> , 1988 , 98, 1124-6	3.6	18
43	Conditional Survival Analysis of Patients With Locally Advanced Laryngeal Cancer: Construction of a Dynamic Risk Model and Clinical Nomogram. <i>Scientific Reports</i> , 2017 , 7, 43928	4.9	17
42	Chronic radiation-associated dysphagia in oropharyngeal cancer survivors: Towards age-adjusted dose constraints for deglutitive muscles. <i>Clinical and Translational Radiation Oncology</i> , 2019 , 18, 16-22	4.6	17
41	Effect of induction chemotherapy on speech and swallowing function in patients with oral tongue cancer. <i>Head and Neck</i> , 2009 , 31, 611-7	4.2	17
40	How to reduce radiation-related toxicity in patients with cancer of the head and neck. <i>Current Oncology Reports</i> , 2006 , 8, 140-5	6.3	17
39	Grading Dysphagia as a Toxicity of Head and Neck Cancer: Differences in Severity Classification Based on MBS DIGEST and Clinical CTCAE Grades. <i>Dysphagia</i> , 2018 , 33, 185-191	3.7	16
38	Evaluation of difluoromethylornithine for the chemoprevention of Barrett's esophagus and mucosal dysplasia. <i>Cancer Prevention Research</i> , 2011 , 4, 829-39	3.2	16
37	Biofilm on the tracheoesophageal voice prosthesis: considerations for oral decontamination. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 405-413	3.5	14

36	Magnetic resonance imaging of swallowing-related structures in nasopharyngeal carcinoma patients receiving IMRT: Longitudinal dose-response characterization of quantitative signal kinetics. <i>Radiotherapy and Oncology</i> , 2016 , 118, 315-22	5.3	14
35	Patient-reported outcomes of symptom burden in patients receiving surgical or nonsurgical treatment for low-intermediate risk oropharyngeal squamous cell carcinoma: A comparative analysis of a prospective registry. <i>Oral Oncology</i> , 2019 , 91, 13-20	4.4	14
34	Cough strength and expiratory force in aspirating and nonaspirating postradiation head and neck cancer survivors. <i>Laryngoscope</i> , 2018 , 128, 1615-1621	3.6	14
33	Quantitative pretreatment CT volumetry: Association with oncologic outcomes in patients with T4a squamous carcinoma of the larynx. <i>Head and Neck</i> , 2017 , 39, 1609-1620	4.2	13
32	Symptom Burden Associated With Late Lower Cranial Neuropathy in Long-term Oropharyngeal Cancer Survivors. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2018 , 144, 1066-1076	3.9	13
31	Functional and oncological outcomes of primary versus salvage transoral laser microsurgery for supraglottic carcinoma. <i>Annals of Otology, Rhinology and Laryngology</i> , 2012 , 121, 664-70	2.1	12
30	Videos in clinical medicine. Examination of the larynx and pharynx. <i>New England Journal of Medicine</i> , 2008 , 358, e2	59.2	12
29	Office-based injection laryngoplasty in the irradiated larynx. <i>Laryngoscope</i> , 2010 , 120, 703-6	3.6	11
28	Outcomes of carotid-sparing IMRT for T1 glottic cancer: Comparison with conventional radiation. <i>Laryngoscope</i> , 2020 , 130, 146-153	3.6	11
27	Modeling symptom drivers of oral intake in long-term head and neck cancer survivors. <i>Supportive Care in Cancer</i> , 2019 , 27, 1405-1415	3.9	10
26	A prospective longitudinal assessment of MRI signal intensity kinetics of non-target muscles in patients with advanced stage oropharyngeal cancer in relationship to radiotherapy dose and post-treatment radiation-associated dysphagia: Preliminary findings from a randomized trial. <i>Radiotherapy and Oncology</i> , 2019 , 130, 46-55	5.3	10
25	Single-item discrimination of quality-of-life-altering dysphagia among 714 long-term oropharyngeal cancer survivors: Comparison of patient-reported outcome measures of swallowing. <i>Cancer</i> , 2019 , 125, 1654-1664	6.4	10
24	Swallowing-related outcomes associated with late lower cranial neuropathy in long-term oropharyngeal cancer survivors: cross-sectional survey analysis. <i>Head and Neck</i> , 2019 , 41, 3880-3894	4.2	9
23	Decreased gastrostomy tube incidence and weight loss after transoral robotic surgery for low- to intermediate-risk oropharyngeal squamous cell carcinoma. <i>Head and Neck</i> , 2018 , 40, 2507-2513	4.2	9
22	Preliminary Experience With Head and Neck Lymphedema and Swallowing Function in Patients Treated for Head and Neck Cancer. <i>Perspectives on Swallowing and Swallowing Disorders (Dysphagia)</i> , 2010 , 19, 45-52		9
21	Impact of selective neck dissection on chronic dysphagia after chemo-intensity-modulated radiotherapy for oropharyngeal carcinoma. <i>Head and Neck</i> , 2016 , 38, 886-93	4.2	9
20	Minimally invasive approach for the management of the leaking tracheoesophageal puncture. <i>Laryngoscope</i> , 2012 , 122, 590-4	3.6	8
19	Nonsurgical management of the stoma to maximize tracheoesophageal speech. <i>Otolaryngologic Clinics of North America</i> , 2004 , 37, 585-96	2	8

18	Early risk factors for enlargement of the tracheoesophageal puncture after total laryngectomy: nodal metastasis and extent of surgery. <i>JAMA Otolaryngology</i> , 2012 , 138, 833-9		7
17	Further experience with modification of an intraluminal button for hands-free tracheoesophageal speech after laryngectomy. <i>Journal of Prosthetic Dentistry</i> , 2009 , 102, 328-31	4	6
16	Addressing an unmet need in oncology patients: rehabilitation of upper aerodigestive tract function. <i>Annals of Oncology</i> , 2011 , 22, 2299-303	10.3	6
15	Modification of the Barton button for tracheoesophageal speech: an innovative maxillofacial prosthetic technique. <i>Journal of Prosthetic Dentistry</i> , 2002 , 87, 236-9	4	6
14	Prospective longitudinal patient-reported outcomes of swallowing following intensity modulated proton therapy for oropharyngeal cancer. <i>Radiotherapy and Oncology</i> , 2020 , 148, 133-139	5.3	5
13	Association between postoperative complications and long-term oncologic outcomes following total laryngectomy: 10-year experience at MD Anderson Cancer Center. <i>Cancer</i> , 2020 , 126, 4905-4916	6.4	5
12	Outcomes after radiation therapy for T2N0/stage II glottic squamous cell carcinoma. <i>Head and Neck</i> , 2020 , 42, 2791-2800	4.2	4
11	Custom modification of the Blom-Singer tracheostoma valve housing. <i>Journal of Prosthodontics</i> , 2003 , 12, 17-20	3.9	4
10	Pembrolizumab-induced mucositis in a patient with recurrent hypopharynx squamous cell cancer. <i>Laryngoscope</i> , 2020 , 130, E140-E143	3.6	4
9	Three-dimensional imaging assessment of anatomic invasion and volumetric considerations for chemo/radiotherapy-based laryngeal preservation in T3 larynx cancer. <i>Oral Oncology</i> , 2018 , 79, 1-8	4.4	2
8	Clinical application of the Provox NiD voice prosthesis: a longitudinal study. <i>Laryngoscope</i> , 2014 , 124, 1585-91	3.6	2
7	Evaluation of ototoxicity in patients treated with hyperthermic intraperitoneal chemotherapy (HIPEC) with cisplatin and sodium thiosulfate. <i>Ear and Hearing</i> , 2014 , 35, e243-7	3.4	2
6	Novel therapeutic approach to relieve pharyngoesophageal spasm after total laryngectomy. <i>Gastrointestinal Endoscopy</i> , 2012 , 76, 193-6	5.2	2
5	Custom modification of the Blom-Singer tracheostoma valve housing. <i>Journal of Prosthodontics</i> , 2003 , 12, 17-20	3.9	1
4	Neurologic sequelae following radiation with and without chemotherapy for oropharyngeal cancer: Patient reported outcomes study. <i>Head and Neck</i> , 2020 , 42, 2137-2144	4.2	1
3	Feeding Tube Utilization in Patients with Salivary Gland Malignancies. <i>Otolaryngology - Head and Neck Surgery</i> , 2017 , 156, 109-117	5.5	
2	Images in clinical medicine. Reversal of laryngeal paresis. <i>New England Journal of Medicine</i> , 2007 , 357, e25	59.2	
1	A Contemporary View of Tracheoesophageal Voice Restoration. <i>Perspectives on Voice and Voice Disorders</i> , 2012 , 22, 33-44		

