

# Marianne Ziol

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/56232/marianne-ziol-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126  
papers

9,550  
citations

43  
h-index

97  
g-index

139  
ext. papers

11,177  
ext. citations

5.9  
avg, IF

5.6  
L-index

#	Paper	IF	Citations
126	Common genetic variation in alcohol-related hepatocellular carcinoma: a case-control genome-wide association study.. <i>Lancet Oncology, The</i> , <b>2022</b> , 23, 161-171	21.7	1
125	Diagnostic accuracy of non-invasive tests for advanced fibrosis in patients with NAFLD: an individual patient data meta-analysis. <i>Gut</i> , <b>2021</b> ,	19.2	31
124	Telomere length is key to hepatocellular carcinoma diversity and telomerase addiction is an actionable therapeutic target. <i>Journal of Hepatology</i> , <b>2021</b> , 74, 1155-1166	13.4	11
123	Optimizing curative management of hepatocellular carcinoma. <i>Liver International</i> , <b>2020</b> , 40 Suppl 1, 109-115	11.5	12
122	Predicting Survival After Hepatocellular Carcinoma Resection Using Deep Learning on Histological Slides. <i>Hepatology</i> , <b>2020</b> , 72, 2000-2013	11.2	59
121	BAP1 mutations define a homogeneous subgroup of hepatocellular carcinoma with fibrolamellar-like features and activated PKA. <i>Journal of Hepatology</i> , <b>2020</b> , 72, 924-936	13.4	18
120	Non-invasive fibrosis tests to predict complications in compensated post-hepatitis C cirrhosis. <i>Clinics and Research in Hepatology and Gastroenterology</i> , <b>2020</b> , 44, 524-531	2.4	2
119	Serum keratin 19 (CYFRA21-1) links ductular reaction with portal hypertension and outcome of various advanced liver diseases. <i>BMC Medicine</i> , <b>2020</b> , 18, 336	11.4	0
118	Transient elastography predicts survival after radiofrequency ablation of hepatocellular carcinoma developing on cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2020</b> , 35, 142-150	4	4
117	Clinical Impact of Genomic Diversity From Early to Advanced Hepatocellular Carcinoma. <i>Hepatology</i> , <b>2020</b> , 71, 164-182	11.2	62
116	Molecular and histological correlations in liver cancer. <i>Journal of Hepatology</i> , <b>2019</b> , 71, 616-630	13.4	131
115	External validation of an algorithm combining multi-analyte blood tests (FibroTest-LCR1-LCR2) to identify subjects at risk of hepatocellular carcinoma in patients with chronic liver disease. <i>GastroHep</i> , <b>2019</b> , 1, 146-153	1	2
114	Dynamic of systemic immunity and its impact on tumor recurrence after radiofrequency ablation of hepatocellular carcinoma. <i>Oncolmmunology</i> , <b>2019</b> , 8, 1615818	7.2	13
113	A Constitutional Activating Mutation Makes the Genetic Link between Malignancies and Chronic Inflammatory Diseases. <i>Clinical Cancer Research</i> , <b>2019</b> , 25, 4504-4515	12.9	1
112	A 17-Beta-Hydroxysteroid Dehydrogenase 13 Variant Protects From Hepatocellular Carcinoma Development in Alcoholic Liver Disease. <i>Hepatology</i> , <b>2019</b> , 70, 231-240	11.2	51
111	Virologic control and severity of liver disease determine survival after radiofrequency ablation of hepatocellular carcinoma on cirrhosis. <i>Digestive and Liver Disease</i> , <b>2019</b> , 51, 86-94	3.3	6
110	PS-047-HSD17B13 loss of function variant protects from hepatocellular carcinoma developed on alcohol related liver disease. <i>Journal of Hepatology</i> , <b>2019</b> , 70, e29-e30	13.4	1

109	Late onset of nivolumab-induced severe gastroduodenitis and cholangitis in a patient with stage IV melanoma. <i>Immunotherapy</i> , <b>2019</b> , 11, 1005-1013	3.8	12
108	ESM1 as a Marker of Macrotrabecular-Massive Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , <b>2019</b> , 25, 5859-5865	12.9	26
107	Serum antimüllerian hormone is associated with the number of oocytes matured in vitro and with primordial follicle density in candidates for fertility preservation. <i>Fertility and Sterility</i> , <b>2019</b> , 111, 357-362	4.8	19
106	PNPLA3 and TM6SF2 variants as risk factors of hepatocellular carcinoma across various etiologies and severity of underlying liver diseases. <i>International Journal of Cancer</i> , <b>2019</b> , 144, 533-544	7.5	43
105	Influence of Progenitor-Derived Regeneration Markers on Hepatitis C Virus-Related Cirrhosis Outcome (ANRS CO12 CirVir Cohort). <i>Hepatology</i> , <b>2018</b> , 68, 1534-1548	11.2	5
104	Macrotrabecular-massive hepatocellular carcinoma: A distinctive histological subtype with clinical relevance. <i>Hepatology</i> , <b>2018</b> , 68, 103-112	11.2	83
103	Hsp72 protects against liver injury via attenuation of hepatocellular death, oxidative stress, and JNK signaling. <i>Journal of Hepatology</i> , <b>2018</b> , 68, 996-1005	13.4	24
102	Prognostic value of viral eradication for major adverse cardiovascular events in hepatitis C cirrhotic patients. <i>American Heart Journal</i> , <b>2018</b> , 198, 4-17	4.9	37
101	Non-invasive diagnosis of liver fibrosis in patients with alcohol-related liver disease by transient elastography: an individual patient data meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2018</b> , 3, 614-625	18.8	54
100	Daily cannabis and reduced risk of steatosis in human immunodeficiency virus and hepatitis C virus-co-infected patients (ANRS CO13-HEPAVIH). <i>Journal of Viral Hepatitis</i> , <b>2018</b> , 25, 171-179	3.4	14
99	Determination of candidate metabolite biomarkers associated with recurrence of HCV-related hepatocellular carcinoma. <i>Oncotarget</i> , <b>2018</b> , 9, 6245-6258	3.3	4
98	Micromolecular methods for diagnosis and therapeutic strategy: a case study. <i>Oncotarget</i> , <b>2018</b> , 9, 22863-22869	3.3	4
97	Elevated adiponectin and sTNFRII serum levels can predict progression to hepatocellular carcinoma in patients with compensated HCV1 cirrhosis. <i>European Cytokine Network</i> , <b>2018</b> , 29, 112-120	3.3	5
96	Molecular classification of hepatocellular adenomas: impact on clinical practice. <i>Hepatic Oncology</i> , <b>2018</b> , 5, HEP04	4	24
95	Proliferation Markers Are Associated with MET Expression in Hepatocellular Carcinoma and Predict Tivantinib Sensitivity. <i>Clinical Cancer Research</i> , <b>2017</b> , 23, 4364-4375	12.9	49
94	Autoimmune-like chronic hepatitis induced by olmesartan. <i>Hepatology</i> , <b>2017</b> , 66, 2086-2088	11.2	7
93	Concomitant screening for liver fibrosis and steatosis in French type 2 diabetic patients using Fibroscan. <i>Liver International</i> , <b>2017</b> , 37, 1897-1906	7.9	51
92	Eradication of Hepatitis C Virus Infection in Patients With Cirrhosis Reduces Risk of Liver and Non-Liver Complications. <i>Gastroenterology</i> , <b>2017</b> , 152, 142-156.e2	13.3	310

91	Short article: Anger and quality of life in patients co-infected with HIV and hepatitis C virus: a cross-sectional study (ANRS CO13-HEPAVIH). <i>European Journal of Gastroenterology and Hepatology</i> , <b>2017</b> , 29, 786-791	2.2	2
90	Diagnostic performance of FibroTest, SteatoTest and ActiTest in patients with NAFLD using the SAF score as histological reference. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2016</b> , 44, 877-89	6.1	54
89	Prevalence and clinical significance of nodular regenerative hyperplasia in liver biopsies. <i>Liver International</i> , <b>2016</b> , 36, 1059-66	7.9	23
88	Reply to Rokx et al. <i>Clinical Infectious Diseases</i> , <b>2016</b> , 63, 428	11.6	
87	Hemophagocytic Lymphohistiocytosis Associated With Bartonella henselae Infection in an HIV-Infected Patient. <i>Clinical Infectious Diseases</i> , <b>2016</b> , 62, 804-6	11.6	11
86	Sequential Serum Metabolomic Profiling after Radiofrequency Ablation of Hepatocellular Carcinoma Reveals Different Response Patterns According to Etiology. <i>Journal of Proteome Research</i> , <b>2016</b> , 15, 1446-54	5.6	10
85	Percutaneous Treatment of Localized Infiltrative Hepatocellular Carcinoma Developing on Cirrhosis. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 1906-15	3.1	6
84	Keratin 23 is a stress-inducible marker of mouse and human ductular reaction in liver disease. <i>Journal of Hepatology</i> , <b>2016</b> , 65, 552-9	13.4	26
83	Keratins 8 and 18 are type II acute-phase responsive genes overexpressed in human liver disease. <i>Liver International</i> , <b>2015</b> , 35, 1203-12	7.9	21
82	Norepinephrine Decreases Fluid Requirements and Blood Loss While Preserving Intestinal Villi Microcirculation during Fluid Resuscitation of Uncontrolled Hemorrhagic Shock in Mice. <i>Anesthesiology</i> , <b>2015</b> , 122, 1093-102	4.3	29
81	Diagnostic performance of controlled attenuation parameter for predicting steatosis grade in chronic hepatitis B. <i>Annals of Hepatology</i> , <b>2015</b> , 14, 826-36	3.1	16
80	Genetic risk markers for hepatocellular carcinoma in patients with alcoholic liver disease. <i>Hepatic Oncology</i> , <b>2015</b> , 2, 63-78	4	2
79	Utility and appropriateness of the fatty liver inhibition of progression (FLIP) algorithm and steatosis, activity, and fibrosis (SAF) score in the evaluation of biopsies of nonalcoholic fatty liver disease. <i>Hepatology</i> , <b>2014</b> , 60, 565-75	11.2	329
78	High frequency of X chromosome abnormalities in women with short stature and elevated liver enzymes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, E1592-6	5.6	1
77	Impact of cytokine gene variants on the prediction and prognosis of hepatocellular carcinoma in patients with cirrhosis. <i>Journal of Hepatology</i> , <b>2014</b> , 61, 342-50	13.4	20
76	Aseptic muscular abscesses associated with myelodysplastic syndrome. <i>European Journal of Dermatology</i> , <b>2014</b> , 24, 696-7	0.8	2
75	Predicting recurrence following radiofrequency percutaneous ablation for hepatocellular carcinoma. <i>Hepatic Oncology</i> , <b>2014</b> , 1, 395-408	4	5
74	GH administration rescues fatty liver regeneration impairment by restoring GH/EGFR pathway deficiency. <i>Endocrinology</i> , <b>2014</b> , 155, 2545-54	4.8	23

73	Relationship between tumor heterogeneity measured on FDG-PET/CT and pathological prognostic factors in invasive breast cancer. <i>PLoS ONE</i> , <b>2014</b> , 9, e94017	3.7	115
72	Hepatic endometrioma: a case report and review of the literature: report of a case. <i>Surgery Today</i> , <b>2013</b> , 43, 1188-93	3	18
71	Systematic cavity shaving: modifications of breast cancer management and long-term local recurrence, a multicentre study. <i>European Journal of Surgical Oncology</i> , <b>2013</b> , 39, 899-905	3.6	25
70	ESM-1 expression in stromal cells is predictive of recurrence after radiofrequency ablation in early hepatocellular carcinoma. <i>Journal of Hepatology</i> , <b>2013</b> , 59, 1264-70	13.4	31
69	Q fever and Mediterranean spotted fever associated with hemophagocytic syndrome: case study and literature review. <i>International Journal of Infectious Diseases</i> , <b>2013</b> , 17, e629-33	10.5	10
68	Peripheral intrahepatic cholangiocarcinoma occurring in patients without cirrhosis or chronic bile duct diseases: epidemiology and histopathology of distant nontumoral liver in 57 White patients. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2013</b> , 25, 94-8	2.2	15
67	Synergistic deleterious effect of hypoxemia and hypovolemia on microcirculation in intestinal villi*. <i>Critical Care Medicine</i> , <b>2013</b> , 41, e376-84	1.4	16
66	Malignant transformation of abdominal wall endometriosis: case report and literature review. <i>Tumori</i> , <b>2013</b> , 99, e49-54	1.7	2
65	Novel controlled attenuation parameter for noninvasive assessment of steatosis using Fibroscan(®): validation in chronic hepatitis C. <i>Journal of Viral Hepatitis</i> , <b>2012</b> , 19, 244-53	3.4	142
64	Keratin 8 variants are infrequent in patients with alcohol-related liver cirrhosis and do not associate with development of hepatocellular carcinoma. <i>BMC Gastroenterology</i> , <b>2012</b> , 12, 147	3	3
63	Ileocolic intussusception due to a cecal endometriosis: case report and review of literature. <i>Diagnostic Pathology</i> , <b>2012</b> , 7, 62	3	15
62	MDR3 immunostaining on frozen liver biopsy samples is not a sensitive diagnostic tool for the detection of heterozygous MDR3/ABCB4 gene mutations. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2012</b> , 460, 535-7; author reply 539	5.1	5
61	Identification of serum proton NMR metabolomic fingerprints associated with hepatocellular carcinoma in patients with alcoholic cirrhosis. <i>Clinical Cancer Research</i> , <b>2012</b> , 18, 6714-22	12.9	57
60	Prevalence and clinical significance of K�ffler cell hyperplasia with hemophagocytosis in liver biopsies. <i>American Journal of Surgical Pathology</i> , <b>2011</b> , 35, 337-45	6.7	17
59	HCV genotype 3 is associated with a higher hepatocellular carcinoma incidence in patients with ongoing viral C cirrhosis. <i>Journal of Viral Hepatitis</i> , <b>2011</b> , 18, e516-22	3.4	132
58	Telomerase gene mutations are associated with cirrhosis formation. <i>Hepatology</i> , <b>2011</b> , 53, 1608-17	11.2	107
57	Cavity margins examination in breast-conserving therapy. <i>Diagnostic Histopathology</i> , <b>2011</b> , 17, 232-237	0.7	3
56	Tissue accumulation of lanthanum as compared to aluminum in rats with chronic renal failure--possible harmful effects after long-term exposure. <i>Nephron Experimental Nephrology</i> , <b>2010</b> , 115, e112-21		18

55	Intermediate hepatobiliary cells predict an increased risk of hepatocarcinogenesis in patients with hepatitis C virus-related cirrhosis. <i>Gastroenterology</i> , <b>2010</b> , 139, 335-43.e2	13.3	26
54	Insulin resistance, serum leptin, and adiponectin levels and outcomes of viral hepatitis C cirrhosis. <i>Journal of Hepatology</i> , <b>2010</b> , 53, 827-33	13.4	81
53	Expression of E- and N-cadherin and CD44 in endometrium and hydrosalpinges from infertile women. <i>Fertility and Sterility</i> , <b>2010</b> , 94, 2909-12	4.8	17
52	The enteropathy associated with common variable immunodeficiency: the delineated frontiers with celiac disease. <i>American Journal of Gastroenterology</i> , <b>2010</b> , 105, 2262-75	0.7	178
51	Prevalence of sclerosing cholangitis in adults with autoimmune hepatitis: a prospective magnetic resonance imaging and histological study. <i>Hepatology</i> , <b>2009</b> , 50, 528-37	11.2	66
50	Myeloperoxidase and superoxide dismutase 2 polymorphisms comodule the risk of hepatocellular carcinoma and death in alcoholic cirrhosis. <i>Hepatology</i> , <b>2009</b> , 50, 1484-93	11.2	81
49	A "self adhering" prosthesis for hernia repair: experimental study. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , <b>2009</b> , 13, 49-52	3.2	20
48	Prevalence and predictive factors for the detection of carcinoma in cavity margin performed at the time of breast lumpectomy. <i>Modern Pathology</i> , <b>2009</b> , 22, 299-305	9.8	40
47	Non-invasive assessment of liver fibrosis by stiffness measurement in patients with chronic hepatitis B. <i>Liver International</i> , <b>2009</b> , 29, 242-7	7.9	369
46	Relationships between fibrosis amounts assessed by morphometry and liver stiffness measurements in chronic hepatitis or steatohepatitis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2009</b> , 21, 1261-8	2.2	37
45	Liver stiffness measurement as a predictive tool of clinically significant portal hypertension in patients with compensated hepatitis C virus or alcohol-related cirrhosis. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2008</b> , 28, 1102-10	6.1	159
44	The manganese superoxide dismutase Ala16Val dimorphism modulates iron accumulation in human hepatoma cells. <i>Free Radical Biology and Medicine</i> , <b>2008</b> , 45, 1308-17	7.8	20
43	Liver iron, HFE gene mutations, and hepatocellular carcinoma occurrence in patients with cirrhosis. <i>Gastroenterology</i> , <b>2008</b> , 134, 102-10	13.3	102
42	ABCB4 heterozygous gene mutations associated with fibrosing cholestatic liver disease in adults. <i>Gastroenterology</i> , <b>2008</b> , 135, 131-41	13.3	123
41	Nodular regenerative hyperplasia: the main liver disease in patients with primary hypogammaglobulinemia and hepatic abnormalities. <i>Journal of Hepatology</i> , <b>2008</b> , 48, 74-82	13.4	122
40	Assessment of liver fibrosis using transient elastography in patients with alcoholic liver disease. <i>Journal of Hepatology</i> , <b>2008</b> , 49, 1062-8	13.4	185
39	Manganese superoxide dismutase dimorphism and iron overload, hepatocellular carcinoma, and death in hepatitis C virus-infected patients. <i>Clinical Gastroenterology and Hepatology</i> , <b>2007</b> , 5, 630-5	6.9	14
38	Reply:. <i>Hepatology</i> , <b>2007</b> , 46, 282-283	11.2	2

37	Aspects histopathologiques des infections à virus hépatotropes. <i>Revue Francophone Des Laboratoires</i> , <b>2007</b> , 2007, 41-48	0	
36	Risks factors of liver fibrosis in a cohort of intravenous drug users coinfectd with HIV and HCV in the HAART era: the role of mixed steatosis. <i>Gastroenterologie Clinique Et Biologique</i> , <b>2007</b> , 31, 822-7		4
35	Stromal cell-derived factor-1/chemokine (C-X-C motif) ligand 12 stimulates human hepatoma cell growth, migration, and invasion. <i>Molecular Cancer Research</i> , <b>2007</b> , 5, 21-33	6.6	120
34	Renal granulomatoses: a retrospective study of 40 cases and review of the literature. <i>Medicine (United States)</i> , <b>2007</b> , 86, 170-180	1.8	42
33	Features associated with success rate and performance of FibroScan measurements for the diagnosis of cirrhosis in HCV patients: a prospective study of 935 patients. <i>Journal of Hepatology</i> , <b>2007</b> , 46, 628-34	13.4	201
32	Routine surgical pathology in general surgery. <i>British Journal of Surgery</i> , <b>2006</b> , 93, 362-8	5.3	90
31	Assessment of biliary fibrosis by transient elastography in patients with PBC and PSC. <i>Hepatology</i> , <b>2006</b> , 43, 1118-24	11.2	334
30	Accuracy of liver stiffness measurement for the diagnosis of cirrhosis in patients with chronic liver diseases. <i>Hepatology</i> , <b>2006</b> , 44, 1511-7	11.2	382
29	Diagnosis of hepatic fibrosis and cirrhosis by transient elastography in HIV/hepatitis C virus-coinfectd patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2006</b> , 41, 175-9	3.1	286
28	Genetic polymorphisms in antioxidant enzymes modulate hepatic iron accumulation and hepatocellular carcinoma development in patients with alcohol-induced cirrhosis. <i>Cancer Research</i> , <b>2006</b> , 66, 2844-52	10.1	66
27	Liver stiffness measurement versus clinicians' prediction or both for the assessment of liver fibrosis in patients with chronic hepatitis C. <i>American Journal of Gastroenterology</i> , <b>2006</b> , 101, 2744-51	0.7	28
26	Le point sur le Systēme de Bethesda 2001. <i>Annales De Pathologie</i> , <b>2006</b> , 26, 382-388	0.3	
25	Interferon gamma-secreting HCV-specific CD8+ T cells in the liver of patients with chronic C hepatitis: relation to liver fibrosis--ANRS HC EP07 study. <i>Journal of Viral Hepatitis</i> , <b>2006</b> , 13, 474-81	3.4	14
24	Genetic dimorphism in superoxide dismutase and susceptibility to alcoholic cirrhosis, hepatocellular carcinoma, and death. <i>Clinical Gastroenterology and Hepatology</i> , <b>2005</b> , 3, 292-8	6.9	50
23	Azathioprine induced nodular regenerative hyperplasia in IBD patients. <i>Gastroenterologie Clinique Et Biologique</i> , <b>2005</b> , 29, 600-3		50
22	Noninvasive assessment of liver fibrosis by measurement of stiffness in patients with chronic hepatitis C. <i>Hepatology</i> , <b>2005</b> , 41, 48-54	11.2	1081
21	Cost-effectiveness of liquid-based cytology with or without hybrid-capture II HPV test compared with conventional Pap smears: a study by the French Society of Clinical Cytology. <i>Diagnostic Cytopathology</i> , <b>2005</b> , 33, 338-43	1.4	18
20	Doppler and immunohistochemical evaluation of decidual spiral arteries in early pregnancy. <i>Gynecologic and Obstetric Investigation</i> , <b>2005</b> , 59, 24-8	2.5	4

19	Spontaneous regression of grade 3 vulvar intraepithelial neoplasia associated with human papillomavirus-16-specific CD4(+) and CD8(+) T-cell responses. <i>Cancer Research</i> , <b>2004</b> , 64, 8761-6	10.1	45
18	Regression of established liver tumor induced by monoepitopic peptide-based immunotherapy. <i>Journal of Immunology</i> , <b>2004</b> , 173, 4882-8	5.3	12
17	Expression of Granzyme B in viral hepatitis in patients with ALPS. <i>Hepatology</i> , <b>2004</b> , 39, 864-5	11.2	5
16	Low-grade steatosis and major changes in portal flow as new prognostic factors in steroid-treated alcoholic hepatitis. <i>Hepatology</i> , <b>2004</b> , 40, 1370-8	11.2	31
15	Intrasinusoidal cytotoxic CD8+ T cells in nodular regenerative hyperplasia of the liver. <i>Human Pathology</i> , <b>2004</b> , 35, 1241-51	3.7	27
14	Transient elastography: a new noninvasive method for assessment of hepatic fibrosis. <i>Ultrasound in Medicine and Biology</i> , <b>2003</b> , 29, 1705-13	3.5	1962
13	Efficiency of the Hybrid Capture 2 HPV DNA Test in Cervical Cancer Screening. <i>American Journal of Clinical Pathology</i> , <b>2003</b> , 120, 492-499	1.9	60
12	Efficiency of the hybrid capture 2 HPV DNA test in cervical cancer screening. A study by the French Society of Clinical Cytology. <i>American Journal of Clinical Pathology</i> , <b>2003</b> , 120, 492-9	1.9	18
11	Amino acid modifications in the wild type sequence p53 232-240 overcome the poor immunogenicity of this self tumour epitope. <i>Journal of Peptide Science</i> , <b>2002</b> , 8, 327-34	2.1	17
10	Regression of primary hepatocarcinoma in cancer-prone transgenic mice by local interferon-gamma delivery is associated with macrophages recruitment and nitric oxide production. <i>Cancer Gene Therapy</i> , <b>2001</b> , 8, 193-202	5.4	22
9	Clinical and biological relevance of hepatocyte apoptosis in alcoholic hepatitis. <i>Journal of Hepatology</i> , <b>2001</b> , 34, 254-60	13.4	118
8	Interleukin-10 inhibits intimal hyperplasia after angioplasty or stent implantation in hypercholesterolemic rabbits. <i>Circulation</i> , <b>2000</b> , 101, 908-16	16.7	104
7	Liver iron is predictive of death in alcoholic cirrhosis: a multivariate study of 229 consecutive patients with alcoholic and/or hepatitis C virus cirrhosis: a prospective follow up study. <i>Gut</i> , <b>2000</b> , 46, 277-82	19.2	93
6	Minocycline-induced systemic adverse reaction with liver and bone marrow granulomas and Sezary-like cells. <i>American Journal of Medicine</i> , <b>2000</b> , 108, 353-4	2.4	5
5	Virological and biological characteristics of cervical intraepithelial neoplasia grade I with marked koilocytotic atypia. <i>Human Pathology</i> , <b>1998</b> , 29, 1068-73	3.7	10
4	Cells are present in the smoke created during laparoscopic surgery. <i>British Journal of Surgery</i> , <b>1997</b> , 84, 993-5	5.3	58
3	A histopathological study of the effects of 6-month versus 12-month interferon alpha-2b therapy in chronic hepatitis C. <i>Journal of Hepatology</i> , <b>1996</b> , 25, 833-41	13.4	25
2	Reduction of intimal hyperplasia by naroparil, a 4-methylumbelliferyl beta-D-xyloside analogue, after arterial injury in the hypercholesterolemic rabbit. <i>Circulation Research</i> , <b>1995</b> , 77, 919-26	15.7	7



- 1 Aortic dissection and cardiovascular syphilis: report of an observation with transesophageal echocardiography and anatomopathologic findings. *Journal of the American Society of Echocardiography*, **1994**, 7, 419-21 5.8 16