
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5623337/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Trauma, PTSD, and Substance Use Disorders: Findings From the Australian National Survey of Mental Health and Well-Being. American Journal of Psychiatry, 2006, 163, 652-658.	7.2	352
2	Alcohol use disorders comorbid with anxiety, depression and drug use disorders. Drug and Alcohol Dependence, 2002, 68, 299-307.	3.2	294
3	Lifetime Prevalence of Gender-Based Violence in Women and the Relationship With Mental Disorders and Psychosocial Function. JAMA - Journal of the American Medical Association, 2011, 306, 513-21.	7.4	284
4	Birth cohort trends in the global epidemiology of alcohol use and alcohol-related harms in men and women: systematic review and metaregression. BMJ Open, 2016, 6, e011827.	1.9	276
5	Integrated Exposure-Based Therapy for Co-occurring Posttraumatic Stress Disorder and Substance Dependence. JAMA - Journal of the American Medical Association, 2012, 308, 690-9.	7.4	247
6	Trauma, PTSD, and Substance Use Disorders: Findings From the Australian National Survey of Mental Health and Well-Being. American Journal of Psychiatry, 2006, 163, 652.	7.2	216
7	The characteristics of heroin users entering treatment: findings from the Australian Treatment Outcome Study (ATOS). Drug and Alcohol Review, 2005, 24, 411-418.	2.1	204
8	Prevalence and correlates of DSMâ€IV alcohol abuse and dependence in Australia: findings of the 2007 National Survey of Mental Health and Wellbeing. Addiction, 2010, 105, 2085-2094.	3.3	203
9	Alcohol- and Drug-Use Disorders in Australia: Implications of the National Survey of Mental Health and Wellbeing. Australian and New Zealand Journal of Psychiatry, 2000, 34, 206-213.	2.3	193
10	Comorbidity in Australia: Findings of the 2007 National Survey of Mental Health and Wellbeing. Australian and New Zealand Journal of Psychiatry, 2009, 43, 606-614.	2.3	168
11	Internetâ€based prevention for alcohol and cannabis use: final results of the Climate Schools course. Addiction, 2010, 105, 749-759.	3.3	165
12	The impact of comorbid anxiety and depression on alcohol treatment outcomes. Addiction, 2005, 100, 787-796.	3.3	155
13	Post-traumatic stress disorder among people with heroin dependence in the Australian treatment outcome study (ATOS): prevalence and correlates. Drug and Alcohol Dependence, 2005, 77, 243-249.	3.2	147
14	The 12-month prevalence of substance use and ICD-10 substance use disorders in Australian adults: findings from the National Survey of Mental Health and Well-Being. Addiction, 1999, 94, 1541-1550.	3.3	145
15	Naltrexone versus acamprosate in the treatment of alcohol dependence: a multiâ€centre, randomized, doubleâ€blind, placeboâ€controlled trial. Addiction, 2006, 101, 1451-1462.	3.3	143
16	A systematic review of schoolâ€based alcohol and other drug prevention programs facilitated by computers or the <scp>I</scp> nternet. Drug and Alcohol Review, 2013, 32, 115-123.	2.1	136
17	Suicidality, internalizing problems and externalizing problems among adolescent bullies, victims and bully-victims. Preventive Medicine, 2015, 73, 100-105.	3.4	132
18	A network approach to the comorbidity between posttraumatic stress disorder and major depressive disorder: The role of overlapping symptoms. Journal of Affective Disorders, 2017, 208, 490-496.	4.1	131

#	Article	IF	CITATIONS
19	Alcohol- and drug-use disorders in Australia: implications of the National Survey of Mental Health and Wellbeing. Australian and New Zealand Journal of Psychiatry, 2000, 34, 206-213.	2.3	128
20	Remission from post-traumatic stress disorder in the general population. Psychological Medicine, 2012, 42, 1695-1703.	4.5	125
21	One year outcomes for heroin dependence: Findings from the Australian Treatment Outcome Study (ATOS). Drug and Alcohol Dependence, 2006, 83, 174-180.	3.2	118
22	The impact of treatment on 3 years' outcome for heroin dependence: findings from the Australian Treatment Outcome Study (ATOS). Addiction, 2008, 103, 80-88.	3.3	117
23	Attempted suicide among entrants to three treatment modalities for heroin dependence in the Australian Treatment Outcome Study (ATOS): prevalence and risk factors. Drug and Alcohol Dependence, 2004, 73, 1-10.	3.2	115
24	The structure of alcohol dependence in the community. Drug and Alcohol Dependence, 2006, 81, 21-26.	3.2	111
25	Cannabis use and dependence among Australian adults: results from the National Survey of Mental Health and Wellbeing. Addiction, 2001, 96, 737-748.	3.3	109
26	Depression among heroin users: 12-Month outcomes from the Australian Treatment Outcome Study (ATOS). Journal of Substance Abuse Treatment, 2006, 30, 355-362.	2.8	108
27	Delivering prevention for alcohol and cannabis using the internet: A cluster randomised controlled trial. Preventive Medicine, 2009, 48, 579-584.	3.4	107
28	Randomized controlled trial of cognitive behaviour therapy for comorbid post-traumatic stress disorders. Addiction, 2013, 108, 1397-1410.	3.3	102
29	Depression among entrants to treatment for heroin dependence in the Australian Treatment Outcome Study (ATOS): prevalence, correlates and treatment seeking. Drug and Alcohol Dependence, 2005, 78, 309-315.	3.2	101
30	The psychometric properties of the Kessler Psychological Distress Scale (K6) in a general population sample of adolescents Psychological Assessment, 2016, 28, 1232-1242.	1.5	100
31	A computerized harm minimization prevention program for alcohol misuse and related harms: randomized controlled trial. Addiction, 2009, 104, 564-575.	3.3	99
32	Rates and correlates of mortality amongst heroin users: Findings from the Australian Treatment Outcome Study (ATOS), 2001–2009. Drug and Alcohol Dependence, 2011, 115, 190-195.	3.2	99
33	Borderline personality disorder, antisocial personality disorder and risk-taking among heroin users: findings from the Australian Treatment Outcome Study (ATOS). Drug and Alcohol Dependence, 2004, 74, 77-83.	3.2	96
34	Trauma at the Hands of Another. Journal of Clinical Psychiatry, 2014, 75, 147-153.	2.2	96
35	Effectiveness of school-based eHealth interventions to prevent multiple lifestyle risk behaviours among adolescents: a systematic review and meta-analysis. The Lancet Digital Health, 2019, 1, e206-e221.	12.3	91
36	The structure of adolescent psychopathology: a symptom-level analysis. Psychological Medicine, 2016, 46, 981-994.	4.5	89

#	Article	IF	CITATIONS
37	Cannabis use and psychotic disorders: an update. Drug and Alcohol Review, 2004, 23, 433-443.	2.1	88
38	Association of Prenatal Alcohol Exposure With Psychological, Behavioral, and Neurodevelopmental Outcomes in Children From the Adolescent Brain Cognitive Development Study. American Journal of Psychiatry, 2020, 177, 1060-1072.	7.2	87
39	Longâ€ŧerm mortality, remission, criminality and psychiatric comorbidity of heroin dependence: 11â€year findings from the Australian Treatment Outcome Study. Addiction, 2015, 110, 986-993.	3.3	85
40	Patterns and correlates of attempted suicide by heroin users over a 3-year period: Findings from the Australian treatment outcome study. Drug and Alcohol Dependence, 2007, 87, 146-152.	3.2	84
41	An evaluation of the proposed DSMâ€5 alcohol use disorder criteria using Australian national data. Addiction, 2011, 106, 941-950.	3.3	84
42	The structure of cannabis dependence in the community. Drug and Alcohol Dependence, 2002, 68, 255-262.	3.2	81
43	Health service utilization and benzodiazepine use among heroin users: findings from the Australian Treatment Outcome Study (ATOS). Addiction, 2003, 98, 1129-1135.	3.3	80
44	Substance use, dependence and treatment seeking in the United States and Australia: A cross-national comparison. Drug and Alcohol Dependence, 2006, 81, 149-155.	3.2	80
45	An Online Intervention for Co-Occurring Depression and Problematic Alcohol Use in Young People: Primary Outcomes From a Randomized Controlled Trial. Journal of Medical Internet Research, 2016, 18, e71.	4.3	80
46	Factors associated with 12 months continuous heroin abstinence: findings from the Australian Treatment Outcome Study (ATOS). Journal of Substance Abuse Treatment, 2005, 28, 255-263.	2.8	76
47	A systematic review of computerised serious educational games about alcohol and other drugs for adolescents. Drug and Alcohol Review, 2014, 33, 129-135.	2.1	75
48	The effect of persistence of cocaine use on 12-month outcomes for the treatment of heroin dependence. Drug and Alcohol Dependence, 2006, 81, 293-300.	3.2	74
49	A systematic review of combined student―and parentâ€based programs to prevent alcohol and other drug use among adolescents. Drug and Alcohol Review, 2017, 36, 337-351.	2.1	74
50	Patterns of Nonfatal Heroin Overdose Over a 3-Year Period: Findings From the Australian Treatment Outcome Study. Journal of Urban Health, 2007, 84, 283-291.	3.6	73
51	Australian schoolâ€based prevention programs for alcohol and other drugs: A systematic review. Drug and Alcohol Review, 2012, 31, 731-736.	2.1	73
52	Developing a roadmap for the translation of e-mental health services for depression. Australian and New Zealand Journal of Psychiatry, 2015, 49, 776-784.	2.3	73
53	Neurobiological and Cognitive Profile of Young Binge Drinkers: a Systematic Review and Meta-Analysis. Neuropsychology Review, 2019, 29, 357-385.	4.9	73
54	Characteristics of DSM-IV and ICD-10 cannabis dependence among Australian adults: results from the National Survey of Mental Health and Wellbeing. Drug and Alcohol Dependence, 2001, 63, 147-153.	3.2	71

#	Article	IF	CITATIONS
55	Postâ€traumatic stress disorder, depression and suicidality in inpatients with substance use disorders. Drug and Alcohol Review, 2012, 31, 294-302.	2.1	70
56	The impact of post-traumatic stress disorder on treatment outcomes for heroin dependence. Addiction, 2007, 102, 447-454.	3.3	69
57	Climate Schools: Alcohol Module: Cross-Validation of a School-Based Prevention Programme for Alcohol Misuse. Australian and New Zealand Journal of Psychiatry, 2009, 43, 201-207.	2.3	69
58	Assessing the Prevalence of Trauma Exposure in Epidemiological Surveys. Australian and New Zealand Journal of Psychiatry, 2011, 45, 407-415.	2.3	69
59	Conditional probabilities of substance use disorders and associated risk factors: Progression from first use to use disorder on alcohol, cannabis, stimulants, sedatives and opioids. Drug and Alcohol Dependence, 2019, 194, 136-142.	3.2	69
60	Effectiveness of a universal internetâ€based prevention program for ecstasy and new psychoactive substances: a cluster randomized controlled trial. Addiction, 2016, 111, 1396-1405.	3.3	68
61	Non-fatal heroin overdose, treatment exposure and client characteristics: Findings from the Australian Treatment Outcome Study (ATOS). Drug and Alcohol Review, 2005, 24, 425-432.	2.1	67
62	DSM-IV and DSM-5 social anxiety disorder in the Australian community. Australian and New Zealand Journal of Psychiatry, 2015, 49, 227-235.	2.3	66
63	Combined universal and selective prevention for adolescent alcohol use: a cluster randomized controlled trial. Psychological Medicine, 2017, 47, 1761-1770.	4.5	66
64	Assertive community treatmentIssues from scientific and clinical literature with implications for practice. Journal of Rehabilitation Research and Development, 2007, 44, 813.	1.6	66
65	Does Case Management Work? The Evidence and the Abuse of Evidence-Based Medicine. Australian and New Zealand Journal of Psychiatry, 2001, 35, 731-746.	2.3	65
66	The longâ€ŧerm effectiveness of a selective, personalityâ€ŧargeted prevention program in reducing alcohol use and related harms: a cluster randomized controlled trial. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2016, 57, 1056-1065.	5.2	65
67	Combined prevention for substance use, depression, and anxiety in adolescence: a cluster-randomised controlled trial of a digital online intervention. The Lancet Digital Health, 2020, 2, e74-e84.	12.3	65
68	The profile of psychiatric symptoms exacerbated by methamphetamine use. Drug and Alcohol Dependence, 2016, 161, 104-109.	3.2	64
69	Patterns and correlates of new psychoactive substance use in a sample of <scp>A</scp> ustralian high school students. Drug and Alcohol Review, 2016, 35, 338-344.	2.1	62
70	Measurement of Need for Care: A Trial of the Camberwell Assessment of Need and the Health of the Nation Outcome Scales. Australian and New Zealand Journal of Psychiatry, 1999, 33, 754-759.	2.3	60
71	Prevalence, correlates and comorbidity of DSM-IV Cannabis Use and Cannabis Use Disorders in Australia. Australian and New Zealand Journal of Psychiatry, 2012, 46, 1182-1192.	2.3	60
72	Patterns of major depression and drug-related problems amongst heroin users across 36Âmonths. Psychiatry Research, 2009, 166, 7-14.	3.3	59

#	Article	IF	CITATIONS
73	Clustering of Multiple Risk Behaviors Among a Sample of 18-Year-Old Australians and Associations With Mental Health Outcomes: A Latent Class Analysis. Frontiers in Public Health, 2018, 6, 135.	2.7	59
74	Delay to first treatment contact for alcohol use disorder. Drug and Alcohol Dependence, 2015, 147, 116-121.	3.2	58
75	The Costs and Outcomes of Treatment for Opioid Dependence Associated With Posttraumatic Stress Disorder. Psychiatric Services, 2005, 56, 940-945.	2.0	57
76	Patterns of sustained heroin abstinence amongst long-term, dependent heroin users: 36Âmonths findings from the Australian Treatment Outcome Study (ATOS). Addictive Behaviors, 2007, 32, 1897-1906.	3.0	57
77	Do acamprosate or naltrexone have an effect on daily drinking by reducing craving for alcohol?. Addiction, 2008, 103, 953-959.	3.3	57
78	The CAP study, evaluation of integrated universal and selective prevention strategies for youth alcohol misuse: study protocol of a cluster randomized controlled trial. BMC Psychiatry, 2012, 12, 118.	2.6	57
79	Psychiatric Disorders in Homeless Men and Women in Inner Sydney. Australian and New Zealand Journal of Psychiatry, 2004, 38, 162-168.	2.3	56
80	Attempted suicide among heroin users: 12-month outcomes from the Australian Treatment Outcome Study (ATOS). Drug and Alcohol Dependence, 2005, 78, 177-186.	3.2	54
81	Hurt people who hurt people: Violence amongst individuals with comorbid substance use disorder and post traumatic stress disorder. Addictive Behaviors, 2011, 36, 721-728.	3.0	54
82	Who seeks treatment for alcohol dependence?. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 451-456.	3.1	53
83	Understanding comorbidity between substance use, anxiety and affective disorders: Broadening the research base. Addictive Behaviors, 2009, 34, 526-530.	3.0	53
84	Evidence for Sex Convergence in Prevalence of Cannabis Use: A Systematic Review and Meta-Regression. Journal of Studies on Alcohol and Drugs, 2017, 78, 344-352.	1.0	53
85	Benzodiazepine use among heroin users: Baseline use, current use and clinical outcome. Drug and Alcohol Review, 2010, 29, 250-255.	2.1	52
86	The impact of borderline personality disorder on 12-month outcomes for the treatment of heroin dependence. Addiction, 2005, 100, 1121-1130.	3.3	51
87	Substance use disorders comorbid with mood and anxiety disorders in the Australian general population. Drug and Alcohol Review, 2017, 36, 317-324.	2.1	49
88	Young people with heroin dependence: Findings from the Australian Treatment Outcome Study (ATOS). Journal of Substance Abuse Treatment, 2004, 27, 67-73.	2.8	48
89	Childhood trauma among individuals with co-morbid substance use and post-traumatic stress disorder. Mental Health and Substance Use: Dual Diagnosis, 2011, 4, 314-326.	0.5	48
90	Drinking to Cope: a Latent Class Analysis of Coping Motives for Alcohol Use in a Large Cohort of Adolescents. Prevention Science, 2016, 17, 584-594.	2.6	48

#	Article	IF	CITATIONS
91	Substance use disorders among homeless people in inner Sydney. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 451-456.	3.1	46
92	Psychosocial factors associated with adolescent substance use: a longitudinal investigation. Advances in Dual Diagnosis, 2017, 10, 142-154.	0.5	46
93	A universal harm-minimisation approach to preventing psychostimulant and cannabis use in adolescents: a cluster randomised controlled trial. Substance Abuse Treatment, Prevention, and Policy, 2014, 9, 24.	2.2	44
94	Universal Internet-based prevention for alcohol and cannabis use reduces truancy, psychological distress and moral disengagement: A cluster randomised controlled trial. Preventive Medicine, 2014, 65, 109-115.	3.4	44
95	Concurrent and prospective associations between bullying victimization and substance use among Australian adolescents. Drug and Alcohol Dependence, 2015, 154, 63-68.	3.2	44
96	Affective and Anxiety Disorders and their Relationship with Chronic Physical Conditions in Australia: Findings of the 2007 National Survey of Mental Health and Wellbeing. Australian and New Zealand Journal of Psychiatry, 2011, 45, 939-946.	2.3	43
97	The Australian Treatment Outcome Study (ATOS): what have we learnt about treatment for heroin dependence?. Drug and Alcohol Review, 2007, 26, 49-54.	2.1	42
98	The CLIMATE schools combined study: a cluster randomised controlled trial of a universal Internet-based prevention program for youth substance misuse, depression and anxiety. BMC Psychiatry, 2014, 14, 32.	2.6	41
99	The prevalence and correlates of secondary traumatic stress among alcohol and other drug workers in <scp>A</scp> ustralia. Drug and Alcohol Review, 2015, 34, 252-258.	2.1	41
100	The validity of the Substance Use Risk Profile Scale (SURPS) among Australian adolescents. Addictive Behaviors, 2016, 53, 23-30.	3.0	41
101	Reductions in heroin use are not associated with increases in other drug use: 2-year findings from the Australian Treatment Outcome Study. Drug and Alcohol Dependence, 2006, 84, 201-205.	3.2	40
102	Associations between substance use, post-traumatic stress disorder and the perpetration of violence: A longitudinal investigation. Addictive Behaviors, 2014, 39, 1075-1080.	3.0	40
103	Primary and substance-induced psychotic disorders in methamphetamine users. Psychiatry Research, 2015, 226, 91-96.	3.3	40
104	Patterns and correlates of non-fatal heroin overdose at 11-year follow-up: Findings from the Australian Treatment Outcome Study. Drug and Alcohol Dependence, 2014, 144, 148-152.	3.2	38
105	Prevention of alcohol and other drug use and related harm in the digital age. Current Opinion in Psychiatry, 2016, 29, 242-249.	6.3	37
106	Factor structure of posttraumatic stress disorder symptoms in the Australian general population. Journal of Anxiety Disorders, 2010, 24, 520-527.	3.2	36
107	Mental health correlates of anger in the general population: Findings from the 2007 National Survey of Mental Health and Wellbeing. Australian and New Zealand Journal of Psychiatry, 2013, 47, 470-476.	2.3	36
108	A cross-validation trial of an Internet-based prevention program for alcohol and cannabis: Preliminary results from a cluster randomised controlled trial. Australian and New Zealand Journal of Psychiatry, 2016, 50, 64-73.	2.3	36

#	Article	IF	CITATIONS
109	Preventing Substance Use Among Indigenous Adolescents in the USA, Canada, Australia and New Zealand: a Systematic Review of the Literature. Prevention Science, 2020, 21, 65-85.	2.6	36
110	The contribution of gender-based violence and network trauma to gender differences in Post-Traumatic Stress Disorder. PLoS ONE, 2017, 12, e0171879.	2.5	35
111	Borderline personality disorder and persistently elevated levels of risk in 36-month outcomes for the treatment of heroin dependence. Addiction, 2007, 102, 1140-1146.	3.3	34
112	Machineâ€learning prediction of adolescent alcohol use: a crossâ€study, crossâ€cultural validation. Addiction, 2019, 114, 662-671.	3.3	34
113	New Australian guidelines for the treatment of alcohol problems: an overview of recommendations. Medical Journal of Australia, 2021, 215, S3-S32.	1.7	34
114	Issues with recruitment to randomised controlled trials in the drug and alcohol field: a literature review and Australian case study. Drug and Alcohol Review, 2008, 27, 115-122.	2.1	33
115	Patterns and correlates of attempted suicide amongst heroin users: 11-year follow-up of the Australian treatment outcome study cohort. Psychiatry Research, 2015, 227, 166-170.	3.3	33
116	The efficacy of compliance therapy in pharmacotherapy for alcohol dependence: a randomized controlled trial Journal of Studies on Alcohol and Drugs, 2005, 66, 833-841.	2.3	31
117	Some new directions for research on psychological interventions for comorbid anxiety and substance use disorders. Drug and Alcohol Review, 2010, 29, 518-524.	2.1	31
118	An Evaluation of the Proposed DSM-5 Cannabis Use Disorder Criteria Using Australian National Survey Data. Journal of Studies on Alcohol and Drugs, 2013, 74, 614-621.	1.0	31
119	Alcohol and Other Drug Use Disorders Among Homeless People in Australia. Substance Use and Misuse, 2003, 38, 463-474.	1.4	30
120	Non-injecting routes of administration among entrants to three treatment modalities for heroin dependence. Drug and Alcohol Review, 2004, 23, 177-183.	2.1	30
121	A taxometric study of alcohol abuse and dependence in a general population sample: evidence of dimensional latent structure and implications for DSMâ€V. Addiction, 2009, 104, 742-751.	3.3	30
122	Stigma, discrimination and crystal methamphetamine (â€~ice'): Current attitudes in Australia. International Journal of Drug Policy, 2021, 87, 102982.	3.3	30
123	â€~Trapped', â€~anxious' and â€~traumatised': COVID-19 intensified the impact of housing inequality o Australians' mental health. International Journal of Housing Policy, 2023, 23, 260-291.	on 1.8	30
124	Measuring Disability, Need and Outcome in Australian Community Mental Health Services. Australian and New Zealand Journal of Psychiatry, 2000, 34, 850-855.	2.3	29
125	Do Young Adults Interpret the <scp>DSM</scp> Diagnostic Criteria for Alcohol Use Disorders as Intended? A Cognitive Interviewing Study. Alcoholism: Clinical and Experimental Research, 2013, 37, 1001-1007.	2.4	29
126	Anxiety disorders and first alcohol use in the general population. Findings from a nationally representative sample. Journal of Anxiety Disorders, 2015, 31, 108-113.	3.2	29

#	Article	IF	CITATIONS
127	Is Specialized Integrated Treatment for Comorbid Anxiety, Depression and Alcohol Dependence Better than Treatment as Usual in a Public Hospital Setting?. Alcohol and Alcoholism, 2016, 51, 402-409.	1.6	29
128	Universal prevention of alcohol and drug use: An overview of reviews in an Australian context. Drug and Alcohol Review, 2018, 37, S435-S469.	2.1	29
129	Study protocol of the Health4Life initiative: a cluster randomised controlled trial of an eHealth school-based program targeting multiple lifestyle risk behaviours among young Australians. BMJ Open, 2020, 10, e035662.	1.9	29
130	The 7-Year Effectiveness of School-Based Alcohol Use Prevention From Adolescence to Early Adulthood: A Randomized Controlled Trial of Universal, Selective, and Combined Interventions. Journal of the American Academy of Child and Adolescent Psychiatry, 2022, 61, 520-532.	0.5	29
131	Trajectories of heroin use: 10–11â€year findings from the Australian Treatment Outcome Study. Addiction, 2017, 112, 1056-1068.	3.3	28
132	The effect of baseline cocaine use on treatment outcomes for heroin dependence over 24 months: Findings from the Australian Treatment Outcome Study. Journal of Substance Abuse Treatment, 2007, 33, 287-293.	2.8	27
133	Factors associated with violent victimisation among homeless adults in Sydney, Australia. Australian and New Zealand Journal of Public Health, 2009, 33, 347-351.	1.8	27
134	Altered Neurocognitive Functional Connectivity and Activation Patterns Underlie Psychopathology in Preadolescence. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2021, 6, 387-398.	1.5	27
135	Intensive Case Management: A Cost-Effectiveness Analysis. Australian and New Zealand Journal of Psychiatry, 1998, 32, 551-559.	2.3	25
136	Further evidence of differences in substance use and dependence between Australia and the United States. Drug and Alcohol Dependence, 2009, 100, 258-264.	3.2	25
137	Onset and temporal sequencing of lifetime anxiety, mood and substance use disorders in the general population. Epidemiology and Psychiatric Sciences, 2015, 24, 45-53.	3.9	25
138	A Novel Approach to Tackling Bullying in Schools: Personality-Targeted Intervention for Adolescent Victims and Bullies in Australia. Journal of the American Academy of Child and Adolescent Psychiatry, 2020, 59, 508-518.e2.	0.5	25
139	A Multiple Health Behavior Change, Self-Monitoring Mobile App for Adolescents: Development and Usability Study of the Health4Life App. JMIR Formative Research, 2021, 5, e25513.	1.4	25
140	Proximity and anticipation of a negative outcome in phobias. Behaviour Research and Therapy, 1994, 32, 643-645.	3.1	24
141	The association between cocaine use and short-term outcomes for the treatment of heroin dependence: findings from the Australian Treatment Outcome Study (ATOS). Drug and Alcohol Review, 2006, 25, 141-148.	2.1	24
142	Psychometric Performance of DSM-IV Alcohol Use Disorders in Young Adulthood: Evidence From an Australian General Population Sample*. Journal of Studies on Alcohol and Drugs, 2011, 72, 811-822.	1.0	24
143	The association between moral disengagement, psychological distress, resistive self-regulatory efficacy and alcohol and cannabis use among adolescents in Sydney, Australia. Addiction Research and Theory, 2012, 20, 261-269.	1.9	24
144	Unresolved Issues Regarding the Research and Practice of Cognitive Behavior Therapy: The Case of Guided Discovery Using Socratic Questioning. Behaviour Change, 2014, 31, 1-17.	1.3	24

#	Article	IF	CITATIONS
145	Risky cognitions associated with adolescent alcohol misuse: Moral disengagement, alcohol expectancies and perceived self-regulatory efficacy. Addictive Behaviors, 2014, 39, 165-172.	3.0	24
146	The role of depression chronicity and recurrence on neurocognitive dysfunctions in HIV-infected adults. Journal of NeuroVirology, 2016, 22, 56-65.	2.1	24
147	Smartphone Apps About Crystal Methamphetamine ("lceâ€ <del>)</del> : Systematic Search in App Stores and Assessment of Composition and Quality. JMIR MHealth and UHealth, 2018, 6, e10442.	3.7	24
148	Short-term Outcomes for the Treatment of Heroin Dependence. Addictive Disorders and Their Treatment, 2006, 5, 133-143.	0.5	23
149	Outcomes after detoxification for heroin dependence: findings from the Australian Treatment Outcome Study (ATOS). Drug and Alcohol Review, 2006, 25, 241-247.	2.1	23
150	An item response analysis of the DSM-IV criteria for major depression: Findings from the Australian National Survey of Mental Health and Wellbeing. Journal of Affective Disorders, 2011, 130, 92-98.	4.1	23
151	"Youthful epidemic―or diagnostic bias? Differential item functioning of DSM-IV cannabis use criteria in an Australian general population survey. Addictive Behaviors, 2010, 35, 408-413.	3.0	22
152	The Epidemiology of DSM-IV Alcohol Use Disorders amongst Young Adults in the Australian Population. Alcohol and Alcoholism, 2011, 46, 185-191.	1.6	22
153	Onset of common mental disorders and suicidal behavior following women's first exposure to gender based violence: a retrospective, population-based study. BMC Psychiatry, 2014, 14, 312.	2.6	22
154	The Clinical and Theoretical Basis for Integrated Cognitive Behavioral Treatment of Comorbid Social Anxiety and Alcohol Use Disorders. Cognitive and Behavioral Practice, 2015, 22, 504-521.	1.5	22
155	Mobile community treatment in inner city and suburban Sydney. Psychiatric Quarterly, 1992, 63, 119-127.	2.1	21
156	Reliability of self-reported trauma exposure among people with heroin dependence: A longitudinal investigation. Journal of Traumatic Stress, 2007, 20, 313-323.	1.8	21
157	The ageing heroin user: Career length, clinical profile and outcomes across 36 months. Drug and Alcohol Review, 2009, 28, 243-249.	2.1	21
158	Static and dynamic predictors of criminal involvement among people with heroin dependence: Findings from a 3-year longitudinal study. Drug and Alcohol Dependence, 2013, 133, 600-606.	3.2	21
159	Smoking, posttraumatic stress disorder, and alcohol use disorders in a nationally representative sample of Australian men and women. Drug and Alcohol Dependence, 2015, 156, 176-183.	3.2	21
160	A systematic review of school-based eHealth interventions targeting alcohol use, smoking, physical inactivity, diet, sedentary behaviour and sleep among adolescents: a review protocol. Systematic Reviews, 2017, 6, 246.	5.3	21
161	Universal cannabis outcomes from the Climate and Preventure (CAP) study: a cluster randomised controlled trial. Substance Abuse Treatment, Prevention, and Policy, 2018, 13, 34.	2.2	21
162	Developing a school-based drug prevention program to overcome barriers to effective program implementation: The CLIMATE schools: Alcohol module. Open Journal of Preventive Medicine, 2012, 02, 410-422.	0.3	21

#	Article	IF	CITATIONS
163	Substance Use and Mental Health in Longitudinal Perspective. , 0, , 43-51.		20
164	Continuous, categorical and mixture models of DSMâ€ŀV alcohol and cannabis use disorders in the Australian community. Addiction, 2010, 105, 1246-1253.	3.3	20
165	The longâ€term effectiveness of universal, selective and combined prevention for alcohol use during adolescence: 36â€month outcomes from a cluster randomized controlled trial. Addiction, 2021, 116, 514-524.	3.3	20
166	Substance use, mental disorders and COVID-19: a volatile mix. Current Opinion in Psychiatry, 2021, 34, 351-356.	6.3	20
167	Prevalence of Cognitive Impairment Among Homeless People in Inner Sydney. Psychiatric Services, 2000, 51, 520-521.	2.0	19
168	Developing the Climate Schools: Alcohol and Cannabis Module: A Harm-Minimization, Universal Drug Prevention Program Facilitated by the Internet. Substance Use and Misuse, 2011, 46, 1651-1663.	1.4	19
169	Assessing the Dimensionality of Lifetime DSM-IV Alcohol Use Disorders and a Quantity-Frequency Alcohol Use Criterion in the Australian Population: a Factor Mixture Modelling Approach. Alcohol and Alcoholism, 2011, 46, 333-341.	1.6	19
170	An investigator-blinded, randomized study to compare the efficacy of combined CBT for alcohol use disorders and social anxiety disorder versus CBT focused on alcohol alone in adults with comorbid disorders: the Combined Alcohol Social Phobia (CASP) trial protocol. BMC Psychiatry, 2013, 13, 199.	2.6	19
171	Prevalence of schizophrenia in a refuge for homeless men: a five year follow-up. Psychiatric Bulletin, 1990, 14, 597-600.	0.3	19
172	Lifestyle risk behaviours among adolescents: a two-year longitudinal study of the impact of the COVID-19 pandemic. BMJ Open, 2022, 12, e060309.	1.9	19
173	Smart versus dumb treatment: services for mental disorders. Current Opinion in Psychiatry, 1994, 7, 181-185.	6.3	18
174	Adapting the personalityâ€ŧargeted <i><scp>P</scp>reventure</i> program to prevent substance use and associated harms among highâ€risk <scp>A</scp> ustralian adolescents. Microbial Biotechnology, 2015, 9, 308-315.	1.7	18
175	Development and evaluation of â€ <sup>~</sup> Pure Rush': An online serious game for drug education. Drug and Alcohol Review, 2018, 37, S420-S428.	2.1	18
176	Shared decisionâ€making among people with problematic alcohol/other drug use and coâ€occurring mental health conditions: A systematic review. Drug and Alcohol Review, 2021, 40, 307-324.	2.1	18
177	Concurrent Treatment of PTSD and Substance Use Disorders Using Prolonged Exposure (COPE). , 2015, , .		18
178	A Web-Based Intervention to Prevent Multiple Chronic Disease Risk Factors Among Adolescents: Co-Design and User Testing of the Health4Life School-Based Program. JMIR Formative Research, 2020, 4, e19485.	1.4	18
179	Lifestyle risk indices in adolescence and their relationships to adolescent disease burden: findings from an Australian national survey. BMC Public Health, 2019, 19, 60.	2.9	17
180	Evaluation of a treatment programme for serious mental illness and substance use in an inner city area. Journal of Mental Health, 1999, 8, 19-28.	1.9	16

#	Article	IF	CITATIONS
181	The feasibility and acceptability of a brief intervention for clients of substance use services experiencing symptoms of post traumatic stress disorder. Addictive Behaviors, 2014, 39, 1094-1099.	3.0	16
182	Evaluating the differential effectiveness of social influence and personality-targeted alcohol prevention on mental health outcomes among high-risk youth: A novel cluster randomised controlled factorial design trial. Australian and New Zealand Journal of Psychiatry, 2020, 54, 259-271.	2.3	16
183	The relationship between brain structure and general psychopathology in preadolescents. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2022, 63, 734-744.	5.2	16
184	Reprint of "Understanding comorbidity between substance use, anxiety and affective disorders: Broadening the research base― Addictive Behaviors, 2009, 34, 795-799.	3.0	15
185	Alcohol, Tobacco, and Prescription Drugs: The Relationship With Illicit Drugs in the Treatment of Substance Users. Substance Use and Misuse, 2012, 47, 963-971.	1.4	15
186	The shared and specific relationships between exposure to potentially traumatic events and transdiagnostic dimensions of psychopathology. Journal of Anxiety Disorders, 2016, 38, 102-109.	3.2	15
187	The long-term impact of post traumatic stress disorder on recovery from heroin dependence. Journal of Substance Abuse Treatment, 2018, 89, 60-66.	2.8	15
188	Climate schools plus: An online, combined student and parent, universal drug prevention program. Internet Interventions, 2018, 12, 36-45.	2.7	15
189	Lifestyle risks for chronic disease among Australian adolescents: a crossâ€sectional survey. Medical Journal of Australia, 2022, 216, 156-157.	1.7	15
190	Evaluating the effectiveness of a universal eHealth school-based prevention programme for depression and anxiety, and the moderating role of friendship network characteristics. Psychological Medicine, 2023, 53, 5042-5051.	4.5	15
191	Prevalence of Schizophrenia among Women in Refuges for the Homeless. Australian and New Zealand Journal of Psychiatry, 1993, 27, 405-410.	2.3	14
192	Patterns and Correlates of Sustained Heroin Abstinence: Findings From the 11-Year Follow-Up of the Australian Treatment Outcome Study. Journal of Studies on Alcohol and Drugs, 2015, 76, 909-915.	1.0	14
193	Integrated Exposure-Based Therapy for Co-Occurring Post Traumatic Stress Disorder (PTSD) and Substance Dependence: Predictors of Change in PTSD Symptom Severity. Journal of Clinical Medicine, 2016, 5, 101.	2.4	14
194	Measurement of need for care: a trial of the Camberwell Assessment of Need and the Health of the Nation Outcome Scales. Australian and New Zealand Journal of Psychiatry, 1999, 33, 754-759.	2.3	14
195	Residential Rehabilitation for the Treatment of Heroin Dependence: Sustained Heroin Abstinence and Drug-Related Problems 2 Years After Treatment Entrance. Addictive Disorders and Their Treatment, 2006, 5, 9-18.	0.5	13
196	Translating Evidence-Based Practice for Managing Comorbid Substance Use and Mental Illness Using a Multimodal Training Package. Journal of Dual Diagnosis, 2018, 14, 111-119.	1.2	13
197	Association of prenatal alcohol exposure with preadolescent alcohol sipping in the ABCD study®. Drug and Alcohol Dependence, 2020, 214, 108187.	3.2	13
198	Empowering young people to make Positive Choices: Evidence-based resources for the prevention of alcohol and other drug use in Australian schools. Learning Communities: International Journal of Adult and Vocational Learning, 2017, 21, 152-167.	0.2	13

#	Article	IF	CITATIONS
199	Changes and predictors of change in the physical health status of heroin users over 24 months. Addiction, 2009, 104, 465-470.	3.3	12
200	Treatments for Co-Occurring Depression and Substance Use in Young People: A Systematic Review. Current Drug Abuse Reviews, 2014, 7, 3-17.	3.4	12
201	A pilot study of an online universal school-based intervention to prevent alcohol and cannabis use in the UK. BMJ Open, 2014, 4, e004750.	1.9	12
202	The efficacy of behavioural activation treatment for co-occurring depression and substance use disorder (the activate study): a randomized controlled trial. BMC Psychiatry, 2016, 16, 221.	2.6	12
203	Therapist tips for the brief behavioural activation therapy for depression ―revised (BATDâ€R) treatment manual practical wisdom and clinical nuance. Clinical Psychologist, 2016, 20, 46-53.	0.8	12
204	A Mobile App to Provide Evidence-Based Information About Crystal Methamphetamine (Ice) to the Community (Cracks in the Ice): Co-Design and Beta Testing. JMIR MHealth and UHealth, 2018, 6, e11107.	3.7	12
205	Integrated care for comorbid alcohol dependence and anxiety and/or depressive disorder: study protocol for an assessor-blind, randomized controlled trial. Addiction Science & Clinical Practice, 2013, 8, 19.	2.6	11
206	Prospective associations between personality and bullying among Australian adolescents. Australian and New Zealand Journal of Psychiatry, 2018, 52, 173-180.	2.3	11
207	Concurrent Treatment of PTSD and Substance Use Disorders Using Prolonged Exposure (COPE). , 2015, , .		11
208	Follow-up of Community Placement of the Chronic Mentally III in New South Wales. Psychiatric Services, 1990, 41, 184-188.	2.0	10
209	Twelve-month outcomes for heroin dependence treatments: does route of administration matter?. Drug and Alcohol Review, 2005, 24, 165-171.	2.1	10
210	The association of alcohol dependence with general practice attendance. Drug and Alcohol Review, 2009, 28, 154-159.	2.1	10
211	Developing an integrated, Internet-based self-help programme for young people with depression and alcohol use problems. Internet Interventions, 2014, 1, 118-131.	2.7	10
212	Can we predict retention in longitudinal studies of substance use? Findings from the Australian Treatment Outcome Study. Addictive Behaviors, 2015, 51, 38-43.	3.0	10
213	Early onset mood disorders and first alcohol use in the general population. Journal of Affective Disorders, 2016, 200, 243-249.	4.1	10
214	The general relationship between internalizing psychopathology and chronic physical health conditions: a population-based study. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1257-1265.	3.1	10
215	Pathways to prevention: protocol for the CAP (Climate and Preventure) study to evaluate the long-term effectiveness of school-based universal, selective and combined alcohol misuse prevention into early adulthood. BMC Public Health, 2018, 18, 643.	2.9	10
216	Rumination and problematic substance use among individuals with a long-term history of illicit drug use. Drug and Alcohol Dependence, 2019, 203, 44-50.	3.2	10

#	Article	IF	CITATIONS
217	Associations between personality and uptake of tobacco smoking: Do they differ across adolescence?. Drug and Alcohol Review, 2019, 38, 818-822.	2.1	10
218	The structure of psychopathology and association with poor sleep, self-harm, suicidality, risky sexual behavior, and low self-esteem in a population sample of adolescents. Development and Psychopathology, 2021, 33, 1208-1219.	2.3	10
219	Substance Use Prevention Programs for Indigenous Adolescents in the United States of America, Canada, Australia and New Zealand: Protocol for a Systematic Review. JMIR Research Protocols, 2018, 7, e38.	1.0	10
220	Special Section-Co-morbidity of mental disorders and substance misuse Introduction. Drug and Alcohol Review, 2004, 23, 405-406.	2.1	9
221	How common is comorbidity and why does it occur?. Australian Psychologist, 2005, 40, 81-87.	1.6	9
222	Problem Alcohol Use in Young Australian Adults. Australian and New Zealand Journal of Psychiatry, 2007, 41, 436-441.	2.3	9
223	Sample bias from different recruitment strategies in a randomised controlled trial for alcohol dependence. Drug and Alcohol Review, 2009, 28, 222-229.	2.1	9
224	Clinical Predictors of Outcome from an Australian Pharmacological Relapse Prevention Trial. Alcohol and Alcoholism, 2010, 45, 520-526.	1.6	9
225	Guidelines on the management of co-occurring mental health conditions in alcohol and other drug treatment settings: how useful are they?. Mental Health and Substance Use: Dual Diagnosis, 2012, 5, 160-172.	0.5	9
226	Stakeholder perspectives on evidence for digital mental health interventions: Implications for accreditation systems. Digital Health, 2019, 5, 205520761987806.	1.8	9
227	A cluster randomised controlled trial of the Climate Schools: Ecstasy and Emerging Drugs Modulein Australian secondary schools: study protocol. BMC Public Health, 2013, 13, 1168.	2.9	8
228	Modelling Long-Term Joint Trajectories of Heroin Use and Treatment Utilisation: Findings from the Australian Treatment Outcome Study. EClinicalMedicine, 2019, 14, 71-79.	7.1	8
229	Acceptability and Coâ€Development of an Online Cognitive Bias Modification Intervention for Emerging Adults With Hazardous Alcohol Use and Social Anxiety: A Mixed Methods Study. Alcoholism: Clinical and Experimental Research, 2020, 44, 2283-2297.	2.4	8
230	Randomised controlled trial of integrated cognitive behavioural treatment and motivational enhancement for comorbid social anxiety and alcohol use disorders. Australian and New Zealand Journal of Psychiatry, 2021, 55, 207-220.	2.3	8
231	Evaluating a Brief, Internet-Based Intervention for Co-Occurring Depression and Problematic Alcohol Use in Young People: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2014, 3, e6.	1.0	8
232	Age-varying associations between lifestyle risk factors and major depressive disorder: a nationally representative cross-sectional study of adolescents. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 129-139.	3.1	8
233	Improving the diagnostic criteria for alcohol use disorders through survey methodology and cognitive interviewing. International Journal of Methods in Psychiatric Research, 2014, 23, 359-371.	2.1	7
234	The interactive effects of perceived peer drinking and personality profiles on adolescent drinking: a prospective cohort study. Addiction, 2019, 114, 450-461.	3.3	7

#	Article	IF	CITATIONS
235	Exploring the complex inter-relations between internalising symptoms, executive functioning and alcohol use in young adults. Addictive Behaviors, 2020, 106, 106351.	3.0	7
236	Problems experienced by children from families with histories of substance misuse: An ABCD study®. Drug and Alcohol Dependence, 2021, 218, 108403.	3.2	7
237	Measurement Properties of Smartphone Approaches to Assess Diet, Alcohol Use, and Tobacco Use: Systematic Review. JMIR MHealth and UHealth, 2022, 10, e27337.	3.7	7
238	Prevention of mental and substance use disorders: Shaping priorities for research and implementation. Mental Health and Prevention, 2021, 24, 200211.	1.3	7
239	The role of clinical supervision in implementing evidence-based practice for managing comorbidity. Clinical Supervisor, The, 2021, 40, 158-177.	1.7	7
240	The interactive effects of personality profiles and perceived peer drinking on early adolescent drinking Psychology of Addictive Behaviors, 2018, 32, 230-236.	2.1	7
241	Protocol for the Inroads Study: A Randomized Controlled Trial of an Internet-Delivered, Cognitive Behavioral Therapy–Based Early Intervention to Reduce Anxiety and Hazardous Alcohol Use Among Young People. JMIR Research Protocols, 2019, 8, e12370.	1.0	7
242	In their own words: An Australian community sample's priority concerns regarding mental health in the context of COVID-19. PLoS ONE, 2022, 17, e0268824.	2.5	7
243	Substance use disorders in an Australian community survey. Drug and Alcohol Review, 2002, 21, 275-280.	2.1	6
244	Injecting and Noninjecting Heroin Administration: Transitions and Treatment Outcomes across 36 Months. Journal of Drug Issues, 2008, 38, 543-557.	1.2	6
245	Forming a national multicentre collaboration to conduct clinical trials: Increasing highâ€quality research in the drug and alcohol field. Drug and Alcohol Review, 2010, 29, 469-474.	2.1	6
246	Alcohol Use in Hazardous Situations: Implications for <scp>DSM</scp> â€ <scp>IV</scp> and <scp>DSM</scp> â€5 Alcohol Use Disorders. Alcoholism: Clinical and Experimental Research, 2013, 37, E228-36.	2.4	6
247	Mental health correlates of anger and violence among individuals entering substance use treatment. Mental Health and Substance Use: Dual Diagnosis, 2013, 6, 287-302.	0.5	6
248	The <i>Brain Games</i> study: protocol for a randomised controlled trial of computerised cognitive training for preventing mental illness in adolescents with high-risk personality styles. BMJ Open, 2017, 7, e017721.	1.9	6
249	Cluster randomised controlled trial of an online intervention to prevent ecstasy and new psychoactive substance use among adolescents: final results and implications for implementation. BMJ Open, 2018, 8, e020433.	1.9	6
250	Binge drinking in young people: protocol for a systematic review of neuropsychological, neurophysiological and neuroimaging studies. BMJ Open, 2018, 8, e023629.	1.9	6
251	A national effectiveness trial of an eHealth program to prevent alcohol and cannabis misuse: responding to the replication crisis. Psychological Medicine, 2022, 52, 274-282.	4.5	6
252	A randomised double-blind trial of cognitive training for the prevention of psychopathology in at-risk youth. Behaviour Research and Therapy, 2020, 132, 103672.	3.1	6

#	Article	IF	CITATIONS
253	Direction of the relationship between methamphetamine use and positive psychotic symptoms in regular methamphetamine users: evidence from a prospective cohort study. British Journal of Psychiatry, 2021, 219, 361-367.	2.8	6
254	Are we making Inroads? A randomized controlled trial of a psychologist-supported, web-based, cognitive behavioral therapy intervention to reduce anxiety and hazardous alcohol use among emerging adults. EClinicalMedicine, 2021, 39, 101048.	7.1	6
255	Measuring disability, need and outcome in Australian community mental health services. Australian and New Zealand Journal of Psychiatry, 2000, 34, 850-855.	2.3	6
256	Psychiatric disorders in homeless men and women in inner Sydney. Australian and New Zealand Journal of Psychiatry, 2004, 38, 162-168.	2.3	6
257	Evaluating the Long-Term Effectiveness of School-Based Depression, Anxiety, and Substance Use Prevention Into Young Adulthood: Protocol for the Climate School Combined Study. JMIR Research Protocols, 2018, 7, e11372.	1.0	6
258	A Web-Based Toolkit to Provide Evidence-Based Resources About Crystal Methamphetamine for the Australian Community: Collaborative Development of Cracks in the Ice. JMIR Mental Health, 2018, 5, e21.	3.3	6
259	Development of a Universal Internet-Based Prevention Program for Ecstasy and New Psychoactive Substances. Open Journal of Preventive Medicine, 2015, 05, 23-30.	0.3	6
260	Implementation of a Multi-Modal Training Program for the Management of Comorbid Mental Disorders in Drug and Alcohol Settings: Pathways to Comorbidity Care (PCC). Journal of Dual Diagnosis, 2021, 17, 304-312.	1.2	6
261	Changes in the use of medical services and prescription drugs among heroin users over two years. Drug and Alcohol Review, 2007, 26, 153-159.	2.1	5
262	Predictors of Trauma and PTSD among Heroin Users: A Prospective Longitudinal Investigation. Journal of Drug Issues, 2008, 38, 585-599.	1.2	5
263	Review: Intensive case management for severe mental illness reduces rehospitalisation when previous hospital use has been high. Evidence-Based Mental Health, 2008, 11, 45-45.	4.5	5
264	Impact of Substance Use on the Course of Serious Mental Disorders. , 2013, , 525-532.		5
265	Topiramate versus naltrexone for alcohol use disorder: study protocol for a genotype-stratified, double-blind randomised controlled trial (TOP study). Trials, 2018, 19, 443.	1.6	5
266	Australian treatment outcome study: protocol for the 18–20-year follow-up of a prospective longitudinal cohort examining the natural history of heroin dependence and associated mortality, psychiatric and physical health, and health service use. BMJ Open, 2020, 10, e039226.	1.9	5
267	Randomised controlled trial of integrated trauma-focused psychotherapy for traumatic stress and substance use among adolescents: trial protocol. BMJ Open, 2020, 10, e043742.	1.9	5
268	Strong and Deadly Futures: Co-Development of a Web-Based Wellbeing and Substance Use Prevention Program for Aboriginal and Torres Strait Islander and Non-Aboriginal Adolescents. International Journal of Environmental Research and Public Health, 2021, 18, 2176.	2.6	5
269	The school-led Preventure study: Protocol of a cluster-randomised controlled trial of effectiveness to prevent adolescent alcohol misuse, internalising problems, and externalising problems through a personality-targeted intervention delivered by school staff. Preventive Medicine Reports, 2021, 21, 101286.	1.8	5
270	Fetal Alcohol Spectrum Disorder resources for educators working within primary school settings: a scoping review protocol. BMJ Open, 2021, 11, e045497.	1.9	5

#	Article	IF	CITATIONS
271	It's the Content That Counts: Longitudinal Associations between Social Media Use, Parental Monitoring, and Alcohol Use in an Australian Sample of Adolescents Aged 13 to 16 Years. International Journal of Environmental Research and Public Health, 2021, 18, 7599.	2.6	5
272	School-based Alcohol and Other Drug Prevention. , 2012, , 545-560.		5
273	Lifetime prevalence of trauma among homeless people in Sydney. Australian and New Zealand Journal of Psychiatry, 2000, 34, 963-966.	2.3	5
274	Fetal alcohol spectrum disorder resources for educators: A scoping review. Health Promotion Journal of Australia, 2022, 33, 797-809.	1.2	5
275	Towards an International Consensus on the Prevention, Treatment, and Management of High-Risk Substance Use and Overdose among Youth. Medicina (Lithuania), 2022, 58, 539.	2.0	5
276	Developing the Climate Schools: Ecstasy Module—A Universal Internet-Based Drug Prevention Program. Journal of Psychoactive Drugs, 2012, 44, 372-380.	1.7	4
277	â€~Truth or consequences'—what about truth or dare. Addiction, 2014, 109, 1782-1784.	3.3	4
278	The Reliability and Validity of the Australian Moral Disengagement Scale. Behaviour Change, 2016, 33, 136-149.	1.3	4
279	Bidirectional relationships in the development of internalising symptoms and alcohol use in adolescence. Drug and Alcohol Review, 2020, 39, 950-959.	2.1	4
280	Assessing patient information and decision-support needs in problematic alcohol use and co-occurring depression to inform shared decision-making interventions. Bulletin of the Menninger Clinic, 2021, 85, 143-176.	0.6	4
281	Evaluation of a Digital Health Initiative in Illicit Substance Use: Cross-sectional Survey Study. Journal of Medical Internet Research, 2021, 23, e29026.	4.3	4
282	Personality-targeted prevention for adolescent tobacco use: Three-year outcomes for a randomised trial in Australia. Preventive Medicine, 2021, 153, 106794.	3.4	4
283	Internet-Based Universal Prevention for Students and Parents to Prevent Alcohol and Cannabis Use Among Adolescents: Protocol for the Randomized Controlled Trial of Climate Schools Plus. JMIR Research Protocols, 2018, 7, e10849.	1.0	4
284	Barriers and Facilitators to the Implementation of the Pathways to Comorbidity Care (PCC) Training Package for the Management of Comorbid Mental Disorders in Drug and Alcohol Settings. , 2021, 1, .		4
285	Personality factors associated with suicidal ideation, plans and attempts in adolescents. Journal of Affective Disorders, 2022, 310, 135-141.	4.1	4
286	A Systematic Literature Review and Narrative Synthesis of Effective Interventions for Family and Caregivers of People who use Methamphetamine. Substance Abuse, 2022, 43, 1190-1196.	2.3	4
287	Schizophrenia among homeless people in inner-Sydney: Current prevalence and historical trends. Journal of Mental Health, 2003, 12, 51-57.	1.9	3
288	Patterns and costs of treatment for heroin dependence over 12 months: fndings from the Australian Treatment Outcome Study. Australian and New Zealand Journal of Public Health, 2006, 30, 305-311.	1.8	3

#	Article	IF	CITATIONS
289	Theoretical and Observed Subtypes of DSM-IV Alcohol-and Cannabis-Use Disorders in the Australian Population*. Journal of Studies on Alcohol and Drugs, 2010, 71, 597-606.	1.0	3
290	DSMâ€5: EVIDENCE TRANSLATING TO CHANGE IS IMPRESSIVE. Addiction, 2011, 106, 877-878.	3.3	3
291	The comorbidity between alcohol use and internalising psychopathology in early adolescence. Mental Health and Prevention, 2020, 17, 200176.	1.3	3
292	Adolescents' Perspectives on Substance Use Prevention: A qualitative study among Australian school students Mental Health and Prevention, 2020, 19, 200183.	1.3	3
293	Themes in sentencing young adults charged with serious violent crime involving alcohol and other drugs. Australian and New Zealand Journal of Criminology, 2020, 53, 411-432.	2.5	3
294	Measurement properties of smartphone approaches to assess key lifestyle behaviours: protocol of a systematic review. Systematic Reviews, 2020, 9, 127.	5.3	3
295	Is Adolescent Alcohol Use Linked to Spikes in Aggressive Behaviour? A Growth Curve Analysis. Prevention Science, 2021, 22, 534-544.	2.6	3
296	A Web-Based Cognitive Bias Modification Intervention (Re-train Your Brain) for Emerging Adults With Co-occurring Social Anxiety and Hazardous Alcohol Use: Protocol for a Multiarm Randomized Controlled Pilot Trial. JMIR Research Protocols, 2021, 10, e28667.	1.0	3
297	Factors Predicting Trial Engagement, Treatment Satisfaction, and Health-Related Quality of Life During a Web-Based Treatment and Social Networking Trial for Binge Drinking and Depression in Young Adults: Secondary Analysis of a Randomized Controlled Trial. JMIR Mental Health, 2021, 8, e23986.	3.3	3
298	Multiple lifestyle risk behaviours and hierarchical dimensions of psychopathology in 6640 Australian adolescents. Australian and New Zealand Journal of Psychiatry, 2023, 57, 241-251.	2.3	3
299	Selective personalityâ€targeted prevention of suicidal ideation in young adolescents: <i>post hoc</i> analysis of data collected in a cluster randomised controlled trial. Medical Journal of Australia, 2022, 216, 525-529.	1.7	3
300	Major depressive disorder is common in the US among Native Americans, women, the middle aged, the poor, and widowed, separated, or divorced people. Evidence-Based Mental Health, 2006, 9, 59-59.	4.5	2
301	Robust measurement is critical but not sufficient. Addiction, 2013, 108, 9-10.	3.3	2
302	Treatment-seeking behaviour among people with opioid use disorder in the high-income countries: A systematic review and meta-analysis. PLoS ONE, 2021, 16, e0258620.	2.5	2
303	Integrated Trauma-Focused Psychotherapy for Traumatic Stress and Substance Use: Two Adolescent Case Studies. Clinical Case Studies, 2022, 21, 192-208.	0.8	2
304	Opioid Prescribing and the Very Human Toll of Drug Harms. American Journal of Psychiatry, 2022, 179, 264-266.	7.2	2
305	Cannabis and psychosis: extending the debate. Addiction, 2004, 99, 1352-1353.	3.3	1
306	WHAT DOES SELF HANGE MEAN FOR HOW WE DELIVER TREATMENT?. Addiction, 2010, 105, 1522-1523.	3.3	1

#	Article	IF	CITATIONS
307	Commentary on Agrawal et al. (2011): Assessing the impact of changes to diagnostic criteria on the estimated prevalence of alcohol use disorders in general population surveys. Addiction, 2011, 106, 1944-1945.	3.3	1
308	Commentary on: â€~Universal schoolâ€based prevention programmes for alcohol misuse in young people'. Evidence-Based Child Health: A Cochrane Review Journal, 2012, 7, 576-577.	2.0	1
309	Opportunities for Opening the Door to Transdiagnostic Approaches. Alcoholism: Clinical and Experimental Research, 2015, 39, 592-592.	2.4	1
310	Social Phobia Among Depressed Individuals Entering Residential Rehabilitation Programmes: Prevalence and Correlates. International Journal of Mental Health and Addiction, 2020, 18, 1148-1167.	7.4	1
311	Australian perspectives on shared goals for mental health research in the UK. Journal of Mental Health, 2021, , 1-2.	1.9	1
312	Neuroscience literacy and substance use prevention: How well do young people understand their brain?. Health Promotion Journal of Australia, 2021, , .	1.2	1
313	Effectiveness of online training for improving knowledge, attitudes, and confidence of alcohol and other drug workers in relation to co-occurring mental health conditions. Drugs: Education, Prevention and Policy, 0, , 1-9.	1.3	1
314	Addictions. , 0, , .		1
315	Outcome measurement in drug and alcohol services. , 0, , 173-182.		0
316	Trajectories of emotional symptoms in adolescence: impact on alcohol use. Advances in Dual Diagnosis, 2017, 10, 130-141.	0.5	0
317	Prevention of Substance Use Disorders. , 2021, , .		0
318	Rethink My Drink : study protocol for a 12â€month randomised controlled trial comparing a brief internetâ€delivered intervention to an online patient information booklet in reducing risky alcohol consumption among older adults in Australia. Addiction, 2021, , .	3.3	0
319	Unpacking Violent Behavior in Young Adulthood: The Relative Importance of Hazardous Alcohol Use. Journal of Interpersonal Violence, 2021, , 088626052110441.	2.0	0
320	Binging, Boozing, and the Teenage Brain. Frontiers for Young Minds, 0, 8, .	0.8	0
321	A Web-Based Alcohol and Other Drug Prevention Program (Strong & Deadly Futures) for Aboriginal and Torres Strait Islander School Students: Protocol for a Cluster Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e34530.	1.0	0