

Maree Rose Teesson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5623337/maree-rose-teesson-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

312 papers	9,412 citations	52 h-index	82 g-index
347 ext. papers	11,010 ext. citations	4.2 avg, IF	6.24 L-index

#	Paper	IF	Citations
312	Fetal alcohol spectrum disorder resources for educators: A scoping review.. <i>Health Promotion Journal of Australia</i> , 2022 ,	1.7	1
311	A Web-Based Alcohol and Other Drug Prevention Program (Strong & Deadly Futures) for Aboriginal and Torres Strait Islander School Students: Protocol for a Cluster Randomized Controlled Trial.. <i>JMIR Research Protocols</i> , 2022 , 11, e34530	2	
310	Measurement Properties of Smartphone Approaches to Assess Diet, Alcohol Use, and Tobacco Use: Systematic Review.. <i>JMIR MHealth and UHealth</i> , 2022 , 10, e27337	5.5	1
309	Multiple lifestyle risk behaviours and hierarchical dimensions of psychopathology in 6640 Australian adolescents.. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022 , 48674221080406	2.6	0
308	Personality factors associated with suicidal ideation, plans and attempts in adolescents.. <i>Journal of Affective Disorders</i> , 2022 , 310, 135-141	6.6	1
307	In their own words: An Australian community sample's priority concerns regarding mental health in the context of COVID-19.. <i>PLoS ONE</i> , 2022 , 17, e0268824	3.7	0
306	A systematic literature review and narrative synthesis of effective interventions for family and caregivers of people who use methamphetamine. <i>Substance Abuse</i> , 2022 , 43, 1190-1196	3.8	0
305	Lifestyle risk behaviours among adolescents: a two-year longitudinal study of the impact of the COVID-19 pandemic. <i>BMJ Open</i> , 2022 , 12, e060309	3	0
304	The structure of psychopathology and association with poor sleep, self-harm, suicidality, risky sexual behavior, and low self-esteem in a population sample of adolescents. <i>Development and Psychopathology</i> , 2021 , 33, 1208-1219	4.3	5
303	Lifestyle risks for chronic disease among Australian adolescents: a cross-sectional survey. <i>Medical Journal of Australia</i> , 2021 ,	4	2
302	Implementation of a Multi-Modal Training Program for the Management of Comorbid Mental Disorders in Drug and Alcohol Settings: Pathways to Comorbidity Care (PCC). <i>Journal of Dual Diagnosis</i> , 2021 , 17, 304-312	2.4	0
301	Treatment-seeking behaviour among people with opioid use disorder in the high-income countries: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2021 , 16, e0258620	3.7	1
300	New Australian guidelines for the treatment of alcohol problems: an overview of recommendations. <i>Medical Journal of Australia</i> , 2021 , 215 Suppl 7, S3-S32	4	5
299	Age-varying associations between lifestyle risk factors and major depressive disorder: a nationally representative cross-sectional study of adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 129-139	4.5	2
298	Factors Predicting Trial Engagement, Treatment Satisfaction, and Health-Related Quality of Life During a Web-Based Treatment and Social Networking Trial for Binge Drinking and Depression in Young Adults: Secondary Analysis of a Randomized Controlled Trial. <i>JMIR Mental Health</i> , 2021 , 8, e23986	6	1
297	Unpacking Violent Behavior in Young Adulthood: The Relative Importance of Hazardous Alcohol Use. <i>Journal of Interpersonal Violence</i> , 2021 , 8862605211044103	2.2	
296	Substance use, mental disorders and COVID-19: a volatile mix. <i>Current Opinion in Psychiatry</i> , 2021 , 34, 351-356	4.9	6

295	The school-led study: Protocol of a cluster-randomised controlled trial of effectiveness to prevent adolescent alcohol misuse, internalising problems, and externalising problems through a personality-targeted intervention delivered by school staff. <i>Preventive Medicine Reports</i> , 2021 , 21, 101286	2.6	2
294	A Multiple Health Behavior Change, Self-Monitoring Mobile App for Adolescents: Development and Usability Study of the Health4Life App. <i>JMIR Formative Research</i> , 2021 , 5, e25513	2.5	5
293	Fetal Alcohol Spectrum Disorder resources for educators working within primary school settings: a scoping review protocol. <i>BMJ Open</i> , 2021 , 11, e045497	3	3
292	Australian perspectives on shared goals for mental health research in the UK. <i>Journal of Mental Health</i> , 2021 , 1-2	2.7	0
291	Assessing patient information and decision-support needs in problematic alcohol use and co-occurring depression to inform shared decision-making interventions. <i>Bulletin of the Menninger Clinic</i> , 2021 , 85, 143-176	1.3	2
290	It's the Content That Counts: Longitudinal Associations between Social Media Use, Parental Monitoring, and Alcohol Use in an Australian Sample of Adolescents Aged 13 to 16 Years. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
289	The long-term effectiveness of universal, selective and combined prevention for alcohol use during adolescence: 36-month outcomes from a cluster randomized controlled trial. <i>Addiction</i> , 2021 , 116, 514-524	4.6	5
288	Shared decision-making among people with problematic alcohol/other drug use and co-occurring mental health conditions: A systematic review. <i>Drug and Alcohol Review</i> , 2021 , 40, 307-324	3.2	9
287	Altered Neurocognitive Functional Connectivity and Activation Patterns Underlie Psychopathology in Preadolescence. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , 6, 387-398	3.4	8
286	Stigma, discrimination and crystal methamphetamine ('ice'): Current attitudes in Australia. <i>International Journal of Drug Policy</i> , 2021 , 87, 102982	5.5	5
285	Is Adolescent Alcohol Use Linked to Spikes in Aggressive Behaviour? A Growth Curve Analysis. <i>Prevention Science</i> , 2021 , 22, 534-544	4	1
284	Problems experienced by children from families with histories of substance misuse: An ABCD study. <i>Drug and Alcohol Dependence</i> , 2021 , 218, 108403	4.9	1
283	Randomised controlled trial of integrated cognitive behavioural treatment and motivational enhancement for comorbid social anxiety and alcohol use disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 207-220	2.6	4
282	Strong and Deadly Futures: Co-Development of a Web-Based Wellbeing and Substance Use Prevention Program for Aboriginal and Torres Strait Islander and Non-Aboriginal Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
281	A Web-Based Cognitive Bias Modification Intervention (Re-train Your Brain) for Emerging Adults With Co-occurring Social Anxiety and Hazardous Alcohol Use: Protocol for a Multiarm Randomized Controlled Pilot Trial. <i>JMIR Research Protocols</i> , 2021 , 10, e28667	2	1
280	Evaluation of a Digital Health Initiative in Illicit Substance Use: Cross-sectional Survey Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e29026	7.6	
279	Are we making Inroads? A randomized controlled trial of a psychologist-supported, web-based, cognitive behavioral therapy intervention to reduce anxiety and hazardous alcohol use among emerging adults. <i>EclinicalMedicine</i> , 2021 , 39, 101048	11.3	0
278	The relationship between brain structure and general psychopathology in preadolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 ,	7.9	3

277	Prevention of mental and substance use disorders: Shaping priorities for research and implementation. <i>Mental Health and Prevention</i> , 2021 , 24, 200211	2.3	1
276	Personality-targeted prevention for adolescent tobacco use: Three-year outcomes for a randomised trial in Australia. <i>Preventive Medicine</i> , 2021 , 153, 106794	4.3	0
275	The role of clinical supervision in implementing evidence-based practice for managing comorbidity. <i>Clinical Supervisor, The</i> , 2021 , 40, 158-177	1.3	2
274	Acceptability and Co-Development of an Online Cognitive Bias Modification Intervention for Emerging Adults With Hazardous Alcohol Use and Social Anxiety: A Mixed Methods Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2020 , 44, 2283-2297	3.7	2
273	Measurement properties of smartphone approaches to assess key lifestyle behaviours: protocol of a systematic review. <i>Systematic Reviews</i> , 2020 , 9, 127	3	2
272	A national effectiveness trial of an eHealth program to prevent alcohol and cannabis misuse: responding to the replication crisis. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	0
271	A randomised double-blind trial of cognitive training for the prevention of psychopathology in at-risk youth. <i>Behaviour Research and Therapy</i> , 2020 , 132, 103672	5.2	1
270	Exploring the complex inter-relations between internalising symptoms, executive functioning and alcohol use in young adults. <i>Addictive Behaviors</i> , 2020 , 106, 106351	4.2	4
269	Direction of the relationship between methamphetamine use and positive psychotic symptoms in regular methamphetamine users: evidence from a prospective cohort study. <i>British Journal of Psychiatry</i> , 2020 , 1-7	5.4	2
268	A Web-Based Intervention to Prevent Multiple Chronic Disease Risk Factors Among Adolescents: Co-Design and User Testing of the Health4Life School-Based Program. <i>JMIR Formative Research</i> , 2020 , 4, e19485	2.5	7
267	Preventing Substance Use Among Indigenous Adolescents in the USA, Canada, Australia and New Zealand: a Systematic Review of the Literature. <i>Prevention Science</i> , 2020 , 21, 65-85	4	16
266	Combined prevention for substance use, depression, and anxiety in adolescence: a cluster-randomised controlled trial of a digital online intervention. <i>The Lancet Digital Health</i> , 2020 , 2, e74-e84	14.4	30
265	The comorbidity between alcohol use and internalising psychopathology in early adolescence. <i>Mental Health and Prevention</i> , 2020 , 17, 200176	2.3	2
264	Adolescents' Perspectives on Substance Use Prevention: A qualitative study among Australian school students.. <i>Mental Health and Prevention</i> , 2020 , 19, 200183	2.3	1
263	Australian treatment outcome study: protocol for the 18-20-year follow-up of a prospective longitudinal cohort examining the natural history of heroin dependence and associated mortality, psychiatric and physical health, and health service use. <i>BMJ Open</i> , 2020 , 10, e039226	3	2
262	Themes in sentencing young adults charged with serious violent crime involving alcohol and other drugs. <i>Australian and New Zealand Journal of Criminology</i> , 2020 , 53, 411-432	1.9	2
261	Study protocol of the Health4Life initiative: a cluster randomised controlled trial of an eHealth school-based program targeting multiple lifestyle risk behaviours among young Australians. <i>BMJ Open</i> , 2020 , 10, e035662	3	11
260	Association of prenatal alcohol exposure with preadolescent alcohol sipping in the ABCD study. <i>Drug and Alcohol Dependence</i> , 2020 , 214, 108187	4.9	5

259	Association of Prenatal Alcohol Exposure With Psychological, Behavioral, and Neurodevelopmental Outcomes in Children From the Adolescent Brain Cognitive Development Study. <i>American Journal of Psychiatry</i> , 2020 , 177, 1060-1072	11.9	36
258	Randomised controlled trial of integrated trauma-focused psychotherapy for traumatic stress and substance use among adolescents: trial protocol. <i>BMJ Open</i> , 2020 , 10, e043742	3	2
257	A Novel Approach to Tackling Bullying in Schools: Personality-Targeted Intervention for Adolescent Victims and Bullies in Australia. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020 , 59, 508-518.e2	7.2	12
256	Social Phobia Among Depressed Individuals Entering Residential Rehabilitation Programmes: Prevalence and Correlates. <i>International Journal of Mental Health and Addiction</i> , 2020 , 18, 1148-1167	8.8	1
255	Evaluating the differential effectiveness of social influence and personality-targeted alcohol prevention on mental health outcomes among high-risk youth: A novel cluster randomised controlled factorial design trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 259-271	2.6	5
254	Bidirectional relationships in the development of internalising symptoms and alcohol use in adolescence. <i>Drug and Alcohol Review</i> , 2020 , 39, 950-959	3.2	1
253	Associations between personality and uptake of tobacco smoking: Do they differ across adolescence?. <i>Drug and Alcohol Review</i> , 2019 , 38, 818-822	3.2	6
252	Neurobiological and Cognitive Profile of Young Binge Drinkers: a Systematic Review and Meta-Analysis. <i>Neuropsychology Review</i> , 2019 , 29, 357-385	7.7	36
251	Modelling Long-Term Joint Trajectories of Heroin Use and Treatment Utilisation: Findings from the Australian Treatment Outcome Study. <i>EClinicalMedicine</i> , 2019 , 14, 71-79	11.3	2
250	Lifestyle risk indices in adolescence and their relationships to adolescent disease burden: findings from an Australian national survey. <i>BMC Public Health</i> , 2019 , 19, 60	4.1	8
249	Rumination and problematic substance use among individuals with a long-term history of illicit drug use. <i>Drug and Alcohol Dependence</i> , 2019 , 203, 44-50	4.9	8
248	Effectiveness of school-based eHealth interventions to prevent multiple lifestyle risk behaviours among adolescents: a systematic review and meta-analysis. <i>The Lancet Digital Health</i> , 2019 , 1, e206-e221	14.4	31
247	Stakeholder perspectives on evidence for digital mental health interventions: Implications for accreditation systems. <i>Digital Health</i> , 2019 , 5, 2055207619878069	4	7
246	Protocol for the Inroads Study: A Randomized Controlled Trial of an Internet-Delivered, Cognitive Behavioral Therapy-Based Early Intervention to Reduce Anxiety and Hazardous Alcohol Use Among Young People. <i>JMIR Research Protocols</i> , 2019 , 8, e12370	2	4
245	Conditional probabilities of substance use disorders and associated risk factors: Progression from first use to use disorder on alcohol, cannabis, stimulants, sedatives and opioids. <i>Drug and Alcohol Dependence</i> , 2019 , 194, 136-142	4.9	41
244	Machine-learning prediction of adolescent alcohol use: a cross-study, cross-cultural validation. <i>Addiction</i> , 2019 , 114, 662-671	4.6	24
243	The interactive effects of perceived peer drinking and personality profiles on adolescent drinking: a prospective cohort study. <i>Addiction</i> , 2019 , 114, 450-461	4.6	4
242	Translating Evidence-Based Practice for Managing Comorbid Substance Use and Mental Illness Using a Multimodal Training Package. <i>Journal of Dual Diagnosis</i> , 2018 , 14, 111-119	2.4	7

241	Universal prevention of alcohol and drug use: An overview of reviews in an Australian context. <i>Drug and Alcohol Review</i> , 2018 , 37 Suppl 1, S435-S469	3.2	13
240	The long-term impact of post traumatic stress disorder on recovery from heroin dependence. <i>Journal of Substance Abuse Treatment</i> , 2018 , 89, 60-66	4.2	11
239	Climate schools plus: An online, combined student and parent, universal drug prevention program. <i>Internet Interventions</i> , 2018 , 12, 36-45	4.4	5
238	Development and evaluation of 'Pure Rush': An online serious game for drug education. <i>Drug and Alcohol Review</i> , 2018 , 37 Suppl 1, S420-S428	3.2	8
237	Prospective associations between personality and bullying among Australian adolescents. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 173-180	2.6	9
236	Binge drinking in young people: protocol for a systematic review of neuropsychological, neurophysiological and neuroimaging studies. <i>BMJ Open</i> , 2018 , 8, e023629	3	6
235	Clustering of Multiple Risk Behaviors Among a Sample of 18-Year-Old Australians and Associations With Mental Health Outcomes: A Latent Class Analysis. <i>Frontiers in Public Health</i> , 2018 , 6, 135	6	28
234	Pathways to prevention: protocol for the CAP (Climate and Preventure) study to evaluate the long-term effectiveness of school-based universal, selective and combined alcohol misuse prevention into early adulthood. <i>BMC Public Health</i> , 2018 , 18, 643	4.1	6
233	Topiramate versus naltrexone for alcohol use disorder: study protocol for a genotype-stratified, double-blind randomised controlled trial (TOP study). <i>Trials</i> , 2018 , 19, 443	2.8	4
232	Smartphone Apps About Crystal Methamphetamine ("Ice"): Systematic Search in App Stores and Assessment of Composition and Quality. <i>JMIR MHealth and UHealth</i> , 2018 , 6, e10442	5.5	10
231	Internet-Based Universal Prevention for Students and Parents to Prevent Alcohol and Cannabis Use Among Adolescents: Protocol for the Randomized Controlled Trial of Climate Schools Plus. <i>JMIR Research Protocols</i> , 2018 , 7, e10849	2	1
230	A Mobile App to Provide Evidence-Based Information About Crystal Methamphetamine (Ice) to the Community (Cracks in the Ice): Co-Design and Beta Testing. <i>JMIR MHealth and UHealth</i> , 2018 , 6, e11107	5.5	6
229	Evaluating the Long-Term Effectiveness of School-Based Depression, Anxiety, and Substance Use Prevention Into Young Adulthood: Protocol for the Climate School Combined Study. <i>JMIR Research Protocols</i> , 2018 , 7, e11372	2	3
228	A Web-Based Toolkit to Provide Evidence-Based Resources About Crystal Methamphetamine for the Australian Community: Collaborative Development of Cracks in the Ice. <i>JMIR Mental Health</i> , 2018 , 5, e21	6	4
227	Substance Use Prevention Programs for Indigenous Adolescents in the United States of America, Canada, Australia and New Zealand: Protocol for a Systematic Review. <i>JMIR Research Protocols</i> , 2018 , 7, e38	2	8
226	The interactive effects of personality profiles and perceived peer drinking on early adolescent drinking. <i>Psychology of Addictive Behaviors</i> , 2018 , 32, 230-236	3.4	5
225	Cluster randomised controlled trial of an online intervention to prevent ecstasy and new psychoactive substance use among adolescents: final results and implications for implementation. <i>BMJ Open</i> , 2018 , 8, e020433	3	5
224	Universal cannabis outcomes from the Climate and Preventure (CAP) study: a cluster randomised controlled trial. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2018 , 13, 34	3.4	13

223	Substance use disorders comorbid with mood and anxiety disorders in the Australian general population. <i>Drug and Alcohol Review</i> , 2017 , 36, 317-324	3.2	32
222	Trajectories of heroin use: 10-11-year findings from the Australian Treatment Outcome Study. <i>Addiction</i> , 2017 , 112, 1056-1068	4.6	19
221	Evidence for Sex Convergence in Prevalence of Cannabis Use: A Systematic Review and Meta-Regression. <i>Journal of Studies on Alcohol and Drugs</i> , 2017 , 78, 344-352	1.9	26
220	A systematic review of combined student- and parent-based programs to prevent alcohol and other drug use among adolescents. <i>Drug and Alcohol Review</i> , 2017 , 36, 337-351	3.2	46
219	Combined universal and selective prevention for adolescent alcohol use: a cluster randomized controlled trial. <i>Psychological Medicine</i> , 2017 , 47, 1761-1770	6.9	44
218	The study: protocol for a randomised controlled trial of computerised cognitive training for preventing mental illness in adolescents with high-risk personality styles. <i>BMJ Open</i> , 2017 , 7, e017721	3	4
217	A systematic review of school-based eHealth interventions targeting alcohol use, smoking, physical inactivity, diet, sedentary behaviour and sleep among adolescents: a review protocol. <i>Systematic Reviews</i> , 2017 , 6, 246	3	13
216	The general relationship between internalizing psychopathology and chronic physical health conditions: a population-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 1257-1265	4.5	7
215	Trajectories of emotional symptoms in adolescence: impact on alcohol use. <i>Advances in Dual Diagnosis</i> , 2017 , 10, 130-141	1.1	
214	Psychosocial factors associated with adolescent substance use: a longitudinal investigation. <i>Advances in Dual Diagnosis</i> , 2017 , 10, 142-154	1.1	14
213	A network approach to the comorbidity between posttraumatic stress disorder and major depressive disorder: The role of overlapping symptoms. <i>Journal of Affective Disorders</i> , 2017 , 208, 490-496	6.6	89
212	The contribution of gender-based violence and network trauma to gender differences in Post-Traumatic Stress Disorder. <i>PLoS ONE</i> , 2017 , 12, e0171879	3.7	22
211	Empowering young people to make Positive Choices: Evidence-based resources for the prevention of alcohol and other drug use in Australian schools. <i>Learning Communities: International Journal of Adult and Vocational Learning</i> , 2017 , 21, 152-167	1	6
210	The validity of the Substance Use Risk Profile Scale (SURPS) among Australian adolescents. <i>Addictive Behaviors</i> , 2016 , 53, 23-30	4.2	28
209	Birth cohort trends in the global epidemiology of alcohol use and alcohol-related harms in men and women: systematic review and metaregression. <i>BMJ Open</i> , 2016 , 6, e011827	3	177
208	The efficacy of behavioural activation treatment for co-occurring depression and substance use disorder (the activate study): a randomized controlled trial. <i>BMC Psychiatry</i> , 2016 , 16, 221	4.2	10
207	Prevention of alcohol and other drug use and related harm in the digital age: what does the evidence tell us?. <i>Current Opinion in Psychiatry</i> , 2016 , 29, 242-9	4.9	22
206	Drinking to Cope: a Latent Class Analysis of Coping Motives for Alcohol Use in a Large Cohort of Adolescents. <i>Prevention Science</i> , 2016 , 17, 584-94	4	32

205	Therapist tips for the brief behavioural activation therapy for depression - revised (BATD-R) treatment manual practical wisdom and clinical nuance. <i>Clinical Psychologist</i> , 2016 , 20, 46-53	1.6	8
204	Patterns and correlates of new psychoactive substance use in a sample of Australian high school students. <i>Drug and Alcohol Review</i> , 2016 , 35, 338-44	3.2	59
203	The profile of psychiatric symptoms exacerbated by methamphetamine use. <i>Drug and Alcohol Dependence</i> , 2016 , 161, 104-9	4.9	51
202	Is Specialized Integrated Treatment for Comorbid Anxiety, Depression and Alcohol Dependence Better than Treatment as Usual in a Public Hospital Setting?. <i>Alcohol and Alcoholism</i> , 2016 , 51, 402-9	3.5	25
201	A cross-validation trial of an Internet-based prevention program for alcohol and cannabis: Preliminary results from a cluster randomised controlled trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 64-73	2.6	26
200	The role of depression chronicity and recurrence on neurocognitive dysfunctions in HIV-infected adults. <i>Journal of NeuroVirology</i> , 2016 , 22, 56-65	3.9	19
199	An Online Intervention for Co-Occurring Depression and Problematic Alcohol Use in Young People: Primary Outcomes From a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016 , 18, e71	7.6	52
198	The psychometric properties of the Kessler Psychological Distress Scale (K6) in a general population sample of adolescents. <i>Psychological Assessment</i> , 2016 , 28, 1232-1242	5.3	65
197	Integrated Exposure-Based Therapy for Co-Occurring Post Traumatic Stress Disorder (PTSD) and Substance Dependence: Predictors of Change in PTSD Symptom Severity. <i>Journal of Clinical Medicine</i> , 2016 , 5,	5.1	12
196	The long-term effectiveness of a selective, personality-targeted prevention program in reducing alcohol use and related harms: a cluster randomized controlled trial. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016 , 57, 1056-65	7.9	47
195	Effectiveness of a universal internet-based prevention program for ecstasy and new psychoactive substances: a cluster randomized controlled trial. <i>Addiction</i> , 2016 , 111, 1396-405	4.6	57
194	The Reliability and Validity of the Australian Moral Disengagement Scale. <i>Behaviour Change</i> , 2016 , 33, 136-149	1.1	1
193	Early onset mood disorders and first alcohol use in the general population. <i>Journal of Affective Disorders</i> , 2016 , 200, 243-9	6.6	8
192	The structure of adolescent psychopathology: a symptom-level analysis. <i>Psychological Medicine</i> , 2016 , 46, 981-94	6.9	69
191	The shared and specific relationships between exposure to potentially traumatic events and transdiagnostic dimensions of psychopathology. <i>Journal of Anxiety Disorders</i> , 2016 , 38, 102-9	10.9	13
190	Can we predict retention in longitudinal studies of substance use? Findings from the Australian Treatment Outcome Study. <i>Addictive Behaviors</i> , 2015 , 51, 38-43	4.2	9
189	DSM-IV and DSM-5 social anxiety disorder in the Australian community. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 227-35	2.6	45
188	Onset and temporal sequencing of lifetime anxiety, mood and substance use disorders in the general population. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 45-53	5.1	17

187	Anxiety disorders and first alcohol use in the general population. Findings from a nationally representative sample. <i>Journal of Anxiety Disorders</i> , 2015 , 31, 108-13	10.9	20
186	Primary and substance-induced psychotic disorders in methamphetamine users. <i>Psychiatry Research</i> , 2015 , 226, 91-6	9.9	33
185	Developing a roadmap for the translation of e-mental health services for depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 776-84	2.6	45
184	Smoking, posttraumatic stress disorder, and alcohol use disorders in a nationally representative sample of Australian men and women. <i>Drug and Alcohol Dependence</i> , 2015 , 156, 176-183	4.9	16
183	Opportunities for opening the door to transdiagnostic approaches. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 592	3.7	0
182	Concurrent and prospective associations between bullying victimization and substance use among Australian adolescents. <i>Drug and Alcohol Dependence</i> , 2015 , 154, 63-8	4.9	31
181	The Clinical and Theoretical Basis for Integrated Cognitive Behavioral Treatment of Comorbid Social Anxiety and Alcohol Use Disorders. <i>Cognitive and Behavioral Practice</i> , 2015 , 22, 504-521	2.3	13
180	Patterns and Correlates of Sustained Heroin Abstinence: Findings From the 11-Year Follow-Up of the Australian Treatment Outcome Study. <i>Journal of Studies on Alcohol and Drugs</i> , 2015 , 76, 909-15	1.9	13
179	The prevalence and correlates of secondary traumatic stress among alcohol and other drug workers in Australia. <i>Drug and Alcohol Review</i> , 2015 , 34, 252-8	3.2	30
178	Adapting the personality-targeted Preventure program to prevent substance use and associated harms among high-risk Australian adolescents. <i>Microbial Biotechnology</i> , 2015 , 9, 308-15	3.3	14
177	Patterns and correlates of attempted suicide amongst heroin users: 11-year follow-up of the Australian treatment outcome study cohort. <i>Psychiatry Research</i> , 2015 , 227, 166-70	9.9	27
176	Suicidality, internalizing problems and externalizing problems among adolescent bullies, victims and bully-victims. <i>Preventive Medicine</i> , 2015 , 73, 100-5	4.3	96
175	Long-term mortality, remission, criminality and psychiatric comorbidity of heroin dependence: 11-year findings from the Australian Treatment Outcome Study. <i>Addiction</i> , 2015 , 110, 986-93	4.6	65
174	Delay to first treatment contact for alcohol use disorder. <i>Drug and Alcohol Dependence</i> , 2015 , 147, 116-24.9	4.9	45
173	Development of a Universal Internet-Based Prevention Program for Ecstasy and New Psychoactive Substances. <i>Open Journal of Preventive Medicine</i> , 2015 , 05, 23-30	0.3	5
172	Concurrent Treatment of PTSD and Substance Use Disorders Using Prolonged Exposure (COPE) 2015 ,		9
171	Concurrent Treatment of PTSD and Substance Use Disorders Using Prolonged Exposure (COPE) 2015 ,		6
170	Risky cognitions associated with adolescent alcohol misuse: moral disengagement, alcohol expectancies and perceived self-regulatory efficacy. <i>Addictive Behaviors</i> , 2014 , 39, 165-72	4.2	21

169	Patterns and correlates of non-fatal heroin overdose at 11-year follow-up: findings from the Australian Treatment Outcome Study. <i>Drug and Alcohol Dependence</i> , 2014 , 144, 148-52	4.9	32
168	Developing an integrated, Internet-based self-help programme for young people with depression and alcohol use problems. <i>Internet Interventions</i> , 2014 , 1, 118-131	4.4	8
167	A universal harm-minimisation approach to preventing psychostimulant and cannabis use in adolescents: a cluster randomised controlled trial. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2014 , 9, 24	3.4	32
166	The CLIMATE schools combined study: a cluster randomised controlled trial of a universal Internet-based prevention program for youth substance misuse, depression and anxiety. <i>BMC Psychiatry</i> , 2014 , 14, 32	4.2	28
165	Universal Internet-based prevention for alcohol and cannabis use reduces truancy, psychological distress and moral disengagement: a cluster randomised controlled trial. <i>Preventive Medicine</i> , 2014 , 65, 109-15	4.3	31
164	Associations between substance use, post-traumatic stress disorder and the perpetration of violence: A longitudinal investigation. <i>Addictive Behaviors</i> , 2014 , 39, 1075-80	4.2	30
163	The feasibility and acceptability of a brief intervention for clients of substance use services experiencing symptoms of post traumatic stress disorder. <i>Addictive Behaviors</i> , 2014 , 39, 1094-9	4.2	12
162	Detection, Evaluation, and Diagnosis of Alcohol Use Disorders 2014 , 212-228		
161	Alcohol and Substance Use Prevention and Early Intervention 2014 , 201-217		3
160	Treatments for co-occurring depression and substance use in young people: a systematic review. <i>Current Drug Abuse Reviews</i> , 2014 , 7, 3-17		9
159	Improving the diagnostic criteria for alcohol use disorders through survey methodology and cognitive interviewing. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23, 359-71	4.3	7
158	'Truth or consequences'--what about truth or dare. <i>Addiction</i> , 2014 , 109, 1782-4	4.6	2
157	A systematic review of computerised serious educational games about alcohol and other drugs for adolescents. <i>Drug and Alcohol Review</i> , 2014 , 33, 129-35	3.2	49
156	Onset of common mental disorders and suicidal behavior following women's first exposure to gender based violence: a retrospective, population-based study. <i>BMC Psychiatry</i> , 2014 , 14, 312	4.2	15
155	Unresolved Issues Regarding the Research and Practice of Cognitive Behavior Therapy: The Case of Guided Discovery Using Socratic Questioning. <i>Behaviour Change</i> , 2014 , 31, 1-17	1.1	19
154	A pilot study of an online universal school-based intervention to prevent alcohol and cannabis use in the UK. <i>BMJ Open</i> , 2014 , 4, e004750	3	10
153	Evaluating a brief, internet-based intervention for co-occurring depression and problematic alcohol use in young people: protocol for a randomized controlled trial. <i>JMIR Research Protocols</i> , 2014 , 3, e6	2	5
152	Trauma at the hands of another: distinguishing PTSD patterns following intimate and nonintimate interpersonal and noninterpersonal trauma in a nationally representative sample. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 147-53	4.6	65

151	An investigator-blinded, randomized study to compare the efficacy of combined CBT for alcohol use disorders and social anxiety disorder versus CBT focused on alcohol alone in adults with comorbid disorders: the Combined Alcohol Social Phobia (CASP) trial protocol. <i>BMC Psychiatry</i> , 2013 , 13, 199	4.2	17
150	A cluster randomised controlled trial of the Climate Schools: Ecstasy and Emerging Drugs Module in Australian secondary schools: study protocol. <i>BMC Public Health</i> , 2013 , 13, 1168	4.1	8
149	Integrated care for comorbid alcohol dependence and anxiety and/or depressive disorder: study protocol for an assessor-blind, randomized controlled trial. <i>Addiction Science & Clinical Practice</i> , 2013 , 8, 19	4.1	10
148	Static and dynamic predictors of criminal involvement among people with heroin dependence: findings from a 3-year longitudinal study. <i>Drug and Alcohol Dependence</i> , 2013 , 133, 600-6	4.9	18
147	Robust measurement is critical but not sufficient. <i>Addiction</i> , 2013 , 108, 9-10	4.6	1
146	Alcohol use in hazardous situations: implications for DSM-IV and DSM-5 alcohol use disorders. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37 Suppl 1, E228-36	3.7	5
145	Mental health correlates of anger in the general population: findings from the 2007 National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013 , 47, 470-6	2.6	25
144	Impact of Substance Use on the Course of Serious Mental Disorders 2013 , 525-532		3
143	Do young adults interpret the DSM diagnostic criteria for alcohol use disorders as intended? a cognitive interviewing study. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 1001-7	3.7	23
142	A systematic review of school-based alcohol and other drug prevention programs facilitated by computers or the internet. <i>Drug and Alcohol Review</i> , 2013 , 32, 115-23	3.2	103
141	Randomized controlled trial of cognitive behaviour therapy for comorbid post-traumatic stress disorder and alcohol use disorders. <i>Addiction</i> , 2013 , 108, 1397-1410	4.6	74
140	Mental health correlates of anger and violence among individuals entering substance use treatment. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2013 , 6, 287-302		4
139	An evaluation of the proposed DSM-5 cannabis use disorder criteria using Australian national survey data. <i>Journal of Studies on Alcohol and Drugs</i> , 2013 , 74, 614-21	1.9	28
138	Post-traumatic stress disorder, depression and suicidality in inpatients with substance use disorders. <i>Drug and Alcohol Review</i> , 2012 , 31, 294-302	3.2	54
137	Australian school-based prevention programs for alcohol and other drugs: a systematic review. <i>Drug and Alcohol Review</i> , 2012 , 31, 731-6	3.2	50
136	The CAP study, evaluation of integrated universal and selective prevention strategies for youth alcohol misuse: study protocol of a cluster randomized controlled trial. <i>BMC Psychiatry</i> , 2012 , 12, 118	4.2	45
135	Commentary on: Universal school-based prevention programmes for alcohol misuse in young people <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2012 , 7, 576-577		0
134	Alcohol, tobacco, and prescription drugs: the relationship with illicit drugs in the treatment of substance users. <i>Substance Use and Misuse</i> , 2012 , 47, 963-71	2.2	15

133	Developing the climate schools: ecstasy module--a universal Internet-based drug prevention program. <i>Journal of Psychoactive Drugs</i> , 2012 , 44, 372-80	3.6	4
132	Guidelines on the management of co-occurring mental health conditions in alcohol and other drug treatment settings: how useful are they?. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2012 , 5, 160-172		9
131	Integrated exposure-based therapy for co-occurring posttraumatic stress disorder and substance dependence: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 690-9	27.4	187
130	The association between moral disengagement, psychological distress, resistive self-regulatory efficacy and alcohol and cannabis use among adolescents in Sydney, Australia. <i>Addiction Research and Theory</i> , 2012 , 20, 261-269	2.6	14
129	Prevalence, correlates and comorbidity of DSM-IV Cannabis Use and Cannabis Use Disorders in Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 1182-92	2.6	51
128	Remission from post-traumatic stress disorder in the general population. <i>Psychological Medicine</i> , 2012 , 42, 1695-703	6.9	100
127	Developing a school-based drug prevention program to overcome barriers to effective program implementation: The CLIMATE schools: Alcohol module. <i>Open Journal of Preventive Medicine</i> , 2012 , 02, 410-422	0.3	15
126	School-based Alcohol and Other Drug Prevention 2012 , 545-560		4
125	Developing the climate schools: Alcohol and Cannabis Module: a harm-minimization, universal drug prevention program facilitated by the internet. <i>Substance Use and Misuse</i> , 2011 , 46, 1651-63	2.2	14
124	Hurt people who hurt people: violence amongst individuals with comorbid substance use disorder and post traumatic stress disorder. <i>Addictive Behaviors</i> , 2011 , 36, 721-8	4.2	46
123	Rates and correlates of mortality amongst heroin users: findings from the Australian Treatment Outcome Study (ATOS), 2001-2009. <i>Drug and Alcohol Dependence</i> , 2011 , 115, 190-5	4.9	86
122	Psychometric performance of DSM-IV alcohol use disorders in young adulthood: evidence from an Australian general population sample. <i>Journal of Studies on Alcohol and Drugs</i> , 2011 , 72, 811-22	1.9	22
121	DSM-5: evidence translating to change is impressive. <i>Addiction</i> , 2011 , 106, 877-8; discussion 895-7	4.6	1
120	An evaluation of the proposed DSM-5 alcohol use disorder criteria using Australian national data. <i>Addiction</i> , 2011 , 106, 941-50	4.6	69
119	Commentary on Agrawal et al. (2011): Assessing the impact of changes to diagnostic criteria on the estimated prevalence of alcohol use disorders in general population surveys. <i>Addiction</i> , 2011 , 106, 1944-5	4.6	1
118	An item response analysis of the DSM-IV criteria for major depression: findings from the Australian National Survey of Mental Health and Wellbeing. <i>Journal of Affective Disorders</i> , 2011 , 130, 92-8	6.6	20
117	Assessing the prevalence of trauma exposure in epidemiological surveys. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011 , 45, 407-15	2.6	49
116	Lifetime prevalence of gender-based violence in women and the relationship with mental disorders and psychosocial function. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 306, 513-21	27.4	229

115	Affective and anxiety disorders and their relationship with chronic physical conditions in Australia: findings of the 2007 National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011 , 45, 939-46	2.6	38
114	Childhood trauma among individuals with co-morbid substance use and post traumatic stress disorder. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2011 , 4, 314-326		38
113	The epidemiology of DSM-IV alcohol use disorders amongst young adults in the Australian population. <i>Alcohol and Alcoholism</i> , 2011 , 46, 185-91	3.5	20
112	Assessing the dimensionality of lifetime DSM-IV alcohol use disorders and a quantity-frequency alcohol use criterion in the Australian population: a factor mixture modelling approach. <i>Alcohol and Alcoholism</i> , 2011 , 46, 333-41	3.5	18
111	Internet-based prevention for alcohol and cannabis use: final results of the Climate Schools course. <i>Addiction</i> , 2010 , 105, 749-59	4.6	136
110	Continuous, categorical and mixture models of DSM-IV alcohol and cannabis use disorders in the Australian community. <i>Addiction</i> , 2010 , 105, 1246-53	4.6	18
109	What does self-change mean for how we deliver treatment?. <i>Addiction</i> , 2010 , 105, 1522-3; discussion 1524	4.6	1
108	Prevalence and correlates of DSM-IV alcohol abuse and dependence in Australia: findings of the 2007 National Survey of Mental Health and Wellbeing. <i>Addiction</i> , 2010 , 105, 2085-94	4.6	152
107	Forming a national multicentre collaboration to conduct clinical trials: increasing high-quality research in the drug and alcohol field. <i>Drug and Alcohol Review</i> , 2010 , 29, 469-74	3.2	5
106	Some new directions for research on psychological interventions for comorbid anxiety and substance use disorders. <i>Drug and Alcohol Review</i> , 2010 , 29, 518-24	3.2	27
105	Clinical predictors of outcome from an Australian pharmacological relapse prevention trial. <i>Alcohol and Alcoholism</i> , 2010 , 45, 520-6	3.5	9
104	Factor structure of posttraumatic stress disorder symptoms in the Australian general population. <i>Journal of Anxiety Disorders</i> , 2010 , 24, 520-7	10.9	33
103	"Youthful epidemic" or diagnostic bias? Differential item functioning of DSM-IV cannabis use criteria in an Australian general population survey. <i>Addictive Behaviors</i> , 2010 , 35, 408-13	4.2	21
102	Benzodiazepine use among heroin users: baseline use, current use and clinical outcome. <i>Drug and Alcohol Review</i> , 2010 , 29, 250-5	3.2	48
101	Theoretical and observed subtypes of DSM-IV alcohol- and cannabis-use disorders in the Australian population. <i>Journal of Studies on Alcohol and Drugs</i> , 2010 , 71, 597-606	1.9	3
100	Comorbidity in Australia: findings of the 2007 National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 606-14	2.6	142
99	Changes and predictors of change in the physical health status of heroin users over 24 months. <i>Addiction</i> , 2009 , 104, 465-70	4.6	12
98	A taxometric study of alcohol abuse and dependence in a general population sample: evidence of dimensional latent structure and implications for DSM-V. <i>Addiction</i> , 2009 , 104, 742-51	4.6	26

97	A computerized harm minimization prevention program for alcohol misuse and related harms: randomized controlled trial. <i>Addiction</i> , 2009 , 104, 564-75	4.6	81
96	The association of alcohol dependence with general practice attendance. <i>Drug and Alcohol Review</i> , 2009 , 28, 154-9	3.2	10
95	Sample bias from different recruitment strategies in a randomised controlled trial for alcohol dependence. <i>Drug and Alcohol Review</i> , 2009 , 28, 222-9	3.2	7
94	The ageing heroin user: career length, clinical profile and outcomes across 36 months. <i>Drug and Alcohol Review</i> , 2009 , 28, 243-9	3.2	19
93	Factors associated with violent victimisation among homeless adults in Sydney, Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2009 , 33, 347-51	2.3	21
92	Further evidence of differences in substance use and dependence between Australia and the United States. <i>Drug and Alcohol Dependence</i> , 2009 , 100, 258-64	4.9	19
91	Patterns of major depression and drug-related problems amongst heroin users across 36 months. <i>Psychiatry Research</i> , 2009 , 166, 7-14	9.9	53
90	Delivering prevention for alcohol and cannabis using the Internet: a cluster randomised controlled trial. <i>Preventive Medicine</i> , 2009 , 48, 579-84	4.3	90
89	Reprint of "Understanding comorbidity between substance use, anxiety and affective disorders: broadening the research base". <i>Addictive Behaviors</i> , 2009 , 34, 795-9	4.2	12
88	CLIMATE Schools: alcohol module: cross-validation of a school-based prevention programme for alcohol misuse. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 201-7	2.6	64
87	Understanding comorbidity between substance use, anxiety and affective disorders: broadening the research base. <i>Addictive Behaviors</i> , 2009 , 34, 526-30	4.2	42
86	The impact of treatment on 3 years' outcome for heroin dependence: findings from the Australian Treatment Outcome Study (ATOS). <i>Addiction</i> , 2008 , 103, 80-8	4.6	102
85	Do acamprosate or naltrexone have an effect on daily drinking by reducing craving for alcohol?. <i>Addiction</i> , 2008 , 103, 953-9	4.6	51
84	Injecting and Noninjecting Heroin Administration: Transitions and Treatment Outcomes across 36 Months. <i>Journal of Drug Issues</i> , 2008 , 38, 543-557	1.4	6
83	Predictors of Trauma and PTSD among Heroin Users: A Prospective Longitudinal Investigation. <i>Journal of Drug Issues</i> , 2008 , 38, 585-599	1.4	5
82	Review: intensive case management for severe mental illness reduces rehospitalisation when previous hospital use has been high. <i>Evidence-Based Mental Health</i> , 2008 , 11, 45	11.1	5
81	Issues with recruitment to randomised controlled trials in the drug and alcohol field: a literature review and Australian case study. <i>Drug and Alcohol Review</i> , 2008 , 27, 115-22	3.2	29
80	Reliability of self-reported trauma exposure among people with heroin dependence: a longitudinal investigation. <i>Journal of Traumatic Stress</i> , 2007 , 20, 313-23	3.8	20

79	Borderline personality disorder and persistently elevated levels of risk in 36-month outcomes for the treatment of heroin dependence. <i>Addiction</i> , 2007 , 102, 1140-6	4.6	32
78	The impact of post-traumatic stress disorder on treatment outcomes for heroin dependence. <i>Addiction</i> , 2007 , 102, 447-54	4.6	60
77	The Australian Treatment Outcome Study (ATOS): what have we learnt about treatment for heroin dependence?. <i>Drug and Alcohol Review</i> , 2007 , 26, 49-54	3.2	38
76	Changes in the use of medical services and prescription drugs among heroin users over two years. <i>Drug and Alcohol Review</i> , 2007 , 26, 153-9	3.2	5
75	Patterns of nonfatal heroin overdose over a 3-year period: findings from the Australian treatment outcome study. <i>Journal of Urban Health</i> , 2007 , 84, 283-91	5.8	66
74	Problem alcohol use in young Australian adults. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007 , 41, 436-41	2.6	7
73	Patterns of sustained heroin abstinence amongst long-term, dependent heroin users: 36 months findings from the Australian Treatment Outcome Study (ATOS). <i>Addictive Behaviors</i> , 2007 , 32, 1897-906	4.2	50
72	Patterns and correlates of attempted suicide by heroin users over a 3-year period: findings from the Australian treatment outcome study. <i>Drug and Alcohol Dependence</i> , 2007 , 87, 146-52	4.9	78
71	The effect of baseline cocaine use on treatment outcomes for heroin dependence over 24 months: findings from the Australian Treatment Outcome Study. <i>Journal of Substance Abuse Treatment</i> , 2007 , 33, 287-93	4.2	24
70	Assertive community treatment--issues from scientific and clinical literature with implications for practice. <i>Journal of Rehabilitation Research and Development</i> , 2007 , 44, 813-25		48
69	Major depressive disorder is common in the US among Native Americans, women, the middle aged, the poor, and widowed, separated, or divorced people. <i>Evidence-Based Mental Health</i> , 2006 , 9, 59	11.1	2
68	The structure of alcohol dependence in the community. <i>Drug and Alcohol Dependence</i> , 2006 , 81, 21-6	4.9	100
67	Substance use, dependence and treatment seeking in the United States and Australia: a cross-national comparison. <i>Drug and Alcohol Dependence</i> , 2006 , 81, 149-55	4.9	73
66	The effect of persistence of cocaine use on 12-month outcomes for the treatment of heroin dependence. <i>Drug and Alcohol Dependence</i> , 2006 , 81, 293-300	4.9	61
65	One year outcomes for heroin dependence: findings from the Australian Treatment Outcome Study (ATOS). <i>Drug and Alcohol Dependence</i> , 2006 , 83, 174-80	4.9	102
64	Reductions in heroin use are not associated with increases in other drug use: 2-year findings from the Australian Treatment Outcome Study. <i>Drug and Alcohol Dependence</i> , 2006 , 84, 201-5	4.9	36
63	Depression among heroin users: 12-Month outcomes from the Australian Treatment Outcome Study (ATOS). <i>Journal of Substance Abuse Treatment</i> , 2006 , 30, 355-62	4.2	95
62	Short-term Outcomes for the Treatment of Heroin Dependence. <i>Addictive Disorders and Their Treatment</i> , 2006 , 5, 133-143	0.5	22

61	Trauma, PTSD, and Substance Use Disorders: Findings From the Australian National Survey of Mental Health and Well-Being. <i>American Journal of Psychiatry</i> , 2006 , 163, 652-658	11.9	254
60	Residential Rehabilitation for the Treatment of Heroin Dependence: Sustained Heroin Abstinence and Drug-Related Problems 2 Years After Treatment Entrance. <i>Addictive Disorders and Their Treatment</i> , 2006 , 5, 9-18	0.5	12
59	Patterns and costs of treatment for heroin dependence over 12 months: findings from the Australian Treatment Outcome Study. <i>Australian and New Zealand Journal of Public Health</i> , 2006 , 30, 305-11	2.3	2
58	Naltrexone versus acamprosate in the treatment of alcohol dependence: A multi-centre, randomized, double-blind, placebo-controlled trial. <i>Addiction</i> , 2006 , 101, 1451-62	4.6	122
57	The association between cocaine use and short-term outcomes for the treatment of heroin dependence: findings from the Australian Treatment Outcome Study (ATOS). <i>Drug and Alcohol Review</i> , 2006 , 25, 141-8	3.2	21
56	Outcomes after detoxification for heroin dependence: findings from the Australian Treatment Outcome Study (ATOS). <i>Drug and Alcohol Review</i> , 2006 , 25, 241-7	3.2	21
55	Trauma, PTSD, and substance use disorders: findings from the Australian National Survey of Mental Health and Well-Being. <i>American Journal of Psychiatry</i> , 2006 , 163, 652-8	11.9	161
54	Factors associated with 12 months continuous heroin abstinence: findings from the Australian Treatment Outcome Study (ATOS). <i>Journal of Substance Abuse Treatment</i> , 2005 , 28, 255-63	4.2	68
53	Post-traumatic stress disorder among people with heroin dependence in the Australian treatment outcome study (ATOS): prevalence and correlates. <i>Drug and Alcohol Dependence</i> , 2005 , 77, 243-9	4.9	134
52	Attempted suicide among heroin users: 12-month outcomes from the Australian Treatment Outcome Study (ATOS). <i>Drug and Alcohol Dependence</i> , 2005 , 78, 177-86	4.9	50
51	Depression among entrants to treatment for heroin dependence in the Australian Treatment Outcome Study (ATOS): prevalence, correlates and treatment seeking. <i>Drug and Alcohol Dependence</i> , 2005 , 78, 309-15	4.9	92
50	How common is comorbidity and why does it occur?. <i>Australian Psychologist</i> , 2005 , 40, 81-87	1.7	7
49	Twelve-month outcomes for heroin dependence treatments: does route of administration matter?. <i>Drug and Alcohol Review</i> , 2005 , 24, 165-71	3.2	8
48	Non-fatal heroin overdose, treatment exposure and client characteristics: findings from the Australian treatment outcome study (ATOS). <i>Drug and Alcohol Review</i> , 2005 , 24, 425-32	3.2	64
47	The characteristics of heroin users entering treatment: findings from the Australian treatment outcome study (ATOS). <i>Drug and Alcohol Review</i> , 2005 , 24, 411-8	3.2	179
46	The impact of comorbid anxiety and depression on alcohol treatment outcomes. <i>Addiction</i> , 2005 , 100, 787-96	4.6	136
45	The impact of borderline personality disorder on 12-month outcomes for the treatment of heroin dependence. <i>Addiction</i> , 2005 , 100, 1121-30	4.6	42
44	The efficacy of compliance therapy in pharmacotherapy for alcohol dependence: a randomized controlled trial. <i>Journal of Studies on Alcohol and Drugs</i> , 2005 , 66, 833-41		27

43	The costs and outcomes of treatment for opioid dependence associated with posttraumatic stress disorder. <i>Psychiatric Services</i> , 2005 , 56, 940-5	3.3	50
42	Psychiatric disorders in homeless men and women in inner Sydney. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004 , 38, 162-8	2.6	44
41	Cannabis and psychosis: extending the debate. <i>Addiction</i> , 2004 , 99, 1352-3	4.6	1
40	Non-injecting routes of administration among entrants to three treatment modalities for heroin dependence. <i>Drug and Alcohol Review</i> , 2004 , 23, 177-83	3.2	22
39	Cannabis use and psychotic disorders: an update. <i>Drug and Alcohol Review</i> , 2004 , 23, 433-43	3.2	75
38	Attempted suicide among entrants to three treatment modalities for heroin dependence in the Australian Treatment Outcome Study (ATOS): prevalence and risk factors. <i>Drug and Alcohol Dependence</i> , 2004 , 73, 1-10	4.9	100
37	Borderline personality disorder, antisocial personality disorder and risk-taking among heroin users: findings from the Australian Treatment Outcome Study (ATOS). <i>Drug and Alcohol Dependence</i> , 2004 , 74, 77-83	4.9	84
36	Young people with heroin dependence: findings from the Australian Treatment Outcome Study (ATOS). <i>Journal of Substance Abuse Treatment</i> , 2004 , 27, 67-73	4.2	43
35	Health service utilization and benzodiazepine use among heroin users: findings from the Australian Treatment Outcome Study (ATOS). <i>Addiction</i> , 2003 , 98, 1129-35	4.6	46
34	Alcohol and other drug use disorders among homeless people in Australia. <i>Substance Use and Misuse</i> , 2003 , 38, 463-74	2.2	23
33	Schizophrenia among homeless people in inner-Sydney: Current prevalence and historical trends. <i>Journal of Mental Health</i> , 2003 , 12, 51-57	2.7	3
32	Who seeks treatment for alcohol dependence? Findings from the Australian National Survey of Mental Health and Wellbeing. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 451-6	4.5	46
31	Substance use disorders in an Australian community survey. <i>Drug and Alcohol Review</i> , 2002 , 21, 275-80	3.2	5
30	Alcohol use disorders comorbid with anxiety, depression and drug use disorders. Findings from the Australian National Survey of Mental Health and Well Being. <i>Drug and Alcohol Dependence</i> , 2002 , 68, 299-307	4.9	243
29	The structure of cannabis dependence in the community. <i>Drug and Alcohol Dependence</i> , 2002 , 68, 255-62	4.9	76
28	Cannabis use and dependence among Australian adults: results from the National Survey of Mental Health and Wellbeing. <i>Addiction</i> , 2001 , 96, 737-48	4.6	89
27	Does case management work? The evidence and the abuse of evidence-based medicine. <i>Australian and New Zealand Journal of Psychiatry</i> , 2001 , 35, 731-46	2.6	52
26	Characteristics of DSM-IV and ICD-10 cannabis dependence among Australian adults: results from the National Survey of Mental Health and Wellbeing. <i>Drug and Alcohol Dependence</i> , 2001 , 63, 147-53	4.9	66

25	Prevalence of cognitive impairment among homeless people in inner Sydney. <i>Psychiatric Services</i> , 2000 , 51, 520-1	3.3	17
24	Substance use disorders among homeless people in inner Sydney. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000 , 35, 451-6	4.5	20
23	Alcohol- and drug-use disorders in Australia: implications of the National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 206-13	2.6	179
22	Measuring disability, need and outcome in Australian community mental health services. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 850-5	2.6	26
21	Measurement of need for care: a trial of the Camberwell Assessment of Need and the Health of the Nation Outcome Scales. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999 , 33, 754-9	2.6	50
20	The 12-month prevalence of substance use and ICD-10 substance use disorders in Australian adults: findings from the National Survey of Mental Health and Well-Being. <i>Addiction</i> , 1999 , 94, 1541-1550	4.6	112
19	Evaluation of a treatment programme for serious mental illness and substance use in an inner city area. <i>Journal of Mental Health</i> , 1999 , 8, 19-28	2.7	12
18	Intensive case management: a cost-effectiveness analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 1998 , 32, 551-9	2.6	21
17	Proximity and anticipation of a negative outcome in phobias. <i>Behaviour Research and Therapy</i> , 1994 , 32, 643-5	5.2	19
16	Smart versus dumb treatment: services for mental disorders. <i>Current Opinion in Psychiatry</i> , 1994 , 7, 181-185	4.9	14
15	Prevalence of schizophrenia among women in refuges for the homeless. <i>Australian and New Zealand Journal of Psychiatry</i> , 1993 , 27, 405-10	2.6	12
14	Mobile community treatment in inner city and suburban Sydney. <i>Psychiatric Quarterly</i> , 1992 , 63, 119-27	4.1	13
13	Follow-up of community placement of the chronic mentally ill in New South Wales. <i>Psychiatric Services</i> , 1990 , 41, 184-8	3.3	7
12	Prevalence of schizophrenia in a refuge for homeless men: a five year follow-up. <i>Psychiatric Bulletin</i> , 1990 , 14, 597-600		17
11	Outcome measurement in drug and alcohol services173-182		
10	Substance Use and Mental Health in Longitudinal Perspective43-51		20
9	Psychiatric Disorders in Homeless Men and Women in Inner Sydney		6
8	Integrated Trauma-Focused Psychotherapy for Traumatic Stress and Substance Use: Two Adolescent Case Studies. <i>Clinical Case Studies</i> ,153465012110460	0.6	0

7	Measurement of Need for Care: A Trial of the Camberwell Assessment of Need and the Health of the Nation Outcome Scales	10
6	Alcohol- and Drug-Use Disorders in Australia: Implications of the National Survey of Mental Health and Wellbeing	7
5	Measuring Disability, Need and Outcome in Australian Community Mental Health Services	5
4	Lifetime Prevalence of Trauma among Homeless People in Sydney	5
3	Implementation of a multi-modal training program for the management of comorbid mental disorders in drug and alcohol settings: Pathways to Comorbidity Care (PCC)	1
2	“Trapped”, “Anxious” and “Traumatised”: COVID-19 intensified the impact of housing inequality on Australians’ mental health. <i>International Journal of Housing Policy</i> ,1-32	1.5 7
1	Effectiveness of online training for improving knowledge, attitudes, and confidence of alcohol and other drug workers in relation to co-occurring mental health conditions. <i>Drugs: Education, Prevention and Policy</i> ,1-9	1.2 0