## Francesco A Bottino

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5623597/publications.pdf

Version: 2024-02-01

44 papers

798 citations

16 h-index 28 g-index

44 all docs

44 docs citations

times ranked

44

742 citing authors

#	Article	IF	CITATIONS
1	Polystyrene-Clay Nanocomposites Prepared with Polymerizable Imidazolium Surfactants. Macromolecular Rapid Communications, 2003, 24, 1079-1084.	3.9	96
2	Calix[4]arenes with pyridine pendant groups. Regioselective proximal alkylation at the "lower rim". Journal of Organic Chemistry, 1989, 54, 5407-5409.	3.2	75
3	Thermal behaviour of a series of novel aliphatic bridged polyhedral oligomeric silsesquioxanes (POSSs)/polystyrene (PS) nanocomposites: The influence of the bridge length on the resistance to thermal degradation. Polymer Degradation and Stability, 2014, 102, 132-137.	5.8	55
4	Chemical modifications, mechanical properties and surface photo-oxidation of films of polystyrene (PS). Polymer Testing, 2004, 23, 405-411.	4.8	48
5	A kinetic study of the thermal and thermal oxidative degradations of new bridged POSS/PS nanocomposites. Polymer Degradation and Stability, 2013, 98, 2564-2570.	5.8	42
6	Synthesis and thermal characterization of new dumbbell shaped POSS/PS nanocomposites: Influence of the symmetrical structure of the nanoparticles on the dispersion/aggregation in the polymer matrix. Polymer Composites, 2015, 36, 1394-1400.	4.6	39
7	Synthesis, characterization and thermal stability of new dumbbell-shaped isobutyl-substituted POSSs linked by aromatic bridges. Journal of Thermal Analysis and Calorimetry, 2014, 117, 243-250.	3.6	38
8	Synthesis and thermal properties of new dumbbell-shaped isobutyl-substituted POSSs linked by aliphatic bridges. Journal of Thermal Analysis and Calorimetry, 2014, 116, 5-13.	3.6	37
9	Synthesis of functionalized polyhedral oligomeric silsesquioxane (POSS) macromers by microwave assisted 1,3-dipolar cycloaddition. Tetrahedron, 2005, 61, 7986-7993.	1.9	35
10	Synthesis and characterization of differently substituted phenyl hepta isobutylâ€polyhedral oligomeric silsesquioxane/polystyrene nanocomposites. Polymer Composites, 2014, 35, 151-157.	4.6	34
11	Photoactive Eu(III) and Tb(III) complexes of calix[4] arenes with pyridine-N-oxide pendant groups. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 1991, 10, 387-392.	1.6	22
12	Synthesis and properties of pyridinocalixarenes. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 1994, 19, 85-100.	1.6	21
13	A study on chemical modifications, mechanical properties and surface photo-oxidation of films of polystyrene (PS) stabilised by hindered amines (HAS). Polymer Testing, 2004, 23, 779-789.	4.8	20
14	Kinetics of degradation and thermal behaviour of branched hepta phenyl POSS/PS nanocomposites. Polymer Degradation and Stability, 2016, 129, 374-379.	5.8	18
15	Dumbbell-shaped polyhedral oligomeric silsesquioxanes/polystyrene nanocomposites: The influence of the bridge rigidity on the resistance to thermal degradation. Journal of Composite Materials, 2015, 49, 2509-2517.	2.4	17
16	Synthesis and characterization of new poly(arylene)ethers containing heterocyclic units—I. European Polymer Journal, 1995, 31, 35-38.	5.4	16
17	Dynamic stereochemistry of bis(N-isopropylsalicylaldiminato) beryllium(II): enantiomerization process. Journal of Organometallic Chemistry, 1978, 160, 373-376.	1.8	15
18	Synthesis and thermal characterization of new dumbbell-shaped cyclopentyl-substituted POSSs linked by aliphatic and aromatic bridges. Journal of Thermal Analysis and Calorimetry, 2015, 121, 1039-1048.	3.6	15

#	Article	IF	CITATIONS
19	Dicationic (η5-triphenylphosphonium cyclopentadienylide) (η4-diene) palladium (II) and -platinum (II) complexes. Journal of Organometallic Chemistry, 1982, 231, 265-270.	1.8	12
20	Metal selectivity properties of polymeric Schiff bases. Inorganic and Nuclear Chemistry Letters, 1980, 16, 417-421.	0.7	11
21	Dynamic stereochemistry of bis-salicylaldimine chelate complexes of metals of II group. Journal of Inorganic and Nuclear Chemistry, 1980, 42, 479-481.	0.5	11
22	Studies of substituent effects by carbon-13 NMR spectroscopy.V—Ethyl (E)-(α-cyano)cinnamates, (E)-(α-cyano)cinnamamides and ethyl (α-ethoxycarbonyl)cinnamates. Magnetic Resonance in Chemistry, 1986, 24, 31-34.	1.9	11
23	The influence of the nature of POSSs cage's periphery on the thermal stability of a series of new bridged POSS/PS nanocomposites. Polymer Degradation and Stability, 2015, 121, 180-186.	5.8	11
24	Synthesis and characterization of new poly(arylene ether)s containing heterocyclic units. II Journal of Polymer Science Part A, 1995, 33, 843-847.	2.3	10
25	Synthesis and properties of new poly(ether sulfone)amides. Journal of Polymer Science Part A, 1996, 34, 1305-1310.	2.3	10
26	Thermal characterization of a series of novel hepta cyclopentyl bridged POSS/PS nanocomposites. Journal of Thermal Analysis and Calorimetry, 2016, 125, 637-643.	3.6	10
27	Effects of the structure on the properties of new poly(arylene ether sulfone)s containing naphthalene units. European Polymer Journal, 2003, 39, 2203-2208.	5.4	9
28	Synthesis and thermal behaviour of phenyl-substituted POSSs linked by aliphatic and aromatic bridges. Journal of Thermal Analysis and Calorimetry, 2018, 131, 843-851.	3.6	9
29	A novel three-cages POSS molecule: synthesis and thermal behaviour. Journal of Thermal Analysis and Calorimetry, 2018, 134, 1337-1344.	3.6	7
30	Synthesis, thermal behavior, and kinetics of degradation of alkyl hepta cyclopentyl polyhedral oligomeric silsesquioxanes/polysterene nanocomposites. Journal of Thermoplastic Composite Materials, 2018, 31, 913-924.	4.2	6
31	NMR stereospecific long-range coupling and preferred conformations in some (E)- and (Z)-α-phenyl-β-[2-(N-methyl)nitropyrrolyl] acrylic acids. Tetrahedron, 1978, 34, 1557-1559.	1.9	5
32	13C NMR examination of someN-thioaroylmorpholine-bromine adducts. Magnetic Resonance in Chemistry, 1984, 22, 724-726.	0.7	4
33	Synthesis and Properties of Aromatic Poly(Ether Sulfone)s and Poly(Etherketone)s Containing Naphthalene or Quinoline Units, and Methyl-Substituted Biphenyl-4,4′-Diols. Journal of Macromolecular Science - Pure and Applied Chemistry, 1995, 32, 1947-1955.	2.2	4
34	Synthesis and characterization of new poly(arylene ether 1,3,4-oxadiazole)s based on dihydroxynaphthalene isomers. Polymer Bulletin, 2000, 45, 345-350.	3.3	4
35	STRANgE, integrated physical–biological–mechanical system for recovery in of the "oil spill―in Antarctic environment. Reviews in Environmental Science and Biotechnology, 2014, 13, 369-375.	8.1	4
36	Characterization of poly(ethylene oxide) modified with different phenyl hepta isobutyl polyhedral oligomeric silsesquioxanes. Journal of Thermal Analysis and Calorimetry, 2020, 142, 1863-1875.	3.6	4

3

#	Article	IF	CITATIONS
37	Stereoisomerization processes in cis-octahedral-bischelate complexes: Activation energies associated with the different rearrangement modes in the case of phenylchlorobis(benzoylacetato)tin. Journal of Organometallic Chemistry, 1979, 172, 397-404.	1.8	3
38	ESCA surface study of polystyrene photodegradation accelerated by 2-(2-methoxy-5-methylphenyl)-2H-benzotriazole. Macromolecular Rapid Communications, 1995, 16, 799-806.	3.9	3
39	Carbon-13 NMR spectra of substituted 2-thiophenecarboxanilides. Magnetic Resonance in Chemistry, 1987, 25, 277-279.	1.9	2
40	Synthesis and thermal characterization of mono alkyl hepta phenyl POSS/PS nanocomposites. Polymer Degradation and Stability, 2016, 134, 322-327.	5.8	2
41	Synthesis and Characterization of New Copoly(arylene ether)s Containing Naphthalene or Naphthalene/1,3,4-Oxadiazole Units. Polymer Bulletin, 2003, 51, 31-38.	<b>3.</b> 3	1
42	A Novel Polystyrene Nanocomposite with Fully Phenyl POSSs Functionalized. Macromolecular Symposia, 2020, 389, 1900070.	0.7	1
43	Synthesis and Properties of Pyridinocalixarenes. , 1994, , 85-100.		1
44	Thermo-mechanical characterization of a monochlorophenyl, hepta isobutyl polyhedral oligomeric silsesquioxane/polystyrene composite., 2014,,.		O