

Xiang-Chuan Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5623725/publications.pdf>

Version: 2024-02-01

18
papers

368
citations

933447

10
h-index

839539

18
g-index

18
all docs

18
docs citations

18
times ranked

467
citing authors

#	ARTICLE	IF	CITATIONS
1	Reconstructing Neogene vegetation and climates to infer tectonic uplift in western Yunnan, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 304, 328-336.	2.3	144
2	Miocene <i>Smilax</i> leaves and associated epiphyllous fungi from Zhejiang, East China and their paleoecological implications. <i>Review of Palaeobotany and Palynology</i> , 2011, 165, 209-223.	1.5	37
3	<i>Cunninghamia praelanceolata</i> sp. nov. with associated epiphyllous fungi from the upper Miocene of eastern Zhejiang, S.E China and their palaeoecological implications. <i>Review of Palaeobotany and Palynology</i> , 2012, 182, 32-43.	1.5	34
4	Response to paleoatmospheric CO ₂ concentration of <i>Solenites vimineus</i> (Phillips) Harris (Ginkgophyta) from the Middle Jurassic of the Yaojie Basin, Gansu Province, China. <i>Science in China Series D: Earth Sciences</i> , 2009, 52, 2029-2039.	0.9	25
5	Anatomical variations of living and fossil <i>Liquidambar</i> leaves: A proxy for paleoenvironmental reconstruction. <i>Science China Earth Sciences</i> , 2011, 54, 493-508.	5.2	19
6	Leaf macrofossils of <i>Ilex protocornuta</i> sp. nov. (Aquifoliaceae) from the Late Miocene of East China: Implications for palaeoecology. <i>Review of Palaeobotany and Palynology</i> , 2010, 161, 87-103.	1.5	18
7	Miocene pollen assemblages from the Zeku Basin, northeastern Tibetan Plateau, and their palaeoecological and palaeoaltimetric implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 511, 419-432.	2.3	14
8	New records of <i>Podocarpium</i> A. Braun ex Stizenberger (Fabaceae) from the Oligocene to Miocene of China: Reappraisal of the phylogeographical history of the genus. <i>Review of Palaeobotany and Palynology</i> , 2019, 260, 38-50.	1.5	14
9	<i>Paliurus</i> (Paliureae, Rhamnaceae) from the Miocene of East China and its Macrofossil-based Phylogenetic and Phytogeographical History. <i>Acta Geologica Sinica</i> , 2014, 88, 1364-1377.	1.4	13
10	Stable isotope compositions of recent and fossil sun/shade leaves and implications for paleoenvironmental reconstruction. <i>Review of Palaeobotany and Palynology</i> , 2013, 190, 75-84.	1.5	10
11	Fossil fruits of <i>Koelreuteria</i> (Sapindaceae) from the Miocene of northeastern Tibetan Plateau and their palaeoenvironmental, phytogeographic and phylogenetic implications. <i>Review of Palaeobotany and Palynology</i> , 2016, 234, 125-135.	1.5	9
12	A unique record of <i>Cercis</i> from the late early Miocene of interior Asia and its significance for paleoenvironments and paleophytogeography. <i>Journal of Systematics and Evolution</i> , 2021, 59, 1321-1338.	3.1	8
13	First report of Cixiidae insect fossils from the Miocene of the northeastern Tibetan Plateau and their palaeoenvironmental implications. <i>Alcheringa</i> , 2017, 41, 54-60.	1.2	7
14	<i>Ormosia</i> (Fabaceae: Faboideae) from the Miocene of southeastern China support historical expansion of the tropical genus in East Asia. <i>Historical Biology</i> , 2021, 33, 3561-3578.	1.4	7
15	The first fossil brown lacewing from the Miocene of the Tibetan Plateau (Neuroptera, Hemerobiidae). <i>ZooKeys</i> , 2018, 726, 145-154.	1.1	4
16	Leaf megafossils of <i>Betula yunnanensis</i> sp. nov. (Betulaceae) from the Mangbang Formation, SW China and its taphonomic implications. <i>Review of Palaeobotany and Palynology</i> , 2010, 163, 84-103.	1.5	2
17	An ancient example of <i>Platykladus</i> (Cupressaceae) from the early Miocene of northern China: origin and biogeographical implications. <i>Historical Biology</i> , 2018, 30, 1123-1131.	1.4	2
18	An Extinct Fruit Species of Fabaceae from the Early Eocene of Northwestern Wyoming, USA. <i>International Journal of Plant Sciences</i> , 2021, 182, 730-746.	1.3	1