John L Campbell Mbe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5627114/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Three techniques for integrating data in mixed methods studies. BMJ: British Medical Journal, 2010, 341, c4587-c4587.	2.3	865
2	Cost-effectiveness acceptability curves– facts, fallacies and frequently asked questions. Health Economics (United Kingdom), 2004, 13, 405-415.	1.7	754
3	The effectiveness of exercise interventions for people with Parkinson's disease: A systematic review and metaâ€analysis. Movement Disorders, 2008, 23, 631-640.	3.9	735
4	Interventions targeting social isolation in older people: a systematic review. BMC Public Health, 2011, 11, 647.	2.9	537
5	Consolidated Health Economic Evaluation Reporting Standards (CHEERS) Statement. Value in Health, 2013, 16, e1-e5.	0.3	513
6	Molecular aspects of skin ageing. Maturitas, 2011, 69, 249-256.	2.4	435
7	Global Charcoal Mobilization from Soils via Dissolution and Riverine Transport to the Oceans. Science, 2013, 340, 345-347.	12.6	432
8	A Guide to Handling Missing Data in Cost-Effectiveness Analysis Conducted Within Randomised Controlled Trials. Pharmacoeconomics, 2014, 32, 1157-1170.	3.3	417
9	Good Practice Guidelines for Decision-Analytic Modelling in Health Technology Assessment. Pharmacoeconomics, 2006, 24, 355-371.	3.3	390
10	Acceptability, benefits, and challenges of video consulting: a qualitative study in primary care. British Journal of General Practice, 2019, 69, e586-e594.	1.4	353
11	Association of a difference in systolic blood pressure between arms with vascular disease and mortality: a systematic review and meta-analysis. Lancet, The, 2012, 379, 905-914.	13.7	326
12	The impact of social isolation on the health status and health-related quality of life of older people. Quality of Life Research, 2011, 20, 57-67.	3.1	284
13	Cognitive behavioural therapy as an adjunct to pharmacotherapy for primary care based patients with treatment resistant depression: results of the CoBalT randomised controlled trial. Lancet, The, 2013, 381, 375-384.	13.7	278
14	Comparing the content and quality of video, telephone, and face-to-face consultations: a non-randomised, quasi-experimental, exploratory study in UK primary care. British Journal of General Practice, 2019, 69, e595-e604.	1.4	253
15	Acupuncture and dry needling in the management of myofascial trigger point pain: A systematic review and metaâ€analysis of randomised controlled trials. European Journal of Pain, 2009, 13, 3-10.	2.8	226
16	Variability of Criteria Used to Diagnose Myofascial Trigger Point Pain Syndrome—Evidence From a Review of the Literature. Clinical Journal of Pain, 2007, 23, 278-286.	1.9	222
17	Effect of exercise referral schemes in primary care on physical activity and improving health outcomes: systematic review and meta-analysis. BMJ: British Medical Journal, 2011, 343, d6462-d6462.	2.3	204
18	Age, gender, socioeconomic, and ethnic differences in patients' assessments of primary health care. Quality in Health Care: OHC, 2001, 10, 90-95.	1.2	202

#	Article	IF	CITATIONS
19	Common patterns of morbidity and multi-morbidity and their impact on health-related quality of life: evidence from a national survey. Quality of Life Research, 2015, 24, 909-918.	3.1	186
20	Dry skin in the elderly: Complexities of a common problem. Clinics in Dermatology, 2011, 29, 37-42.	1.6	169
21	Facilitated physical activity as a treatment for depressed adults: randomised controlled trial. BMJ, The, 2012, 344, e2758-e2758.	6.0	163
22	Telephone triage for management of same-day consultation requests in general practice (the ESTEEM) Tj ETQq0 C 1859-1868.) 0 rgBT /0 13.7	Overlock 10 7 156
23	Home-based versus hospital-based rehabilitation after myocardial infarction: A randomized trial with preference arms — Cornwall Heart Attack Rehabilitation Management Study (CHARMS). International Journal of Cardiology, 2007, 119, 202-211.	1.7	147
24	Understanding ethnic and other socio-demographic differences in patient experience of primary care: evidence from the English General Practice Patient Survey. BMJ Quality and Safety, 2012, 21, 21-29.	3.7	139
25	Prevalence and clinical implications of the inter-arm blood pressure difference: a systematic review. Journal of Human Hypertension, 2006, 20, 923-931.	2.2	136
26	An exercise intervention to prevent falls in people with Parkinson's disease: a pragmatic randomised controlled trial. Journal of Neurology, Neurosurgery and Psychiatry, 2011, 82, 1232-1238.	1.9	134
27	The General Practice Assessment Survey (GPAS): tests of data quality and measurement properties. Family Practice, 2000, 17, 372-379.	1.9	129
28	Reliability of patient responses in pay for performance schemes: analysis of national General Practitioner Patient Survey data in England. BMJ: British Medical Journal, 2009, 339, b3851-b3851.	2.3	129
29	Maintaining skin integrity in the aged: a systematic review. British Journal of Dermatology, 2013, 169, 528-542.	1.5	125
30	The GP Patient Survey for use in primary care in the National Health Service in the UK – development and psychometric characteristics. BMC Family Practice, 2009, 10, 57.	2.9	124
31	The clinical effectiveness and cost-effectiveness of exercise referral schemes: a systematic review and economic evaluation. Health Technology Assessment, 2011, 15, i-xii, 1-254.	2.8	123
32	Levels and predictors of exercise referral scheme uptake and adherence: a systematic review. Journal of Epidemiology and Community Health, 2012, 66, 737-744.	3.7	120
33	The epidemiology of skin conditions in the aged: A systematic review. Journal of Tissue Viability, 2017, 26, 20-28.	2.0	116
34	Prevalence of treatment-resistant depression in primary care: cross-sectional data. British Journal of General Practice, 2013, 63, e852-e858.	1.4	115
35	Understanding help seeking behaviour among male offenders: qualitative interview study. BMJ: British Medical Journal, 2007, 334, 303.	2.3	114
36	COVID-19 and primary care in six countries. BJGP Open, 2020, 4, bjgpopen20X101128.	1.8	114

#	Article	IF	CITATIONS
37	Lessons learned from recruiting socioeconomically disadvantaged smokers into a pilot randomized controlled trial to explore the role of Exercise Assisted Reduction then Stop (EARS) smoking. Trials, 2015, 16, 1.	1.6	108
38	Acupuncture and related interventions for smoking cessation. The Cochrane Library, 2014, 2014, CD000009.	2.8	103
39	Long-term effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: follow-up of the CoBalT randomised controlled trial. Lancet Psychiatry,the, 2016, 3, 137-144.	7.4	103
40	Research output on primary care in Australia, Canada, Germany, the Netherlands, the United Kingdom, and the United States: bibliometric analysis. BMJ: British Medical Journal, 2011, 342, d1028-d1028.	2.3	102
41	Antibiotic prescription strategies for acute sore throat: a prospective observational cohort study. Lancet Infectious Diseases, The, 2014, 14, 213-219.	9.1	100
42	Using alternatives to face-to-face consultations: a survey of prevalence and attitudes in general practice. British Journal of General Practice, 2016, 66, e460-e466.	1.4	100
43	Home-based cardiac rehabilitation versus hospital-based rehabilitation: A cost effectiveness analysis. International Journal of Cardiology, 2007, 119, 196-201.	1.7	99
44	Drivers of overall satisfaction with primary care: evidence from the English General Practice Patient Survey. Health Expectations, 2015, 18, 1081-1092.	2.6	98
45	Measuring the Impact of Headache in Children: A Critical Review of the Literature. Cephalalgia, 2009, 29, 3-16.	3.9	97
46	Patients' views of physical activity as treatment for depression: a qualitative study. British Journal of General Practice, 2011, 61, e149-e156.	1.4	88
47	Should measures of patient experience in primary care be adjusted for case mix? Evidence from the English General Practice Patient Survey. BMJ Quality and Safety, 2012, 21, 634-640.	3.7	88
48	Measuring access to primary medical care: some examples of the use of geographical information systems. Health and Place, 1998, 4, 183-193.	3.3	86
49	Predictors of suppurative complications for acute sore throat in primary care: prospective clinical cohort study. BMJ, The, 2013, 347, f6867-f6867.	6.0	84
50	Skin signs in diabetes mellitus. Journal of the European Academy of Dermatology and Venereology, 2012, 26, 1203-1211.	2.4	80
51	Setting standards based on patients' views on access and continuity: secondary analysis of data from the general practice assessment survey. BMJ: British Medical Journal, 2003, 326, 258-258.	2.3	79
52	The interarm blood pressure difference as predictor of cardiovascular events in patients with hypertension in primary care: cohort study. Journal of Human Hypertension, 2007, 21, 633-638.	2.2	78
53	Alternatives to the face-to-face consultation in general practice: focused ethnographic case study. British Journal of General Practice, 2018, 68, e293-e300.	1.4	74
54	Assessing the professional performance of UK doctors: an evaluation of the utility of the General Medical Council patient and colleague questionnaires. Quality and Safety in Health Care, 2008, 17, 187-193.	2.5	73

#	Article	IF	CITATIONS
55	Geriatric dermatoses: a clinical review of skin diseases in an aging population. International Journal of Dermatology, 2012, 51, 509-522.	1.0	72
56	The impact of using computer decision-support software in primary care nurse-led telephone triage: Interactional dilemmas and conversational consequences. Social Science and Medicine, 2015, 126, 36-47.	3.8	70
57	Pharmacists' perceptions of their emerging general practice roles in UK primary care: a qualitative interview study. British Journal of General Practice, 2017, 67, e650-e658.	1.4	70
58	Impact of headache on young people in a school population. British Journal of General Practice, 2009, 59, 678-681.	1.4	69
59	Clinical effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: the CoBalT randomised controlled trial. Health Technology Assessment, 2014, 18, 1-167, vii-viii.	2.8	69
60	Relationship Between Clinical Quality and Patient Experience: Analysis of Data From the English Quality and Outcomes Framework and the National GP Patient Survey. Annals of Family Medicine, 2013, 11, 467-472.	1.9	67
61	Investigating the relationship between consultation length and patient experience: a cross-sectional study in primary care. British Journal of General Practice, 2016, 66, e896-e903.	1.4	64
62	The inter-arm blood pressure difference and peripheral vascular disease: cross-sectional study. Family Practice, 2007, 24, 420-426.	1.9	63
63	Acupuncture and related interventions for smoking cessation. , 2006, , CD000009.		61
64	Interarm Blood Pressure Difference in People With Diabetes: Measurement and Vascular and Mortality Implications. Diabetes Care, 2014, 37, 1613-1620.	8.6	59
65	The potential of alternatives to face-to-face consultation in general practice, and the impact on different patient groups: a mixed-methods case study. Health Services and Delivery Research, 2018, 6, 1-200.	1.4	59
66	Challenges to the credibility of patient feedback in primary healthcare settings: a qualitative study. British Journal of General Practice, 2013, 63, e200-e208.	1.4	58
67	Recent developments in secondary prevention and cardiac rehabilitation after acute myocardial infarction. BMJ: British Medical Journal, 2004, 328, 693-697.	2.3	57
68	Assessing communication quality of consultations in primary care: initial reliability of the Global Consultation Rating Scale, based on the Calgary-Cambridge Guide to the Medical Interview. BMJ Open, 2014, 4, e004339.	1.9	56
69	How can Health Care Organizations be Reliably Compared?. Medical Care, 2011, 49, 724-733.	2.4	55
70	Prevalence of systolic inter-arm differences in blood pressure for different primary care populations: systematic review and meta-analysis. British Journal of General Practice, 2016, 66, e838-e847.	1.4	55
71	Developing and Validating a Sham Acupuncture Needle. Acupuncture in Medicine, 2009, 27, 118-122.	1.0	54
72	Multisource Feedback in Evaluating the Performance of Doctors. Academic Medicine, 2012, 87, 1668-1678.	1.6	54

5

#	Article	IF	CITATIONS
73	Do English patients want continuity of care, and do they receive it?. British Journal of General Practice, 2012, 62, e567-e575.	1.4	51
74	General Practitioner Appointment Systems, Patient Satisfaction, and use of Accident and Emergency Services—a Study in One Geographical Area. Family Practice, 1994, 11, 438-445.	1.9	50
75	The clinical effectiveness and cost-effectiveness of telephone triage for managing same-day consultation requests in general practice: a cluster randomised controlled trial comparing general practitioner-led and nurse-led management systems with usual care (the ESTEEM trial). Health Technology Assessment, 2015, 19, 1-212.	2.8	50
76	Development of the Satisfaction with Inhaled Asthma Treatment Questionnaire. European Respiratory Journal, 2003, 22, 127-134.	6.7	49
77	Acupuncture and related interventions for smoking cessation. , 2011, , CD000009.		48
78	Doctors record higher blood pressures than nurses: systematic review and meta-analysis. British Journal of General Practice, 2014, 64, e223-e232.	1.4	48
79	Inter-arm blood pressure difference and mortality: a cohort study in an asymptomatic primary care population at elevated cardiovascular risk. British Journal of General Practice, 2016, 66, e297-e308.	1.4	48
80	Nurseâ€led interventions used to improve control of high blood pressure in people with diabetes: a systematic review and metaâ€analysis. Diabetic Medicine, 2011, 28, 250-261.	2.3	47
81	The role of patient experience surveys in quality assurance and improvement: a focus group study in English general practice. Health Expectations, 2015, 18, 1982-1994.	2.6	47
82	Bringing light into darkness: A multiple baseline mixed methods case series evaluation of Augmented Depression Therapy (ADepT). Behaviour Research and Therapy, 2019, 120, 103418.	3.1	47
83	Understanding high and low patient experience scores in primary care: analysis of patients' survey data for general practices and individual doctors. BMJ, The, 2014, 349, g6034-g6034.	6.0	46
84	Older patients and their GPs: shared decision making in enhancing trust. British Journal of General Practice, 2014, 64, e709-e718.	1.4	46
85	Skin health in older age. Maturitas, 2014, 79, 256-264.	2.4	45
86	Mirtazapine added to SSRIs or SNRIs for treatment resistant depression in primary care: phase III randomised placebo controlled trial (MIR). BMJ: British Medical Journal, 2018, 363, k4218.	2.3	44
87	The Consolations of Going Back to Prison: What â€ ⁻ Revolving Door' Prisoners Think of Their Prospects. Journal of Offender Rehabilitation, 2009, 48, 439-461.	0.8	43
88	An evaluation of the effectiveness of a community mentoring service for socially isolated older people: a controlled trial. BMC Public Health, 2011, 11, 218.	2.9	43
89	Policy ideas, knowledge regimes and comparative political economy. Socio-Economic Review, 2015, 13, 679-701.	3.0	43
90	Why do patients with multimorbidity in England report worse experiences in primary care? Evidence from the General Practice Patient Survey. BMJ Open, 2015, 5, e006172-e006172.	1.9	41

#	Article	IF	CITATIONS
91	Supervised Machine Learning Algorithms Can Classify Open-Text Feedback of Doctor Performance With Human-Level Accuracy. Journal of Medical Internet Research, 2017, 19, e65.	4.3	41
92	Development of an educational ?toolkit? for health professionals and their patients with prediabetes: The WAKEUP study (Ways of Addressing Knowledge Education and Understanding in Pre-diabetes). Diabetic Medicine, 2007, 24, 770-777.	2.3	40
93	Can cancer risk information raise awareness without increasing anxiety? A randomized trial. Preventive Medicine, 2006, 43, 187-190.	3.4	39
94	Variations in GP–patient communication by ethnicity, age, and gender: evidence from a national primary care patient survey. British Journal of General Practice, 2016, 66, e47-e52.	1.4	39
95	Inter-arm blood pressure difference in type 2 diabetes: a barrier to effective management?. British Journal of General Practice, 2009, 59, 428-432.	1.4	38
96	Prevalence and Benefits of Care Plans and Care Planning for People with Long-Term Conditions in England. Journal of Health Services Research and Policy, 2012, 17, 64-71.	1.7	38
97	Effective behavior change techniques in asthma self-care interventions: Systematic review and meta-regression Health Psychology, 2014, 33, 577-587.	1.6	37
98	Quitting patient care and career break intentions among general practitioners in South West England: findings of a census survey of general practitioners. BMJ Open, 2017, 7, e015853.	1.9	37
99	Web-Based Textual Analysis of Free-Text Patient Experience Comments From a Survey in Primary Care. JMIR Medical Informatics, 2015, 3, e20.	2.6	37
100	Validation of a multi-source feedback tool for use in general practice. Education for Primary Care, 2010, 21, 165-179.	0.6	36
101	Telephone triage systems in UK general practice: analysis of consultation duration during the index day in a pragmatic randomised controlled trial. British Journal of General Practice, 2016, 66, e214-e218.	1.4	36
102	Feasibility, acceptability and effectiveness of an online alternative to face-to-face consultation in general practice: a mixed-methods study of webGP in six Devon practices. BMJ Open, 2018, 8, e018688.	1.9	36
103	Exercise-based cardiac rehabilitation improves exercise capacity and health-related quality of life in people with atrial fibrillation: a systematic review and meta-analysis of randomised and non-randomised trials. Open Heart, 2018, 5, e000880.	2.3	36
104	A pilot randomised trial to assess the methods and procedures for evaluating the clinical effectiveness and cost-effectiveness of Exercise Assisted Reduction then Stop (EARS) among disadvantaged smokers. Health Technology Assessment, 2014, 18, 1-324.	2.8	36
105	Factors associated with variability in the assessment of UK doctors' professionalism: analysis of survey results. BMJ: British Medical Journal, 2011, 343, d6212-d6212.	2.3	35
106	Views of doctors on clinical correspondence: questionnaire survey and audit of content of letters. BMJ: British Medical Journal, 2004, 328, 1060-1061.	2.3	34
107	Understanding quit decisions in primary care: a qualitative study of older GPs: TableÂ1. BMJ Open, 2016, 6, e010592.	1.9	33
108	Trends in the diagnosis and management of hypertension: repeated primary care survey in South West England. British Journal of General Practice, 2017, 67, e306-e313.	1.4	33

#	Article	IF	CITATIONS
109	â€~Am I going to see the next morning?' A qualitative study of patients' perspectives of sleep in COPD. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2007, 16, 378-383.	2.3	32
110	A multi-method analysis of free-text comments from the UK General Medical Council Colleague Questionnaires. Medical Education, 2009, 43, 757-766.	2.1	32
111	Cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment resistant depression in primary care: The CoBalT randomised controlled trial protocol. Contemporary Clinical Trials, 2012, 33, 312-319.	1.8	32
112	The Evaluation of Physicians' Communication Skills From Multiple Perspectives. Annals of Family Medicine, 2018, 16, 330-337.	1.9	32
113	Myofascial trigger point needling for whiplash associated pain – A feasibility study. Manual Therapy, 2010, 15, 529-535.	1.6	31
114	Exploring users' experiences of accessing out-of-hours primary medical care services. Quality and Safety in Health Care, 2007, 16, 469-477.	2.5	29
115	Patients' understanding of genetic susceptibility testing in mainstream medicine: qualitative study on thrombophilia. BMC Health Services Research, 2007, 7, 82.	2.2	29
116	An exercise intervention to prevent falls in Parkinson's: an economic evaluation. BMC Health Services Research, 2012, 12, 426.	2.2	29
117	The feasibility of recruiting patients with early COPD to a pilot trial assessing the effects of a physical activity intervention. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2010, 19, 124-130.	2.3	28
118	A comparison of four different approaches to measuring health utility in depressed patients. Health and Quality of Life Outcomes, 2013, 11, 81.	2.4	28
119	Trust, negotiation, and communication: young adults' experiences of primary care services. BMC Family Practice, 2013, 14, 202.	2.9	28
120	Do difficulties in accessing in-hours primary care predict higher use of out-of-hours GP services? Evidence from an English National Patient Survey. Emergency Medicine Journal, 2015, 32, 373-378.	1.0	28
121	Why do GPs leave direct patient care and what might help to retain them? A qualitative study of GPs in South West England. BMJ Open, 2018, 8, e019849.	1.9	28
122	Are genetic tests exceptional? Lessons from a qualitative study on thrombophilia. Social Science and Medicine, 2006, 63, 1947-1959.	3.8	27
123	Cost-effectiveness of cognitive–behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: economic evaluation of the CoBalT Trial. British Journal of Psychiatry, 2014, 204, 69-76.	2.8	27
124	BCG vaccination to reduce the impact of COVID-19 in healthcare workers: Protocol for a randomised controlled trial (BRACE trial). BMJ Open, 2021, 11, e052101.	1.9	27
125	The Preference and Importance of Bathing, Toileting and Mouth Care Habits in Older Persons. Gerontology, 2005, 51, 375-385.	2.8	26
126	Accessing primary care: a simulated patient study. British Journal of General Practice, 2013, 63, e171-e176.	1.4	26

#	Article	IF	CITATIONS
127	Patients' and nurses' views on providing psychological support within cardiac rehabilitation programmes: a qualitative study. BMJ Open, 2017, 7, e017510.	1.9	26
128	Doctors' engagements with patient experience surveys in primary and secondary care: a qualitative study. Health Expectations, 2017, 20, 385-394.	2.6	26
129	Multisource feedback questionnaires in appraisal and for revalidation: a qualitative study in UK general practice. British Journal of General Practice, 2012, 62, e314-e321.	1.4	25
130	Characteristics of service users and provider organisations associated with experience of out of hours general practitioner care in England: population based cross sectional postal questionnaire survey. BMJ, The, 2015, 350, h2040-h2040.	6.0	25
131	Parental Autonomy. Journal of Applied Philosophy, 1988, 5, 183-196.	1.0	24
132	Nettle sting for chronic knee pain: A randomised controlled pilot study. Complementary Therapies in Medicine, 2008, 16, 66-72.	2.7	24
133	Secondary prevention of stroke: using the experiences of patients and carers to inform the development of an educational resource. Family Practice, 2008, 25, 355-361.	1.9	24
134	The experiences and needs of people seeking palliative health care out-of-hours: a qualitative study. Primary Health Care Research and Development, 2011, 12, 165-178.	1.2	24
135	General Practitioners' beliefs about physical activity for managing depression in primary care. Mental Health and Physical Activity, 2012, 5, 13-19.	1.8	24
136	What Is eHealth (5): A Research Agenda for eHealth Through Stakeholder Consultation and Policy Context Review. Journal of Medical Internet Research, 2005, 7, e54.	4.3	24
137	Management of treatment-resistant depression in primary care: a mixed-methods study. British Journal of General Practice, 2018, 68, e673-e681.	1.4	23
138	Improving patient experience in primary care: a multimethod programme of research on the measurement and improvement of patient experience. Programme Grants for Applied Research, 2017, 5, 1-452.	1.0	23
139	Acupressure for smoking cessation – a pilot study. BMC Complementary and Alternative Medicine, 2007, 7, 8.	3.7	22
140	Impact of the Prevalence of Concordant and Discordant Conditions on the Quality of Diabetes Care in Family Practices in England. Annals of Family Medicine, 2015, 13, 514-522.	1.9	22
141	British pain clinic practitioners' recognition and use of the bio-psychosocial pain management model for patients when physical interventions are ineffective or inappropriate: results of a qualitative study. BMC Musculoskeletal Disorders, 2010, 11, 51.	1.9	21
142	Changing practice as a quality indicator for primary care: analysis of data on voluntary disenrollment from the English GP Patient Survey. BMC Family Practice, 2013, 14, 89.	2.9	21
143	Investigating the meaning of †̃good' or †̃very good' patient evaluations of care in English general practice: a mixed methods study. BMJ Open, 2017, 7, e014718.	1.9	21
144	Combining mirtazapine with SSRIs or SNRIs for treatment-resistant depression: the MIR RCT. Health Technology Assessment, 2018, 22, 1-136.	2.8	21

#	Article	IF	CITATIONS
145	Capturing users' experience of UK out-of-hours primary medical care: piloting and psychometric properties of the Out-of-hours Patient Questionnaire. Quality and Safety in Health Care, 2007, 16, 462-468.	2.5	20
146	Implementing telephone triage in general practice: a process evaluation of a cluster randomised controlled trial. BMC Family Practice, 2015, 16, 47.	2.9	20
147	Capturing patient experience: a qualitative study of implementing real-time feedback in primary care. British Journal of General Practice, 2016, 66, e786-e793.	1.4	20
148	The effectiveness of various models of primary care-based follow-up after stroke: a systematic review. Primary Health Care Research and Development, 2011, 12, 214-222.	1.2	19
149	Assessing the effectiveness of enhanced psychological care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): study protocol for a pilot cluster randomised controlled trial. Trials, 2016, 17, 59.	1.6	19
150	Impact of Risk Information on Perceived Colorectal Cancer Risk. Journal of Health Psychology, 2008, 13, 744-753.	2.3	18
151	Users' reports and evaluations of out-of-hours health care and the UK national quality requirements: a cross sectional study. British Journal of General Practice, 2009, 59, e8-e15.	1.4	18
152	Evaluation of different recruitment and randomisation methods in a trial of general practitioner-led interventions to increase physical activity: a randomised controlled feasibility study with factorial design. Trials, 2014, 15, 134.	1.6	18
153	Evaluating Augmented Depression Therapy (ADepT): study protocol for a pilot randomised controlled trial. Pilot and Feasibility Studies, 2019, 5, 63.	1.2	18
154	Concordance with urgent referral guidelines in patients presenting with any of six â€~alarm' features of possible cancer: a retrospective cohort study using linked primary care records. BMJ Quality and Safety, 2022, 31, 579-589.	3.7	18
155	The effect of abnormal colour vision on the ability to identify and outline coloured clinical signs and to count stained bacilli in sputum. Australasian journal of optometry, The, 2005, 88, 376-381.	1.3	17
156	The effectiveness and cost-effectiveness of telephone triage of patients requesting same day consultations in general practice: study protocol for a cluster randomised controlled trial comparing nurse-led and GP-led management systems (ESTEEM). Trials, 2013, 14, 4.	1.6	17
157	Question design in nurse-led and CP-led telephone triage for same-day appointment requests: a comparative investigation. BMJ Open, 2014, 4, e004515.	1.9	17
158	Interventions for involving older patients with multi-morbidity in decision-making during primary care consultations. The Cochrane Library, 2019, 2019, .	2.8	17
159	The Prevalence of Posttraumatic Stress Disorder in Patients Undergoing Pulmonary Rehabilitation and Changes in PTSD Symptoms Following Rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2009, 29, 49-56.	2.1	16
160	Physical activity as a treatment for depression: the TREAD randomised trial protocol. Trials, 2010, 11, 105.	1.6	16
161	Moderators of response to cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care. Journal of Affective Disorders, 2015, 174, 272-280.	4.1	16
162	Understanding negative feedback from South Asian patients: an experimental vignette study. BMJ Open, 2016, 6, e011256.	1.9	16

#	Article	IF	CITATIONS
163	GPAQ-R: development and psychometric properties of a version of the General Practice Assessment Questionnaire for use for revalidation by general practitioners in the UK. BMC Family Practice, 2013, 14, 160.	2.9	15
164	Why do GPs exclude patients from participating in research? An exploration of adherence to and divergence from trial criteria. Family Practice, 2014, 31, 364-370.	1.9	15
165	The effect of nurses' preparedness and nurse practitioner status on triage call management in primary care: A secondary analysis of cross-sectional data from the ESTEEM trial. International Journal of Nursing Studies, 2016, 58, 12-20.	5.6	15
166	Multisource Feedback and Narrative Comments: Polarity, Specificity, Actionability, and CanMEDS Roles. Journal of Continuing Education in the Health Professions, 2018, 38, 32-40.	1.3	15
167	Locke on Qualities. Canadian Journal of Philosophy, 1980, 10, 567-585.	0.9	14
168	Accessing out-of-hours care following implementation of the GMS contract: an observational study. British Journal of General Practice, 2008, 58, 331-338.	1.4	14
169	Processes of Change in an Asthma Self-Care Intervention. Qualitative Health Research, 2013, 23, 1419-1429.	2.1	14
170	Patients' use and views of realâ€ŧime feedback technology in general practice. Health Expectations, 2017, 20, 419-433.	2.6	14
171	Systematic mapping review about costs and economic evaluations of skin conditions and diseases in the aged. Journal of Tissue Viability, 2017, 26, 6-19.	2.0	14
172	Rating Communication in GP Consultations: The Association Between Ratings Made by Patients and Trained Clinical Raters. Medical Care Research and Review, 2018, 75, 201-218.	2.1	14
173	Patients' perceptions of medical urgency: does deprivation matter?. Family Practice, 1999, 16, 28-32.	1.9	13
174	What Happens to New-Onset Headache in Children That Present to Primary Care? A Case-Cohort Study Using Electronic Primary Care Records. Cephalalgia, 2009, 29, 1311-1316.	3.9	13
175	Posttraumatic Stress Disorder Among Older Patients with Chronic Obstructive Pulmonary Disease. Psychiatric Quarterly, 2016, 87, 605-618.	2.1	13
176	Symptom response to antibiotic prescribing strategies in acute sore throat in adults: the DESCARTE prospective cohort study in UK general practice. British Journal of General Practice, 2017, 67, e634-e642.	1.4	13
177	Receptionists' role in new approaches to consultations in primary care: a focused ethnographic study. British Journal of General Practice, 2018, 68, e478-e486.	1.4	13
178	Communicating the results of research: how do participants of a cardiac rehabilitation RCT prefer to be informed?. Health Expectations, 2010, 13, 323-330.	2.6	12
179	Pathways to suicide attempts among male offenders: the role of agency. Sociology of Health and Illness, 2015, 37, 936-951.	2.1	12
180	Assessing the effectiveness of Enhanced Psychological Care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): a pilot cluster randomised controlled trial. Trials, 2018, 19, 211.	1.6	12

#	Article	IF	CITATIONS
181	Increased Cycling Cell Numbers and Stem Cell Associated Proteins as Potential Biomarkers for High Grade Human Papillomavirus+ve Pre-Neoplastic Cervical Disease. PLoS ONE, 2014, 9, e115379.	2.5	12
182	Generalisability in unbalanced, uncrossed and fully nested studies. Medical Education, 2010, 44, 367-378.	2.1	11
183	Dialysis outcomes in those aged ≥65Âyears. BMC Nephrology, 2013, 14, 175.	1.8	11
184	Priorities for young adults when accessing UK primary care: literature review. Primary Health Care Research and Development, 2013, 14, 341-349.	1.2	11
185	Individuals' Long Term Use of Cognitive Behavioural Skills to Manage their Depression: A Qualitative Study. Behavioural and Cognitive Psychotherapy, 2017, 45, 46-57.	1.2	11
186	Policies and strategies to retain and support the return of experienced GPs in direct patient care: the ReGROUP mixed-methods study. Health Services and Delivery Research, 2019, 7, 1-288.	1.4	11
187	Ills, pills, and skills: developing the clinical skills of pharmacists in general practice. British Journal of General Practice, 2017, 67, 417-418.	1.4	11
188	The renal glomerulus in hypoxic cor pulmonale Thorax, 1982, 37, 607-611.	5.6	10
189	Republished research: Effect of exercise referral schemes in primary care on physical activity and improving health outcomes: systematic review and meta-analysis. British Journal of Sports Medicine, 2013, 47, 526-526.	6.7	10
190	Patients' experiences of participating in a large-scale trial of cognitive behavioural therapy for depression: a mixed methods study. Family Practice, 2013, 30, 705-711.	1.9	10
191	Self-reported quality of care for older adults from 2004 to 2011: a cohort study. Age and Ageing, 2014, 43, 716-720.	1.6	10
192	Exploring demographic and lifestyle associations with patient experience following telephone triage by a primary care doctor or nurse: secondary analyses from a cluster randomised controlled trial. BMJ Quality and Safety, 2015, 24, 572-582.	3.7	10
193	Mirtazapine added to selective serotonin reuptake inhibitors for treatment-resistant depression in primary care (MIR trial): study protocol for a randomised controlled trial. Trials, 2016, 17, 66.	1.6	10
194	Randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support for inactive adults with chronic health conditions: the e-coachER trial. British Journal of Sports Medicine, 2021, 55, 444-450.	6.7	10
195	How can frontline expertise and new models of care best contribute to safely reducing avoidable acute admissions? A mixed-methods study of four acute hospitals. Health Services and Delivery Research, 2016, 4, 1-202.	1.4	10
196	Enhanced psychological care in cardiac rehabilitation services for patients with new-onset depression: the CADENCE feasibility study and pilot RCT. Health Technology Assessment, 2018, 22, 1-220.	2.8	10
197	Adding web-based behavioural support to exercise referral schemes for inactive adults with chronic health conditions: the e-coachER RCT. Health Technology Assessment, 2020, 24, 1-106.	2.8	10
198	Primary Care Performance Measurement and Reporting at a Regional Level: Could a Matrix Approach Provide Actionable Information for Policy Makers and Clinicians?. Healthcare Policy, 2016, 12, 33-51.	0.6	10

#	Article	IF	CITATIONS
199	Interarm blood pressure difference and vascular disease – Authors' reply. Lancet, The, 2012, 380, 24-25.	13.7	9
200	Self-Other Agreement in Multisource Feedback: The Influence of Doctor and Rater Group Characteristics. Journal of Continuing Education in the Health Professions, 2013, 33, 14-23.	1.3	9
201	UK academic general practice and primary care. BMJ, The, 2015, 351, h4164.	6.0	9
202	Research into practice: accessing primary care. British Journal of General Practice, 2015, 65, e864-e868.	1.4	8
203	Primary Care Performance Measurement and Reporting at a Regional Level: Could a Matrix Approach Provide Actionable Information for Policy Makers and Clinicians?. Healthcare Policy, 2016, 12, 33-51.	0.6	8
204	Out-of-hours care: do we?. British Journal of General Practice, 2010, 60, 155-157.	1.4	7
205	Evaluating Differential Item Functioning in the English General Practice Patient Survey. Medical Care, 2015, 53, 809-817.	2.4	7
206	Influence of the duration of penicillin prescriptions on outcomes for acute sore throat in adults: the DESCARTE prospective cohort study in UK general practice. British Journal of General Practice, 2017, 67, e623-e633.	1.4	7
207	GPs: working harder than ever. British Journal of General Practice, 2018, 68, 218-219.	1.4	7
208	Awareness and use of online appointment booking in general practice: analysis of GP Patient Survey data. British Journal of General Practice, 2020, 70, bjgp20X711365.	1.4	7
209	Provision of primary care in different countries. BMJ: British Medical Journal, 2007, 334, 1230-1231.	2.3	6
210	Attitudes of GPs to the diagnosis and management of impaired glucose tolerance: The practitioners' attitudes to hyperglycaemia (PAtH) questionnaire. Primary Care Diabetes, 2007, 1, 35-41.	1.8	6
211	Distance from practice moderates the relationship between patient management involving nurse telephone triage consulting and patient satisfaction with care. Health and Place, 2015, 34, 92-96.	3.3	6
212	Proliferation of private online healthcare companies. BMJ, The, 2016, 352, i1076.	6.0	6
213	Identifying policies and strategies for general practitioner retention in direct patient care in the United Kingdom: a RAND/UCLA appropriateness method panel study. BMC Family Practice, 2019, 20, 130.	2.9	6
214	The portable Nabarro weight-height anthropometric nutrition assessment chart. A field trial in three countries in Africa. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1985, 79, 409-411.	1.8	5
215	Stunting in African children Archives of Disease in Childhood, 1987, 62, 508-509.	1.9	5
216	Patient characteristics predicting failure to receive indicated care for type 2 diabetes. Diabetes Research and Clinical Practice, 2015, 107, 247-258.	2.8	5

#	Article	IF	CITATIONS
217	Patient perspectives on telephone triage in general practice – Authors' reply. Lancet, The, 2015, 385, 688.	13.7	5
218	Telephone first consultations in primary care. BMJ: British Medical Journal, 2017, 358, j4345.	2.3	5
219	General practitioner contributions to achieving sustained healthcare for offenders: a qualitative study. BMC Family Practice, 2018, 19, 22.	2.9	5
220	Digital Facilitation to Support Patient Access to Web-Based Primary Care Services: Scoping Literature Review. Journal of Medical Internet Research, 2022, 24, e33911.	4.3	5
221	Exploring the relationships between provision of welfare benefits advice and the health of elderly people: a longitudinal observational study and discussion of methodological issues. Health and Social Care in the Community, 2007, 15, 454-463.	1.6	4
222	Forty-eight hour access to primary care: practice factors predicting patients' perceptions. Family Practice, 2005, 22, 266-268.	1.9	3
223	The Interarm Blood Pressure Difference. Hypertension, 2008, 52, e15.	2.7	3
224	Academic primary care and the general practice workforce. Lancet, The, 2015, 386, 952-953.	13.7	3
225	Vitex agnus castus for premenstrual syndrome. The Cochrane Library, 0, , .	2.8	3
226	Can effective supervised pelvic floor muscle training be provided by primary care nurses? A randomized controlled trial. International Urogynecology Journal, 2021, 32, 2717-2725.	1.4	3
227	Home based cardiac rehabilitation could improve outcomes. BMJ: British Medical Journal, 2009, 338, b1921-b1921.	2.3	3
228	Overseas GP recruitment: comparing international GP training with the UK and ensuring that registration standards and patient safety are maintained. BJGP Open, 2019, 3, bjgpopen18X101640.	1.8	3
229	Comparing international postgraduate training and healthcare context with the UK to streamline overseas GP recruitment: four case studies. BJGP Open, 2020, 4, bjgpopen20X101034.	1.8	3
230	Towards primary care groups Joining up care in Londonestablishing the North Southwark Primary Care Group. BMJ: British Medical Journal, 1999, 318, 850-852.	2.3	2
231	Better prevention of stroke through screening for atrial fibrillation. British Journal of General Practice, 2012, 62, 234-235.	1.4	2
232	Interpreting multisource feedback: online study of consensus and variation among GP appraisers. British Journal of General Practice, 2016, 66, e277-e284.	1.4	2
233	Patients' experience of primary care: James Mackenzie Lecture 2017. British Journal of General Practice, 2019, 69, 38-39.	1.4	2
234	Does anxiety moderate the effectiveness of mirtazapine in patients with treatment-resistant depression? A secondary analysis of the MIR trial. Journal of Psychopharmacology, 2020, 34, 1342-1349.	4.0	2

#	Article	IF	CITATIONS
235	Randomised feasibility trial and embedded qualitative process evaluation of a new intervention to facilitate the involvement of older patients with multimorbidity in decision-making about their healthcare during general practice consultations: the VOLITION study protocol. Pilot and Feasibility Studies, 2020, 6, 161.	1.2	2
236	Supporting self-care in general practice. British Journal of General Practice, 2007, 57, 995-996.	1.4	2
237	Hypertension guidelines. British Journal of General Practice, 2009, 59, 448.2-449.	1.4	1
238	Estimating uncertainties in watershed studies. Eos, 2011, 92, 220-220.	0.1	1
239	Republished research: Facilitated physical activity as a treatment for depressed adults: randomised controlled trial:. British Journal of Sports Medicine, 2013, 47, 629-629.	6.7	1
240	Establishing the validity of English GP Patient Survey items evaluating out-of-hours care. BMJ Quality and Safety, 2016, 25, 842-850.	3.7	1
241	Interventions for involving older patients with multimorbidity in decision-making during primary care consultations. The Cochrane Library, 0, , .	2.8	1
242	Patients deserve more than a "Thank you". BMJ: British Medical Journal, 2009, 339, b4522-b4522.	2.3	1
243	Comparing the Attainment of the Patient's Medical Home Model across Regions in Three Canadian Provinces: A Cross-Sectional Study. Healthcare Policy, 2021, 17, 19-37.	0.6	1
244	SPINOZA'S THEORY OF PERFECTION AND GOODNESS. Southern Journal of Philosophy, 1980, 18, 259-274.	0.6	0
245	Reply to Bennett. Canadian Journal of Philosophy, 1982, 12, 757-761.	0.9	Ο
246	Appropriate Care Out-Of-Hours. European Journal of General Practice, 1998, 4, 51-52.	2.0	0
247	Nurse-led management of hypertension. British Journal of General Practice, 2010, 60, 214.1-214.	1.4	Ο
248	Ensuring that international medical graduates and ethnic minority doctors have the necessary cultural awareness to provide care in the UK. BMJ, The, 2013, 347, f6454-f6454.	6.0	0
249	General practice needs ongoing commitment to training budgets. BMJ: British Medical Journal, 2017, 357, j2401.	2.3	0
250	Choosing not to pursue active treatment is different from euthanasia. BMJ: British Medical Journal, 2018, 361, k2750.	2.3	0
251	Utilization of Emergency Services by Children with Asthma in Qatar. Journal of Emergency Medicine, Trauma and Acute Care, 2022, 2022, .	0.1	0
252	Inter-arm blood pressure difference and cardiovascular risk estimation in primary care. BJGP Open, 2022, , BJGP0.2021.0242.	1.8	0