

# John L Campbell Mbe

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5627114/publications.pdf>

Version: 2024-02-01

252  
papers

16,007  
citations

19657

61  
h-index

20358

116  
g-index

253  
all docs

253  
docs citations

253  
times ranked

21581  
citing authors

#	ARTICLE	IF	CITATIONS
1	Concordance with urgent referral guidelines in patients presenting with any of six "alarm" features of possible cancer: a retrospective cohort study using linked primary care records. <i>BMJ Quality and Safety</i> , 2022, 31, 579-589.	3.7	18
2	Utilization of Emergency Services by Children with Asthma in Qatar. <i>Journal of Emergency Medicine, Trauma and Acute Care</i> , 2022, 2022, .	0.1	0
3	Inter-arm blood pressure difference and cardiovascular risk estimation in primary care. <i>BJGP Open</i> , 2022, , BJGPO.2021.0242.	1.8	0
4	Digital Facilitation to Support Patient Access to Web-Based Primary Care Services: Scoping Literature Review. <i>Journal of Medical Internet Research</i> , 2022, 24, e33911.	4.3	5
5	Can effective supervised pelvic floor muscle training be provided by primary care nurses? A randomized controlled trial. <i>International Urogynecology Journal</i> , 2021, 32, 2717-2725.	1.4	3
6	Randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support for inactive adults with chronic health conditions: the e-coachER trial. <i>British Journal of Sports Medicine</i> , 2021, 55, 444-450.	6.7	10
7	BCG vaccination to reduce the impact of COVID-19 in healthcare workers: Protocol for a randomised controlled trial (BRACE trial). <i>BMJ Open</i> , 2021, 11, e052101.	1.9	27
8	Comparing the Attainment of the Patient's Medical Home Model across Regions in Three Canadian Provinces: A Cross-Sectional Study. <i>Healthcare Policy</i> , 2021, 17, 19-37.	0.6	1
9	Does anxiety moderate the effectiveness of mirtazapine in patients with treatment-resistant depression? A secondary analysis of the MIR trial. <i>Journal of Psychopharmacology</i> , 2020, 34, 1342-1349.	4.0	2
10	Randomised feasibility trial and embedded qualitative process evaluation of a new intervention to facilitate the involvement of older patients with multimorbidity in decision-making about their healthcare during general practice consultations: the VOLITION study protocol. <i>Pilot and Feasibility Studies</i> , 2020, 6, 161.	1.2	2
11	Awareness and use of online appointment booking in general practice: analysis of GP Patient Survey data. <i>British Journal of General Practice</i> , 2020, 70, bjgp20X711365.	1.4	7
12	Comparing international postgraduate training and healthcare context with the UK to streamline overseas GP recruitment: four case studies. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101034.	1.8	3
13	COVID-19 and primary care in six countries. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101128.	1.8	114
14	Adding web-based behavioural support to exercise referral schemes for inactive adults with chronic health conditions: the e-coachER RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-106.	2.8	10
15	Identifying policies and strategies for general practitioner retention in direct patient care in the United Kingdom: a RAND/UCLA appropriateness method panel study. <i>BMC Family Practice</i> , 2019, 20, 130.	2.9	6
16	Patients' experience of primary care: James Mackenzie Lecture 2017. <i>British Journal of General Practice</i> , 2019, 69, 38-39.	1.4	2
17	Bringing light into darkness: A multiple baseline mixed methods case series evaluation of Augmented Depression Therapy (ADepT). <i>Behaviour Research and Therapy</i> , 2019, 120, 103418.	3.1	47
18	Evaluating Augmented Depression Therapy (ADepT): study protocol for a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2019, 5, 63.	1.2	18

#	ARTICLE	IF	CITATIONS
19	Acceptability, benefits, and challenges of video consulting: a qualitative study in primary care. <i>British Journal of General Practice</i> , 2019, 69, e586-e594.	1.4	353
20	Comparing the content and quality of video, telephone, and face-to-face consultations: a non-randomised, quasi-experimental, exploratory study in UK primary care. <i>British Journal of General Practice</i> , 2019, 69, e595-e604.	1.4	253
21	Interventions for involving older patients with multi-morbidity in decision-making during primary care consultations. <i>The Cochrane Library</i> , 2019, 2019, .	2.8	17
22	Policies and strategies to retain and support the return of experienced GPs in direct patient care: the ReGROUP mixed-methods study. <i>Health Services and Delivery Research</i> , 2019, 7, 1-288.	1.4	11
23	Overseas GP recruitment: comparing international GP training with the UK and ensuring that registration standards and patient safety are maintained. <i>BJGP Open</i> , 2019, 3, bjgpopen18X101640.	1.8	3
24	Alternatives to the face-to-face consultation in general practice: focused ethnographic case study. <i>British Journal of General Practice</i> , 2018, 68, e293-e300.	1.4	74
25	Why do GPs leave direct patient care and what might help to retain them? A qualitative study of GPs in South West England. <i>BMJ Open</i> , 2018, 8, e019849.	1.9	28
26	Feasibility, acceptability and effectiveness of an online alternative to face-to-face consultation in general practice: a mixed-methods study of webGP in six Devon practices. <i>BMJ Open</i> , 2018, 8, e018688.	1.9	36
27	Assessing the effectiveness of Enhanced Psychological Care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): a pilot cluster randomised controlled trial. <i>Trials</i> , 2018, 19, 211.	1.6	12
28	Rating Communication in GP Consultations: The Association Between Ratings Made by Patients and Trained Clinical Raters. <i>Medical Care Research and Review</i> , 2018, 75, 201-218.	2.1	14
29	GPs: working harder than ever. <i>British Journal of General Practice</i> , 2018, 68, 218-219.	1.4	7
30	Exercise-based cardiac rehabilitation improves exercise capacity and health-related quality of life in people with atrial fibrillation: a systematic review and meta-analysis of randomised and non-randomised trials. <i>Open Heart</i> , 2018, 5, e000880.	2.3	36
31	Management of treatment-resistant depression in primary care: a mixed-methods study. <i>British Journal of General Practice</i> , 2018, 68, e673-e681.	1.4	23
32	Mirtazapine added to SSRIs or SNRIs for treatment resistant depression in primary care: phase III randomised placebo controlled trial (MIR). <i>BMJ: British Medical Journal</i> , 2018, 363, k4218.	2.3	44
33	Multisource Feedback and Narrative Comments: Polarity, Specificity, Actionability, and CanMEDS Roles. <i>Journal of Continuing Education in the Health Professions</i> , 2018, 38, 32-40.	1.3	15
34	Receptionists'™ role in new approaches to consultations in primary care: a focused ethnographic study. <i>British Journal of General Practice</i> , 2018, 68, e478-e486.	1.4	13
35	The Evaluation of Physicians'™ Communication Skills From Multiple Perspectives. <i>Annals of Family Medicine</i> , 2018, 16, 330-337.	1.9	32
36	General practitioner contributions to achieving sustained healthcare for offenders: a qualitative study. <i>BMC Family Practice</i> , 2018, 19, 22.	2.9	5

#	ARTICLE	IF	CITATIONS
37	Choosing not to pursue active treatment is different from euthanasia. <i>BMJ: British Medical Journal</i> , 2018, 361, k2750.	2.3	0
38	The potential of alternatives to face-to-face consultation in general practice, and the impact on different patient groups: a mixed-methods case study. <i>Health Services and Delivery Research</i> , 2018, 6, 1-200.	1.4	59
39	Enhanced psychological care in cardiac rehabilitation services for patients with new-onset depression: the CADENCE feasibility study and pilot RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-220.	2.8	10
40	Combining mirtazapine with SSRIs or SNRIs for treatment-resistant depression: the MIR RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-136.	2.8	21
41	The epidemiology of skin conditions in the aged: A systematic review. <i>Journal of Tissue Viability</i> , 2017, 26, 20-28.	2.0	116
42	Trends in the diagnosis and management of hypertension: repeated primary care survey in South West England. <i>British Journal of General Practice</i> , 2017, 67, e306-e313.	1.4	33
43	General practice needs ongoing commitment to training budgets. <i>BMJ: British Medical Journal</i> , 2017, 357, j2401.	2.3	0
44	Individuals'™ Long Term Use of Cognitive Behavioural Skills to Manage their Depression: A Qualitative Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2017, 45, 46-57.	1.2	11
45	Symptom response to antibiotic prescribing strategies in acute sore throat in adults: the DESCARTE prospective cohort study in UK general practice. <i>British Journal of General Practice</i> , 2017, 67, e634-e642.	1.4	13
46	Influence of the duration of penicillin prescriptions on outcomes for acute sore throat in adults: the DESCARTE prospective cohort study in UK general practice. <i>British Journal of General Practice</i> , 2017, 67, e623-e633.	1.4	7
47	Patients'™ and nurses'™ views on providing psychological support within cardiac rehabilitation programmes: a qualitative study. <i>BMJ Open</i> , 2017, 7, e017510.	1.9	26
48	Quitting patient care and career break intentions among general practitioners in South West England: findings of a census survey of general practitioners. <i>BMJ Open</i> , 2017, 7, e015853.	1.9	37
49	Investigating the meaning of 'good'™ or 'very good'™ patient evaluations of care in English general practice: a mixed methods study. <i>BMJ Open</i> , 2017, 7, e014718.	1.9	21
50	Pharmacists'™ perceptions of their emerging general practice roles in UK primary care: a qualitative interview study. <i>British Journal of General Practice</i> , 2017, 67, e650-e658.	1.4	70
51	Doctors'™ engagements with patient experience surveys in primary and secondary care: a qualitative study. <i>Health Expectations</i> , 2017, 20, 385-394.	2.6	26
52	Patients'™ use and views of real-time feedback technology in general practice. <i>Health Expectations</i> , 2017, 20, 419-433.	2.6	14
53	Systematic mapping review about costs and economic evaluations of skin conditions and diseases in the aged. <i>Journal of Tissue Viability</i> , 2017, 26, 6-19.	2.0	14
54	Telephone first consultations in primary care. <i>BMJ: British Medical Journal</i> , 2017, 358, j4345.	2.3	5

#	ARTICLE	IF	CITATIONS
55	Supervised Machine Learning Algorithms Can Classify Open-Text Feedback of Doctor Performance With Human-Level Accuracy. <i>Journal of Medical Internet Research</i> , 2017, 19, e65.	4.3	41
56	Improving patient experience in primary care: a multimethod programme of research on the measurement and improvement of patient experience. <i>Programme Grants for Applied Research</i> , 2017, 5, 1-452.	1.0	23
57	Ills, pills, and skills: developing the clinical skills of pharmacists in general practice. <i>British Journal of General Practice</i> , 2017, 67, 417-418.	1.4	11
58	Primary Care Performance Measurement and Reporting at a Regional Level: Could a Matrix Approach Provide Actionable Information for Policy Makers and Clinicians?. <i>Healthcare Policy</i> , 2016, 12, 33-51.	0.6	8
59	Variations in GP's patient communication by ethnicity, age, and gender: evidence from a national primary care patient survey. <i>British Journal of General Practice</i> , 2016, 66, e47-e52.	1.4	39
60	Prevalence of systolic inter-arm differences in blood pressure for different primary care populations: systematic review and meta-analysis. <i>British Journal of General Practice</i> , 2016, 66, e838-e847.	1.4	55
61	Capturing patient experience: a qualitative study of implementing real-time feedback in primary care. <i>British Journal of General Practice</i> , 2016, 66, e786-e793.	1.4	20
62	Investigating the relationship between consultation length and patient experience: a cross-sectional study in primary care. <i>British Journal of General Practice</i> , 2016, 66, e896-e903.	1.4	64
63	Understanding negative feedback from South Asian patients: an experimental vignette study. <i>BMJ Open</i> , 2016, 6, e011256.	1.9	16
64	The effect of nurses' preparedness and nurse practitioner status on triage call management in primary care: A secondary analysis of cross-sectional data from the ESTEEM trial. <i>International Journal of Nursing Studies</i> , 2016, 58, 12-20.	5.6	15
65	Telephone triage systems in UK general practice: analysis of consultation duration during the index day in a pragmatic randomised controlled trial. <i>British Journal of General Practice</i> , 2016, 66, e214-e218.	1.4	36
66	Inter-arm blood pressure difference and mortality: a cohort study in an asymptomatic primary care population at elevated cardiovascular risk. <i>British Journal of General Practice</i> , 2016, 66, e297-e308.	1.4	48
67	Interpreting multisource feedback: online study of consensus and variation among GP appraisers. <i>British Journal of General Practice</i> , 2016, 66, e277-e284.	1.4	2
68	Using alternatives to face-to-face consultations: a survey of prevalence and attitudes in general practice. <i>British Journal of General Practice</i> , 2016, 66, e460-e466.	1.4	100
69	Establishing the validity of English GP Patient Survey items evaluating out-of-hours care. <i>BMJ Quality and Safety</i> , 2016, 25, 842-850.	3.7	1
70	Understanding quit decisions in primary care: a qualitative study of older GPs: Table 1. <i>BMJ Open</i> , 2016, 6, e010592.	1.9	33
71	Posttraumatic Stress Disorder Among Older Patients with Chronic Obstructive Pulmonary Disease. <i>Psychiatric Quarterly</i> , 2016, 87, 605-618.	2.1	13
72	Assessing the effectiveness of enhanced psychological care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): study protocol for a pilot cluster randomised controlled trial. <i>Trials</i> , 2016, 17, 59.	1.6	19

#	ARTICLE	IF	CITATIONS
73	Mirtazapine added to selective serotonin reuptake inhibitors for treatment-resistant depression in primary care (MIR trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 66.	1.6	10
74	Long-term effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: follow-up of the CoBaIT randomised controlled trial. <i>Lancet Psychiatry</i> , 2016, 3, 137-144.	7.4	103
75	Proliferation of private online healthcare companies. <i>BMJ</i> , 2016, 352, i1076.	6.0	6
76	How can frontline expertise and new models of care best contribute to safely reducing avoidable acute admissions? A mixed-methods study of four acute hospitals. <i>Health Services and Delivery Research</i> , 2016, 4, 1-202.	1.4	10
77	Primary Care Performance Measurement and Reporting at a Regional Level: Could a Matrix Approach Provide Actionable Information for Policy Makers and Clinicians?. <i>Healthcare Policy</i> , 2016, 12, 33-51.	0.6	10
78	Drivers of overall satisfaction with primary care: evidence from the English General Practice Patient Survey. <i>Health Expectations</i> , 2015, 18, 1081-1092.	2.6	98
79	Exploring demographic and lifestyle associations with patient experience following telephone triage by a primary care doctor or nurse: secondary analyses from a cluster randomised controlled trial. <i>BMJ Quality and Safety</i> , 2015, 24, 572-582.	3.7	10
80	Pathways to suicide attempts among male offenders: the role of agency. <i>Sociology of Health and Illness</i> , 2015, 37, 936-951.	2.1	12
81	Lessons learned from recruiting socioeconomically disadvantaged smokers into a pilot randomized controlled trial to explore the role of Exercise Assisted Reduction then Stop (EARS) smoking. <i>Trials</i> , 2015, 16, 1.	1.6	108
82	Do difficulties in accessing in-hours primary care predict higher use of out-of-hours GP services? Evidence from an English National Patient Survey. <i>Emergency Medicine Journal</i> , 2015, 32, 373-378.	1.0	28
83	Impact of the Prevalence of Concordant and Discordant Conditions on the Quality of Diabetes Care in Family Practices in England. <i>Annals of Family Medicine</i> , 2015, 13, 514-522.	1.9	22
84	Evaluating Differential Item Functioning in the English General Practice Patient Survey. <i>Medical Care</i> , 2015, 53, 809-817.	2.4	7
85	The role of patient experience surveys in quality assurance and improvement: a focus group study in English general practice. <i>Health Expectations</i> , 2015, 18, 1982-1994.	2.6	47
86	Why do patients with multimorbidity in England report worse experiences in primary care? Evidence from the General Practice Patient Survey. <i>BMJ Open</i> , 2015, 5, e006172-e006172.	1.9	41
87	Research into practice: accessing primary care. <i>British Journal of General Practice</i> , 2015, 65, e864-e868.	1.4	8
88	Patient characteristics predicting failure to receive indicated care for type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2015, 107, 247-258.	2.8	5
89	Patient perspectives on telephone triage in general practice – Authors' reply. <i>Lancet</i> , 2015, 385, 688.	13.7	5
90	Implementing telephone triage in general practice: a process evaluation of a cluster randomised controlled trial. <i>BMC Family Practice</i> , 2015, 16, 47.	2.9	20

#	ARTICLE	IF	CITATIONS
91	Policy ideas, knowledge regimes and comparative political economy. <i>Socio-Economic Review</i> , 2015, 13, 679-701.	3.0	43
92	Academic primary care and the general practice workforce. <i>Lancet, The</i> , 2015, 386, 952-953.	13.7	3
93	UK academic general practice and primary care. <i>BMJ, The</i> , 2015, 351, h4164.	6.0	9
94	Characteristics of service users and provider organisations associated with experience of out of hours general practitioner care in England: population based cross sectional postal questionnaire survey. <i>BMJ, The</i> , 2015, 350, h2040-h2040.	6.0	25
95	Distance from practice moderates the relationship between patient management involving nurse telephone triage consulting and patient satisfaction with care. <i>Health and Place</i> , 2015, 34, 92-96.	3.3	6
96	Moderators of response to cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care. <i>Journal of Affective Disorders</i> , 2015, 174, 272-280.	4.1	16
97	The impact of using computer decision-support software in primary care nurse-led telephone triage: Interactional dilemmas and conversational consequences. <i>Social Science and Medicine</i> , 2015, 126, 36-47.	3.8	70
98	Common patterns of morbidity and multi-morbidity and their impact on health-related quality of life: evidence from a national survey. <i>Quality of Life Research</i> , 2015, 24, 909-918.	3.1	186
99	Web-Based Textual Analysis of Free-Text Patient Experience Comments From a Survey in Primary Care. <i>JMIR Medical Informatics</i> , 2015, 3, e20.	2.6	37
100	The clinical effectiveness and cost-effectiveness of telephone triage for managing same-day consultation requests in general practice: a cluster randomised controlled trial comparing general practitioner-led and nurse-led management systems with usual care (the ESTEEM trial). <i>Health Technology Assessment</i> , 2015, 19, 1-212.	2.8	50
101	Telephone triage for management of same-day consultation requests in general practice (the ESTEEM) Tj ETQq1 1 1859-1868.	0.784314 13.7	156
102	Cost-effectiveness of cognitive-behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: economic evaluation of the CoBaIT Trial. <i>British Journal of Psychiatry</i> , 2014, 204, 69-76.	2.8	27
103	Self-reported quality of care for older adults from 2004 to 2011: a cohort study. <i>Age and Ageing</i> , 2014, 43, 716-720.	1.6	10
104	Understanding high and low patient experience scores in primary care: analysis of patients' survey data for general practices and individual doctors. <i>BMJ, The</i> , 2014, 349, g6034-g6034.	6.0	46
105	Doctors record higher blood pressures than nurses: systematic review and meta-analysis. <i>British Journal of General Practice</i> , 2014, 64, e223-e232.	1.4	48
106	Question design in nurse-led and GP-led telephone triage for same-day appointment requests: a comparative investigation. <i>BMJ Open</i> , 2014, 4, e004515.	1.9	17
107	Assessing communication quality of consultations in primary care: initial reliability of the Global Consultation Rating Scale, based on the Calgary-Cambridge Guide to the Medical Interview. <i>BMJ Open</i> , 2014, 4, e004339.	1.9	56
108	Why do GPs exclude patients from participating in research? An exploration of adherence to and divergence from trial criteria. <i>Family Practice</i> , 2014, 31, 364-370.	1.9	15



#	ARTICLE	IF	CITATIONS
109	A Guide to Handling Missing Data in Cost-Effectiveness Analysis Conducted Within Randomised Controlled Trials. <i>Pharmacoeconomics</i> , 2014, 32, 1157-1170.	3.3	417
110	Interarm Blood Pressure Difference in People With Diabetes: Measurement and Vascular and Mortality Implications. <i>Diabetes Care</i> , 2014, 37, 1613-1620.	8.6	59
111	Antibiotic prescription strategies for acute sore throat: a prospective observational cohort study. <i>Lancet Infectious Diseases</i> , The, 2014, 14, 213-219.	9.1	100
112	Skin health in older age. <i>Maturitas</i> , 2014, 79, 256-264.	2.4	45
113	Evaluation of different recruitment and randomisation methods in a trial of general practitioner-led interventions to increase physical activity: a randomised controlled feasibility study with factorial design. <i>Trials</i> , 2014, 15, 134.	1.6	18
114	Acupuncture and related interventions for smoking cessation. <i>The Cochrane Library</i> , 2014, 2014, CD000009.	2.8	103
115	Effective behavior change techniques in asthma self-care interventions: Systematic review and meta-regression.. <i>Health Psychology</i> , 2014, 33, 577-587.	1.6	37
116	Older patients and their GPs: shared decision making in enhancing trust. <i>British Journal of General Practice</i> , 2014, 64, e709-e718.	1.4	46
117	Increased Cycling Cell Numbers and Stem Cell Associated Proteins as Potential Biomarkers for High Grade Human Papillomavirus+ve Pre-Neoplastic Cervical Disease. <i>PLoS ONE</i> , 2014, 9, e115379.	2.5	12
118	A pilot randomised trial to assess the methods and procedures for evaluating the clinical effectiveness and cost-effectiveness of Exercise Assisted Reduction then Stop (EARS) among disadvantaged smokers. <i>Health Technology Assessment</i> , 2014, 18, 1-324.	2.8	36
119	Clinical effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: the CoBaIT randomised controlled trial. <i>Health Technology Assessment</i> , 2014, 18, 1-167, vii-viii.	2.8	69
120	A comparison of four different approaches to measuring health utility in depressed patients. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 81.	2.4	28
121	The effectiveness and cost-effectiveness of telephone triage of patients requesting same day consultations in general practice: study protocol for a cluster randomised controlled trial comparing nurse-led and GP-led management systems (ESTEEM). <i>Trials</i> , 2013, 14, 4.	1.6	17
122	Consolidated Health Economic Evaluation Reporting Standards (CHEERS) Statement. <i>Value in Health</i> , 2013, 16, e1-e5.	0.3	513
123	Cognitive behavioural therapy as an adjunct to pharmacotherapy for primary care based patients with treatment resistant depression: results of the CoBaIT randomised controlled trial. <i>Lancet</i> , The, 2013, 381, 375-384.	13.7	278
124	Dialysis outcomes in those aged 65 years. <i>BMC Nephrology</i> , 2013, 14, 175.	1.8	11
125	Changing practice as a quality indicator for primary care: analysis of data on voluntary disenrollment from the English GP Patient Survey. <i>BMC Family Practice</i> , 2013, 14, 89.	2.9	21
126	Trust, negotiation, and communication: young adults' experiences of primary care services. <i>BMC Family Practice</i> , 2013, 14, 202.	2.9	28



#	ARTICLE	IF	CITATIONS
127	GPAQ-R: development and psychometric properties of a version of the General Practice Assessment Questionnaire for use for revalidation by general practitioners in the UK. BMC Family Practice, 2013, 14, 160.	2.9	15
128	Self-Other Agreement in Multisource Feedback: The Influence of Doctor and Rater Group Characteristics. Journal of Continuing Education in the Health Professions, 2013, 33, 14-23.	1.3	9
129	Global Charcoal Mobilization from Soils via Dissolution and Riverine Transport to the Oceans. Science, 2013, 340, 345-347.	12.6	432
130	Maintaining skin integrity in the aged: a systematic review. British Journal of Dermatology, 2013, 169, 528-542.	1.5	125
131	Predictors of suppurative complications for acute sore throat in primary care: prospective clinical cohort study. BMJ, The, 2013, 347, f6867-f6867.	6.0	84
132	Relationship Between Clinical Quality and Patient Experience: Analysis of Data From the English Quality and Outcomes Framework and the National GP Patient Survey. Annals of Family Medicine, 2013, 11, 467-472.	1.9	67
133	Republished research: Effect of exercise referral schemes in primary care on physical activity and improving health outcomes: systematic review and meta-analysis. British Journal of Sports Medicine, 2013, 47, 526-526.	6.7	10
134	Processes of Change in an Asthma Self-Care Intervention. Qualitative Health Research, 2013, 23, 1419-1429.	2.1	14
135	Patients' experiences of participating in a large-scale trial of cognitive behavioural therapy for depression: a mixed methods study. Family Practice, 2013, 30, 705-711.	1.9	10
136	Prevalence of treatment-resistant depression in primary care: cross-sectional data. British Journal of General Practice, 2013, 63, e852-e858.	1.4	115
137	Republished research: Facilitated physical activity as a treatment for depressed adults: randomised controlled trial. British Journal of Sports Medicine, 2013, 47, 629-629.	6.7	1
138	Priorities for young adults when accessing UK primary care: literature review. Primary Health Care Research and Development, 2013, 14, 341-349.	1.2	11
139	Accessing primary care: a simulated patient study. British Journal of General Practice, 2013, 63, e171-e176.	1.4	26
140	Challenges to the credibility of patient feedback in primary healthcare settings: a qualitative study. British Journal of General Practice, 2013, 63, e200-e208.	1.4	58
141	Ensuring that international medical graduates and ethnic minority doctors have the necessary cultural awareness to provide care in the UK. BMJ, The, 2013, 347, f6454-f6454.	6.0	0
142	Levels and predictors of exercise referral scheme uptake and adherence: a systematic review. Journal of Epidemiology and Community Health, 2012, 66, 737-744.	3.7	120
143	Better prevention of stroke through screening for atrial fibrillation. British Journal of General Practice, 2012, 62, 234-235.	1.4	2
144	Prevalence and Benefits of Care Plans and Care Planning for People with Long-Term Conditions in England. Journal of Health Services Research and Policy, 2012, 17, 64-71.	1.7	38

#	ARTICLE	IF	CITATIONS
145	Understanding ethnic and other socio-demographic differences in patient experience of primary care: evidence from the English General Practice Patient Survey. <i>BMJ Quality and Safety</i> , 2012, 21, 21-29.	3.7	139
146	Should measures of patient experience in primary care be adjusted for case mix? Evidence from the English General Practice Patient Survey. <i>BMJ Quality and Safety</i> , 2012, 21, 634-640.	3.7	88
147	Multisource Feedback in Evaluating the Performance of Doctors. <i>Academic Medicine</i> , 2012, 87, 1668-1678.	1.6	54
148	Association of a difference in systolic blood pressure between arms with vascular disease and mortality: a systematic review and meta-analysis. <i>Lancet, The</i> , 2012, 379, 905-914.	13.7	326
149	Interarm blood pressure difference and vascular disease – Authors' reply. <i>Lancet, The</i> , 2012, 380, 24-25.	13.7	9
150	Facilitated physical activity as a treatment for depressed adults: randomised controlled trial. <i>BMJ, The</i> , 2012, 344, e2758-e2758.	6.0	163
151	Cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment resistant depression in primary care: The CoBaIT randomised controlled trial protocol. <i>Contemporary Clinical Trials</i> , 2012, 33, 312-319.	1.8	32
152	General Practitioners' beliefs about physical activity for managing depression in primary care. <i>Mental Health and Physical Activity</i> , 2012, 5, 13-19.	1.8	24
153	An exercise intervention to prevent falls in Parkinson's: an economic evaluation. <i>BMC Health Services Research</i> , 2012, 12, 426.	2.2	29
154	Multisource feedback questionnaires in appraisal and for revalidation: a qualitative study in UK general practice. <i>British Journal of General Practice</i> , 2012, 62, e314-e321.	1.4	25
155	Do English patients want continuity of care, and do they receive it?. <i>British Journal of General Practice</i> , 2012, 62, e567-e575.	1.4	51
156	Skin signs in diabetes mellitus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 1203-1211.	2.4	80
157	Geriatric dermatoses: a clinical review of skin diseases in an aging population. <i>International Journal of Dermatology</i> , 2012, 51, 509-522.	1.0	72
158	Nurse-led interventions used to improve control of high blood pressure in people with diabetes: a systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2011, 28, 250-261.	2.3	47
159	An exercise intervention to prevent falls in people with Parkinson's disease: a pragmatic randomised controlled trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 1232-1238.	1.9	134
160	Estimating uncertainties in watershed studies. <i>Eos</i> , 2011, 92, 220-220.	0.1	1
161	Dry skin in the elderly: Complexities of a common problem. <i>Clinics in Dermatology</i> , 2011, 29, 37-42.	1.6	169
162	Molecular aspects of skin ageing. <i>Maturitas</i> , 2011, 69, 249-256.	2.4	435

#	ARTICLE	IF	CITATIONS
163	How can Health Care Organizations be Reliably Compared?. Medical Care, 2011, 49, 724-733.	2.4	55
164	Acupuncture and related interventions for smoking cessation. , 2011, , CD000009.		48
165	Patients' views of physical activity as treatment for depression: a qualitative study. British Journal of General Practice, 2011, 61, e149-e156.	1.4	88
166	An evaluation of the effectiveness of a community mentoring service for socially isolated older people: a controlled trial. BMC Public Health, 2011, 11, 218.	2.9	43
167	The impact of social isolation on the health status and health-related quality of life of older people. Quality of Life Research, 2011, 20, 57-67.	3.1	284
168	Interventions targeting social isolation in older people: a systematic review. BMC Public Health, 2011, 11, 647.	2.9	537
169	Factors associated with variability in the assessment of UK doctors' professionalism: analysis of survey results. BMJ: British Medical Journal, 2011, 343, d6212-d6212.	2.3	35
170	Effect of exercise referral schemes in primary care on physical activity and improving health outcomes: systematic review and meta-analysis. BMJ: British Medical Journal, 2011, 343, d6462-d6462.	2.3	204
171	Research output on primary care in Australia, Canada, Germany, the Netherlands, the United Kingdom, and the United States: bibliometric analysis. BMJ: British Medical Journal, 2011, 342, d1028-d1028.	2.3	102
172	The effectiveness of various models of primary care-based follow-up after stroke: a systematic review. Primary Health Care Research and Development, 2011, 12, 214-222.	1.2	19
173	The experiences and needs of people seeking palliative health care out-of-hours: a qualitative study. Primary Health Care Research and Development, 2011, 12, 165-178.	1.2	24
174	The clinical effectiveness and cost-effectiveness of exercise referral schemes: a systematic review and economic evaluation. Health Technology Assessment, 2011, 15, i-xii, 1-254.	2.8	123
175	Communicating the results of research: how do participants of a cardiac rehabilitation RCT prefer to be informed?. Health Expectations, 2010, 13, 323-330.	2.6	12
176	Validation of a multi-source feedback tool for use in general practice. Education for Primary Care, 2010, 21, 165-179.	0.6	36
177	The feasibility of recruiting patients with early COPD to a pilot trial assessing the effects of a physical activity intervention. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2010, 19, 124-130.	2.3	28
178	Three techniques for integrating data in mixed methods studies. BMJ: British Medical Journal, 2010, 341, c4587-c4587.	2.3	865
179	Myofascial trigger point needling for whiplash associated pain " A feasibility study. Manual Therapy, 2010, 15, 529-535.	1.6	31
180	British pain clinic practitioners' recognition and use of the bio-psychosocial pain management model for patients when physical interventions are ineffective or inappropriate: results of a qualitative study. BMC Musculoskeletal Disorders, 2010, 11, 51.	1.9	21

#	ARTICLE	IF	CITATIONS
181	Physical activity as a treatment for depression: the TREAD randomised trial protocol. <i>Trials</i> , 2010, 11, 105.	1.6	16
182	Generalisability in unbalanced, uncrossed and fully nested studies. <i>Medical Education</i> , 2010, 44, 367-378.	2.1	11
183	Nurse-led management of hypertension. <i>British Journal of General Practice</i> , 2010, 60, 214.1-214.	1.4	0
184	Out-of-hours care: do we?. <i>British Journal of General Practice</i> , 2010, 60, 155-157.	1.4	7
185	Developing and Validating a Sham Acupuncture Needle. <i>Acupuncture in Medicine</i> , 2009, 27, 118-122.	1.0	54
186	Users' reports and evaluations of out-of-hours health care and the UK national quality requirements: a cross sectional study. <i>British Journal of General Practice</i> , 2009, 59, e8-e15.	1.4	18
187	Hypertension guidelines. <i>British Journal of General Practice</i> , 2009, 59, 448.2-449.	1.4	1
188	The Consolations of Going Back to Prison: What "Revolving Door" Prisoners Think of Their Prospects. <i>Journal of Offender Rehabilitation</i> , 2009, 48, 439-461.	0.8	43
189	The GP Patient Survey for use in primary care in the National Health Service in the UK " development and psychometric characteristics. <i>BMC Family Practice</i> , 2009, 10, 57.	2.9	124
190	A multi-method analysis of free-text comments from the UK General Medical Council Colleague Questionnaires. <i>Medical Education</i> , 2009, 43, 757-766.	2.1	32
191	Measuring the Impact of Headache in Children: A Critical Review of the Literature. <i>Cephalalgia</i> , 2009, 29, 3-16.	3.9	97
192	What Happens to New-Onset Headache in Children That Present to Primary Care? A Case-Cohort Study Using Electronic Primary Care Records. <i>Cephalalgia</i> , 2009, 29, 1311-1316.	3.9	13
193	Acupuncture and dry needling in the management of myofascial trigger point pain: A systematic review and meta-analysis of randomised controlled trials. <i>European Journal of Pain</i> , 2009, 13, 3-10.	2.8	226
194	Impact of headache on young people in a school population. <i>British Journal of General Practice</i> , 2009, 59, 678-681.	1.4	69
195	Reliability of patient responses in pay for performance schemes: analysis of national General Practitioner Patient Survey data in England. <i>BMJ: British Medical Journal</i> , 2009, 339, b3851-b3851.	2.3	129
196	Inter-arm blood pressure difference in type 2 diabetes: a barrier to effective management?. <i>British Journal of General Practice</i> , 2009, 59, 428-432.	1.4	38
197	The Prevalence of Posttraumatic Stress Disorder in Patients Undergoing Pulmonary Rehabilitation and Changes in PTSD Symptoms Following Rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2009, 29, 49-56.	2.1	16
198	Home based cardiac rehabilitation could improve outcomes. <i>BMJ: British Medical Journal</i> , 2009, 338, b1921-b1921.	2.3	3

#	ARTICLE	IF	CITATIONS
199	Patients deserve more than a "Thank you". <i>BMJ: British Medical Journal</i> , 2009, 339, b4522-b4522.	2.3	1
200	The effectiveness of exercise interventions for people with Parkinson's disease: A systematic review and meta-analysis. <i>Movement Disorders</i> , 2008, 23, 631-640.	3.9	735
201	Nettle sting for chronic knee pain: A randomised controlled pilot study. <i>Complementary Therapies in Medicine</i> , 2008, 16, 66-72.	2.7	24
202	Assessing the professional performance of UK doctors: an evaluation of the utility of the General Medical Council patient and colleague questionnaires. <i>Quality and Safety in Health Care</i> , 2008, 17, 187-193.	2.5	73
203	Impact of Risk Information on Perceived Colorectal Cancer Risk. <i>Journal of Health Psychology</i> , 2008, 13, 744-753.	2.3	18
204	The Interarm Blood Pressure Difference. <i>Hypertension</i> , 2008, 52, e15.	2.7	3
205	Secondary prevention of stroke: using the experiences of patients and carers to inform the development of an educational resource. <i>Family Practice</i> , 2008, 25, 355-361.	1.9	24
206	Accessing out-of-hours care following implementation of the GMS contract: an observational study. <i>British Journal of General Practice</i> , 2008, 58, 331-338.	1.4	14
207	The inter-arm blood pressure difference and peripheral vascular disease: cross-sectional study. <i>Family Practice</i> , 2007, 24, 420-426.	1.9	63
208	The interarm blood pressure difference as predictor of cardiovascular events in patients with hypertension in primary care: cohort study. <i>Journal of Human Hypertension</i> , 2007, 21, 633-638.	2.2	78
209	Provision of primary care in different countries. <i>BMJ: British Medical Journal</i> , 2007, 334, 1230-1231.	2.3	6
210	Understanding help seeking behaviour among male offenders: qualitative interview study. <i>BMJ: British Medical Journal</i> , 2007, 334, 303.	2.3	114
211	Capturing users' experience of UK out-of-hours primary medical care: piloting and psychometric properties of the Out-of-hours Patient Questionnaire. <i>Quality and Safety in Health Care</i> , 2007, 16, 462-468.	2.5	20
212	Exploring users' experiences of accessing out-of-hours primary medical care services. <i>Quality and Safety in Health Care</i> , 2007, 16, 469-477.	2.5	29
213	"Am I going to see the next morning?" A qualitative study of patients' perspectives of sleep in COPD. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2007, 16, 378-383.	2.3	32
214	Variability of Criteria Used to Diagnose Myofascial Trigger Point Pain Syndrome—Evidence From a Review of the Literature. <i>Clinical Journal of Pain</i> , 2007, 23, 278-286.	1.9	222
215	Home-based cardiac rehabilitation versus hospital-based rehabilitation: A cost effectiveness analysis. <i>International Journal of Cardiology</i> , 2007, 119, 196-201.	1.7	99
216	Home-based versus hospital-based rehabilitation after myocardial infarction: A randomized trial with preference arms—Cornwall Heart Attack Rehabilitation Management Study (CHARMS). <i>International Journal of Cardiology</i> , 2007, 119, 202-211.	1.7	147

#	ARTICLE	IF	CITATIONS
217	Attitudes of GPs to the diagnosis and management of impaired glucose tolerance: The practitioners' attitudes to hyperglycaemia (PATH) questionnaire. <i>Primary Care Diabetes</i> , 2007, 1, 35-41.	1.8	6
218	Development of an educational 'toolkit' for health professionals and their patients with prediabetes: The WAKEUP study (Ways of Addressing Knowledge Education and Understanding in Pre-diabetes). <i>Diabetic Medicine</i> , 2007, 24, 770-777.	2.3	40
219	Exploring the relationships between provision of welfare benefits advice and the health of elderly people: a longitudinal observational study and discussion of methodological issues. <i>Health and Social Care in the Community</i> , 2007, 15, 454-463.	1.6	4
220	Acupressure for smoking cessation – a pilot study. <i>BMC Complementary and Alternative Medicine</i> , 2007, 7, 8.	3.7	22
221	Patients' understanding of genetic susceptibility testing in mainstream medicine: qualitative study on thrombophilia. <i>BMC Health Services Research</i> , 2007, 7, 82.	2.2	29
222	Supporting self-care in general practice. <i>British Journal of General Practice</i> , 2007, 57, 995-996.	1.4	2
223	Good Practice Guidelines for Decision-Analytic Modelling in Health Technology Assessment. <i>Pharmacoeconomics</i> , 2006, 24, 355-371.	3.3	390
224	Can cancer risk information raise awareness without increasing anxiety? A randomized trial. <i>Preventive Medicine</i> , 2006, 43, 187-190.	3.4	39
225	Acupuncture and related interventions for smoking cessation. , 2006, , CD000009.		61
226	Prevalence and clinical implications of the inter-arm blood pressure difference: a systematic review. <i>Journal of Human Hypertension</i> , 2006, 20, 923-931.	2.2	136
227	Are genetic tests exceptional? Lessons from a qualitative study on thrombophilia. <i>Social Science and Medicine</i> , 2006, 63, 1947-1959.	3.8	27
228	The effect of abnormal colour vision on the ability to identify and outline coloured clinical signs and to count stained bacilli in sputum. <i>Australasian journal of optometry</i> , The, 2005, 88, 376-381.	1.3	17
229	Forty-eight hour access to primary care: practice factors predicting patients' perceptions. <i>Family Practice</i> , 2005, 22, 266-268.	1.9	3
230	The Preference and Importance of Bathing, Toileting and Mouth Care Habits in Older Persons. <i>Gerontology</i> , 2005, 51, 375-385.	2.8	26
231	What Is eHealth (5): A Research Agenda for eHealth Through Stakeholder Consultation and Policy Context Review. <i>Journal of Medical Internet Research</i> , 2005, 7, e54.	4.3	24
232	Recent developments in secondary prevention and cardiac rehabilitation after acute myocardial infarction. <i>BMJ: British Medical Journal</i> , 2004, 328, 693-697.	2.3	57
233	Cost-effectiveness acceptability curves – facts, fallacies and frequently asked questions. <i>Health Economics (United Kingdom)</i> , 2004, 13, 405-415.	1.7	754
234	Views of doctors on clinical correspondence: questionnaire survey and audit of content of letters. <i>BMJ: British Medical Journal</i> , 2004, 328, 1060-1061.	2.3	34

#	ARTICLE	IF	CITATIONS
235	Development of the Satisfaction with Inhaled Asthma Treatment Questionnaire. <i>European Respiratory Journal</i> , 2003, 22, 127-134.	6.7	49
236	Setting standards based on patients' views on access and continuity: secondary analysis of data from the general practice assessment survey. <i>BMJ: British Medical Journal</i> , 2003, 326, 258-258.	2.3	79
237	Age, gender, socioeconomic, and ethnic differences in patients' assessments of primary health care. <i>Quality in Health Care: QHC</i> , 2001, 10, 90-95.	1.2	202
238	The General Practice Assessment Survey (GPAS): tests of data quality and measurement properties. <i>Family Practice</i> , 2000, 17, 372-379.	1.9	129
239	Patients' perceptions of medical urgency: does deprivation matter?. <i>Family Practice</i> , 1999, 16, 28-32.	1.9	13
240	Towards primary care groups Joining up care in London--establishing the North Southwark Primary Care Group. <i>BMJ: British Medical Journal</i> , 1999, 318, 850-852.	2.3	2
241	Measuring access to primary medical care: some examples of the use of geographical information systems. <i>Health and Place</i> , 1998, 4, 183-193.	3.3	86
242	Appropriate Care Out-Of-Hours. <i>European Journal of General Practice</i> , 1998, 4, 51-52.	2.0	0
243	General Practitioner Appointment Systems, Patient Satisfaction, and use of Accident and Emergency Services--a Study in One Geographical Area. <i>Family Practice</i> , 1994, 11, 438-445.	1.9	50
244	Parental Autonomy. <i>Journal of Applied Philosophy</i> , 1988, 5, 183-196.	1.0	24
245	Stunting in African children.. <i>Archives of Disease in Childhood</i> , 1987, 62, 508-509.	1.9	5
246	The portable Nabarro weight-height anthropometric nutrition assessment chart. A field trial in three countries in Africa. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1985, 79, 409-411.	1.8	5
247	Reply to Bennett. <i>Canadian Journal of Philosophy</i> , 1982, 12, 757-761.	0.9	0
248	The renal glomerulus in hypoxic cor pulmonale.. <i>Thorax</i> , 1982, 37, 607-611.	5.6	10
249	SPINOZA'S THEORY OF PERFECTION AND GOODNESS. <i>Southern Journal of Philosophy</i> , 1980, 18, 259-274.	0.6	0
250	Locke on Qualities. <i>Canadian Journal of Philosophy</i> , 1980, 10, 567-585.	0.9	14
251	Vitex agnus castus for premenstrual syndrome. <i>The Cochrane Library</i> , 0, , .	2.8	3
252	Interventions for involving older patients with multimorbidity in decision-making during primary care consultations. <i>The Cochrane Library</i> , 0, , .	2.8	1