

Zhenming Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5627232/publications.pdf>

Version: 2024-02-01

36
papers

1,424
citations

361045

20
h-index

360668

35
g-index

37
all docs

37
docs citations

37
times ranked

774
citing authors

#	ARTICLE	IF	CITATIONS
1	Improving printability of limestone-calcined clay-based cementitious materials by using viscosity-modifying admixture. <i>Cement and Concrete Research</i> , 2020, 132, 106040.	4.6	141
2	Chemical deformation of metakaolin based geopolymer. <i>Cement and Concrete Research</i> , 2019, 120, 108-118.	4.6	135
3	Mechanisms of autogenous shrinkage of alkali-activated slag and fly ash pastes. <i>Cement and Concrete Research</i> , 2020, 135, 106107.	4.6	124
4	Mitigating the autogenous shrinkage of alkali-activated slag by metakaolin. <i>Cement and Concrete Research</i> , 2019, 122, 30-41.	4.6	100
5	Effect of curing conditions on the pore solution and carbonation resistance of alkali-activated fly ash and slag pastes. <i>Cement and Concrete Research</i> , 2019, 116, 146-158.	4.6	90
6	Setting, Strength, and Autogenous Shrinkage of Alkali-Activated Fly Ash and Slag Pastes: Effect of Slag Content. <i>Materials</i> , 2018, 11, 2121.	1.3	89
7	Effect of different grade levels of calcined clays on fresh and hardened properties of ternary-blended cementitious materials for 3D printing. <i>Cement and Concrete Composites</i> , 2020, 114, 103708.	4.6	81
8	Fracture properties and microstructure formation of hardened alkali-activated slag/fly ash pastes. <i>Cement and Concrete Research</i> , 2021, 144, 106447.	4.6	76
9	Internal curing by superabsorbent polymers in alkali-activated slag. <i>Cement and Concrete Research</i> , 2020, 135, 106123.	4.6	71
10	Limestone and Calcined Clay-Based Sustainable Cementitious Materials for 3D Concrete Printing: A Fundamental Study of Extrudability and Early-Age Strength Development. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 1809.	1.3	69
11	Cracking potential of alkali-activated slag and fly ash concrete subjected to restrained autogenous shrinkage. <i>Cement and Concrete Composites</i> , 2020, 114, 103767.	4.6	48
12	Prediction of the autogenous shrinkage and microcracking of alkali-activated slag and fly ash concrete. <i>Cement and Concrete Composites</i> , 2021, 117, 103913.	4.6	45
13	Internal curing of alkali-activated slag-fly ash paste with superabsorbent polymers. <i>Construction and Building Materials</i> , 2020, 263, 120985.	3.2	36
14	Experimental comparisons between one-part and normal (two-part) alkali-activated slag binders. <i>Construction and Building Materials</i> , 2021, 309, 125177.	3.2	36
15	Behaviour of steel-reinforced concrete columns under combined torsion based on ABAQUS FEA. <i>Engineering Structures</i> , 2020, 209, 109980.	2.6	27
16	Effect of metakaolin on the autogenous shrinkage of alkali-activated slag-fly ash paste. <i>Construction and Building Materials</i> , 2021, 278, 122397.	3.2	27
17	Effect of Supplementary Materials on the Autogenous Shrinkage of Cement Paste. <i>Materials</i> , 2020, 13, 3367.	1.3	26
18	Investigation of the hydration properties of cement with EDTA by alternative current impedance spectroscopy. <i>Cement and Concrete Composites</i> , 2022, 126, 104365.	4.6	26

#	ARTICLE	IF	CITATIONS
19	A comparative study on the mechanical properties, autogenous shrinkage and cracking proneness of alkali-activated concrete and ordinary Portland cement concrete. <i>Construction and Building Materials</i> , 2021, 292, 123418.	3.2	25
20	Modelling of autogenous shrinkage of hardening cement paste. <i>Construction and Building Materials</i> , 2020, 264, 120708.	3.2	20
21	Restraining effect of aggregates on autogenous shrinkage in cement mortar and concrete. <i>Construction and Building Materials</i> , 2021, 289, 123166.	3.2	19
22	Effect of superabsorbent polymer introduction on properties of alkali-activated slag mortar. <i>Construction and Building Materials</i> , 2022, 340, 127541.	3.2	16
23	Early-age properties of alkali-activated slag and glass wool paste. <i>Construction and Building Materials</i> , 2021, 291, 123326.	3.2	14
24	Understanding the effect of nano/micro-structures on anti-impact of nano-boron nitride filled cementitious composites. <i>Construction and Building Materials</i> , 2021, 298, 123885.	3.2	14
25	Characterization of one-part alkali-activated slag with rice straw ash. <i>Construction and Building Materials</i> , 2022, 345, 128403.	3.2	10
26	A molecular dynamics study of Na ⁺ -A ⁺ -H gel with various Si/Al ratios. <i>Journal of the American Ceramic Society</i> , 2022, 105, 6462-6474.	1.9	9
27	Stress evolution in restrained GGBFS concrete due to autogenous deformation: bayesian optimization of aging creep. <i>Construction and Building Materials</i> , 2022, 324, 126690.	3.2	8
28	A Low-Autogenous-Shrinkage Alkali-Activated Slag and Fly Ash Concrete. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 6092.	1.3	7
29	Impressed current cathodic protection of chloride-contaminated RC structures with cracking: A numerical study. <i>Journal of Building Engineering</i> , 2021, 44, 102943.	1.6	7
30	Effect of natural carbonation on chloride binding behaviours in OPC paste investigated by a thermodynamic model. <i>Journal of Building Engineering</i> , 2022, 49, 104021.	1.6	6
31	Thermal deformation and stress of alkali-activated slag concrete under semi-adiabatic condition: Experiments and simulations. <i>Cement and Concrete Research</i> , 2022, 159, 106887.	4.6	6
32	Influence of liquid-binder ratio on the performance of alkali-activated slag mortar with superabsorbent polymer. <i>Journal of Building Engineering</i> , 2022, 48, 103934.	1.6	5
33	Comparative study of low-cost fluoride removal by layered double hydroxides, geopolymers, softening pellets and struvite. <i>Environmental Technology (United Kingdom)</i> , 2022, 43, 4306-4314.	1.2	3
34	Improve the long-term property of heat-cured mortars blended with fly ash by internal curing. <i>Journal of Building Engineering</i> , 2022, 54, 104624.	1.6	3
35	A comparison between alkali-activated slag/fly ash binders prepared with natural seawater and deionized water. <i>Journal of the American Ceramic Society</i> , 0, , .	1.9	3
36	Nondestructive Monitoring Hydration of Belite Calcium Sulfoaluminate Cement by EIS Measurement. <i>Materials</i> , 2022, 15, 4433.	1.3	2