

Arjan Jonker

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5629259/arjan-jonker-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57
papers

1,257
citations

16
h-index

34
g-index

66
ext. papers

1,852
ext. citations

2.9
avg, IF

4.49
L-index

#	Paper	IF	Citations
57	Challenges and opportunities to capture dietary effects in on-farm greenhouse gas emissions models of ruminant systems. <i>Science of the Total Environment</i> , 2021 , 769, 144989	10.2	1
56	Crude protein fractionation, in situ ruminal degradability and FTIR protein molecular structures of different cultivars within barley, corn and sorghum cereal grains. <i>Animal Feed Science and Technology</i> , 2021 , 275, 114855	3	2
55	Quantitative joint evaluation of sheep enteric methane emissions and faecal dry matter and nitrogen excretion. <i>Agriculture, Ecosystems and Environment</i> , 2021 , 305, 107116	5.7	0
54	Individual-level correlations of rumen volatile fatty acids with enteric methane emissions for ranking methane yield in sheep fed fresh pasture. <i>Animal Production Science</i> , 2021 , 61, 300	1.4	0
53	Effects of Feeding Level and Breed Composition on Intake, Digestibility, and Methane Emissions of Dairy Heifers. <i>Animals</i> , 2021 , 11,	3.1	2
52	A review of technical variations and protocols used to measure methane emissions from ruminants using respiration chambers, SF6 tracer technique and GreenFeed, to facilitate global integration of published data. <i>Animal Feed Science and Technology</i> , 2021 , 279, 115018	3	3
51	Evaluation of Molly model predictions of ruminal fermentation, nutrient digestion, and performance by dairy cows consuming ryegrass-based diets. <i>Journal of Dairy Science</i> , 2021 , 104, 9676-9702	4	1
50	Review: Markers and proxies to monitor ruminal function and feed efficiency in young ruminants. <i>Animal</i> , 2021 , 15, 100337	3.1	0
49	Effect of transferring lignocellulose-degrading bacteria from termite to rumen fluid of sheep on in vitro gas production, fermentation parameters, microbial populations and enzyme activity. <i>Journal of Integrative Agriculture</i> , 2020 , 19, 1323-1331	3.2	5
48	A meta-analysis comparing four measurement methods to determine the relationship between methane emissions and dry-matter intake in New Zealand dairy cattle. <i>Animal Production Science</i> , 2020 , 60, 96	1.4	4
47	Excreta emissions in progeny of low and high enteric methane yield selection line sheep fed pasture of different qualities. <i>Animal Feed Science and Technology</i> , 2019 , 257, 114289	3	3
46	Genetic parameters of plasma and ruminal volatile fatty acids in sheep fed alfalfa pellets and genetic correlations with enteric methane emissions ¹ . <i>Journal of Animal Science</i> , 2019 , 97, 2711-2724	0.7	3
45	Feeding di-ammonium phosphate as a phosphorous source in finishing lambs reduced excretion of phosphorus in feces without detrimental effects on animal performance. <i>Asian-Australasian Journal of Animal Sciences</i> , 2019 , 32, 527-532	2.4	0
44	Breeding Low Emitting Ruminants: Predicting Methane from Microbes. <i>Proceedings (mdpi)</i> , 2019 , 36, 177	0.3	0
43	Methane and carbon dioxide emissions from lactating dairy cows grazing mature ryegrass/white clover or a diverse pasture comprising ryegrass, legumes and herbs. <i>Animal Production Science</i> , 2019 , 59, 1063	1.4	7
42	Distribution of fatty acids and phospholipids in different table cuts and co-products from New Zealand pasture-fed Wagyu-dairy cross beef cattle. <i>Meat Science</i> , 2018 , 140, 26-37	6.4	15
41	Methane emissions differ between sheep offered a conventional diploid, a high-sugar diploid or a tetraploid perennial ryegrass cultivar at two allowances at three times of the year. <i>Animal Production Science</i> , 2018 , 58, 1043	1.4	13

40	Inoculation and co-inoculation of alfalfa seedlings with root growth promoting microorganisms (, and) affect molecular structures, nutrient profiles and availability of hay for ruminants. <i>Animal Nutrition</i> , 2018 , 4, 90-99	4.8	8
39	Genetic parameters of methane emissions determined using portable accumulation chambers in lambs and ewes grazing pasture and genetic correlations with emissions determined in respiration chambers. <i>Journal of Animal Science</i> , 2018 , 96, 3031-3042	0.7	22
38	Across-Experiment Transcriptomics of Sheep Rumen Identifies Expression of Lipid/Oxo-Acid Metabolism and Muscle Cell Junction Genes Associated With Variation in Methane-Related Phenotypes. <i>Frontiers in Genetics</i> , 2018 , 9, 330	4.5	5
37	Nitrogen partitioning differs in sheep offered a conventional diploid, a high sugar diploid or a tetraploid perennial ryegrass cultivar at two feed allowances. <i>Animal Feed Science and Technology</i> , 2018 , 245, 32-40	3	3
36	Effects of forage type and age at which forage provision is started on growth performance, rumen fermentation, blood metabolites and intestinal enzymes in Holstein calves. <i>Animal Production Science</i> , 2018 , 58, 2288	1.4	5
35	Feeding diets with fodder beet decreased methane emissions from dry and lactating dairy cows in grazing systems. <i>Animal Production Science</i> , 2017 , 57, 1445	1.4	5
34	Methane emissions from lactating and non-lactating dairy cows and growing cattle fed fresh pasture. <i>Animal Production Science</i> , 2017 , 57, 643	1.4	11
33	Diurnal variation in urine nitrogen and creatinine concentrations from lactating cows grazing ryegrass-dominant pasture in autumn and late spring/summer. <i>Animal Production Science</i> , 2017 , 57, 1297 ^{1.4}	1.4	3
32	The Occurrence, Biosynthesis, and Molecular Structure of Proanthocyanidins and Their Effects on Legume Forage Protein Precipitation, Digestion and Absorption in the Ruminant Digestive Tract. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	30
31	Sheep from low-methane-yield selection lines created on alfalfa pellets also have lower methane yield under pastoral farming conditions. <i>Journal of Animal Science</i> , 2017 , 95, 3905-3913	0.7	3
30	Carbohydrate and lipid spectroscopic molecular structures of different alfalfa hay and their relationship with nutrient availability in ruminants. <i>Asian-Australasian Journal of Animal Sciences</i> , 2017 , 30, 1575-1589	2.4	8
29	Sheep from low-methane-yield selection lines created on alfalfa pellets also have lower methane yield under pastoral farming conditions ^{1,2} . <i>Journal of Animal Science</i> , 2017 , 95, 3905-3913	0.7	4
28	P3048 Gene network analysis identifies rumen epithelial processes perturbed by diet and correlated with methane production and yield. <i>Journal of Animal Science</i> , 2016 , 94, 76-77	0.7	
27	The Role of Proanthocyanidins Complex in Structure and Nutrition Interaction in Alfalfa Forage. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	17
26	Effect of fresh pasture forage quality, feeding level and supplementation on methane emissions from growing beef cattle. <i>Animal Production Science</i> , 2016 , 56, 1714	1.4	12
25	Gene network analysis identifies rumen epithelial cell proliferation, differentiation and metabolic pathways perturbed by diet and correlated with methane production. <i>Scientific Reports</i> , 2016 , 6, 39022	4.9	15
24	Enteric methane and carbon dioxide emissions measured using respiration chambers, the sulfur hexafluoride tracer technique, and a GreenFeed head-chamber system from beef heifers fed alfalfa silage at three allowances and four feeding frequencies. <i>Journal of Animal Science</i> , 2016 , 94, 4326-4337	0.7	15
23	Methane emissions changed nonlinearly with graded substitution of alfalfa silage with corn silage and corn grain in the diet of sheep and relation with rumen fermentation characteristics in vivo and in vitro. <i>Journal of Animal Science</i> , 2016 , 94, 3464-3475	0.7	9

22	Measuring methane from grazing dairy cows using GreenFeed. <i>Animal Production Science</i> , 2016 , 56, 252	1.4	16
21	Buccal swabbing as a noninvasive method to determine bacterial, archaeal, and eukaryotic microbial community structures in the rumen. <i>Applied and Environmental Microbiology</i> , 2015 , 81, 7470-83	4.8	32
20	Rumen microbial community composition varies with diet and host, but a core microbiome is found across a wide geographical range. <i>Scientific Reports</i> , 2015 , 5, 14567	4.9	659
19	Non-destructive analysis of the conformational differences among feedstock sources and their corresponding co-products from bioethanol production with molecular spectroscopy. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014 , 118, 407-21	4.4	12
18	Feeding lucerne silage to beef cattle at three allowances and four feeding frequencies affects circadian patterns of methane emissions, but not emissions per unit of intake. <i>Animal Production Science</i> , 2014 , 54, 1350	1.4	16
17	Effects of including alfalfa hay cut in the afternoon or morning at three stages of maturity in high concentrate rations on dairy cows performance, diet digestibility and feeding behavior. <i>Animal Feed Science and Technology</i> , 2014 , 192, 62-72	3	16
16	Effects of barley-based diets with 3 different rumen-degradable protein balances on performance and carcass characteristics of feedlot steers. <i>The Professional Animal Scientist</i> , 2014 , 30, 432-443		3
15	Evaluation of the feed value for ruminants of blends of corn and wheat distillers dried grains. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 4387-95	5.7	6
14	Protein molecular structures in alfalfa hay cut at three stages of maturity and in the afternoon and morning and relationship with nutrient availability in ruminants. <i>Journal of the Science of Food and Agriculture</i> , 2013 , 93, 3072-80	4.3	9
13	Protein structures among bio-ethanol co-products and its relationships with ruminal and intestinal availability of protein in dairy cattle. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 16802-16	6.3	5
12	Assessing protein availability of different bioethanol coproducts in dairy cattle. <i>Animal</i> , 2013 , 7, 255-64	3.1	8
11	Nutrient profile and availability of co-products from bioethanol processing. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2012 , 96, 450-8	2.6	15
10	Effect of wheat-based dried distillers grains with solubles inclusion on barley-based feed chemical profile, energy values, rumen degradation kinetics, and protein supply. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 4986-93	5.7	8
9	Botanical traits, protein and carbohydrate fractions, ruminal degradability and energy contents of alfalfa hay harvested at three stages of maturity and in the afternoon and morning. <i>Animal Feed Science and Technology</i> , 2012 , 172, 162-170	3	26
8	Metabolic characteristics of proteins and biomolecular spectroscopic profiles in different batches of feedstock (wheat) and their co-products (wheat distillers dried grains with solubles) from the same bioethanol processing plant. <i>Journal of Dairy Science</i> , 2012 , 95, 6695-715	4	24
7	Modeling nutrient availability of alfalfa hay harvested at three stages of maturity and in the afternoon and morning in dairy cows. <i>Animal Feed Science and Technology</i> , 2012 , 178, 12-19	3	16
6	Fermentation, degradation and microbial nitrogen partitioning for three forage colour phenotypes within anthocyanidin-accumulating Lc-alfalfa progeny. <i>Journal of the Science of Food and Agriculture</i> , 2012 , 92, 2265-73	4.3	10
5	Foam stability of leaves from anthocyanidin-accumulating Lc-alfalfa and relation to molecular structures detected by fourier-transformed infrared-vibration spectroscopy. <i>Grass and Forage Science</i> , 2012 , 67, 369-381	2.3	25

4	Modeling degradation ratios and nutrient availability of anthocyanidin-accumulating Lc-alfalfa populations in dairy cows. <i>Journal of Dairy Science</i> , 2011 , 94, 1430-44	4	20
3	Nutrient composition and degradation profiles of anthocyanidin-accumulating Lc-alfalfa populations. <i>Canadian Journal of Animal Science</i> , 2010 , 90, 401-412	0.9	17
2	Molecular basis of protein structure in proanthocyanidin and anthocyanin-enhanced Lc-transgenic alfalfa in relation to nutritive value using synchrotron-radiation FTIR microspectroscopy: a novel approach. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2009 , 73, 846-53	4.4	45
1	Sheep performance on perennial ryegrass cultivars differing in concentration of water-soluble carbohydrate. <i>Journal of New Zealand Grasslands</i> , 77 , 123-130		7