

# François Godart

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/56298/publications.pdf>

Version: 2024-02-01

23  
papers

476  
citations

687363

13  
h-index

677142

22  
g-index

29  
all docs

29  
docs citations

29  
times ranked

504  
citing authors

#	ARTICLE	IF	CITATIONS
1	Coarctation of the aorta: comparison of aortic dimensions between conventional MR imaging, 3D MR angiography, and conventional angiography. <i>European Radiology</i> , 2002, 12, 2034-2039.	4.5	57
2	Closure of Secundum Atrial Septal Defects by Using the Occlutech Occluder Devices in More Than 1300 Patients: The IRFACODE Project: A Retrospective Case Series. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 88, 571-581.	1.7	52
3	Transcatheter tricuspid valve implantation: A multicentre French study. <i>Archives of Cardiovascular Diseases</i> , 2014, 107, 583-591.	1.6	45
4	MR-guided balloon angioplasty of stenosed aorta: In vivo evaluation using near-standard instruments and a passive tracking technique. <i>Journal of Magnetic Resonance Imaging</i> , 2000, 12, 639-644.	3.4	44
5	Intravascular stenting for the treatment of coarctation of the aorta in adolescent and adult patients. <i>Archives of Cardiovascular Diseases</i> , 2011, 104, 627-635.	1.6	40
6	Transcatheter closure of atrial septal defect with the Figulla® ASD Occluder: A comparative study with the Amplatzer® Septal Occluder. <i>Archives of Cardiovascular Diseases</i> , 2015, 108, 57-63.	1.6	37
7	Edwards SAPIEN Transcatheter Pulmonary Valve Implantation. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1909-1916.	2.9	36
8	Association between prophylactic angiotensin-converting enzyme inhibitors and overall survival in Duchenne muscular dystrophy: analysis of registry data. <i>European Heart Journal</i> , 2021, 42, 1976-1984.	2.2	25
9	Experience in one centre using the buttoned device for occlusion of atrial septal defect: comparison with the Amplatzer septal occluder. <i>Cardiology in the Young</i> , 2000, 10, 527-533.	0.8	19
10	Edwards SAPIEN XT transcatheter pulmonary valve implantation: 5-year follow-up in a French Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, 990-999.	1.7	19
11	Transcatheter closure of a perimembranous ventricular septal defect with Nit-Occlud L <sup>3</sup> VSD Coil: A French multicentre study. <i>Archives of Cardiovascular Diseases</i> , 2020, 113, 104-112.	1.6	17
12	Stenting in paediatric and adult congenital heart diseases: A French multicentre study in the current era. <i>Archives of Cardiovascular Diseases</i> , 2015, 108, 650-660.	1.6	15
13	Transcatheter closure of large atrial septal defects (ASDs) in symptomatic children with device/weight ratio $\geq 1.5$ . <i>International Journal of Cardiology</i> , 2018, 267, 84-87.	1.7	14
14	Cardiopulmonary exercise testing is a better outcome predictor than exercise echocardiography in asymptomatic aortic stenosis. <i>International Journal of Cardiology</i> , 2017, 227, 908-914.	1.7	12
15	Transcatheter occlusion of moderate to large patent arterial ducts, having a diameter above 2.5 mm, with the Amplatzer Duct Occluder. Comparisons with the Rashkind, buttoned devices, and coils in 116 consecutive patients. <i>Cardiology in the Young</i> , 2003, 13, 413-419.	0.8	11
16	Is the new Occlutech duct occluder an appropriate device for transcatheter closure of patent ductus arteriosus?. <i>International Journal of Cardiology</i> , 2018, 261, 54-57.	1.7	9
17	Intestinal ischaemia as a severe presentation of Kawasaki disease leading to short-bowel syndrome. <i>Cardiology in the Young</i> , 2014, 24, 567-570.	0.8	5
18	Screening for neurodevelopmental disorders in children with congenital heart disease. <i>European Journal of Pediatrics</i> , 2021, 180, 1157-1167.	2.7	5

#	ARTICLE	IF	CITATIONS
19	Safety, Efficacy and Long-Term Outcomes of Patients Treated with the Occlutech Paravalvular Leak Device for Significant Paravalvular Regurgitation. <i>Journal of Clinical Medicine</i> , 2022, 11, 1978.	2.4	5
20	Antegrade transcatheter closure of a dehiscence of pulmonary bioprosthesis after pulmonary valve replacement with the Occlutech paravalvular leak device. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, 855-858.	1.7	3
21	From Fontan to Anatomical Repair 16 Years Later. <i>Annals of Thoracic Surgery</i> , 2021, 111, e15-e17.	1.3	3
22	Congenital aortocaval fistula responsible for congestive heart failure. Closure with the Amplatzer duct occluder. <i>Cardiology in the Young</i> , 2004, 14, 676-677.	0.8	2
23	Pulmonary Valve Replacement and Redo Pulmonary Valve Replacement via Ministernotomy. <i>Heart Lung and Circulation</i> , 2022, 31, e1-e4.	0.4	0