

Jonathan Coleman

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5630341/jonathan-coleman-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153
papers

8,864
citations

38
h-index

93
g-index

229
ext. papers

14,126
ext. citations

9.1
avg, IF

5.41
L-index

#	Paper	IF	Citations
153	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018 , 50, 668-681	36.3	1301
152	Identification of common genetic risk variants for autism spectrum disorder. <i>Nature Genetics</i> , 2019 , 51, 431-444	36.3	746
151	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
150	Genome-wide meta-analysis of depression identifies 102 independent variants and highlights the importance of the prefrontal brain regions. <i>Nature Neuroscience</i> , 2019 , 22, 343-352	25.5	639
149	Genome-wide association meta-analysis in 269,867 individuals identifies new genetic and functional links to intelligence. <i>Nature Genetics</i> , 2018 , 50, 912-919	36.3	475
148	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
147	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018 , 173, 1705-1715.e16	56.2	360
146	Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. <i>Nature Genetics</i> , 2019 , 51, 1207-1214	36.3	303
145	Genome-wide association meta-analysis of 78,308 individuals identifies new loci and genes influencing human intelligence. <i>Nature Genetics</i> , 2017 , 49, 1107-1112	36.3	280
144	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017 , 174, 850-858	11.9	276
143	Genome-wide association study of depression phenotypes in UK Biobank identifies variants in excitatory synaptic pathways. <i>Nature Communications</i> , 2018 , 9, 1470	17.4	226
142	Assessment of Bidirectional Relationships Between Physical Activity and Depression Among Adults: A 2-Sample Mendelian Randomization Study. <i>JAMA Psychiatry</i> , 2019 , 76, 399-408	14.5	165
141	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019 , 10, 4558	17.4	151
140	An Examination of Polygenic Score Risk Prediction in Individuals With First-Episode Psychosis. <i>Biological Psychiatry</i> , 2017 , 81, 470-477	7.9	126
139	A major role for common genetic variation in anxiety disorders. <i>Molecular Psychiatry</i> , 2020 , 25, 3292-3303	35.1	114
138	Genetic Association of Major Depression With Atypical Features and Obesity-Related Immunometabolic Dysregulations. <i>JAMA Psychiatry</i> , 2017 , 74, 1214-1225	14.5	109
137	Clinical Predictors of Response to Cognitive-Behavioral Therapy in Pediatric Anxiety Disorders: The Genes for Treatment (GxT) Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015 , 54, 454-63	7.2	105

136	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , 2019 , 176, 651-660	11.9	103
135	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
134	Serotonin transporter [corrected] methylation and response to cognitive behaviour therapy in children with anxiety disorders. <i>Translational Psychiatry</i> , 2014 , 4, e444	8.6	81
133	Genetic identification of cell types underlying brain complex traits yields insights into the etiology of Parkinson's disease. <i>Nature Genetics</i> , 2020 , 52, 482-493	36.3	79
132	Mental health in UK Biobank - development, implementation and results from an online questionnaire completed by 157 366 participants: a reanalysis. <i>BJPsych Open</i> , 2020 , 6, e18	5	76
131	Improving genetic prediction by leveraging genetic correlations among human diseases and traits. <i>Nature Communications</i> , 2018 , 9, 989	17.4	76
130	A polygenic p factor for major psychiatric disorders. <i>Translational Psychiatry</i> , 2018 , 8, 205	8.6	72
129	A Genome-Wide Test of the Differential Susceptibility Hypothesis Reveals a Genetic Predictor of Differential Response to Psychological Treatments for Child Anxiety Disorders. <i>Psychotherapy and Psychosomatics</i> , 2016 , 85, 146-58	9.4	68
128	Mental health in UK Biobank: development, implementation and results from an online questionnaire completed by 157 366 participants. <i>BJPsych Open</i> , 2018 , 4, 83-90	5	61
127	HPA AXIS RELATED GENES AND RESPONSE TO PSYCHOLOGICAL THERAPIES: GENETICS AND EPIGENETICS. <i>Depression and Anxiety</i> , 2015 , 32, 861-70	8.4	59
126	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020 , 88, 169-184	7.9	57
125	Integrated analysis of environmental and genetic influences on cord blood DNA methylation in new-borns. <i>Nature Communications</i> , 2019 , 10, 2548	17.4	54
124	Genome-wide by environment interaction studies of depressive symptoms and psychosocial stress in UK Biobank and Generation Scotland. <i>Translational Psychiatry</i> , 2019 , 9, 14	8.6	52
123	Association of Polygenic Liabilities for Major Depression, Bipolar Disorder, and Schizophrenia With Risk for Depression in the Danish Population. <i>JAMA Psychiatry</i> , 2019 , 76, 516-525	14.5	51
122	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 138-147	7.9	48
121	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020 , 25, 1430-1446	15.1	47
120	Genomics of body fat percentage may contribute to sex bias in anorexia nervosa. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 428-438	3.5	47
119	Association of Polygenic Risk for Attention-Deficit/Hyperactivity Disorder With Co-occurring Traits and Disorders. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018 , 3, 635-643	3.4	45

118	Genome-wide association study of intracranial aneurysms identifies 17 risk loci and genetic overlap with clinical risk factors. <i>Nature Genetics</i> , 2020 , 52, 1303-1313	36.3	43
117	Genetic influence on social outcomes during and after the Soviet era in Estonia. <i>Nature Human Behaviour</i> , 2018 , 2, 269-275	12.8	42
116	An Exposure-Wide and Mendelian Randomization Approach to Identifying Modifiable Factors for the Prevention of Depression. <i>American Journal of Psychiatry</i> , 2020 , 177, 944-954	11.9	40
115	Quality control, imputation and analysis of genome-wide genotyping data from the Illumina HumanCoreExome microarray. <i>Briefings in Functional Genomics</i> , 2016 , 15, 298-304	4.9	37
114	Evidence for gene-environment correlation in child feeding: Links between common genetic variation for BMI in children and parental feeding practices. <i>PLoS Genetics</i> , 2018 , 14, e1007757	6	36
113	Hair Cortisol in Twins: Heritability and Genetic Overlap with Psychological Variables and Stress-System Genes. <i>Scientific Reports</i> , 2017 , 7, 15351	4.9	33
112	High definition versus standard definition white light endoscopy for detecting dysplasia in patients with Barrett's esophagus. <i>Ecological Management and Restoration</i> , 2015 , 28, 742-9	3	33
111	A phenome-wide association and Mendelian Randomisation study of polygenic risk for depression in UK Biobank. <i>Nature Communications</i> , 2020 , 11, 2301	17.4	31
110	Indicators of mental disorders in UK Biobank-A comparison of approaches. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1796	4.3	31
109	Biological annotation of genetic loci associated with intelligence in a meta-analysis of 87,740 individuals. <i>Molecular Psychiatry</i> , 2019 , 24, 182-197	15.1	31
108	Elevated C-Reactive Protein in Patients With Depression, Independent of Genetic, Health, and Psychosocial Factors: Results From the UK Biobank. <i>American Journal of Psychiatry</i> , 2021 , 178, 522-529	11.9	30
107	Comparison of Adopted and Nonadopted Individuals Reveals Gene-Environment Interplay for Education in the UK Biobank. <i>Psychological Science</i> , 2020 , 31, 582-591	7.9	29
106	DNA methylation of FKBP5 and response to exposure-based psychological therapy. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 150-158	3.5	28
105	Genome-wide association study of response to cognitive-behavioural therapy in children with anxiety disorders. <i>British Journal of Psychiatry</i> , 2016 , 209, 236-43	5.4	27
104	Genetic correlations of psychiatric traits with body composition and glycaemic traits are sex- and age-dependent. <i>Nature Communications</i> , 2019 , 10, 5765	17.4	25
103	A genome-wide association meta-analysis of prognostic outcomes following cognitive behavioural therapy in individuals with anxiety and depressive disorders. <i>Translational Psychiatry</i> , 2019 , 9, 150	8.6	24
102	Investigation of common, low-frequency and rare genome-wide variation in anorexia nervosa. <i>Molecular Psychiatry</i> , 2018 , 23, 1169-1180	15.1	24
101	Non-replication of the association between 5HTTLPR and response to psychological therapy for child anxiety disorders. <i>British Journal of Psychiatry</i> , 2016 , 208, 182-8	5.4	23

100	Genome-Wide Association of Heroin Dependence in Han Chinese. <i>PLoS ONE</i> , 2016 , 11, e0167388	3.7	22
99	Evaluation of polygenic prediction methodology within a reference-standardized framework. <i>PLoS Genetics</i> , 2021 , 17, e1009021	6	22
98	Genome-wide association study of facial emotion recognition in children and association with polygenic risk for mental health disorders. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 701-711	3.5	21
97	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depressive disorder		21
96	Genetic Overlap Between Alzheimer's Disease and Bipolar Disorder Implicates the MARK2 and VAC14 Genes. <i>Frontiers in Neuroscience</i> , 2019 , 13, 220	5.1	20
95	Genomic influences on self-reported childhood maltreatment. <i>Translational Psychiatry</i> , 2020 , 10, 38	8.6	20
94	The Genetic Links to Anxiety and Depression (GLAD) Study: Online recruitment into the largest recontactable study of depression and anxiety. <i>Behaviour Research and Therapy</i> , 2019 , 123, 103503	5.2	18
93	Genome-wide Meta-analysis Finds the ACSL5-ZDHHC6 Locus Is Associated with ALS and Links Weight Loss to the Disease Genetics. <i>Cell Reports</i> , 2020 , 33, 108323	10.6	18
92	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 2457-2470	15.1	17
91	Depression with atypical neurovegetative symptoms shares genetic predisposition with immuno-metabolic traits and alcohol consumption. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	17
90	A Comparison of Ten Polygenic Score Methods for Psychiatric Disorders Applied Across Multiple Cohorts. <i>Biological Psychiatry</i> , 2021 , 90, 611-620	7.9	17
89	Bipolar multiplex families have an increased burden of common risk variants for psychiatric disorders. <i>Molecular Psychiatry</i> , 2021 , 26, 1286-1298	15.1	17
88	Genetic variation in the endocannabinoid system and response to Cognitive Behavior Therapy for child anxiety disorders. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 144-155	3.5	16
87	Cannabis use, depression and self-harm: phenotypic and genetic relationships. <i>Addiction</i> , 2020 , 115, 482-492	4.02	16
86	ukbtools: An R package to manage and query UK Biobank data. <i>PLoS ONE</i> , 2019 , 14, e0214311	3.7	15
85	The impact of treatment delivery format on response to cognitive behaviour therapy for preadolescent children with anxiety disorders. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2018 , 59, 763-772	7.9	15
84	The utility of the SCAS-C/P to detect specific anxiety disorders among clinically anxious children. <i>Psychological Assessment</i> , 2019 , 31, 1006-1018	5.3	14
83	Genome-wide expression and response to exposure-based psychological therapy for anxiety disorders. <i>Translational Psychiatry</i> , 2017 , 7, e1219	8.6	12

82	Examining Sex-Differentiated Genetic Effects Across Neuropsychiatric and Behavioral Traits. <i>Biological Psychiatry</i> , 2021 , 89, 1127-1137	7.9	12
81	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 91-100	3.4	12
80	Shared genetic risk between eating disorder- and substance-use-related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021 , 26, e12880	4.6	12
79	Studying individual risk factors for self-harm in the UK Biobank: A polygenic scoring and Mendelian randomisation study. <i>PLoS Medicine</i> , 2020 , 17, e1003137	11.6	11
78	Genome-wide association study of over 40,000 bipolar disorder cases provides new insights into the underlying biology		11
77	Applying polygenic risk scoring for psychiatric disorders to a large family with bipolar disorder and major depressive disorder. <i>Communications Biology</i> , 2018 , 1, 163	6.7	11
76	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2021 ,	7.9	11
75	The genetic and environmental hierarchical structure of anxiety and depression in the UK Biobank. <i>Depression and Anxiety</i> , 2020 , 37, 512-520	8.4	10
74	Comparison of adopted and non-adopted individuals reveals gene-environment interplay for education in the UK Biobank		10
73	Evidence for increased genetic risk load for major depression in patients assigned to electroconvulsive therapy. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 35-45	3.5	10
72	Multiple measures of depression to enhance validity of major depressive disorder in the UK Biobank. <i>BJPsych Open</i> , 2021 , 7, e44	5	10
71	Genome-wide investigation of schizophrenia associated plasma Ndel1 enzyme activity. <i>Schizophrenia Research</i> , 2016 , 172, 60-7	3.6	9
70	Multivariable G-E interplay in the prediction of educational achievement. <i>PLoS Genetics</i> , 2020 , 16, e1009153	6.5	9
69	GWAS meta-analysis (N=279,930) identifies new genes and functional links to intelligence		9
68	A Major Role for Common Genetic Variation in Anxiety Disorders		9
67	Genome-wide gene-environment analyses of depression and reported lifetime traumatic experiences in UK Biobank		9
66	Molecular genetic overlap between posttraumatic stress disorder and sleep phenotypes. <i>Sleep</i> , 2020 , 43,	1.1	9
65	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020 , 87, 419-430	7.9	9

64	Genetic stratification of depression in UK Biobank. <i>Translational Psychiatry</i> , 2020 , 10, 163	8.6	8
63	Genome-wide association study of depression phenotypes in UK Biobank (n = 322,580) identifies the enrichment of variants in excitatory synaptic pathways		8
62	A comparison of ten polygenic score methods for psychiatric disorders applied across multiple cohorts		8
61	Genome-wide meta-analysis of depression identifies 102 independent variants and highlights the importance of the prefrontal brain regions		8
60	Genetic comorbidity between major depression and cardio-metabolic traits, stratified by age at onset of major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020 , 183, 309-330	3.5	8
59	Separate and combined effects of genetic variants and pre-treatment whole blood gene expression on response to exposure-based cognitive behavioural therapy for anxiety disorders. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 215-226	3.8	7
58	The Genetic Architecture of Depression in Individuals of East Asian Ancestry: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2021 , 78, 1258-1269	14.5	7
57	Genetic stratification of depression in UK Biobank suggests a subgroup linked to age of natural menopause		6
56	Largest genome-wide association study for PTSD identifies genetic risk loci in European and African ancestries and implicates novel biological pathways		6
55	Genome-wide interaction study of a proxy for stress-sensitivity and its prediction of major depressive disorder. <i>PLoS ONE</i> , 2018 , 13, e0209160	3.7	6
54	Individual and shared effects of social environment and polygenic risk scores on adolescent body mass index. <i>Scientific Reports</i> , 2018 , 8, 6344	4.9	5
53	SA16A MAJOR ROLE FOR COMMON GENETIC VARIATION IN ANXIETY DISORDERS. <i>European Neuropsychopharmacology</i> , 2019 , 29, S1196	1.2	4
52	158. Exploring the Common Genetic Architecture of PTSD Symptoms in the UK Biobank. <i>Biological Psychiatry</i> , 2018 , 83, S64	7.9	4
51	Multiple measures of depression to enhance validity of Major Depressive Disorder in the UK Biobank		4
50	The genetics of the mood disorder spectrum: genome-wide association analyses of over 185,000 cases and 439,000 controls		4
49	Associations and limited shared genetic aetiology between bipolar disorder and cardiometabolic traits in the UK Biobank. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	4
48	Investigating Pleiotropy Between Depression and Autoimmune Diseases Using the UK Biobank. <i>Biological Psychiatry Global Open Science</i> , 2021 , 1, 48-58		4
47	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , 2021 ,		4

46	Genetic influences on treatment-seeking for common mental health problems in the UK biobank. <i>Behaviour Research and Therapy</i> , 2019 , 121, 103413	5.2	3
45	Association Between Genetic Risk for Psychiatric Disorders and the Probability of Living in Urban Settings. <i>JAMA Psychiatry</i> , 2021 , 78, 1355-1364	14.5	3
44	Examining sex-differentiated genetic effects across neuropsychiatric and behavioral traits		3
43	Genome-wide association study of school grades identifies a genetic overlap between language ability, psychopathology and creativity		3
42	Navigome: Navigating the Human Phenome		3
41	Functional consequences of genetic loci associated with intelligence in a meta-analysis of 87,740 individuals		3
40	Familial Influences on Neuroticism and Education in the UK Biobank. <i>Behavior Genetics</i> , 2020 , 50, 84-93	3.2	3
39	Psychological trauma and the genetic overlap between posttraumatic stress disorder and major depressive disorder. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	3
38	Addendum: Genome-wide association study of depression phenotypes in UK Biobank identifies variants in excitatory synaptic pathways. <i>Nature Communications</i> , 2018 , 9, 3578	17.4	3
37	Common Genetic Variation And Age at Onset Of Anorexia Nervosa. <i>Biological Psychiatry Global Open Science</i> , 2021 ,		3
36	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2021 ,	7.9	3
35	Genetics and neurobiology of eating disorders.. <i>Nature Neuroscience</i> , 2022 , 25, 543-554	25.5	3
34	Mental health in UK Biobank: development, implementation and results from an online questionnaire completed by 157 366 participants - RETRACTED. <i>BJPsych Open</i> , 2019 , 5, e56	5	2
33	The genetic case for cardiorespiratory fitness as a clinical vital sign and the routine prescription of physical activity in healthcare. <i>Genome Medicine</i> , 2021 , 13, 180	14.4	2
32	Genome-wide association study of suicide attempt in psychiatric disorders identifies association with major depression polygenic risk scores		2
31	Evidence for gene-environment correlation in child feeding: Links between common genetic variation for BMI in children and parental feeding practices		2
30	Cannabis use, depression and self-harm: phenotypic and genetic relationships		2
29	Mental Health in UK Biobank Revised Development, implementation and results from an online questionnaire completed by 157,366 participants		2

28	Atypical depression shares genetic predisposition with immuno-metabolic traits: a population-based study		2
27	Using Major Depression Polygenic Risk Scores to Explore the Depressive Symptom Continuum		2
26	Dissecting the shared genetic architecture of suicide attempt, psychiatric disorders and known risk factors		2
25	Using major depression polygenic risk scores to explore the depressive symptom continuum. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	2
24	Latent subtypes of manic and/or irritable episode symptoms in two population-based cohorts.. <i>British Journal of Psychiatry</i> , 2022 , 1-10	5.4	1
23	Genetic and early environmental predictors of adulthood self-reports of trauma.. <i>British Journal of Psychiatry</i> , 2022 , 1-8	5.4	1
22	Trauma and posttraumatic stress disorder modulate polygenic predictors of hippocampal and amygdala volume.. <i>Translational Psychiatry</i> , 2021 , 11, 637	8.6	1
21	Genetic variation in the Major Histocompatibility Complex and association with depression		1
20	Identifying Potential Causal Risk Factors for Self-Harm: A Polygenic Risk Scoring and Mendelian Randomisation Approach		1
19	What's in a diagnosis? A genetic decomposition of major depression		1
18	The Genetic Links to Anxiety and Depression (GLAD) Study: online recruitment into the largest recontactable study of depression and anxiety		1
17	Phenotypic Associations and Shared Genetic Etiology between Bipolar Disorder and Cardiometabolic Traits		1
16	Evaluation of Polygenic Prediction Methodology within a Reference-Standardized Framework		1
15	A two-stage approach to identifying and validating modifiable factors for the prevention of depression		1
14	Sex differences in experiences of multiple traumas and mental health problems in the UK Biobank cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	1
13	Examining Individual and Synergistic Contributions of PTSD and Genetics to Blood Pressure: A Trans-Ethnic Meta-Analysis. <i>Frontiers in Neuroscience</i> , 2021 , 15, 678503	5.1	1
12	No Evidence for Passive Gene-Environment Correlation or the Influence of Genetic Risk for Psychiatric Disorders on Adult Body Composition via the Adoption Design. <i>Behavior Genetics</i> , 2021 , 51, 58-67	3.2	1
11	Imputed gene expression risk scores: a functionally informed component of polygenic risk. <i>Human Molecular Genetics</i> , 2021 , 30, 727-738	5.6	1

10	Shared Genetic Risk Between Psychiatric and Cognitive Symptoms in Huntington's Disease and in the General Population. <i>Biological Psychiatry</i> , 2020 , 87, e25-e27	7.9	○
9	Self-reported medication use as an alternate phenotyping method for anxiety and depression in the UK Biobank. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2021 , 186, 389-398	3.5	○
8	Predicting clinical outcome to specialist multimodal inpatient treatment in patients with treatment resistant depression. <i>Journal of Affective Disorders</i> , 2021 , 291, 188-197	6.6	○
7	Comparison of depression and anxiety symptom networks in reporters and non-reporters of lifetime trauma in two samples of differing severity.. <i>Journal of Affective Disorders Reports</i> , 2021 , 6, 100201	1.4	○
6	Genes in treatment: Polygenic risk scores for different psychopathologies, neuroticism, educational attainment and IQ and the outcome of two different exposure-based fear treatments. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 699-712	3.8	
5	Latent subtypes of manic and/or irritable episode symptoms in two population-based cohorts - ERRATUM.. <i>British Journal of Psychiatry</i> , 2022 , 1-2	5.4	
4	Multivariable G-E interplay in the prediction of educational achievement 2020 , 16, e1009153		
3	Multivariable G-E interplay in the prediction of educational achievement 2020 , 16, e1009153		
2	Multivariable G-E interplay in the prediction of educational achievement 2020 , 16, e1009153		
1	Multivariable G-E interplay in the prediction of educational achievement 2020 , 16, e1009153		