

Ding-wei Ye

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5631503/publications.pdf>

Version: 2024-02-01

123
papers

3,791
citations

218677

26
h-index

155660

55
g-index

126
all docs

126
docs citations

126
times ranked

4689
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1 | Atezolizumab with or without chemotherapy in metastatic urothelial cancer (IMvigor130): a multicentre, randomised, placebo-controlled phase 3 trial. <i>Lancet</i> , The, 2020, 395, 1547-1557. | 13.7 | 546 |
| 2 | Abiraterone acetate plus prednisone in patients with newly diagnosed high-risk metastatic castration-sensitive prostate cancer (LATITUDE): final overall survival analysis of a randomised, double-blind, phase 3 trial. <i>Lancet Oncology</i> , The, 2019, 20, 686-700. | 10.7 | 496 |
| 3 | Apalutamide in Patients With Metastatic Castration-Sensitive Prostate Cancer: Final Survival Analysis of the Randomized, Double-Blind, Phase III TITAN Study. <i>Journal of Clinical Oncology</i> , 2021, 39, 2294-2303. | 1.6 | 218 |
| 4 | Prognostic value and immune infiltration of novel signatures in clear cell renal cell carcinoma microenvironment. <i>Aging</i> , 2019, 11, 6999-7020. | 3.1 | 163 |
| 5 | Genome-wide association study in Chinese men identifies two new prostate cancer risk loci at 9q31.2 and 19q13.4. <i>Nature Genetics</i> , 2012, 44, 1231-1235. | 21.4 | 160 |
| 6 | Prostate cancer in Asia: A collaborative report. <i>Asian Journal of Urology</i> , 2014, 1, 15-29. | 1.2 | 136 |
| 7 | Whole-genome and Transcriptome Sequencing of Prostate Cancer Identify New Genetic Alterations Driving Disease Progression. <i>European Urology</i> , 2018, 73, 322-339. | 1.9 | 130 |
| 8 | Identification and Validation of Stromal Immunoscore Predict Survival and Benefit from Adjuvant Chemotherapy in Patients with Muscle-Invasive Bladder Cancer. <i>Clinical Cancer Research</i> , 2018, 24, 3069-3078. | 7.0 | 124 |
| 9 | Epidemiology and genomics of prostate cancer in Asian men. <i>Nature Reviews Urology</i> , 2021, 18, 282-301. | 3.8 | 111 |
| 10 | LncRNA RP11-89 facilitates tumorigenesis and ferroptosis resistance through PROM2-activated iron export by sponging miR-129-5p in bladder cancer. <i>Cell Death and Disease</i> , 2021, 12, 1043. | 6.3 | 89 |
| 11 | Tislelizumab in Chinese patients with advanced solid tumors: an open-label, non-comparative, phase 1/2 study. , 2020, 8, e000437. | | 86 |
| 12 | A novel Germline mutation in <i>HOXB13</i> is associated with prostate cancer risk in Chinese men. <i>Prostate</i> , 2013, 73, 169-175. | 2.3 | 70 |
| 13 | A Multicentre Evaluation of the Role of the Prostate Health Index (PHI) in Regions with Differing Prevalence of Prostate Cancer: Adjustment of PHI Reference Ranges is Needed for European and Asian Settings. <i>European Urology</i> , 2019, 75, 558-561. | 1.9 | 64 |
| 14 | Tislelizumab in Asian patients with previously treated locally advanced or metastatic urothelial carcinoma. <i>Cancer Science</i> , 2021, 112, 305-313. | 3.9 | 62 |
| 15 | Visceral Obesity and Risk of High Grade Disease in Clinical T1a Renal Cell Carcinoma. <i>Journal of Urology</i> , 2013, 189, 447-453. | 0.4 | 58 |
| 16 | Large-scale association analysis in Asians identifies new susceptibility loci for prostate cancer. <i>Nature Communications</i> , 2015, 6, 8469. | 12.8 | 51 |
| 17 | FOXA1 overexpression suppresses interferon signaling and immune response in cancer. <i>Journal of Clinical Investigation</i> , 2021, 131, . | 8.2 | 48 |
| 18 | Prognostic implications of Aquaporin 9 expression in clear cell renal cell carcinoma. <i>Journal of Translational Medicine</i> , 2019, 17, 363. | 4.4 | 46 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 19 | GLUT1 is an AR target contributing to tumor growth and glycolysis in castration-resistant and enzalutamide-resistant prostate cancers. <i>Cancer Letters</i> , 2020, 485, 45-55. | 7.2 | 42 |
| 20 | Germline DNA Repair Gene Mutation Landscape in Chinese Prostate Cancer Patients. <i>European Urology</i> , 2019, 76, 280-283. | 1.9 | 41 |
| 21 | First results from the phase 3 CheckMate 274 trial of adjuvant nivolumab vs placebo in patients who underwent radical surgery for high-risk muscle-invasive urothelial carcinoma (MIUC).. <i>Journal of Clinical Oncology</i> , 2021, 39, 391-391. | 1.6 | 37 |
| 22 | Hexokinase 3 dysfunction promotes tumorigenesis and immune escape by upregulating monocyte/macrophage infiltration into the clear cell renal cell carcinoma microenvironment. <i>International Journal of Biological Sciences</i> , 2021, 17, 2205-2222. | 6.4 | 36 |
| 23 | A novel gene signature to predict immune infiltration and outcome in patients with prostate cancer. <i>Oncolmmunology</i> , 2020, 9, 1762473. | 4.6 | 33 |
| 24 | Management of patients with advanced prostate cancer in the Asia Pacific region: â€œrealâ€œworldâ€™™ consideration of results from the Advanced Prostate Cancer Consensus Conference <scp>(APCCC)</scp> 2017. <i>BJU International</i> , 2019, 123, 22-34. | 2.5 | 32 |
| 25 | Targeting CPT1B as a potential therapeutic strategy in castrationâ€™resistant and enzalutamideâ€™resistant prostate cancer. <i>Prostate</i> , 2020, 80, 950-961. | 2.3 | 31 |
| 26 | A prospective trial of 68Ga-PSMA and 18F-FDG PET/CT in nonmetastatic prostate cancer patients with an early PSA progression during castration.. <i>Journal of Clinical Oncology</i> , 2020, 38, e17579-e17579. | 1.6 | 31 |
| 27 | Elevated CD36 expression correlates with increased visceral adipose tissue and predicts poor prognosis in ccRCC patients. <i>Journal of Cancer</i> , 2019, 10, 4522-4531. | 2.5 | 29 |
| 28 | Screening and Identification of Potential Prognostic Biomarkers in Adrenocortical Carcinoma. <i>Frontiers in Genetics</i> , 2019, 10, 821. | 2.3 | 28 |
| 29 | Largeâ€™scale transcriptome profiles reveal robust 20â€™signatures metabolic prediction models and novel role of G6PC in clear cell renal cell carcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 9012-9027. | 3.6 | 28 |
| 30 | Identification of tumor-infiltrating immune cells and prognostic validation of tumor-infiltrating mast cells in adrenocortical carcinoma: results from bioinformatics and real-world data. <i>Oncolmmunology</i> , 2020, 9, 1784529. | 4.6 | 27 |
| 31 | LINC00675 activates androgen receptor axis signaling pathway to promote castration-resistant prostate cancer progression. <i>Cell Death and Disease</i> , 2020, 11, 638. | 6.3 | 26 |
| 32 | An Integrated Score and Nomogram Combining Clinical and Immunohistochemistry Factors to Predict High ISUP Grade Clear Cell Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2018, 8, 634. | 2.8 | 24 |
| 33 | Elevated MRE11 expression associated with progression and poor outcome in prostate cancer. <i>Journal of Cancer</i> , 2019, 10, 4333-4340. | 2.5 | 23 |
| 34 | Association Between Human Papillomavirus Infection and Outcome of Perioperative Nodal Radiotherapy for Penile Carcinoma. <i>European Urology Oncology</i> , 2021, 4, 802-810. | 5.4 | 22 |
| 35 | ATM-phosphorylated SPOP contributes to 53BP1 exclusion from chromatin during DNA replication. <i>Science Advances</i> , 2021, 7, . | 10.3 | 22 |
| 36 | Prevalence of comprehensive <scp>DNA</scp> damage repair gene germline mutations in Chinese prostate cancer patients. <i>International Journal of Cancer</i> , 2021, 148, 673-681. | 5.1 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 37 | Anlotinib for Patients With Metastatic Renal Cell Carcinoma Previously Treated With One Vascular Endothelial Growth Factor Receptor-Tyrosine Kinase Inhibitor: A Phase 2 Trial. <i>Frontiers in Oncology</i> , 2020, 10, 664. | 2.8 | 19 |
| 38 | Construction of an immune-related LncRNA signature with prognostic significance for bladder cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 4326-4339. | 3.6 | 19 |
| 39 | Prognostic value, DNA variation and immunologic features of a tertiary lymphoid structure-related chemokine signature in clear cell renal cell carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 1923-1935. | 4.2 | 19 |
| 40 | Decreased SPTLC1 expression predicts worse outcomes in ccRCC patients. <i>Journal of Cellular Biochemistry</i> , 2020, 121, 1552-1562. | 2.6 | 18 |
| 41 | Fatty Acid Synthase Correlates With Prognosis-Related Abdominal Adipose Distribution and Metabolic Disorders of Clear Cell Renal Cell Carcinoma. <i>Frontiers in Molecular Biosciences</i> , 2020, 7, 610229. | 3.5 | 18 |
| 42 | Prognostic Value of Germline DNA Repair Gene Mutations in De Novo Metastatic and Castration-Sensitive Prostate Cancer. <i>Oncologist</i> , 2020, 25, e1042-e1050. | 3.7 | 17 |
| 43 | The Rare Variant rs35356162 in UHRF1BP1 Increases Bladder Cancer Risk in Han Chinese Population. <i>Frontiers in Oncology</i> , 2020, 10, 134. | 2.8 | 16 |
| 44 | Visceral fat accumulation is associated with different pathological subtypes of renal cell carcinoma (<sc>RCC</sc>): a multicentre study in <sc>China</sc>. <i>BJU International</i> , 2014, 114, 496-502. | 2.5 | 15 |
| 45 | Optimising the selection of candidates for neoadjuvant chemotherapy amongst patients with node-positive penile squamous cell carcinoma. <i>BJU International</i> , 2020, 125, 867-875. | 2.5 | 15 |
| 46 | Camrelizumab plus Famitinib in Patients with Advanced or Metastatic Renal Cell Carcinoma: Data from an Open-label, Multicenter Phase II Basket Study. <i>Clinical Cancer Research</i> , 2021, 27, 5838-5846. | 7.0 | 14 |
| 47 | SPOP mutation induces replication over-firing by impairing Geminin ubiquitination and triggers replication catastrophe upon ATR inhibition. <i>Nature Communications</i> , 2021, 12, 5779. | 12.8 | 14 |
| 48 | Multi-omics reveals novel prognostic implication of SRC protein expression in bladder cancer and its correlation with immunotherapy response. <i>Annals of Medicine</i> , 2021, 53, 596-610. | 3.8 | 13 |
| 49 | Systematic Genome-Wide Profiles Reveal Alternative Splicing Landscape and Implications of Splicing Regulator DExD-Box Helicase 21 in Aggressive Progression of Adrenocortical Carcinoma. <i>Phenomics</i> , 2021, 1, 243-256. | 2.9 | 13 |
| 50 | Comprehensive Multi-Omics Identification of Interferon- γ Response Characteristics Reveals That RBCK1 Regulates the Immunosuppressive Microenvironment of Renal Cell Carcinoma. <i>Frontiers in Immunology</i> , 2021, 12, 734646. | 4.8 | 13 |
| 51 | Inherited Mutations in Chinese Men With Prostate Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2022, 20, 54-62. | 4.9 | 13 |
| 52 | Low serum prostate-specific antigen level predicts poor outcomes in patients with primary neuroendocrine prostate cancer. <i>Prostate</i> , 2019, 79, 1563-1571. | 2.3 | 12 |
| 53 | Prognostic implication and functional annotations of Rad50 expression in patients with prostate cancer. <i>Journal of Cellular Biochemistry</i> , 2020, 121, 3124-3134. | 2.6 | 12 |
| 54 | Prostate Cancer and Prostatic Diseases Best of Asia, 2019: challenges and opportunities. <i>Prostate Cancer and Prostatic Diseases</i> , 2020, 23, 197-198. | 3.9 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | A risk calculator predicting recurrence in lymph node metastatic penile cancer. <i>BJU International</i> , 2020, 126, 577-585. | 2.5 | 12 |
| 56 | Pazopanib versus sunitinib in Chinese patients with locally advanced or metastatic renal cell carcinoma: pooled subgroup analysis from the randomized, COMPARZ studies. <i>BMC Cancer</i> , 2020, 20, 219. | 2.6 | 12 |
| 57 | <p>Chinese Expert Consensus on the Diagnosis and Treatment of Castration-Resistant Prostate Cancer (2019 Update)</p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 2127-2140. | 1.9 | 12 |
| 58 | Prognostic Immunophenotyping Clusters of Clear Cell Renal Cell Carcinoma Defined by the Unique Tumor Immune Microenvironment. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 785410. | 3.7 | 12 |
| 59 | Race-specific genetic risk score is more accurate than nonrace-specific genetic risk score for predicting prostate cancer and high-grade diseases. <i>Asian Journal of Andrology</i> , 2016, 18, 525. | 1.6 | 11 |
| 60 | <p>High Expression of CD39 is Associated with Poor Prognosis and Immune Infiltrates in Clear Cell Renal Cell Carcinoma</p>. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 10453-10464. | 2.0 | 11 |
| 61 | Surgical Volume, Safety, Drug Administration, and Clinical Trials During COVID-19: Single-center Experience in Shanghai, China. <i>European Urology</i> , 2020, 78, 120-122. | 1.9 | 11 |
| 62 | Preclinical Study Using ABT263 to Increase Enzalutamide Sensitivity to Suppress Prostate Cancer Progression Via Targeting BCL2/ROS/USP26 Axis Through Altering ARv7 Protein Degradation. <i>Cancers</i> , 2020, 12, 831. | 3.7 | 11 |
| 63 | Construction of a robust prognostic model for adult adrenocortical carcinoma: Results from bioinformatics and real-world data. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 3898-3911. | 3.6 | 10 |
| 64 | m6A Regulator-Mediated Methylation Modification Model Predicts Prognosis, Tumor Microenvironment Characterizations and Response to Immunotherapies of Clear Cell Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 709579. | 2.8 | 10 |
| 65 | Importance of HPV in Chinese Penile Cancer: A Contemporary Multicenter Study. <i>Frontiers in Oncology</i> , 2020, 10, 1521. | 2.8 | 9 |
| 66 | Dose escalation and expansion (phase Ia/Ib) study of GLS-010, a recombinant fully human anti-programmed death-1 monoclonal antibody for advanced solid tumors or lymphoma. <i>European Journal of Cancer</i> , 2021, 148, 1-13. | 2.8 | 9 |
| 67 | Apalutamide plus Androgen Deprivation Therapy for Metastatic Castration-Sensitive Prostate Cancer: Analysis of Pain and Fatigue in the Phase 3 TITAN Study. <i>Journal of Urology</i> , 2021, 206, 914-923. | 0.4 | 9 |
| 68 | Intravesical Recurrence After Radical Nephroureterectomy of Upper Urinary Tract Urothelial Carcinoma: A Large Population-Based Investigation of Clinicopathologic Characteristics and Survival Outcomes. <i>Frontiers in Surgery</i> , 2021, 8, 590448. | 1.4 | 8 |
| 69 | Identification of low-frequency variants of UGT1A3 associated with bladder cancer risk by next-generation sequencing. <i>Oncogene</i> , 2021, 40, 2382-2394. | 5.9 | 8 |
| 70 | Outcomes of perineal urethrostomy for penile cancer: A 20-year international multicenter experience. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 500.e9-500.e13. | 1.6 | 8 |
| 71 | Patterns of Recurrence following Inguinal Lymph Node Dissection for Penile Cancer: Optimizing Surveillance Strategies. <i>Journal of Urology</i> , 2021, 206, 960-969. | 0.4 | 8 |
| 72 | ACSL4 Expression Is Associated With CD8+ T Cell Infiltration and Immune Response in Bladder Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 754845. | 2.8 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Integrative 5-Methylcytosine Modification Immunologically Reprograms Tumor Microenvironment Characterizations and Phenotypes of Clear Cell Renal Cell Carcinoma. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 772436. | 3.7 | 8 |
| 74 | Development and validation of a nomogram including lymphocyte-to-monocyte ratio for initial prostate biopsy: a double-center retrospective study. <i>Asian Journal of Andrology</i> , 2021, 23, 41. | 1.6 | 7 |
| 75 | Apalutamide for patients with metastatic castration-sensitive prostate cancer in East Asia: a subgroup analysis of the TITAN trial. <i>Asian Journal of Andrology</i> , 2022, 24, 161. | 1.6 | 7 |
| 76 | ALPK2 acts as tumor promotor in development of bladder cancer through targeting DEPDC1A. <i>Cell Death and Disease</i> , 2021, 12, 661. | 6.3 | 7 |
| 77 | Combination of body mass index and albumin predicts the survival in metastatic castration-resistant prostate cancer patients treated with abiraterone: A post hoc analysis of two randomized trials. <i>Cancer Medicine</i> , 2021, 10, 6697-6704. | 2.8 | 7 |
| 78 | The unique genomic landscape and prognostic mutational signature of Chinese clear cell renal cell carcinoma. <i>Journal of the National Cancer Center</i> , 2022, 2, 162-170. | 7.4 | 7 |
| 79 | Family history is significantly associated with prostate cancer and its early onset in Chinese population. <i>Prostate</i> , 2019, 79, 1762-1766. | 2.3 | 6 |
| 80 | Prognostic Value of Local Treatment in Prostate Cancer Patients With Different Metastatic Sites: A Population Based Retrospective Study. <i>Frontiers in Oncology</i> , 2020, 10, 527952. | 2.8 | 6 |
| 81 | Final analysis results from TITAN: A phase III study of apalutamide (APA) versus placebo (PBO) in patients (pts) with metastatic castration-sensitive prostate cancer (mCSPC) receiving androgen deprivation therapy (ADT).. <i>Journal of Clinical Oncology</i> , 2021, 39, 11-11. | 1.6 | 6 |
| 82 | Protumorigenic Role of Elevated Levels of DNA Polymerase Epsilon Predicts an Immune-Suppressive Microenvironment in Clear Cell Renal Cell Carcinoma. <i>Frontiers in Genetics</i> , 2021, 12, 751977. | 2.3 | 6 |
| 83 | Deciphering the role of miR-187-3p/LRFN1 axis in modulating progression, aerobic glycolysis and immune microenvironment of clear cell renal cell carcinoma. <i>Discover Oncology</i> , 2022, 13, . | 2.1 | 6 |
| 84 | The U Shape of Prostate-specific Antigen and Prostate Cancer-specific Mortality in High-grade Metastatic Prostate Adenocarcinoma. <i>European Urology Focus</i> , 2020, 6, 53-62. | 3.1 | 5 |
| 85 | Metabolically Abnormal Obesity Increases the Risk of Advanced Prostate Cancer in Chinese Patients Undergoing Radical Prostatectomy. <i>Cancer Management and Research</i> , 2020, Volume 12, 1779-1787. | 1.9 | 5 |
| 86 | Contemporary Treatment Patterns and Outcomes for Patients with Penile Squamous Cell Carcinoma: Identifying Management Gaps to Promote Multi-institutional Collaboration. <i>European Urology Oncology</i> , 2021, 4, 121-123. | 5.4 | 5 |
| 87 | Genetic polymorphisms at 19q13.33 are associated with [â²]proPSA (p2PSA) levels and provide additional predictive value to prostate health index for prostate cancer. <i>Prostate</i> , 2021, 81, 971-982. | 2.3 | 4 |
| 88 | Primary tumor surgery improves survival in non-metastatic primary urethral carcinoma patients: a large population-based investigation. <i>BMC Cancer</i> , 2021, 21, 857. | 2.6 | 4 |
| 89 | Identification and validation of novel metastasis-related signatures of clear cell renal cell carcinoma using gene expression databases. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 4108-4126. | 0.0 | 4 |
| 90 | Special issue "The advance of solid tumor research in China". Multi-omics analysis based on 1311 clear cell renal cell carcinoma samples identifies a glycolysis signature associated with prognosis and treatment response. <i>International Journal of Cancer</i> , 2023, 152, 66-78. | 5.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Immunogenomic Characteristics of Cell-Death-Associated Genes with Prognostic Implications in Bladder Cancer. <i>Frontiers in Immunology</i> , 0, 13, . | 4.8 | 4 |
| 92 | Preliminary results of targeted prostate-specific membrane antigen imaging in evaluating the efficacy of a novel hormone agent in metastatic castration-resistant prostate cancer. <i>Cancer Medicine</i> , 2020, 9, 3278-3286. | 2.8 | 3 |
| 93 | Development and validation of a mitochondrial metabolism-associated nomogram for prediction of prognosis in clear cell renal cell carcinoma. <i>Clinical and Translational Medicine</i> , 2020, 10, e120. | 4.0 | 3 |
| 94 | A 5-lncRNA Signature Associated with Smoking Predicts the Overall Survival of Patients with Muscle-Invasive Bladder Cancer. <i>Disease Markers</i> , 2021, 2021, 1-10. | 1.3 | 3 |
| 95 | Pazopanib together with 6-8 cycles of sintilimab followed by single use of pazopanib in the second-line treatment of advanced renal cell carcinoma. <i>Translational Andrology and Urology</i> , 2021, 10, 2078-2083. | 1.4 | 3 |
| 96 | Risk factors and survival outcomes for upstaging after inguinal lymph node dissection for cN1 penile squamous cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 838.e7-838.e13. | 1.6 | 3 |
| 97 | Camrelizumab plus famitinib malate in patients with advanced renal cell cancer and unresectable urothelial carcinoma: A multicenter, open-label, single-arm, phase II trial.. <i>Journal of Clinical Oncology</i> , 2020, 38, 5085-5085. | 1.6 | 3 |
| 98 | Survival after radical cystectomy for bladder cancer: Multicenter comparison between minimally invasive and open approaches. <i>Asian Journal of Urology</i> , 2020, 7, 291-300. | 1.2 | 2 |
| 99 | Prognostic value of PTEN in de novo diagnosed metastatic prostate cancer. <i>Asian Journal of Andrology</i> , 2022, 24, 50. | 1.6 | 2 |
| 100 | Health-related quality of life (HRQoL) and patient-reported outcomes at final analysis of the TITAN study of apalutamide (APA) versus placebo (PBO) in patients (pts) with metastatic castration-sensitive prostate cancer (mCSPC) receiving androgen deprivation therapy (ADT).. <i>Journal of Clinical Oncology</i> , 2021, 39, 5068-5068. | 1.6 | 2 |
| 101 | Camrelizumab plus famitinib for advanced renal cell carcinoma or unresectable urothelial carcinoma: Updated results from a phase II trial.. <i>Journal of Clinical Oncology</i> , 2021, 39, 4550-4550. | 1.6 | 2 |
| 102 | Clear Cell Papillary Renal Cell Carcinoma Shares Distinct Molecular Characteristics and may be Significantly Associated With Higher Risk of Developing Second Primary Malignancy. <i>Pathology and Oncology Research</i> , 2021, 27, 1609809. | 1.9 | 2 |
| 103 | Impact of human papillomavirus (HPV) infection on the outcome of perioperative treatments for penile squamous-cell carcinoma (PSCC).. <i>Journal of Clinical Oncology</i> , 2020, 38, 5088-5088. | 1.6 | 2 |
| 104 | A Germline Variant at 8q24 Contributes to the Serum p2PSA Level in a Chinese Prostate Biopsy Cohort. <i>Frontiers in Oncology</i> , 2021, 11, 753920. | 2.8 | 2 |
| 105 | Prostate Cancer Screening Using Prostate-Specific Antigen Tests in a High-Risk Population in China: A Cost-Utility Analysis. <i>Current Therapeutic Research</i> , 2021, 95, 100653. | 1.2 | 2 |
| 106 | Identification of a methylation panel aid in risk stratification in node-positive penile squamous cell carcinoma. <i>International Journal of Cancer</i> , 2021, 148, 1289-1298. | 5.1 | 1 |
| 107 | A phase II, multicenter, randomized, open-label study to evaluate the safety and tolerability of proxalutamide (GT0918) in subjects with metastatic castrate-resistant prostate cancer (mCRPC).. <i>Journal of Clinical Oncology</i> , 2021, 39, 108-108. | 1.6 | 1 |
| 108 | Prognostic Value of an Immunohistochemical Signature in Patients With Bladder Cancer Undergoing Radical Cystectomy. <i>Frontiers in Oncology</i> , 2021, 11, 641385. | 2.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Impact of radiation therapy on perineal urethrostomy for penile cancer. <i>Clinical and Translational Radiation Oncology</i> , 2021, 30, 84-87. | 1.7 | 1 |
| 110 | Adenylate cyclase-activating polypeptide 1 gene methylation predicts prognosis and the immune microenvironment of bladder cancer. <i>Clinical and Translational Medicine</i> , 2021, 11, e597. | 4.0 | 1 |
| 111 | Prognostic value of primary tumor surgery in seminoma patients with distant metastasis at diagnosis: a population-based study. <i>Asian Journal of Andrology</i> , 2020, 22, 602. | 1.6 | 1 |
| 112 | Survival in Metastatic Renal Cell Carcinoma Patients Treated With Sunitinib With or Without Cryoablation. <i>Frontiers in Oncology</i> , 2021, 11, 762547. | 2.8 | 1 |
| 113 | Re: Yaw A. Nyame, Matthew R. Cooperberg, Marcus G. Cumberbatch, et al. Deconstructing, Addressing, and Eliminating Racial and Ethnic Inequities in Prostate Cancer Care. <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2022.03.007 . <i>European Urology</i> , 2022, , . | 1.9 | 1 |
| 114 | Association of BMI, body composition and outcomes in Chinese patients with metastatic renal cell carcinoma treated with immunotherapy: A retrospective, multicohort analysis.. <i>Journal of Clinical Oncology</i> , 2021, 39, e16563-e16563. | 1.6 | 0 |
| 115 | The genomic landscape of Chinese patients with upper tract urothelial carcinoma.. <i>Journal of Clinical Oncology</i> , 2021, 39, e16583-e16583. | 1.6 | 0 |
| 116 | Genomic characteristics of homologous recombination deficiency in prostate cancer.. <i>Journal of Clinical Oncology</i> , 2021, 39, e17004-e17004. | 1.6 | 0 |
| 117 | MP30-15â€¦THE COMBINATION OF PROSTATE HEALTH INDEX (PHI) AND MULTIPARAMETRIC MRI PROSTATE IMPROVES THE DETECTION OF CLINICALLY SIGNIFICANT PROSTATE CANCER (CSPCA): A MULTICENTRE EVALUATION. <i>Journal of Urology</i> , 2021, 206, . | 0.4 | 0 |
| 118 | Development of a risk calculator of recurrence in inguinal lymph node metastatic (ILNM) patients with surgically resected penile squamous cell carcinoma (PSCC).. <i>Journal of Clinical Oncology</i> , 2020, 38, 1-1. | 1.6 | 0 |
| 119 | Germline mutations in DNA repair genes in a large series of unselected Chinese prostate cancer patients.. <i>Journal of Clinical Oncology</i> , 2020, 38, e17523-e17523. | 1.6 | 0 |
| 120 | Phase I study to assess the safety, tolerability, pharmacokinetics/pharmacodynamics and preliminary efficacy of SC10914 in patients with advanced solid tumors.. <i>Journal of Clinical Oncology</i> , 2020, 38, 6047-6047. | 1.6 | 0 |
| 121 | Treatment patterns and outcomes of patients with penile squamous-cell carcinoma (PSCC) undergoing inguinal lymph node dissection (ILND): An analysis of a multicenter contemporary database.. <i>Journal of Clinical Oncology</i> , 2020, 38, 5585-5585. | 1.6 | 0 |
| 122 | Abstract 3275: GLS-010, a novel fully human anti-PD-1 mAb in patients with advanced tumor: Preliminary results of a Phase Ib clinical trial. , 2020, , . | | 0 |
| 123 | 78â€¦T-Cell, MHC i, and tumor intrinsic gene signatures predict clinical benefit and resistance to tislelizumab monotherapy in pretreated PD-L1+ urothelial carcinoma. , 2020, , . | | 0 |