

Patrick M O'connor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5631928/publications.pdf>

Version: 2024-02-01

83
papers

3,678
citations

126907

33
h-index

138484

58
g-index

85
all docs

85
docs citations

85
times ranked

2719
citing authors

#	ARTICLE	IF	CITATIONS
1	New age constraints support a K/Pg boundary interval on Vega Island, Antarctica: Implications for latest Cretaceous vertebrates and paleoenvironments. <i>Bulletin of the Geological Society of America</i> , 2023, 135, 867-885.	3.3	3
2	Enhanced monography in a collaboratively evolved hub for systematic biology. , 2022, 1, .		0
3	Monographs as a nexus for building extended specimen networks using persistent identifiers. , 2022, 1, .		2
4	Paleoatmospheric CO2 oscillations through a cool middle/Late Cretaceous recorded from pedogenic carbonates in Africa. <i>Cretaceous Research</i> , 2022, 135, 105191.	1.4	1
5	First definitive record of Abelisauridae (Theropoda: Ceratosauria) from the Cretaceous Bahariya Formation, Bahariya Oasis, Western Desert of Egypt. <i>Royal Society Open Science</i> , 2022, 9, .	2.4	5
6	The oldest lamprophiid (Serpentes, Caenophidia) fossil from the late Oligocene Rukwa Rift Basin, Tanzania and the origins of African snake diversity. <i>Geobios</i> , 2021, 66-67, 67-75.	1.4	6
7	A new assemblage of Cenozoic lungfishes (Dipnoi: Lepidosirenidae) from the late Oligocene Nsungwe Formation, Rukwa Rift Basin, southwestern Tanzania. <i>Geobios</i> , 2021, 66-67, 7-14.	1.4	2
8	Postcranial Skeletal Pneumaticity in Cuculidae. <i>Zoology</i> , 2021, 146, 125907.	1.2	5
9	Dinosaur remains from the Upper Cretaceous (Campanian) of the Western Desert, Egypt. <i>Cretaceous Research</i> , 2021, 123, 104783.	1.4	5
10	Paleoclimate and paleoenvironment reconstruction of paleosols spanning the Lower to Upper Cretaceous from the Rukwa Rift Basin, Tanzania. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 577, 110539.	2.3	5
11	Constraining the body mass range of <i>Anzu wyliei</i> using volumetric and extant-scaling methods. <i>Vertebrate Anatomy Morphology Palaeontology</i> , 2021, 9, .	0.1	1
12	New evidence of a Campanian age for the Cretaceous fossil-bearing strata of Cape Marsh, Robertson Island, Antarctica. <i>Cretaceous Research</i> , 2020, 108, 104313.	1.4	3
13	Late Cretaceous bird from Madagascar reveals unique development of beaks. <i>Nature</i> , 2020, 588, 272-276.	27.8	29
14	Paleopathology in a nearly complete skeleton of <i>Majungasaurus crenatissimus</i> (Theropoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 T	1.4	5
15	A New Plesiosaur (Reptilia: Sauropterygia) Specimen from the Upper Cretaceous of West Antarctica, with Comments on the Ontogeny and Morphological Diversity of the Elasmosaurid Pelvic Girdle. <i>Annals of Carnegie Museum</i> , 2020, 86, 93.	0.5	1
16	Evolutionary Integration and Modularity in the Archosaur Cranium. <i>Integrative and Comparative Biology</i> , 2019, 59, 371-382.	2.0	48
17	The Mesozoic Biogeographic History of Gondwanan Terrestrial Vertebrates: Insights from Madagascar's Fossil Record. <i>Annual Review of Earth and Planetary Sciences</i> , 2019, 47, 519-553.	11.0	31
18	A new African Titanosaurian Sauropod Dinosaur from the middle Cretaceous Galula Formation (Mtuka Member), Rukwa Rift Basin, Southwestern Tanzania. <i>PLoS ONE</i> , 2019, 14, e0211412.	2.5	40

#	ARTICLE	IF	CITATIONS
19	Evolution of high tooth replacement rates in theropod dinosaurs. PLoS ONE, 2019, 14, e0224734.	2.5	19
20	An avian femur from the Late Cretaceous of Vega Island, Antarctic Peninsula: removing the record of cursorial landbirds from the Mesozoic of Antarctica. PeerJ, 2019, 7, e7231.	2.0	6
21	An enigmatic crocodyliform from the Upper Cretaceous Quseir Formation, central Egypt. Cretaceous Research, 2018, 90, 174-184.	1.4	9
22	New Egyptian sauropod reveals Late Cretaceous dinosaur dispersal between Europe and Africa. Nature Ecology and Evolution, 2018, 2, 445-451.	7.8	48
23	Paleomagnetism of the Cretaceous Galula Formation and implications for vertebrate evolution. Journal of African Earth Sciences, 2018, 139, 403-420.	2.0	10
24	Application of Uâ€Pb detrital zircon geochronology to drill cuttings for age control in hydrocarbon exploration wells: A case study from the Rukwa Rift Basin, Tanzania. AAPG Bulletin, 2017, 101, 143-159.	1.5	19
25	Sedimentology and paleoenvironments of a new fossiliferous late Miocene-Pliocene sedimentary succession in the Rukwa Rift Basin, Tanzania. Journal of African Earth Sciences, 2017, 129, 260-281.	2.0	12
26	Gigantic pterosaurian remains from the Upper Cretaceous of Mongolia. Journal of Vertebrate Paleontology, 2017, 37, e1361431.	1.0	2
27	The second titanosaurian (Dinosauria: Sauropoda) from the middle Cretaceous Galula Formation, southwestern Tanzania, with remarks on African titanosaurian diversity. Journal of Vertebrate Paleontology, 2017, 37, e1343250.	1.0	29
28	The evolution of sexually dimorphic tail feathers is not associated with tail skeleton dimorphism. Journal of Avian Biology, 2016, 47, 371-377.	1.2	2
29	Time-calibrated models support congruency between Cretaceous continental rifting and titanosaurian evolutionary history. Biology Letters, 2016, 12, 20151047.	2.3	75
30	Ancient avian aria from Antarctica. Nature, 2016, 538, 468-469.	27.8	0
31	Vertebrate paleontological exploration of the Upper Cretaceous succession in the Dakhla and Kharga Oases, Western Desert, Egypt. Journal of African Earth Sciences, 2016, 117, 223-234.	2.0	17
32	A New Centrosaurine Ceratopsid, Machairoceratops cronusi gen et sp. nov., from the Upper Sand Member of the Wahweap Formation (Middle Campanian), Southern Utah. PLoS ONE, 2016, 11, e0154403.	2.5	21
33	Oligocene Termite Nests with In Situ Fungus Gardens from the Rukwa Rift Basin, Tanzania, Support a Paleogene African Origin for Insect Agriculture. PLoS ONE, 2016, 11, e0156847.	2.5	65
34	The Earliest Colubroid-Dominated Snake Fauna from Africa: Perspectives from the Late Oligocene Nsungwe Formation of Southwestern Tanzania. PLoS ONE, 2014, 9, e90415.	2.5	37
35	Craniofacial Morphology of <i>Vintana Sertichi</i> (Mammalia, Gondwanatheria) from the Late Cretaceous of Madagascar. Journal of Vertebrate Paleontology, 2014, 34, 14-109.	1.0	22
36	Endocranial and Inner Ear Morphology of <i>Vintana Sertichi</i> (Mammalia, Gondwanatheria) from the Late Cretaceous of Madagascar. Journal of Vertebrate Paleontology, 2014, 34, 110-137.	1.0	25

#	ARTICLE	IF	CITATIONS
37	Sensory Anatomy and Sensory Ecology of <i>Vintana Sertichi</i> (Mammalia, Gondwanatheria) from the Late Cretaceous of Madagascar. <i>Journal of Vertebrate Paleontology</i> , 2014, 34, 203-222.	1.0	20
38	Stratigraphy and vertebrate paleoecology of Upper Cretaceous–lowest Paleogene strata on Vega Island, Antarctica. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 402, 55-72.	2.3	24
39	A new crocodyliform from the middle Cretaceous Galula Formation, southwestern Tanzania. <i>Journal of Vertebrate Paleontology</i> , 2014, 34, 576-596.	1.0	51
40	First cranial remains of a gondwanatherian mammal reveal remarkable mosaicism. <i>Nature</i> , 2014, 515, 512-517.	27.8	99
41	The basal titanosaurian <i>Rukwatitan bisepultus</i> (Dinosauria, Sauropoda) from the middle Cretaceous Galula Formation, Rukwa Rift Basin, southwestern Tanzania. <i>Journal of Vertebrate Paleontology</i> , 2014, 34, 1133-1154.	1.0	45
42	A revision of the Upper Cretaceous lepidosirenid lungfishes from the Quseir Formation, Western Desert, central Egypt. <i>Journal of Vertebrate Paleontology</i> , 2014, 34, 760-766.	1.0	16
43	Ecology and Caudal Skeletal Morphology in Birds: The Convergent Evolution of Pygostyle Shape in Underwater Foraging Taxa. <i>PLoS ONE</i> , 2014, 9, e89737.	2.5	42
44	Bone histology confirms determinate growth and small body size in the noosaurid theropod <i>Masiakasaurus knopfleri</i> . <i>Journal of Vertebrate Paleontology</i> , 2013, 33, 865-876.	1.0	56
45	Palaeontological evidence for an Oligocene divergence between Old World monkeys and apes. <i>Nature</i> , 2013, 497, 611-614.	27.8	180
46	Postcranial Pneumaticity and Bone Structure in Two Clades of Neognath Birds. <i>Anatomical Record</i> , 2013, 296, 867-876.	1.4	17
47	Initiation of the western branch of the East African Rift coeval with the eastern branch. <i>Nature Geoscience</i> , 2012, 5, 289-294.	12.9	260
48	Air-filled postcranial bones in theropod dinosaurs: physiological implications and the “reptile”-“bird” transition. <i>Biological Reviews</i> , 2012, 87, 168-193.	10.4	119
49	Bone Laminarity in the Avian Forelimb Skeleton and Its Relationship to Flight Mode: Testing Functional Interpretations. <i>Anatomical Record</i> , 2012, 295, 386-396.	1.4	25
50	A pterodactyloid pterosaur from the Upper Cretaceous Lapurr sandstone, West Turkana, Kenya. <i>Anais Da Academia Brasileira De Ciencias</i> , 2011, 83, 309-315.	0.8	25
51	Cross sectional geometry of the forelimb skeleton and flight mode in peleciform birds. <i>Journal of Morphology</i> , 2011, 272, 958-971.	1.2	39
52	A New Troodontid Theropod, <i>Talos sampsoni</i> gen. et sp. nov., from the Upper Cretaceous Western Interior Basin of North America. <i>PLoS ONE</i> , 2011, 6, e24487.	2.5	73
53	A Late Cretaceous (Maastrichtian) avifauna from the Maevarano Formation, Madagascar. <i>Journal of Vertebrate Paleontology</i> , 2010, 30, 1178-1201.	1.0	26
54	Sedimentology and depositional environments of the Red Sandstone Group, Rukwa Rift Basin, southwestern Tanzania: New insight into Cretaceous and Paleogene terrestrial ecosystems and tectonics in sub-equatorial Africa. <i>Journal of African Earth Sciences</i> , 2010, 57, 179-212.	2.0	76

#	ARTICLE	IF	CITATIONS
55	The evolution of mammal-like crocodyliforms in the Cretaceous Period of Gondwana. <i>Nature</i> , 2010, 466, 748-751.	27.8	114
56	Two-Year Body Composition Analyses of Long-Lived GHR Null Mice. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 31-40.	3.6	120
57	Craniofacial morphology of <i>Simosuchus clarki</i> (Crocodyliformes: Notosuchia) from the Late Cretaceous of Madagascar. <i>Journal of Vertebrate Paleontology</i> , 2010, 30, 13-98.	1.0	93
58	Evolution of archosaurian body plans: skeletal adaptations of an air sac-based breathing apparatus in birds and other archosaurs. <i>Journal of Experimental Zoology</i> , 2009, 311A, 629-646.	1.2	54
59	Respiratory Evolution in Sauropsids: Progress and New Approaches. <i>Journal of Experimental Zoology</i> , 2009, 311A, 549-550.	1.2	0
60	Respiratory Evolution Facilitated the Origin of Pterosaur Flight and Aerial Gigantism. <i>PLoS ONE</i> , 2009, 4, e4497.	2.5	109
61	<i>Kahawamys mbeyaensis</i> (n. gen., n. sp.) (Rodentia: Thryonomyoidea) from the late Oligocene Rukwa Rift Basin, Tanzania. <i>Journal of Vertebrate Paleontology</i> , 2009, 29, 631-634.	1.0	19
62	A hyracoid from the Late Oligocene Red Sandstone Group of Tanzania, Rukwalorax jinokitana (gen. and sp. nov.). <i>Journal of African Earth Sciences</i> , 2009, 58, 105-118.	1.0	18
63	Case 3487 <i>Megalosaurus crenatissimus</i> Depret, 1896 (currently <i>Majungasaurus crenatissimus</i>); Tj ETQq1 1 0.784314 rgBT / Overlock 10 2 Nomenclature, 2009, 66, 261-264.	0.1	2
64	Paleontological Exploration in Africa. , 2008, , 159-180.		15
65	A new freshwater crab (Decapoda: Brachyura: Potamonautidae) from the Paleogene of Tanzania, Africa. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2007, 244, 71-78.	0.4	26
66	THE POSTCRANIAL AXIAL SKELETON OF MAJUNGASAUROS CRENATISSIMUS (THEROPODA: ABELISAUROIDEA) FROM THE LATE CRETACEOUS OF MADAGASCAR. <i>Journal of Vertebrate Paleontology</i> , 2007, 27, 127-163.	1.0	100
67	PATHOLOGY IN MAJUNGASAUROS CRENATISSIMUS (THEROPODA: ABELISAUROIDEA) FROM THE LATE CRETACEOUS OF MADAGASCAR. <i>Journal of Vertebrate Paleontology</i> , 2007, 27, 180-184.	1.0	38
68	OVERVIEW OF THE HISTORY OF DISCOVERY, TAXONOMY, PHYLOGENY, AND BIOGEOGRAPHY OF MAJUNGASAUROS CRENATISSIMUS (THEROPODA: ABELISAUROIDEA) FROM THE LATE CRETACEOUS OF MADAGASCAR. <i>Journal of Vertebrate Paleontology</i> , 2007, 27, 1-20.	1.0	80
69	Postcranial skeletal pneumaticity: a case study in the use of quantitative microCT to assess vertebral structure in birds. <i>Journal of Anatomy</i> , 2007, 211, 138-147.	1.5	37
70	LATE CRETACEOUS TERRESTRIAL VERTEBRATES FROM MADAGASCAR: IMPLICATIONS FOR LATIN AMERICAN BIOGEOGRAPHY. <i>Annals of the Missouri Botanical Garden</i> , 2006, 93, 178-208.	1.3	99
71	A new vertebrate fauna from the Cretaceous Red Sandstone Group, Rukwa Rift Basin, Southwestern Tanzania. <i>Journal of African Earth Sciences</i> , 2006, 44, 277-288.	2.0	44
72	Postcranial pneumaticity: An evaluation of soft-tissue influences on the postcranial skeleton and the reconstruction of pulmonary anatomy in archosaurs. <i>Journal of Morphology</i> , 2006, 267, 1199-1226.	1.2	168

#	ARTICLE	IF	CITATIONS
73	METAPHIOMYS (RODENTIA: PHIOMYIDAE) FROM THE PALEOGENE OF SOUTHWESTERN TANZANIA. <i>Journal of Paleontology</i> , 2006, 80, 407-410.	0.8	30
74	An anthropoid primate humerus from the Rukwa Rift Basin, Paleogene of southwestern Tanzania. <i>Journal of Vertebrate Paleontology</i> , 2005, 25, 986-989.	1.0	26
75	Basic avian pulmonary design and flow-through ventilation in non-avian theropod dinosaurs. <i>Nature</i> , 2005, 436, 253-256.	27.8	193
76	Dinosaur eggshell from the Red Sandstone Group of Tanzania. <i>Journal of Vertebrate Paleontology</i> , 2004, 24, 494-497.	1.0	16
77	Pulmonary pneumaticity in the postcranial skeleton of extant Aves: A case study examining Anseriformes. <i>Journal of Morphology</i> , 2004, 261, 141-161.	1.2	104
78	Revised stratigraphy and age of the Red Sandstone Group in the Rukwa Rift Basin, Tanzania. <i>Cretaceous Research</i> , 2004, 25, 749-759.	1.4	53
79	Predatory Dinosaur Remains from Madagascar: Implications for the Cretaceous Biogeography of Gondwana. <i>Science</i> , 1998, 280, 1048-1051.	12.6	300
80	Ontogenetic changes in the craniomandibular skeleton of abelisaurid dinosaur <i>Majungasaurus crenatissimus</i> from the Late Cretaceous of Madagascar. <i>Acta Palaeontologica Polonica</i> , 0, 61, .	0.4	1
81	Macroscelideans (Myohyracinae and Rhynchocyoninae) from the late Oligocene Nsungwe formation of the Rukwa Rift Basin, southwestern Tanzania. <i>Historical Biology</i> , 0, , 1-7.	1.4	3
82	A new species of the neopterygian fish <i>Enchodus</i> from the Duwi Formation, Campanian, Late Cretaceous, Western Desert, central Egypt. <i>Acta Palaeontologica Polonica</i> , 0, 62, .	0.4	6
83	A new mammal from the Upper Cretaceous (Turonian–Campanian) Galula Formation, southwestern Tanzania. <i>Acta Palaeontologica Polonica</i> , 0, 64, .	0.4	6