Teng-Hung Yu

List of Publications by Citations

Source: https://exaly.com/author-pdf/5632733/teng-hung-yu-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19 papers 217 10 14 g-index

20 268 3.4 2.28 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
19	The burden of major adverse cardiac events in patients with coronary artery disease. <i>BMC</i> Cardiovascular Disorders, 2017 , 17, 1	2.3	44
18	Circulating secreted frizzled-related protein 5 (Sfrp5) and wingless-type MMTV integration site family member 5a (Wnt5a) levels in patients with type 2 diabetes mellitus. <i>Diabetes/Metabolism Research and Reviews</i> , 2013 , 29, 551-6	7.5	31
17	Uremic retention solute indoxyl sulfate level is associated with prolonged QTc interval in early CKD patients. <i>PLoS ONE</i> , 2015 , 10, e0119545	3.7	24
16	Relationship between shift work and peripheral total and differential leukocyte counts in Chinese steel workers. <i>Journal of Occupational Health</i> , 2016 , 58, 81-8	2.3	18
15	Shift work is associated with metabolic syndrome in male steel workers-the role of resistin and WBC count-related metabolic derangements. <i>Diabetology and Metabolic Syndrome</i> , 2017 , 9, 83	5.6	16
14	Circulating visfatin level is associated with hepatocellular carcinoma in chronic hepatitis B or C virus infection. <i>Cytokine</i> , 2017 , 90, 54-59	4	16
13	Association between hippuric acid and left ventricular hypertrophy in maintenance hemodialysis patients. <i>Clinica Chimica Acta</i> , 2018 , 484, 47-51	6.2	14
12	Serum total p-cresylsulfate level is associated with abnormal QTc interval in stable angina patients with early stage of renal failure. <i>Clinica Chimica Acta</i> , 2014 , 437, 25-30	6.2	11
11	Evaluation of a rapid quantitative determination method of PSA concentration with gold immunochromatographic strips. <i>BMC Urology</i> , 2015 , 15, 109	2.2	10
10	Associations among chronic kidney disease, high total p-cresylsulfate and left ventricular systolic dysfunction. <i>Clinica Chimica Acta</i> , 2016 , 457, 63-8	6.2	10
9	Protein-bounded uremic toxin p-cresylsulfate induces vascular permeability alternations. Histochemistry and Cell Biology, 2018, 149, 607-617	2.4	8
8	Association between lifestyle and hematological parameters: A study of Chinese male steelworkers. <i>Journal of Clinical Laboratory Analysis</i> , 2019 , 33, e22946	3	4
7	Circulating secreted frizzled-related protein 5 and chronic kidney disease in patients with acute ST-segment elevation myocardial infarction. <i>Cytokine</i> , 2018 , 110, 367-373	4	4
6	Plasma fatty acid-binding protein 4 (FABP4) level is associated with abnormal QTc interval in patients with stable angina and chronic kidney disease. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 153	2.3	2
5	Medical treatment of a Salmonella-infected left ventricular pseudoaneurysm: a case report. Kaohsiung Journal of Medical Sciences, 2010 , 26, 35-9	2.4	2
4	Serum albumin level and abnormal corrected QT interval in patients with coronary artery disease and chronic kidney disease. <i>Internal Medicine Journal</i> , 2018 , 48, 1242-1251	1.6	1
3	Association between Triglyceride Glucose Index and Corrected QT Prolongation in Chinese Male Steelworkers. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1

LIST OF PUBLICATIONS

Associations among total p-cresylsulfate, indoxyl sulfate and hippuric acid levels with hemodialysis quality indicators in maintenance hemodialysis patients. *Clinica Chimica Acta*, **2021**, 516, 83-91

6.2 1

The Arrhythmogenic Effect of Protein-Bound Uremic Toxin -Cresylsulfate: An Study. *Acta Cardiologica Sinica*, **2019**, 35, 641-648

1.1