

Teng-Hung Yu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5632733/teng-hung-yu-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19
papers

217
citations

10
h-index

14
g-index

20
ext. papers

268
ext. citations

3.4
avg, IF

2.28
L-index

#	Paper	IF	Citations
19	Association between Triglyceride Glucose Index and Corrected QT Prolongation in Chinese Male Steelworkers. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
18	Associations among total p-cresylsulfate, indoxyl sulfate and hippuric acid levels with hemodialysis quality indicators in maintenance hemodialysis patients. <i>Clinica Chimica Acta</i> , 2021 , 516, 83-91	6.2	1
17	Association between lifestyle and hematological parameters: A study of Chinese male steelworkers. <i>Journal of Clinical Laboratory Analysis</i> , 2019 , 33, e22946	3	4
16	Plasma fatty acid-binding protein 4 (FABP4) level is associated with abnormal QTc interval in patients with stable angina and chronic kidney disease. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 153	2.3	2
15	The Arrhythmogenic Effect of Protein-Bound Uremic Toxin -Cresylsulfate: An Study. <i>Acta Cardiologica Sinica</i> , 2019 , 35, 641-648	1.1	
14	Protein-bounded uremic toxin p-cresylsulfate induces vascular permeability alternations. <i>Histochemistry and Cell Biology</i> , 2018 , 149, 607-617	2.4	8
13	Serum albumin level and abnormal corrected QT interval in patients with coronary artery disease and chronic kidney disease. <i>Internal Medicine Journal</i> , 2018 , 48, 1242-1251	1.6	1
12	Association between hippuric acid and left ventricular hypertrophy in maintenance hemodialysis patients. <i>Clinica Chimica Acta</i> , 2018 , 484, 47-51	6.2	14
11	Circulating secreted frizzled-related protein 5 and chronic kidney disease in patients with acute ST-segment elevation myocardial infarction. <i>Cytokine</i> , 2018 , 110, 367-373	4	4
10	Shift work is associated with metabolic syndrome in male steel workers-the role of resistin and WBC count-related metabolic derangements. <i>Diabetology and Metabolic Syndrome</i> , 2017 , 9, 83	5.6	16
9	The burden of major adverse cardiac events in patients with coronary artery disease. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 1	2.3	44
8	Circulating visfatin level is associated with hepatocellular carcinoma in chronic hepatitis B or C virus infection. <i>Cytokine</i> , 2017 , 90, 54-59	4	16
7	Relationship between shift work and peripheral total and differential leukocyte counts in Chinese steel workers. <i>Journal of Occupational Health</i> , 2016 , 58, 81-8	2.3	18
6	Associations among chronic kidney disease, high total p-cresylsulfate and left ventricular systolic dysfunction. <i>Clinica Chimica Acta</i> , 2016 , 457, 63-8	6.2	10
5	Evaluation of a rapid quantitative determination method of PSA concentration with gold immunochromatographic strips. <i>BMC Urology</i> , 2015 , 15, 109	2.2	10
4	Uremic retention solute indoxyl sulfate level is associated with prolonged QTc interval in early CKD patients. <i>PLoS ONE</i> , 2015 , 10, e0119545	3.7	24
3	Serum total p-cresylsulfate level is associated with abnormal QTc interval in stable angina patients with early stage of renal failure. <i>Clinica Chimica Acta</i> , 2014 , 437, 25-30	6.2	11

2	Circulating secreted frizzled-related protein 5 (Sfrp5) and wingless-type MMTV integration site family member 5a (Wnt5a) levels in patients with type 2 diabetes mellitus. <i>Diabetes/Metabolism Research and Reviews</i> , 2013 , 29, 551-6	7.5	31
1	Medical treatment of a Salmonella-infected left ventricular pseudoaneurysm: a case report. <i>Kaohsiung Journal of Medical Sciences</i> , 2010 , 26, 35-9	2.4	2