
Paul Chadwick

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5633477/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	The Omnipotence of Voices. British Journal of Psychiatry, 1994, 164, 190-201.	1.7	733
2	Responding mindfully to unpleasant thoughts and images: Reliability and validity of the Southampton mindfulness questionnaire (SMQ). British Journal of Clinical Psychology, 2008, 47, 451-455.	1.7	329
3	The revised Beliefs About Voices Questionnaire (BAVQ–R). British Journal of Psychiatry, 2000, 177, 229-232.	1.7	269
4	The omnipotence of voices: testing the validity of a cognitive model. Psychological Medicine, 1997, 27, 1345-1353.	2.7	244
5	Mindfulness Groups for People with Psychosis. Behavioural and Cognitive Psychotherapy, 2005, 33, 351-359.	0.9	235
6	Mindfulness Groups for Distressing Voices and Paranoia: A Replication and Randomized Feasibility Trial. Behavioural and Cognitive Psychotherapy, 2009, 37, 403-412.	0.9	178
7	Pathways to defense of the self: A theory of two types of paranoia Clinical Psychology: Science and Practice, 1995, 2, 263-278.	0.6	162
8	Responding mindfully to distressing psychosis: A grounded theory analysis. Psychotherapy Research, 2008, 18, 77-87.	1.1	127
9	Clinical, socioâ€demographic and psychological characteristics in individuals with persistent psychotic experiences with and without a "need for care― World Psychiatry, 2016, 15, 41-52.	4.8	119
10	PARANOIA IN A NONCLINICAL POPULATION OF COLLEGE STUDENTS. Journal of Nervous and Mental Disease, 2003, 191, 425-430.	0.5	116
11	Impact of case formulation in cognitive behaviour therapy for psychosis. Behaviour Research and Therapy, 2003, 41, 671-680.	1.6	106
12	Toward an Assessment of Suitability of People with Mental Retardation for Cognitive Therapy. Cognitive Therapy and Research, 2000, 24, 627-636.	1.2	101
13	Mindfulness for psychosis. British Journal of Psychiatry, 2014, 204, 333-334.	1.7	96
14	Group mindfulness-based intervention for distressing voices: A pragmatic randomised controlled trial. Schizophrenia Research, 2016, 175, 168-173.	1.1	86
15	Group person-based cognitive therapy for distressing voices: Pilot data from nine groups. Journal of Behavior Therapy and Experimental Psychiatry, 2011, 42, 111-116.	0.6	72
16	Experience of mindfulness in people with bipolar disorder: A qualitative study. Psychotherapy Research, 2011, 21, 277-285.	1.1	51
17	Mindfulness improves psychological quality of life in community-based patients with severe mental health problems: A pilot randomized clinical trial. Schizophrenia Research, 2015, 168, 530-536.	1.1	48
18	Psychometric properties of the Hospital Anxiety and Depression Scale with a population of members of a depression self-help group. The British Journal of Medical Psychology, 2000, 73, 129-137.	0.6	47

PAUL CHADWICK

#	Article	IF	CITATIONS
19	Biases in the Processing of Different Forms of Threat in Bulimic and Comparison Women. Journal of Nervous and Mental Disease, 1996, 184, 547-554.	0.5	45
20	Paranoid cognitions, failure, and focus of attention in college students. Cognition and Emotion, 2007, 21, 558-576.	1.2	38
21	A systematic scoping review of psychological therapies for psychosis within acute psychiatric in-patient settings. British Journal of Psychiatry, 2018, 213, 490-497.	1.7	31
22	TWO CHAIRS, SELF-SCHEMATA AND A PERSON BASED APPROACH TO PSYCHOSIS. Behavioural and Cognitive Psychotherapy, 2003, 31, 439-449.	0.9	30
23	Impact of Mindfulness on Cognition and Affect in Voice Hearing: Evidence from Two Case Studies. Behavioural and Cognitive Psychotherapy, 2009, 37, 397-402.	0.9	29
24	Group personâ€based cognitive therapy for chronic depression: A pilot randomized controlled trial. British Journal of Clinical Psychology, 2012, 51, 345-350.	1.7	29
25	A paradigm for the study of paranoia in the general population: The Prisoner's Dilemma Game. Cognition and Emotion, 2013, 27, 53-62.	1.2	28
26	More Meditation, Less Habituation? The Effect of Mindfulness Practice on the Acoustic Startle Reflex. PLoS ONE, 2015, 10, e0123512.	1.1	26
27	Evaluation of DBT Emotional Coping Skills Groups for People with Parasuicidal Behaviours. Behavioural and Cognitive Psychotherapy, 2007, 35, 241.	0.9	25
28	Cognitive therapy for punishment paranoia: a single case experiment. Behaviour Research and Therapy, 1996, 34, 351-356.	1.6	23
29	To Defend or Not To Defend: A Comparison of Paranoia and Depression. Journal of Cognitive Psychotherapy, 1997, 11, 63-71.	0.2	23
30	Brief training in mindfulness meditation reduces symptoms in patients with a chronic or recurrent lifetime history of depression: A randomized controlled study. Behaviour Research and Therapy, 2017, 99, 124-130.	1.6	21
31	Subtypes of paranoia in a nonclinical sample. Cognitive Neuropsychiatry, 2007, 12, 537-553.	0.7	20
32	Evaluating psychological interventions in a novel experimental human model of anxiety. Journal of Psychiatric Research, 2015, 63, 117-122.	1.5	20
33	Mindfulness-based crisis interventions (MBCI) for psychosis within acute inpatient psychiatric settings; a feasibility randomised controlled trial. BMC Psychiatry, 2020, 20, 193.	1.1	18
34	Mindfulness for psychosis: a humanising therapeutic process. Current Opinion in Psychology, 2019, 28, 317-320.	2.5	16
35	Distress, omnipotence, and responsibility beliefs in command hallucinations. British Journal of Clinical Psychology, 2017, 56, 303-309.	1.7	13
36	Group mindfulness-based therapy for persecutory delusions: A pilot randomised controlled trial. Schizophrenia Research, 2020, 222, 534-536.	1.1	13

3

PAUL CHADWICK

#	Article	IF	CITATIONS
37	Mindfulness groups in palliative care: a pilot qualitative study. Spirituality and Health International, 2008, 9, 135-144.	0.2	12
38	Mindfulness-Based Crisis Interventions for patients with psychotic symptoms on acute psychiatric wards (amBITION study): protocol for a feasibility randomised controlled trial. Pilot and Feasibility Studies, 2016, 2, .	0.5	11
39	Validation of the German Version of the Southampton Mindfulness Questionnaire (SMQ). Mindfulness, 2020, 11, 2219-2234.	1.6	11
40	Recommendations for monitoring and reporting harm in mindfulness for psychosis research. British Journal of Psychiatry, 2021, 219, 629-631.	1.7	10
41	Mindfulness for Psychosis Groups; Within-Session Effects on Stress and Symptom-Related Distress in Routine Community Care. Behavioural and Cognitive Psychotherapy, 2019, 47, 421-430.	0.9	7
42	Positive schizotypy and the experience of creativity: The distinctive roles of suspiciousness and dispositional mindfulness. Schizophrenia Research, 2021, 228, 151-158.	1.1	7
43	Overgeneral autobiographical memory bias in clinical and non-clinical voice hearers. Psychological Medicine, 2019, 49, 113-120.	2.7	6
44	Need for care, adversity exposure and perceived stress in clinical and healthy voice-hearers. Psychological Medicine, 2021, 51, 1944-1950.	2.7	5
45	People with psychosis improve affective social cognition and self-care after a mindfulness-based social cognition training program (SocialMIND) Psychiatric Rehabilitation Journal, 2021, 44, 391-395.	0.8	5
46	Engagement, clinical outcomes and therapeutic process in online mindfulness for psychosis groups delivered in routine care. Psychology and Psychotherapy: Theory, Research and Practice, 2022, 95, 467-476.	1.3	4
47	State paranoia and urban cycling. Psychiatry Research, 2018, 266, 341-344.	1.7	3
48	The effects of voice content on stress reactivity: A simulation paradigm of auditory verbal hallucinations. Schizophrenia Research, 2019, , .	1.1	3