

# Paul Chadwick

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5633477/publications.pdf>

Version: 2024-02-01

48  
papers

3,819  
citations

236833

25  
h-index

206029

48  
g-index

63  
all docs

63  
docs citations

63  
times ranked

2315  
citing authors

#	ARTICLE	IF	CITATIONS
1	Engagement, clinical outcomes and therapeutic process in online mindfulness for psychosis groups delivered in routine care. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 467-476.	1.3	4
2	Need for care, adversity exposure and perceived stress in clinical and healthy voice-hearers. <i>Psychological Medicine</i> , 2021, 51, 1944-1950.	2.7	5
3	People with psychosis improve affective social cognition and self-care after a mindfulness-based social cognition training program (SocialMIND).. <i>Psychiatric Rehabilitation Journal</i> , 2021, 44, 391-395.	0.8	5
4	Positive schizotypy and the experience of creativity: The distinctive roles of suspiciousness and dispositional mindfulness. <i>Schizophrenia Research</i> , 2021, 228, 151-158.	1.1	7
5	Recommendations for monitoring and reporting harm in mindfulness for psychosis research. <i>British Journal of Psychiatry</i> , 2021, 219, 629-631.	1.7	10
6	Validation of the German Version of the Southampton Mindfulness Questionnaire (SMQ). <i>Mindfulness</i> , 2020, 11, 2219-2234.	1.6	11
7	Group mindfulness-based therapy for persecutory delusions: A pilot randomised controlled trial. <i>Schizophrenia Research</i> , 2020, 222, 534-536.	1.1	13
8	Mindfulness-based crisis interventions (MBCI) for psychosis within acute inpatient psychiatric settings; a feasibility randomised controlled trial. <i>BMC Psychiatry</i> , 2020, 20, 193.	1.1	18
9	The effects of voice content on stress reactivity: A simulation paradigm of auditory verbal hallucinations. <i>Schizophrenia Research</i> , 2019, , .	1.1	3
10	Mindfulness for psychosis: a humanising therapeutic process. <i>Current Opinion in Psychology</i> , 2019, 28, 317-320.	2.5	16
11	Mindfulness for Psychosis Groups; Within-Session Effects on Stress and Symptom-Related Distress in Routine Community Care. <i>Behavioural and Cognitive Psychotherapy</i> , 2019, 47, 421-430.	0.9	7
12	Overgeneral autobiographical memory bias in clinical and non-clinical voice hearers. <i>Psychological Medicine</i> , 2019, 49, 113-120.	2.7	6
13	State paranoia and urban cycling. <i>Psychiatry Research</i> , 2018, 266, 341-344.	1.7	3
14	A systematic scoping review of psychological therapies for psychosis within acute psychiatric in-patient settings. <i>British Journal of Psychiatry</i> , 2018, 213, 490-497.	1.7	31
15	Distress, omnipotence, and responsibility beliefs in command hallucinations. <i>British Journal of Clinical Psychology</i> , 2017, 56, 303-309.	1.7	13
16	Brief training in mindfulness meditation reduces symptoms in patients with a chronic or recurrent lifetime history of depression: A randomized controlled study. <i>Behaviour Research and Therapy</i> , 2017, 99, 124-130.	1.6	21
17	Group mindfulness-based intervention for distressing voices: A pragmatic randomised controlled trial. <i>Schizophrenia Research</i> , 2016, 175, 168-173.	1.1	86
18	Clinical, socio-demographic and psychological characteristics in individuals with persistent psychotic experiences with and without a "need for care". <i>World Psychiatry</i> , 2016, 15, 41-52.	4.8	119

#	ARTICLE	IF	CITATIONS
19	Mindfulness-Based Crisis Interventions for patients with psychotic symptoms on acute psychiatric wards (amBITION study): protocol for a feasibility randomised controlled trial. Pilot and Feasibility Studies, 2016, 2, .	0.5	11
20	More Meditation, Less Habituation? The Effect of Mindfulness Practice on the Acoustic Startle Reflex. PLoS ONE, 2015, 10, e0123512.	1.1	26
21	Evaluating psychological interventions in a novel experimental human model of anxiety. Journal of Psychiatric Research, 2015, 63, 117-122.	1.5	20
22	Mindfulness improves psychological quality of life in community-based patients with severe mental health problems: A pilot randomized clinical trial. Schizophrenia Research, 2015, 168, 530-536.	1.1	48
23	Mindfulness for psychosis. British Journal of Psychiatry, 2014, 204, 333-334.	1.7	96
24	A paradigm for the study of paranoia in the general population: The Prisoner's Dilemma Game. Cognition and Emotion, 2013, 27, 53-62.	1.2	28
25	Group person-based cognitive therapy for chronic depression: A pilot randomized controlled trial. British Journal of Clinical Psychology, 2012, 51, 345-350.	1.7	29
26	Experience of mindfulness in people with bipolar disorder: A qualitative study. Psychotherapy Research, 2011, 21, 277-285.	1.1	51
27	Group person-based cognitive therapy for distressing voices: Pilot data from nine groups. Journal of Behavior Therapy and Experimental Psychiatry, 2011, 42, 111-116.	0.6	72
28	Mindfulness Groups for Distressing Voices and Paranoia: A Replication and Randomized Feasibility Trial. Behavioural and Cognitive Psychotherapy, 2009, 37, 403-412.	0.9	178
29	Impact of Mindfulness on Cognition and Affect in Voice Hearing: Evidence from Two Case Studies. Behavioural and Cognitive Psychotherapy, 2009, 37, 397-402.	0.9	29
30	Responding mindfully to unpleasant thoughts and images: Reliability and validity of the Southampton mindfulness questionnaire (SMQ). British Journal of Clinical Psychology, 2008, 47, 451-455.	1.7	329
31	Mindfulness groups in palliative care: a pilot qualitative study. Spirituality and Health International, 2008, 9, 135-144.	0.2	12
32	Responding mindfully to distressing psychosis: A grounded theory analysis. Psychotherapy Research, 2008, 18, 77-87.	1.1	127
33	Subtypes of paranoia in a nonclinical sample. Cognitive Neuropsychiatry, 2007, 12, 537-553.	0.7	20
34	Evaluation of DBT Emotional Coping Skills Groups for People with Parasuicidal Behaviours. Behavioural and Cognitive Psychotherapy, 2007, 35, 241.	0.9	25
35	Paranoid cognitions, failure, and focus of attention in college students. Cognition and Emotion, 2007, 21, 558-576.	1.2	38
36	Mindfulness Groups for People with Psychosis. Behavioural and Cognitive Psychotherapy, 2005, 33, 351-359.	0.9	235

#	ARTICLE	IF	CITATIONS
37	Impact of case formulation in cognitive behaviour therapy for psychosis. Behaviour Research and Therapy, 2003, 41, 671-680.	1.6	106
38	TWO CHAIRS, SELF-SCHEMATA AND A PERSON BASED APPROACH TO PSYCHOSIS. Behavioural and Cognitive Psychotherapy, 2003, 31, 439-449.	0.9	30
39	PARANOIA IN A NONCLINICAL POPULATION OF COLLEGE STUDENTS. Journal of Nervous and Mental Disease, 2003, 191, 425-430.	0.5	116
40	The revised Beliefs About Voices Questionnaire (BAVQ®R). British Journal of Psychiatry, 2000, 177, 229-232.	1.7	269
41	Toward an Assessment of Suitability of People with Mental Retardation for Cognitive Therapy. Cognitive Therapy and Research, 2000, 24, 627-636.	1.2	101
42	Psychometric properties of the Hospital Anxiety and Depression Scale with a population of members of a depression self-help group. The British Journal of Medical Psychology, 2000, 73, 129-137.	0.6	47
43	The omnipotence of voices: testing the validity of a cognitive model. Psychological Medicine, 1997, 27, 1345-1353.	2.7	244
44	To Defend or Not To Defend: A Comparison of Paranoia and Depression. Journal of Cognitive Psychotherapy, 1997, 11, 63-71.	0.2	23
45	Cognitive therapy for punishment paranoia: a single case experiment. Behaviour Research and Therapy, 1996, 34, 351-356.	1.6	23
46	Biases in the Processing of Different Forms of Threat in Bulimic and Comparison Women. Journal of Nervous and Mental Disease, 1996, 184, 547-554.	0.5	45
47	Pathways to defense of the self: A theory of two types of paranoia.. Clinical Psychology: Science and Practice, 1995, 2, 263-278.	0.6	162
48	The Omnipotence of Voices. British Journal of Psychiatry, 1994, 164, 190-201.	1.7	733