

# Lars Nilsson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5635206/publications.pdf>

Version: 2024-02-01

65  
papers

1,520  
citations

331670

21  
h-index

330143

37  
g-index

67  
all docs

67  
docs citations

67  
times ranked

1319  
citing authors

#	ARTICLE	IF	CITATIONS
1	A criterion for when an emulsion drop undergoing turbulent deformation has reached a critically deformed state. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 648, 129213.	4.7	10
2	Investigating the effect of powder manufacturing and reconstitution on casein micelles using asymmetric flow field-flow fractionation (AF4) and transmission electron microscopy. <i>Food Research International</i> , 2021, 139, 109939.	6.2	6
3	Asymmetric flow field-flow fractionation coupled to surface plasmon resonance detection for analysis of therapeutic proteins in blood serum. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 117-127.	3.7	14
4	Modification of EDC method for increased labeling efficiency and characterization of low-content protein in gum acacia using asymmetrical flow field-flow fractionation coupled with multiple detectors. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 6313-6320.	3.7	2
5	Revisiting the dynamics of proteins during milk powder hydration using asymmetric flow field-flow fractionation (AF4). <i>Current Research in Food Science</i> , 2021, 4, 83-92.	5.8	6
6	The Impact of Glycerol on an Affibody Conformation and Its Correlation to Chemical Degradation. <i>Pharmaceutics</i> , 2021, 13, 1853.	4.5	7
7	Separation and zeta-potential determination of proteins and their oligomers using electrical asymmetrical flow field-flow fractionation (EAF4). <i>Journal of Chromatography A</i> , 2020, 1633, 461625.	3.7	15
8	First Evidence of Acyl-Hydrolase/Lipase Activity From Human Probiotic Bacteria: <i>Lactobacillus rhamnosus</i> GG and <i>Bifidobacterium longum</i> NCC 2705. <i>Frontiers in Microbiology</i> , 2020, 11, 1534.	3.5	13
9	Fractionation of Nanoparticle Matter in Red Wines Using Asymmetrical Flow Field-Flow Fractionation. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 14564-14576.	5.2	7
10	Interaction between Myricetin Aggregates and Lipase under Simplified Intestinal Conditions. <i>Foods</i> , 2020, 9, 777.	4.3	3
11	Interaction of quercetin and epigallocatechin gallate (EGCG) aggregates with pancreatic lipase under simplified intestinal conditions. <i>PLoS ONE</i> , 2020, 15, e0224853.	2.5	8
12	Characterization of binding between model protein GA-Z and human serum albumin using asymmetrical flow field-flow fractionation and small angle X-ray scattering. <i>PLoS ONE</i> , 2020, 15, e0242605.	2.5	4
13	Title is missing!. , 2020, 15, e0224853.		0
14	Title is missing!. , 2020, 15, e0224853.		0
15	Title is missing!. , 2020, 15, e0224853.		0
16	Title is missing!. , 2020, 15, e0224853.		0
17	Title is missing!. , 2020, 15, e0242605.		0
18	Title is missing!. , 2020, 15, e0242605.		0

#	ARTICLE	IF	CITATIONS
19	Title is missing!. , 2020, 15, e0242605.		0
20	Title is missing!. , 2020, 15, e0242605.		0
21	Characterization of molecular properties of wheat starch from three different types of breads using asymmetric flow field-flow fractionation (AF4). Food Chemistry, 2019, 298, 125090.	8.2	9
22	Comparison between conventional and frit-inlet channels in separation of biopolymers by asymmetric flow field-flow fractionation. Analyst, The, 2019, 144, 4559-4568.	3.5	11
23	Fractionation and characterization of starch granules using field-flow fractionation (FFF) and differential scanning calorimetry (DSC). Analytical and Bioanalytical Chemistry, 2019, 411, 3665-3674.	3.7	14
24	Physicochemical and structural properties of starch from five Andean crops grown in Bolivia. International Journal of Biological Macromolecules, 2019, 125, 829-838.	7.5	46
25	Aggregation and microstructure of cereal $\beta$ -glucan and its association with other biomolecules. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2019, 560, 402-409.	4.7	29
26	Characterization of non-solvent precipitated starch using asymmetrical flow field-flow fractionation coupled with multiple detectors. Carbohydrate Polymers, 2019, 206, 21-28.	10.2	6
27	Study on oligomerization of glutamate decarboxylase from Lactobacillus brevis using asymmetrical flow field-flow fractionation (AF4) with light scattering techniques. Analytical and Bioanalytical Chemistry, 2018, 410, 451-458.	3.7	6
28	An alternative method for calibration of flow field flow fractionation channels for hydrodynamic radius determination: The nanoemulsion method (featuring multi angle light scattering). Journal of Chromatography A, 2018, 1533, 155-163.	3.7	4
29	Co-elution phenomena in polymer mixtures studied by asymmetric flow field-flow fractionation. Journal of Chromatography A, 2018, 1532, 251-256.	3.7	13
30	Characterization of cereal $\beta$ -glucan extracts: Conformation and structural aspects. Food Hydrocolloids, 2018, 79, 218-227.	10.7	37
31	Application of asymmetric flow field-flow fractionation (AF4) and multiangle light scattering (MALS) for the evaluation of changes in the product molar mass during PVP-b-PAMPS synthesis. Analytical and Bioanalytical Chemistry, 2018, 410, 3757-3767.	3.7	10
32	Interaction between cereal $\beta$ -glucan and proteins in solution and at interfaces. Colloids and Surfaces B: Biointerfaces, 2018, 162, 256-264.	5.0	30
33	The effect of in vitro gastrointestinal conditions on the structure and conformation of oat $\beta$ -glucan. Food Hydrocolloids, 2018, 77, 659-668.	10.7	20
34	Proteins and antibodies in serum, plasma, and whole blood size characterization using asymmetrical flow field-flow fractionation (AF4). Analytical and Bioanalytical Chemistry, 2018, 410, 4867-4873.	3.7	132
35	Interaction Between Phenolic Compounds and Lipase: The Influence of Solubility and Presence of Particles in the IC <sub>50</sub> Value. Journal of Food Science, 2018, 83, 2071-2076.	3.1	26
36	Characterization of the molar mass distribution of macromolecules in beer for different mashing processes using asymmetric flow field-flow fractionation (AF4) coupled with multiple detectors. Analytical and Bioanalytical Chemistry, 2017, 409, 4551-4558.	3.7	14

#	ARTICLE	IF	CITATIONS
37	Co-elution effects can influence molar mass determination of large macromolecules with asymmetric flow field-flow fractionation coupled to multiangle light scattering. <i>Journal of Chromatography A</i> , 2017, 1506, 138-141.	3.7	12
38	Characterization of a water soluble, hyperbranched arabinogalactan from yacon ( <i>Smallanthus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702	8.2	13
39	Analysis of $\hat{I}^2$ -glucan molar mass from barley malt and brewerâ€™s spent grain with asymmetric flow field-flow fractionation (AF4) and their association to proteins. <i>Carbohydrate Polymers</i> , 2017, 157, 541-549.	10.2	38
40	Characterization of cereal $\hat{I}^2$ -glucan extracts from oat and barley and quantification of proteinaceous matter. <i>PLoS ONE</i> , 2017, 12, e0172034.	2.5	39
41	The effect of baking and enzymatic treatment on the structural properties of wheat starch. <i>Food Chemistry</i> , 2016, 213, 768-774.	8.2	16
42	Development and evaluation of methods for starch dissolution using asymmetrical flow field-flow fractionation. Part II: Dissolution of amylose. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 1399-1412.	3.7	15
43	Study on aggregation behavior of low density lipoprotein in hen egg yolk plasma by asymmetrical flow field-flow fractionation coupled with multiple detectors. <i>Food Chemistry</i> , 2016, 192, 228-234.	8.2	18
44	Physicochemical properties of different thickeners used in infant foods and their relationship with mineral availability during in vitro digestion process. <i>Food Research International</i> , 2015, 78, 62-70.	6.2	3
45	Development and evaluation of methods for starch dissolution using asymmetrical flow field-flow fractionation. Part I: Dissolution of amylopectin. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 4315-4326.	3.7	31
46	From 1D Rods to 3D Networks: A Biohybrid Topological Diversity Investigated by Asymmetrical Flow Field-Flow Fractionation. <i>Macromolecules</i> , 2015, 48, 4607-4619.	4.8	34
47	Relating genes in the biosynthesis of the polyphenol composition of <sc>A</sc>ndean colored potato collection. <i>Food Science and Nutrition</i> , 2014, 2, 46-57.	3.4	4
48	From Molecules to Products: Some Aspects of Structureâ€™Function Relationships in Cereal Starches. <i>Cereal Chemistry</i> , 2013, 90, 326-334.	2.2	16
49	Separation and characterization of food macromolecules using field-flow fractionation: A review. <i>Food Hydrocolloids</i> , 2013, 30, 1-11.	10.7	112
50	Enzymatic hydrolysis of <i>Canna indica</i>, <i>Manihot esculenta</i> and <i>Xanthosoma sagittifolium</i> native starches below the gelatinization temperature. <i>Starch/Staerke</i> , 2013, 65, 151-161.	2.1	17
51	Hydrodynamic radius determination with asymmetrical flow field-flow fractionation using decaying cross-flows. Part II. Experimental evaluation. <i>Journal of Chromatography A</i> , 2012, 1253, 127-133.	3.7	43
52	Hydrodynamic radius determination with asymmetrical flow field-flow fractionation using decaying cross-flows. Part I. A theoretical approach. <i>Journal of Chromatography A</i> , 2012, 1253, 120-126.	3.7	61
53	Asymmetrical flow field-flow fractionation enables the characterization of molecular and supramolecular properties of cereal $\hat{I}^2$ -glucan dispersions. <i>Carbohydrate Polymers</i> , 2012, 87, 518-523.	10.2	35
54	Flow FFF â€™ Basics and Key Applications. , 2012, , 1-21.		17

#	ARTICLE	IF	CITATIONS
55	Size, structure and scaling relationships in glycogen from various sources investigated with asymmetrical flow field-flow fractionation and <sup>1</sup> H NMR. <i>International Journal of Biological Macromolecules</i> , 2011, 49, 458-465.	7.5	37
56	Competitive Adsorption of Proteins from Total Hen Egg Yolk during Emulsification. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 6746-6753.	5.2	23
57	Competitive Adsorption of a Polydisperse Polymer during Emulsification: Experiments and Modeling. <i>Langmuir</i> , 2007, 23, 2346-2351.	3.5	35
58	Emulsification and Adsorption Properties of Hydrophobically Modified Potato and Barley Starch. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 1469-1474.	5.2	76
59	Adsorption of hydrophobically modified anionic starch at oppositely charged oil/water interfaces. <i>Journal of Colloid and Interface Science</i> , 2007, 308, 508-513.	9.4	78
60	Competitive Adsorption of Water Soluble Plasma Proteins from Egg Yolk at the Oil/Water Interface. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 6881-6887.	5.2	31
61	Adsorption of Hydrophobically Modified Starch at Oil/Water Interfaces during Emulsification. <i>Langmuir</i> , 2006, 22, 8770-8776.	3.5	107
62	Mechanical Degradation and Changes in Conformation of Hydrophobically Modified Starch. <i>Biomacromolecules</i> , 2006, 7, 2671-2679.	5.4	87
63	MODELLING AND CORRELATING THE PERMEABILITY OF PULP AND PAPER. <i>Drying Technology</i> , 1997, 15, 1845-1855.	3.1	0
64	Effects of serial and parallel pore nonuniformities: Results from two models of the porous structure. <i>Transport in Porous Media</i> , 1996, 25, 335-350.	2.6	3
65	SIMULATION MODELS OF MULTI-CYLINDER PAPER DRYING. <i>Drying Technology</i> , 1993, 11, 1177-1203.	3.1	16