

Luiz C J Alcantara

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5635563/luiz-c-j-alcantara-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139
papers

5,398
citations

28
h-index

72
g-index

153
ext. papers

7,301
ext. citations

7.5
avg, IF

5.29
L-index

#	Paper	IF	Citations
139	Zika virus in the Americas: Early epidemiological and genetic findings. <i>Science</i> , 2016 , 352, 345-349	33.3	703
138	Detection of a SARS-CoV-2 variant of concern in South Africa. <i>Nature</i> , 2021 , 592, 438-443	50.4	685
137	Multiplex PCR method for MinION and Illumina sequencing of Zika and other virus genomes directly from clinical samples. <i>Nature Protocols</i> , 2017 , 12, 1261-1276	18.8	529
136	Emergence and rapid spread of a new severe acute respiratory syndrome-related coronavirus 2 (SARS-CoV-2) lineage with multiple spike mutations in South Africa		446
135	Establishment and cryptic transmission of Zika virus in Brazil and the Americas. <i>Nature</i> , 2017 , 546, 406-410	50.4	366
134	Sixteen novel lineages of SARS-CoV-2 in South Africa. <i>Nature Medicine</i> , 2021 , 27, 440-446	50.5	206
133	Genomic and epidemiological monitoring of yellow fever virus transmission potential. <i>Science</i> , 2018 , 361, 894-899	33.3	184
132	HTLV-I in the general population of Salvador, Brazil: a city with African ethnic and sociodemographic characteristics. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2003 , 34, 527-31	3.1	142
131	Mobile real-time surveillance of Zika virus in Brazil. <i>Genome Medicine</i> , 2016 , 8, 97	14.4	130
130	A standardized framework for accurate, high-throughput genotyping of recombinant and non-recombinant viral sequences. <i>Nucleic Acids Research</i> , 2009 , 37, W634-42	20.1	128
129	Genome Detective: an automated system for virus identification from high-throughput sequencing data. <i>Bioinformatics</i> , 2019 , 35, 871-873	7.2	109
128	The global spread of 2019-nCoV: a molecular evolutionary analysis. <i>Pathogens and Global Health</i> , 2020 , 114, 64-67	3.1	102
127	Genome Detective Coronavirus Typing Tool for rapid identification and characterization of novel coronavirus genomes. <i>Bioinformatics</i> , 2020 , 36, 3552-3555	7.2	89
126	Emergence of Congenital Zika Syndrome: Viewpoint From the Front Lines. <i>Annals of Internal Medicine</i> , 2016 , 164, 689-91	8	70
125	Guillain-Barré Syndrome After Zika Virus Infection in Brazil. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016 , 95, 1157-1160	3.2	69
124	HTLV in the Americas: challenges and perspectives. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2006 , 19, 44-53	4.1	59
123	Epidemiology of Chikungunya Virus in Bahia, Brazil, 2014-2015. <i>PLOS Currents</i> , 2016 , 8,		48

122	The low evolutionary rate of human T-cell lymphotropic virus type-1 confirmed by analysis of vertical transmission chains. <i>Molecular Biology and Evolution</i> , 2004 , 21, 603-11	8.3	46
121	Human retroviruses (HIV and HTLV) in Brazilian Indians: seroepidemiological study and molecular epidemiology of HTLV type 2 isolates. <i>AIDS Research and Human Retroviruses</i> , 2002 , 18, 71-7	1.6	44
120	Emergence of the Asian lineage of Zika virus in Angola: an outbreak investigation. <i>Lancet Infectious Diseases</i> , 2019 , 19, 1138-1147	25.5	40
119	Fas 670 promoter polymorphism is associated to susceptibility, clinical presentation, and survival in adult T cell leukemia. <i>Journal of Leukocyte Biology</i> , 2008 , 83, 220-2	6.5	40
118	Whole Genome Sequencing of SARS-CoV-2: Adapting Illumina Protocols for Quick and Accurate Outbreak Investigation during a Pandemic. <i>Genes</i> , 2020 , 11,	4.2	39
117	Genomic, epidemiological and digital surveillance of Chikungunya virus in the Brazilian Amazon. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007065	4.8	37
116	Molecular epidemiology of HIV-1 in Santa Catarina State confirms increases of subtype C in Southern Brazil. <i>Journal of Medical Virology</i> , 2007 , 79, 1455-63	19.7	37
115	Early transmission of SARS-CoV-2 in South Africa: An epidemiological and phylogenetic report. <i>International Journal of Infectious Diseases</i> , 2021 , 103, 234-241	10.5	37
114	HTLV-1 in pregnant women from the Southern Bahia, Brazil: a neglected condition despite the high prevalence. <i>Virology Journal</i> , 2014 , 11, 28	6.1	33
113	Co-dependence of HTLV-1 p12 and p8 functions in virus persistence. <i>PLoS Pathogens</i> , 2014 , 10, e1004454	4.6	30
112	Yellow Fever Virus Reemergence and Spread in Southeast Brazil, 2016-2019. <i>Journal of Virology</i> , 2019 , 94,	6.6	29
111	Brazilian HTLV type 2a strains from intravenous drug users (IDUs) appear to have originated from two sources: Brazilian Amerindians and European/North American IDUs. <i>AIDS Research and Human Retroviruses</i> , 2003 , 19, 519-23	1.6	27
110	The ongoing COVID-19 epidemic in Minas Gerais, Brazil: insights from epidemiological data and SARS-CoV-2 whole genome sequencing. <i>Emerging Microbes and Infections</i> , 2020 , 9, 1824-1834	18.9	26
109	Sickle red cells as danger signals on proinflammatory gene expression, leukotriene B4 and interleukin-1 beta production in peripheral blood mononuclear cell. <i>Cytokine</i> , 2016 , 83, 75-84	4	26
108	RegaDB: community-driven data management and analysis for infectious diseases. <i>Bioinformatics</i> , 2013 , 29, 1477-80	7.2	25
107	Genomic and Epidemiological Surveillance of Zika Virus in the Amazon Region. <i>Cell Reports</i> , 2020 , 30, 2275-2283.e7	10.6	24
106	Neurodevelopmental delay in normocephalic children with in utero exposure to Zika virus. <i>BMJ Paediatrics Open</i> , 2019 , 3, e000486	2.4	24
105	Phylogenetic and molecular analysis of HTLV-1 isolates from a medium sized town in northern of Brazil: tracing a common origin of the virus from the most endemic city in the country. <i>Journal of Medical Virology</i> , 2008 , 80, 2040-5	19.7	24

104	HTLV-1 modifies the clinical and immunological response to schistosomiasis. <i>Clinical and Experimental Immunology</i> , 2004 , 137, 424-9	6.2	24
103	Anti-ganglioside antibodies in patients with Zika virus infection-associated Guillain-Barré Syndrome in Brazil. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007695	4.8	23
102	Lipidomic Analysis Reveals Serum Alteration of Plasmalogens in Patients Infected With ZIKA Virus. <i>Frontiers in Microbiology</i> , 2019 , 10, 753	5.7	22
101	Distribution of human T cell lymphotropic virus type 1 (HTLV-1) subtypes in Brazil: genetic characterization of LTR and tax region. <i>AIDS Research and Human Retroviruses</i> , 2006 , 22, 953-9	1.6	22
100	Tracing the origin of Brazilian HTLV-1 as determined by analysis of host and viral genes. <i>Aids</i> , 2006 , 20, 780-2	3.5	22
99	Multi-epitope based vaccine against yellow fever virus applying immunoinformatics approaches. <i>Journal of Biomolecular Structure and Dynamics</i> , 2021 , 39, 219-235	3.6	21
98	Zika virus complete genome from Salvador, Bahia, Brazil. <i>Infection, Genetics and Evolution</i> , 2016 , 41, 142-145	4.5	20
97	Globin haplotypes of human T-cell lymphotropic virus type I-infected individuals in Salvador, Bahia, Brazil, suggest a post-Columbian African origin of this virus. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2003 , 33, 536-42	3.1	19
96	Genomic Comparison Among Global Isolates of Serovars Copenhageni and Icterohaemorrhagiae Identified Natural Genetic Variation Caused by an Indel. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018 , 8, 193	5.9	18
95	Molecular epidemiology of endemic human T-lymphotropic virus type 1 in a rural community in Guinea-Bissau. <i>PLoS Neglected Tropical Diseases</i> , 2012 , 6, e1690	4.8	18
94	Correlation between polymorphisms at interleukin-6 but not at interleukin-10 promoter and the risk of human T lymphotropic virus type I-associated myelopathy/tropical spastic paraparesis in Brazilian individuals. <i>Journal of Medical Virology</i> , 2008 , 80, 2141-6	19.7	18
93	Genomic Surveillance of Yellow Fever Virus Epizootic in São Paulo, Brazil, 2016 - 2018. <i>PLoS Pathogens</i> , 2020 , 16, e1008699	7.6	18
92	A computational method for the identification of Dengue, Zika and Chikungunya virus species and genotypes. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007231	4.8	17
91	Genetic variability of human immunodeficiency virus-1 in Bahia state, Northeast, Brazil: high diversity of HIV genotypes. <i>Journal of Medical Virology</i> , 2009 , 81, 391-9	19.7	17
90	Rapid replacement of the Beta variant by the Delta variant in South Africa		17
89	Circulation of chikungunya virus East/Central/South African lineage in Rio de Janeiro, Brazil. <i>PLoS ONE</i> , 2019 , 14, e0217871	3.7	16
88	HTLV type 1 molecular study in Brazilian villages with African characteristics giving support to the post-Columbian introduction hypothesis. <i>AIDS Research and Human Retroviruses</i> , 2008 , 24, 673-7	1.6	15
87	Detection of distinct human immunodeficiency virus type 1 circulating recombinant forms in northeast Brazil. <i>Journal of Medical Virology</i> , 2011 , 83, 2066-72	19.7	14

86	Seroprevalence and molecular epidemiology of HTLV-1 isolates from HIV-1 co-infected women in Feira de Santana, Bahia, Brazil. <i>AIDS Research and Human Retroviruses</i> , 2010 , 26, 1333-9	1.6	14
85	Severe airport sanitarian control could slow down the spreading of COVID-19 pandemics in Brazil. <i>PeerJ</i> , 2020 , 8, e9446	3.1	14
84	Lower prevalence of human immunodeficiency virus type 1 Brazilian subtype B found in northeastern Brazil with slower progression to AIDS. <i>AIDS Research and Human Retroviruses</i> , 2010 , 26, 1249-54	1.6	13
83	The close relationship between South African and Latin American HTLV type 1 strains corroborated in a molecular epidemiological study of the HTLV type 1 isolates from a blood donor cohort. <i>AIDS Research and Human Retroviruses</i> , 2007 , 23, 503-7	1.6	13
82	CD4+ T-cell Count may not be a Useful Strategy to Monitor Antiretroviral Therapy Response in HTLV-1/HIV Co-infected Patients. <i>Current HIV Research</i> , 2017 , 15, 225-231	1.3	13
81	SARS-CoV-2 shifting transmission dynamics and hidden reservoirs potentially limit efficacy of public health interventions in Italy. <i>Communications Biology</i> , 2021 , 4, 489	6.7	13
80	Zika Virus spreading in South America: Evolutionary analysis of emerging neutralizing resistant Phe279Ser strains. <i>Asian Pacific Journal of Tropical Medicine</i> , 2016 , 9, 445-52	2.1	12
79	A case-control study of HTLV-infection among blood donors in Salvador, Bahia, Brazil - associated risk factors and trend towards declining prevalence. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2006 , 28, 120		12
78	Lack of high-level resistance mutations in HIV type 1 BF recombinant strains circulating in northeast Brazil. <i>AIDS Research and Human Retroviruses</i> , 2011 , 27, 623-31	1.6	11
77	A public HTLV-1 molecular epidemiology database for sequence management and data mining. <i>PLoS ONE</i> , 2012 , 7, e42123	3.7	11
76	Genomic detection of a virus lineage replacement event of dengue virus serotype 2 in Brazil, 2019. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2020 , 115, e190423	2.6	10
75	Neonatal surveillance for congenital Zika infection during the 2016 microcephaly outbreak in Salvador, Brazil: Zika virus detection in asymptomatic newborns. <i>International Journal of Gynecology and Obstetrics</i> , 2020 , 148 Suppl 2, 9-14	4	9
74	Analyses of HTLV-1 sequences suggest interaction between ORF-I mutations and HAM/TSP outcome. <i>Infection, Genetics and Evolution</i> , 2016 , 45, 420-425	4.5	9
73	Acute Vector-Borne Viral Infection: Zika and MinION Surveillance. <i>Microbiology Spectrum</i> , 2019 , 7,	8.9	9
72	Palmitoylation and p8-mediated human T-cell leukemia virus type 1 transmission. <i>Journal of Virology</i> , 2014 , 88, 2319-22	6.6	9
71	Genetic and biologic characterization of HIV type 1 subtype C isolates from south Brazil. <i>AIDS Research and Human Retroviruses</i> , 2007 , 23, 135-43	1.6	9
70	Molecular epidemiology and clinical features of human T cell lymphotropic virus type 1 infection in Spain. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, 856-62	1.6	8
69	Molecular characterization of HTLV-1 gp46 glycoprotein from health carriers and HAM/TSP infected individuals. <i>Virology Journal</i> , 2013 , 10, 75	6.1	8

68	Ethnic differences in the distribution of interleukin-6 polymorphisms among three Brazilian ethnic groups. <i>Human Biology</i> , 2005 , 77, 509-14	1.2	8
67	Severe airport sanitarian control could slow down the spreading of COVID-19 pandemics in Brazil		8
66	Time to Harmonize Dengue Nomenclature and Classification. <i>Viruses</i> , 2018 , 10,	6.2	8
65	Oral health profile in patients infected with HTLV-1: clinical findings, proviral load, and molecular analysis from HTLV-1 in saliva. <i>Journal of Medical Virology</i> , 2012 , 84, 1428-36	19.7	7
64	HTLV-1 infection in blood donors from the Western Brazilian Amazon region: seroprevalence and molecular study of viral isolates. <i>Journal of Medical Virology</i> , 2008 , 80, 1966-71	19.7	7
63	Computational screening for potential drug candidates against the SARS-CoV-2 main protease. <i>F1000Research</i> , 2020 , 9, 514	3.6	7
62	Return of the founder Chikungunya virus to its place of introduction into Brazil is revealed by genomic characterization of exanthematic disease cases. <i>Emerging Microbes and Infections</i> , 2020 , 9, 53-57	18.9	7
61	Genomic evidence of SARS-CoV-2 reinfection case with the emerging B.1.2 variant in Brazil. <i>Journal of Infection</i> , 2021 , 83, 237-279	18.9	7
60	HTLV-1aA introduction into Brazil and its association with the trans-Atlantic slave trade. <i>Infection, Genetics and Evolution</i> , 2017 , 48, 95-101	4.5	6
59	Structural Transformation to Attain Responsible BIOSciences (STARBIOS2): Protocol for a Horizon 2020 Funded European Multicenter Project to Promote Responsible Research and Innovation. <i>JMIR Research Protocols</i> , 2019 , 8, e11745	2	6
58	Multiplex PCR method for MinION and Illumina sequencing of Zika and other virus genomes directly from clinical samples		6
57	Yellow fever transmission in non-human primates, Bahia, Northeastern Brazil. <i>PLoS Neglected Tropical Diseases</i> , 2020 , 14, e0008405	4.8	6
56	Opsoclonus-myooclonus-ataxia syndrome associated with chikungunya and dengue virus co-infection. <i>International Journal of Infectious Diseases</i> , 2018 , 75, 11-14	10.5	5
55	The origin of HTLV-1 in southern Bahia by phylogenetic, mtDNA and Hglobin analysis. <i>Virology Reports</i> , 2015 , 5, 63-74		5
54	Molecular study of HBZ and gp21 human T cell leukemia virus type 1 proteins isolated from different clinical profile infected individuals. <i>AIDS Research and Human Retroviruses</i> , 2013 , 29, 1370-2	1.6	5
53	Polymorphisms at GLUT1 gene are not associated with the development of TSP/HAM in Brazilian HTLV-1 infected individuals and the discovery of a new polymorphism at GLUT1 gene. <i>Journal of Medical Virology</i> , 2009 , 81, 552-7	19.7	5
52	Re-mapping the molecular features of the human immunodeficiency virus type 1 and human T-cell lymphotropic virus type 1 Brazilian sequences using a bioinformatics unit established in Salvador, Bahia, Brazil, to give support to the viral epidemiology studies. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2007 , 102, 133-139	2.6	5
51	Measuring Mosquito-borne Viral Suitability in Myanmar and Implications for Local Zika Virus Transmission. <i>PLOS Currents</i> , 2018 , 10,		5

50	The ongoing COVID-19 epidemic in Minas Gerais, Brazil: insights from epidemiological data and SARS-CoV-2 whole genome sequencing		5
49	Short Report: Early genomic detection of SARS-CoV-2 P.1 variant in Northeast Brazil. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009591	4.8	5
48	Molecular Characterization of the Human Immunodeficiency Virus Type 1 in Women and Their Vertically Infected Children. <i>AIDS Research and Human Retroviruses</i> , 2015 , 31, 1046-51	1.6	4
47	Molecular characterization of the human T cell lymphotropic virus type 2 long terminal repeat region: A discussion about possible influences at viral gene expression. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, 92-6	1.6	4
46	Human Retrovirus Codon Usage from tRNA Point of View: Therapeutic Insights. <i>Bioinformatics and Biology Insights</i> , 2013 , 7, 335-45	5.3	4
45	Genomic Surveillance of Yellow Fever Virus Epizootic in São Paulo, Brazil, 2016-2018		4
44	Epidemiology and evolution of Zika virus in Minas Gerais, Southeast Brazil. <i>Infection, Genetics and Evolution</i> , 2021 , 91, 104785	4.5	4
43	SARS-CoV-2 epidemic in Brazil: how variants displacement have driven distinct epidemic waves.. <i>Virus Research</i> , 2022 , 198785	6.4	4
42	Deep Sequencing Analysis of Human T Cell Lymphotropic Virus Type 1 Long Terminal Repeat 5R Region from Patients with Tropical Spastic Paraparesis/Human T Cell Lymphotropic Virus Type 1-Associated Myelopathy and Asymptomatic Carriers. <i>AIDS Research and Human Retroviruses</i> , 2016 , 32, 279-83	1.6	3
41	Persistence of chikungunya ECSA genotype and local outbreak in an upper medium class neighborhood in Northeast Brazil. <i>PLoS ONE</i> , 2020 , 15, e0226098	3.7	3
40	Inferences about the global scenario of human T-cell lymphotropic virus type 1 infection using data mining of viral sequences. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2014 , 109, 448-51	2.6	3
39	Molecular characterization of long terminal repeat sequences from Brazilian human immunodeficiency virus type 1 isolates. <i>AIDS Research and Human Retroviruses</i> , 2013 , 29, 837-41	1.6	3
38	Field and classroom initiatives for portable sequence-based monitoring of dengue virus in Brazil. <i>Nature Communications</i> , 2021 , 12, 2296	17.4	3
37	West Nile Virus in Brazil. <i>Pathogens</i> , 2021 , 10,	4.5	3
36	Assessment of Genetic Diversity of HTLV-1 ORF-I Sequences Collected from Patients with Different Clinical Profiles. <i>AIDS Research and Human Retroviruses</i> , 2019 , 35, 881-884	1.6	2
35	Mapping the molecular characteristics of Brazilian human T-cell lymphotropic virus type 1 Env (gp46) and Pol amino acid sequences for vaccine design. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2007 , 102, 741-749	2.6	2
34	Mapping the molecular characteristics of Brazilian human T-cell lymphotropic virus type 1 Env (gp46) and Pol amino acid sequences for vaccine design. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2007 , 102, 741-9	2.6	2
33	Complete genome sequence of human T-cell lymphotropic type 1 from patients with different clinical profiles, including infective dermatitis. <i>Infection, Genetics and Evolution</i> , 2020 , 79, 104166	4.5	2

32	Co-Circulation of Two Independent Clades and Persistence of CHIKV-ECSA Genotype during Epidemic Waves in Rio de Janeiro, Southeast Brazil. <i>Pathogens</i> , 2020 , 9,	4.5	2
31	Short report: Introduction of chikungunya virus ECSA genotype into the Brazilian Midwest and its dispersion through the Americas. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009290	4.8	2
30	Molecular surveillance of the on-going SARS-COV-2 epidemic in Ribeirao Preto City, Brazil. <i>Infection, Genetics and Evolution</i> , 2021 , 93, 104976	4.5	2
29	Molecular Epidemiology Database for Sequence Management and Data Mining. <i>Methods in Molecular Biology</i> , 2017 , 1582, 25-31	1.4	1
28	Short communication: phylodynamics analysis of the human immunodeficiency virus type 1 envelope gene in mother and child pairs. <i>AIDS Research and Human Retroviruses</i> , 2015 , 31, 913-20	1.6	1
27	Mosquito-Borne Viral Diseases: Control and Prevention in the Genomics Era 2020 ,		1
26	Pan-omics focused to Crick's central dogma 2020 , 1-41		1
25	Frequency distribution of XbaIG > T and HaeIII T > C GLUT1 polymorphisms among different Brazilian ethnic groups. <i>Molecular Biology Reports</i> , 2010 , 37, 75-9	2.8	1
24	Emergence of the Zika virus Asian lineage in Angola		1
23	Yellow fever virus spread in Rio de Janeiro and Espıto Santo, 2016-2019: Phylodynamic assessment to improve intervention strategies		1
22	Untargeted Metabolomics Insights into Newborns with Congenital Zika Infection. <i>Pathogens</i> , 2021 , 10,	4.5	1
21	Plasma lipidome profiling of newborns with antenatal exposure to Zika virus. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009388	4.8	1
20	Application of high-throughput serological tests for controlling zoonotic viral infection in Amazon rainforest and as a strategy to prevent future pandemics (Preprint)		1
19	Reversible sensory polyneuropathy during an arboviral outbreak in Salvador, Bahia, Brazil. <i>Journal of the Neurological Sciences</i> , 2018 , 391, 3-4	3.2	1
18	Promoting Responsible Research and Innovation (RRI) During Brazilian Activities of Genomic and Epidemiological Surveillance of Arboviruses. <i>Frontiers in Public Health</i> , 2021 , 9, 693743	6	1
17	Dengue-2 Cosmopolitan genotype detection and emergence in South America		1
16	METAVIROME COMPOSITION OF BRAZILIAN BLOOD DONORS POSITIVE FOR THE ROUTINELY TESTED BLOOD-BORNE INFECTIONS.. <i>Virus Research</i> , 2022 , 311, 198689	6.4	0
15	The obscurance of the greatest sylvatic yellow fever epidemic and the cooperation of the Pan American Health Organization during the COVID-19 pandemic. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2020 , 53, e20200787	1.5	0

14	Chikungunya virus ECSA lineage reintroduction in the northeasternmost region of Brazil. <i>International Journal of Infectious Diseases</i> , 2021 , 105, 120-123	10.5	o
13	Epidemiologic History and Genetic Diversity Origins of Chikungunya and Dengue Viruses, Paraguay. <i>Emerging Infectious Diseases</i> , 2021 , 27, 1393-1404	10.2	o
12	A Retrospective Overview of Zika Virus Evolution in the Midwest of Brazil.. <i>Microbiology Spectrum</i> , 2022 , e0015522	8.9	o
11	Amino- and Carboxyl-Terminal CCR5 Mutations in Brazilian HIV-1-Infected Women and Homology Model of p.L55Q CCR5 Mutant. <i>AIDS Research and Human Retroviruses</i> , 2015 , 31, 685-91	1.6	
10	Pan-genomics of virus and its applications 2020 , 237-250		
9	Genetic characterisation of Langerin gene in human immunodeficiency virus-1-infected women from Bahia, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2014 , 109, 250-5	2.6	
8	Identification and characterization of previously described epitopes in HIV-1 subtypes B, C, F and BF in Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2007 , 11, 27-30	2.8	
7	SARS-CoV-2 SEROLOGICAL CROSS-REACTIVITY TESTING IN BRAZILIAN BLOOD DONORS, OCTOBER-DECEMBER, 2019.. <i>Journal of Infection</i> , 2021 ,	18.9	
6	First detection of human T-lymphotropic virus in blood donors in Benin shows that testing is required to improve blood safety. <i>ISBT Science Series</i> , 2019 , 14, 163-168	1.1	
5	Classification of Zika virus sequences with respect to their species and subspecies 2021 , 29-37		
4	Persistence of chikungunya ECSA genotype and local outbreak in an upper medium class neighborhood in Northeast Brazil 2020 , 15, e0226098		
3	Persistence of chikungunya ECSA genotype and local outbreak in an upper medium class neighborhood in Northeast Brazil 2020 , 15, e0226098		
2	Persistence of chikungunya ECSA genotype and local outbreak in an upper medium class neighborhood in Northeast Brazil 2020 , 15, e0226098		
1	Persistence of chikungunya ECSA genotype and local outbreak in an upper medium class neighborhood in Northeast Brazil 2020 , 15, e0226098		