## Sébastien Guillaume

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5635566/publications.pdf

Version: 2024-02-01

151 papers 7,354 citations

57631 44 h-index 78 g-index

164 all docs

164 docs citations

164 times ranked 9619 citing authors

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | A specific association between laxative misuse and suicidal behaviours in patients with anorexia nervosa and bulimia nervosa. Eating and Weight Disorders, 2022, 27, 307-315.  | 1.2 | 10        |
| 2  | Bipolar disorders in severe anorexia nervosa: prevalence and relationships. Eating and Weight Disorders, 2022, 27, 1063-1075.  | 1.2 | 6         |
| 3  | Characteristics and treatment outcome of suicidal depression: Two large naturalistic cohorts of depressed outpatients. Australian and New Zealand Journal of Psychiatry, 2022, 56, 347-364.  | 1.3 | 11        |
| 4  | Null effect of vortioxetine augmentation with celecoxib should not be generalized to other antidepressants. European Neuropsychopharmacology, 2022, 55, 84-85.   | 0.3 | 2         |
| 5  | Neutrophil-to-lymphocyte ratio (NLR) variations in relationship with childhood maltreatment in patients with anorexia nervosa: a retrospective cohort study. Eating and Weight Disorders, 2022, 27, 2201-2212.   | 1.2 | 4         |
| 6  | Clinical Dimensions Associated With Psychological Pain in Suicidal Patients. Journal of Clinical Psychiatry, 2022, 83, .   | 1.1 | 5         |
| 7  | Increased levels of anger associated with the French Government's restrictive measures against the COVID outbreak in subjects without pre-existing mental condition vs. patients with history of depression. Journal of Affective Disorders, 2022, 304, 40-42. | 2.0 | 0         |
| 8  | Selenium deficiency is associated with disease severity, disrupted reward processing, and increased suicide risk in patients with Anorexia Nervosa. Psychoneuroendocrinology, 2022, 140, 105723.   | 1.3 | 7         |
| 9  | Characterization of suicidal depression: A 1 year prospective study. European Psychiatry, 2022, 65, 1-40.  | 0.1 | 6         |
| 10 | Clinical Correlates of Measured and Predicted Resting Energy Expenditure in Patients with Anorexia Nervosa: A Retrospective Cohort Study. Nutrients, 2022, 14, 2727.   | 1.7 | 3         |
| 11 | Psychological pain and depression: it's hard to speak when it hurts. International Journal of Psychiatry in Clinical Practice, 2021, 25, 180-186.  | 1.2 | 11        |
| 12 | Shared genetic risk between eating disorder―and substanceâ€useâ€related phenotypes: Evidence from genomeâ€wide association studies. Addiction Biology, 2021, 26, e12880.   | 1.4 | 28        |
| 13 | The Early Impact of the COVID-19 Lockdown on Stress and Addictive Behaviors in an Alcohol-Consuming Student Population in France. Frontiers in Psychiatry, 2021, 12, 628631.   | 1.3 | 25        |
| 14 | The Anti-inflammatory Effect of the Tricyclic Antidepressant Clomipramine and Its High Penetration in the Brain Might Be Useful to Prevent the Psychiatric Consequences of SARS-CoV-2 Infection. Frontiers in Pharmacology, 2021, 12, 615695.                  | 1.6 | 16        |
| 15 | Euthanasia and assisted suicide in psychiatric patients: A systematic review of the literature. Journal of Psychiatric Research, 2021, 135, 153-173.   | 1.5 | 40        |
| 16 | "Waste not and stay at home―evidence of decreased food waste during the COVID-19 pandemic from the U.S. and Italy. Appetite, 2021, 160, 105110.  | 1.8 | 86        |
| 17 | Effects of Hormonal Contraception Use on Cognitive Functions in Patients With Bulimia Nervosa. Frontiers in Psychiatry, 2021, 12, 658182.  | 1.3 | 3         |
| 18 | Stigmatization toward People with Anorexia Nervosa, Bulimia Nervosa, and Binge Eating Disorder: A Scoping Review. Nutrients, 2021, 13, 2834.   | 1.7 | 32        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | The quantitative ultrasound method for assessing low bone mass in women with anorexia nervosa. Archives of Osteoporosis, 2021, 16, 13.   | 1.0 | 3         |
| 20 | Association Between the A118G Polymorphism of the OPRM1 Gene and Suicidal Depression in a Large Cohort of Outpatients with Depression. Neuropsychiatric Disease and Treatment, 2021, Volume 17, 3109-3118.                 | 1.0 | 2         |
| 21 | Psilocybin, a Naturally Occurring Indoleamine Compound, Could Be Useful to Prevent Suicidal<br>Behaviors. Pharmaceuticals, 2021, 14, 1213.   | 1.7 | 15        |
| 22 | Psychological state of a sample of patients with mood disorders during the first French COVID-19 lockdown. Scientific Reports, 2021, 11, 23711.  | 1.6 | 17        |
| 23 | Mining social networks to improve suicide prevention: A scoping review. Journal of Neuroscience Research, 2020, 98, 616-625.   | 1.3 | 43        |
| 24 | Exploring the boundaries between borderline personality disorder and suicidal behavior disorder. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 959-967.  | 1.8 | 15        |
| 25 | Specific Effects of Anorexia Nervosa and Obesity on Bone Mineral Density and Bone Turnover in Young Women. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e1536-e1548.                                       | 1.8 | 15        |
| 26 | The implications of previous history of anorexia nervosa in patients with current bulimia nervosa: Alterations in daily functioning, decisionâ€making, and bone status. European Eating Disorders Review, 2020, 28, 34-45. | 2.3 | 9         |
| 27 | FOOD ADDICTION AS A PROXY FOR ANOREXIA NERVOSA SEVERITY: NEW DATA BASED ON THE YALE FOOD ADDICTION SCALE 2.0. Psychiatry Research, 2020, 293, 113472.  | 1.7 | 25        |
| 28 | PEPSUI, a Psychoeducational Program for the Management of Suicidal Patients: A Qualitative Study From a Randomized Controlled Trial. Frontiers in Psychiatry, 2020, 11, 500447.  | 1.3 | 1         |
| 29 | Brain Stimulation in Eating Disorders: State of the Art and Future Perspectives. Journal of Clinical Medicine, 2020, 9, 2358.  | 1.0 | 23        |
| 30 | Learning From Artemisia's Lucretia: Embodied Suffering and Interoception in Suicide. Frontiers in Psychiatry, 2020, 11, 758.   | 1.3 | O         |
| 31 | The Impact of Retrospective Childhood Maltreatment on Eating Disorders as Mediated by Food Addiction: A Cross-Sectional Study. Nutrients, 2020, 12, 2969.  | 1.7 | 19        |
| 32 | Polymorphisms of stress pathway genes and emergence of suicidal ideation at antidepressant treatment onset. Translational Psychiatry, 2020, 10, 320.   | 2.4 | 7         |
| 33 | The impact of the <scp>COVID</scp> â€19 pandemic on eating disorder risk and symptoms. International Journal of Eating Disorders, 2020, 53, 1166-1170.   | 2.1 | 338       |
| 34 | Is post-traumatic embitterment disorder a yet unknown comorbidity of anorexia nervosa?. Medical Hypotheses, 2020, 140, 109670.   | 0.8 | 1         |
| 35 | Neutrophil-to-lymphocyte ratio: A potential new peripheral biomarker of suicidal behavior. European Psychiatry, 2020, 63, e14.   | 0.1 | 51        |
| 36 | Decision-making in major depressive disorder: Subjective complaint, objective performance, and discrepancy between both Journal of Affective Disorders, 2020, 270, 102-107.  | 2.0 | 11        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Cognitive modelling to assess decision-making impairments in patients with current depression and with/without suicide history. European Neuropsychopharmacology, 2020, 36, 50-59.                                       | 0.3 | 28        |
| 38 | Suicidal ideation and affect lability in single and multiple suicidal attempters with Major Depressive Disorder: An exploratory network analysis. Journal of Affective Disorders, 2020, 272, 371-379.                    | 2.0 | 11        |
| 39 | COVID-19 pandemic lockdown and problematic eating behaviors in a student population. Journal of Behavioral Addictions, 2020, 9, 826-835.   | 1.9 | 117       |
| 40 | Crossed prevalence results between subtypes of eating disorder and bipolar disorder: A systematic review of the literature. L'Encephale, 2019, 45, 60-73.  | 0.3 | 20        |
| 41 | Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. Nature Genetics, 2019, 51, 1207-1214.   | 9.4 | 641       |
| 42 | Clinical insight in anorexia nervosa: Associated and predictive factors. Psychiatry Research, 2019, 281, 112561.   | 1.7 | 24        |
| 43 | Gratitude diary for the management of suicidal inpatients: A randomized controlled trial. Depression and Anxiety, 2019, 36, 400-411.   | 2.0 | 26        |
| 44 | Safety and efficacy of transcranial direct current stimulation (tDCS) in the treatment of Anorexia Nervosa. The open-label STAR study. Brain Stimulation, 2019, 12, 1325-1327.   | 0.7 | 15        |
| 45 | Medication in AN: A Multidisciplinary Overview of Meta-Analyses and Systematic Reviews. Journal of Clinical Medicine, 2019, 8, 278.  | 1.0 | 47        |
| 46 | Association of symptoms of attention deficit-hyperactivity disorder and impulsive-aggression with severity of suicidal behavior in adult attempters. Scientific Reports, 2019, 9, 4593.                                  | 1.6 | 15        |
| 47 | Oral contraceptives partially protect from bone loss in young women with anorexia nervosa. Fertility and Sterility, 2019, 111, 1020-1029.e2.   | 0.5 | 19        |
| 48 | Decision-Making Skills Moderate the Relationship between Psychological and Physical Pain with Suicidal Behavior in Depressed Patients. Psychotherapy and Psychosomatics, 2019, 88, 190-191.                              | 4.0 | 6         |
| 49 | Impact of bipolar disorder on eating disorders severity in real-life settings. Journal of Affective Disorders, 2019, 246, 867-872.   | 2.0 | 11        |
| 50 | Polymorphism A118G of opioid receptor mu 1 (OPRM1) is associated with emergence of suicidal ideation at antidepressant onset in a large naturalistic cohort of depressed outpatients. Scientific Reports, 2019, 9, 2569. | 1.6 | 27        |
| 51 | Association between baseline pro-inflammatory cytokines and brain activation during social exclusion in patients with vulnerability to suicide and depressive disorder. Psychoneuroendocrinology, 2019, 99, 236-242.     | 1.3 | 31        |
| 52 | Structural differences in eating disorder psychopathology after history of childhood abuse: Insights from a Bayesian network analysis Journal of Abnormal Psychology, 2019, 128, 795-805.                                | 2.0 | 24        |
| 53 | Effects of the two types of anorexia nervosa (binge eating/purging and restrictive) on bone metabolism in female patients. Clinical Endocrinology, 2018, 88, 863-872.  | 1.2 | 5         |
| 54 | Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. Molecular Psychiatry, 2018, 23, 133-142.                       | 4.1 | 247       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Tianeptine is associated with lower risk of suicidal ideation worsening during the first weeks of treatment onset compared with other antidepressants: A naturalistic study. Journal of Psychiatric Research, 2018, 96, 167-170. | 1.5 | 12        |
| 56 | Binge eating behaviours in bipolar disorders. Journal of Affective Disorders, 2018, 225, 482-488.  | 2.0 | 27        |
| 57 | Anhedonia is associated with suicidal ideation independently of depression: A meta-analysis. Depression and Anxiety, 2018, 35, 382-392.  | 2.0 | 147       |
| 58 | Improving decisionâ€making and cognitive impulse control in bulimia nervosa by rTMS: An ancillary randomized controlled study. International Journal of Eating Disorders, 2018, 51, 1103-1106.                                   | 2.1 | 16        |
| 59 | Acceptance and Commitment Therapy for the Management of Suicidal Patients: A Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2018, 87, 211-222.   | 4.0 | 48        |
| 60 | Prise en charge connectée de la boulimie et de l'hyperphagie boulimique : un gadget à la mode ou une<br>avancée significative dans les soins ?. French Journal of Psychiatry, 2018, 1, S53.                                      | 0.1 | 0         |
| 61 | Positive and negative life events and reasons for living modulate suicidal ideation in a sample of patients with history of suicide attempts. Journal of Psychiatric Research, 2017, 88, 64-71.                                  | 1.5 | 23        |
| 62 | Impact of child maltreatment on meaning in life in psychiatric patients. Psychiatry Research, 2017, 251, 204-211.  | 1.7 | 16        |
| 63 | Affect lability predicts occurrence of suicidal ideation in bipolar patients: a twoâ€year prospective study. Acta Psychiatrica Scandinavica, 2017, 135, 460-469.   | 2.2 | 18        |
| 64 | Animal models to improve our understanding and treatment of suicidal behavior. Translational Psychiatry, 2017, 7, e1092-e1092.   | 2.4 | 61        |
| 65 | Epigenetics in the Remission of Anorexia Nervosa: A Follow-up Study of Whole-genome Methylation Profiles. European Psychiatry, 2017, 41, S102-S102.  | 0.1 | 2         |
| 66 | Transcranial Magnetic Stimulation and the Urge to Eat: A Comment on Lowe, Vincent, and Hall (2017). Psychosomatic Medicine, 2017, 79, 837-839.   | 1.3 | 1         |
| 67 | Physical and mental health burden in cases of bipolar disorder classified as current, former, or non-tobacco smokers. Journal of Affective Disorders, 2017, 208, 406-413.  | 2.0 | 13        |
| 68 | Amenorrhoea and Anorexia Nervosa in Adolescent Girls. ISGE Series, 2017, , 119-125.  | 0.2 | 0         |
| 69 | Personality Traits of Suicidality Are Associated with Premenstrual Syndrome and Premenstrual Dysphoric Disorder in a Suicidal Women Sample. PLoS ONE, 2016, 11, e0148653.  | 1.1 | 37        |
| 70 | Executive Functions in Tobacco Dependence: Importance of Inhibitory Capacities. PLoS ONE, 2016, 11, e0150940.  | 1.1 | 21        |
| 71 | Associations between adverse childhood experiences and clinical characteristics of eating disorders. Scientific Reports, 2016, 6, 35761.   | 1.6 | 89        |
| 72 | Heavy tobacco dependence in suicide attempters making recurrent and medically serious attempts. Drug and Alcohol Dependence, 2016, 160, 177-182.   | 1.6 | 14        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 73 | A Lack of Clinical Effect of Highâ€frequency <scp>r</scp> TMS to Dorsolateral Prefrontal Cortex on Bulimic Symptoms: A Randomised, Doubleâ€blind Trial. European Eating Disorders Review, 2016, 24, 474-481.       | 2.3 | 40        |
| 74 | Whole-genome epigenetic changes genome regarding childhood maltreatment in patients with borderline personality disorder or depression. European Psychiatry, 2016, 33, S31-S31.                                    | 0.1 | 1         |
| 75 | Do reasons for living protect against suicidal thoughts and behaviors? A systematic review of the literature. Journal of Psychiatric Research, 2016, 77, 92-108.   | 1.5 | 68        |
| 76 | Decision-making in unipolar or bipolar suicide attempters. Journal of Affective Disorders, 2016, 190, 128-136.   | 2.0 | 56        |
| 77 | Evidence of a link between resting energy expenditure and bone remodelling, glucose homeostasis and adipokine variations in adolescent girls with anorexia nervosa. Osteoporosis International, 2016, 27, 135-146. | 1.3 | 30        |
| 78 | Neuroinflammation in suicide: Toward a comprehensive model. World Journal of Biological Psychiatry, 2016, 17, 564-586.   | 1.3 | 104       |
| 79 | Lithium: The Key Antisuicide Agent. , 2016, , 303-311.   |     | O         |
| 80 | Impaired decision-making in symptomatic anorexia and bulimia nervosa patients: a meta-analysis. Psychological Medicine, 2015, 45, 3377-3391.   | 2.7 | 75        |
| 81 | Lithium might be associated with better decision-making performance in euthymic bipolar patients. European Neuropsychopharmacology, 2015, 25, 788-797.   | 0.3 | 23        |
| 82 | The Additive Effect on Suicidality of Family History of Suicidal Behavior and Early Traumatic Experiences. Archives of Suicide Research, 2015, 19, 275-283.  | 1.2 | 11        |
| 83 | Increased CRP levels may be a trait marker of suicidal attempt. European Neuropsychopharmacology, 2015, 25, 1824-1831.   | 0.3 | 69        |
| 84 | Increased risk of suicide attempt in bipolar patients with severe tobacco dependence. Journal of Affective Disorders, 2015, 183, 113-118.  | 2.0 | 35        |
| 85 | Exercise and Counseling for Smoking Cessation in Smokers With Depressive Symptoms: A Randomized Controlled Pilot Trial. Journal of Dual Diagnosis, 2015, 11, 205-216.  | 0.7 | 31        |
| 86 | Prevalence and Smoking Behavior Characteristics of Nonselected Smokers With Childhood and/or Adult Self-Reported ADHD Symptoms in a Smoking-Cessation Program. Journal of Attention Disorders, 2015, 19, 293-300.  | 1.5 | 18        |
| 87 | A meta-analysis of cytokines in suicidal behavior. Brain, Behavior, and Immunity, 2015, 46, 203-211.   | 2.0 | 94        |
| 88 | A combined high CYP2D6-CYP2C19 metabolic capacity is associated with the severity of suicide attempt as measured by objective circumstances. Pharmacogenomics Journal, 2015, 15, 172-176.                          | 0.9 | 25        |
| 89 | Borderline personality disorder and childhood maltreatment: a genomeâ€wide methylation analysis.<br>Genes, Brain and Behavior, 2015, 14, 177-188.  | 1.1 | 88        |
| 90 | A further assessment of decision-making in anorexia nervosa. European Psychiatry, 2015, 30, 121-127.   | 0.1 | 42        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 91  | La thérapie d'acceptation et d'engagement dans la prise en charge des conduites suicidaires. European Psychiatry, 2015, 30, S47-S48.  | 0.1 | 0         |
| 92  | ABCB1 gene polymorphisms and violent suicide attempt among survivors. Journal of Psychiatric Research, 2015, 61, 52-56.   | 1.5 | 14        |
| 93  | Posttraumatic Stress Disorder following childhood abuse increases the severity of suicide attempts. Journal of Affective Disorders, 2015, 170, 7-14.  | 2.0 | 28        |
| 94  | Differential impairments underlying decision making in anorexia nervosa and bulimia nervosa: A cognitive modeling analysis. International Journal of Eating Disorders, 2014, 47, 157-167.   | 2.1 | 63        |
| 95  | Increased severity of suicidal behavior in impulsive aggressive patients exposed to familial adversities. Psychological Medicine, 2014, 44, 3059-3068.  | 2.7 | 34        |
| 96  | Acceptance and Commitment Therapy for Management of Suicidal Patients: A Pilot Study. Psychotherapy and Psychosomatics, 2014, 83, 374-376.  | 4.0 | 53        |
| 97  | Impact of axis-I comorbidity and suicidal behavior disorders on sensitivity and specificity of the Mood Disorder Questionnaire in complex depressed inpatients. Comprehensive Psychiatry, 2014, 55, 876-882.  | 1.5 | 9         |
| 98  | Role of Sclerostin and Dickkopf-1 in the Dramatic Alteration in Bone Mass Acquisition in Adolescents and Young Women With Recent Anorexia Nervosa. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E582-E590.                               | 1.8 | 34        |
| 99  | Feasibility and validity of ecological momentary assessment in the investigation of suicide risk. Psychiatry Research, 2014, 220, 564-570.  | 1.7 | 104       |
| 100 | Smoking behavior characteristics of non-selected smokers with childhood attention-deficit/hyperactivity disorder (AD/HD) history: a systematic review and meta-analysis. European Archives of Psychiatry and Clinical Neuroscience, 2014, 264, 379-389. | 1.8 | 7         |
| 101 | A genome-wide association study of anorexia nervosa. Molecular Psychiatry, 2014, 19, 1085-1094.   | 4.1 | 282       |
| 102 | Les indications actuelles du lithiumÂ: la prévention du risque suicidaire. Annales Medico-Psychologiques, 2014, 172, 182-185.   | 0.2 | 0         |
| 103 | Violent and Serious Suicide Attempters. Journal of Clinical Psychiatry, 2014, 75, e191-e197.  | 1.1 | 66        |
| 104 | A Cross-Sectional Study of Major Repeaters. primary care companion for CNS disorders, The, 2014, 16, .  | 0.2 | 18        |
| 105 | La neuromodulation est-elle une technique d'avenir dans la prise en charge des troubles des conduites alimentaires (TCA)�. European Psychiatry, 2013, 28, 20-20.  | 0.1 | O         |
| 106 | Self-reported major depressive symptoms at baseline impact abstinence prognosis in smoking cessation program. A one-year prospective study. Journal of Affective Disorders, 2013, 149, 418-421.   | 2.0 | 26        |
| 107 | Methodological differences between pharmacological treatment guidelines for bipolar disorder: what to do for the clinicians?. Comprehensive Psychiatry, 2013, 54, 309-320.  | 1.5 | 18        |
| 108 | Temperament personality profiles in suicidal behaviour: An investigation of associated demographic, clinical and genetic factors. Journal of Affective Disorders, 2013, 146, 246-253.   | 2.0 | 46        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 109 | Distinct alterations in value-based decision-making and cognitive control in suicide attempters: Toward a dual neurocognitive model. Journal of Affective Disorders, 2013, 151, 1120-1124.               | 2.0 | 44        |
| 110 | Repetitive Transcranial Magnetic Stimulation in Anorexia Nervosa: a Pilot Study. European Psychiatry, 2013, 28, 98-101.  | 0.1 | 78        |
| 111 | Guidelines for the use and management of long-acting injectable antipsychotics in serious mental illness. BMC Psychiatry, 2013, 13, 340.   | 1.1 | 139       |
| 112 | HPA axis genes may modulate the effect of childhood adversities on decision-making in suicide attempters. Journal of Psychiatric Research, 2013, 47, 259-265.  | 1.5 | 50        |
| 113 | Altered explicit recognition of facial disgust associated with predisposition to suicidal behavior but not depression. Journal of Affective Disorders, 2013, 150, 590-593.                               | 2.0 | 28        |
| 114 | When knowing what to do is not sufficient to make good decisions: Deficient use of explicit understanding in remitted patients with histories of suicidal acts. Psychiatry Research, 2013, 210, 485-490. | 1.7 | 34        |
| 115 | Additive effects between prematurity and postnatal risk factors of suicidal behavior. Journal of Psychiatric Research, 2013, 47, 937-943.  | 1.5 | 6         |
| 116 | Smoking Cessation, Depression, and Exercise: Empirical Evidence, Clinical Needs, and Mechanisms. Nicotine and Tobacco Research, 2013, 15, 1635-1650.   | 1.4 | 39        |
| 117 | History of Suicidal Behaviour and Analgesic Use in Community-Dwelling Elderly. Psychotherapy and Psychosomatics, 2013, 82, 341-343.  | 4.0 | 28        |
| 118 | Neuromodulation techniques and eating disorders. International Journal of Eating Disorders, 2013, 46, 447-450.   | 2.1 | 9         |
| 119 | Comorbid addiction in bipolar affective disorder. Neuropsychiatry, 2012, 2, 531-541.   | 0.4 | 0         |
| 120 | Handedness, repetitive transcranial magnetic stimulation and bulimic disorders. European Psychiatry, 2012, 27, 290-293.  | 0.1 | 18        |
| 121 | Suicidal phenotypes associated with family history of suicidal behavior and early traumatic experiences. Journal of Affective Disorders, 2012, 142, 193-199.   | 2.0 | 35        |
| 122 | Classical Stroop effect in bulimia nervosa. Eating and Weight Disorders, 2012, 17, 203-206.  | 1.2 | 1         |
| 123 | Physical Activity as a Protective Factor in Relapse Following Smoking Cessation in Participants with a Depressive Disorder. American Journal on Addictions, 2012, 21, 348-355.                           | 1.3 | 13        |
| 124 | State and trait food craving in people with bulimic eating disorders. Eating Behaviors, 2012, 13, 414-417.   | 1.1 | 37        |
| 125 | Is it valid to measure suicidal ideation by depression rating scales?. Journal of Affective Disorders, 2012, 136, 398-404.   | 2.0 | 156       |
| 126 | <i>CREB1</i> modulates the influence of childhood sexual abuse on adult's anger traits. Genes, Brain and Behavior, 2012, 11, 720-726.  | 1.1 | 6         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Structural Magnetic Resonance Imaging in Eating Disorders: A Systematic Review of Voxelâ€Based Morphometry Studies. European Eating Disorders Review, 2012, 20, 94-105.   | 2.3 | 115       |
| 128 | Trait-Related Decision-Making Impairment in the Three Phases of Bipolar Disorder. Biological Psychiatry, 2011, 70, 357-365.   | 0.7 | 114       |
| 129 | Increased methylation of glucocorticoid receptor gene (NR3C1) in adults with a history of childhood maltreatment: a link with the severity and type of trauma. Translational Psychiatry, 2011, 1, e59-e59.              | 2.4 | 417       |
| 130 | The suicidal mind and brain: A review of neuropsychological and neuroimaging studies. World Journal of Biological Psychiatry, 2011, 12, 319-339.  | 1.3 | 310       |
| 131 | Adherence to Guidelines by French Psychiatrists in Their Real World of Clinical Practice. Journal of Nervous and Mental Disease, 2011, 199, 239-243.  | 0.5 | 35        |
| 132 | Neurocognition in bulimic eating disorders: a systematic review. Acta Psychiatrica Scandinavica, 2011, 124, 120-140.  | 2.2 | 93        |
| 133 | Distinguishing the relevant features of frequent suicide attempters. Journal of Psychiatric Research, 2011, 45, 619-625.  | 1.5 | 65        |
| 134 | Measurement of total serum cholesterol in the evaluation of suicidal risk. Journal of Affective Disorders, 2011, 133, 234-238.  | 2.0 | 57        |
| 135 | Blinding success of rTMS applied to the dorsolateral prefrontal cortex in randomised sham-controlled trials: A systematic review. World Journal of Biological Psychiatry, 2011, 12, 240-248.                            | 1.3 | 50        |
| 136 | Characteristics of Suicide Attempts in Anorexia and Bulimia Nervosa: A Case–Control Study. PLoS ONE, 2011, 6, e23578.   | 1.1 | 45        |
| 137 | Is decision making really impaired in eating disorders?. Neuropsychology, 2010, 24, 808-812.  | 1.0 | 53        |
| 138 | Higher psychological pain during a major depressive episode may be a factor of vulnerability to suicidal ideation and act. Journal of Affective Disorders, 2010, 120, 226-230.  | 2.0 | 129       |
| 139 | Factor analyses of the Suicidal Intent Scale (SIS) and the Risk-Rescue Rating Scale (RRRS): Toward the identification of homogeneous subgroups of suicidal behaviors. Journal of Affective Disorders, 2010, 121, 80-87. | 2.0 | 44        |
| 140 | Suicide attempt characteristics may orientate toward a bipolar disorder in attempters with recurrent depression. Journal of Affective Disorders, 2010, 122, 53-59.  | 2.0 | 30        |
| 141 | COMT but not serotoninâ€related genes modulates the influence of childhood abuse on anger traits. Genes, Brain and Behavior, 2010, 9, 193-202.  | 1.1 | 55        |
| 142 | Genes, suicide and decisions. European Psychiatry, 2010, 25, 294-296.   | 0.1 | 21        |
| 143 | Somatic markers and explicit knowledge are both involved in decision-making. Neuropsychologia, 2009, 47, 2120-2124.   | 0.7 | 85        |
| 144 | Admixture analysis of age at first suicide attempt. Journal of Psychiatric Research, 2009, 43, 895-900.   | 1.5 | 42        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Genetic and epigenetic analysis of SSAT gene dysregulation in suicidal behavior. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 799-807.                                      | 1.1 | 57        |
| 146 | Childhood trauma as a correlative factor of suicidal behavior – via aggression traits. Similar results in an Italian and in a French sample. European Psychiatry, 2009, 24, 57-62.                                 | 0.1 | 70        |
| 147 | Utilité d'un carnet de suivi quotidien dans la thérapie de l'anorexie mentale. Journal De Thérapie<br>Comportementale Et Cognitive, 2008, 18, 148-156.   | 0.2 | 3         |
| 148 | Diagn $\tilde{A}^3$ sticos psiqui $\tilde{A}_i$ tricos y rasgos de personalidad asociados con el deterioro de la capacidad de toma de decisiones. European Psychiatry (Ed Espa $\tilde{A}$ ±ola), 2008, 15, 23-30. | 0.0 | 0         |
| 149 | Psychiatric diagnoses and personality traits associated with disadvantageous decision-making. European Psychiatry, 2007, 22, 455-461.  | 0.1 | 91        |
| 150 | The influence of four serotonin-related genes on decision-making in suicide attempters. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 615-624.                               | 1.1 | 78        |
| 151 | Impaired decision-making in suicide attempters may increase the risk of problems in affective relationships. Journal of Affective Disorders, 2007, 99, 59-62.  | 2.0 | 105       |