

Sbastien Guillaume

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5635566/sebastien-guillaume-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151
papers

5,012
citations

40
h-index

66
g-index

164
ext. papers

6,326
ext. citations

5.2
avg, IF

5.47
L-index

#	Paper	IF	Citations
151	Neutrophil-to-lymphocyte ratio (NLR) variations in relationship with childhood maltreatment in patients with anorexia nervosa: a retrospective cohort study.. <i>Eating and Weight Disorders</i> , 2022 , 1	3.6	1
150	Clinical Dimensions Associated With Psychological Pain in Suicidal Patients: One-Year Follow-up Study.. <i>Journal of Clinical Psychiatry</i> , 2022 , 83,	4.6	1
149	Increased levels of anger associated with the French Government's restrictive measures against the COVID outbreak in subjects without pre-existing mental condition vs. patients with history of depression.. <i>Journal of Affective Disorders</i> , 2022 ,	6.6	
148	Selenium deficiency is associated with disease severity, disrupted reward processing, and increased suicide risk in patients with Anorexia Nervosa.. <i>Psychoneuroendocrinology</i> , 2022 , 140, 105723	5	1
147	Characterization of suicidal depression: a one-year prospective study.. <i>European Psychiatry</i> , 2022 , 1-40	6	0
146	Null effect of vortioxetine augmentation with celecoxib should not be generalized to other antidepressants. <i>European Neuropsychopharmacology</i> , 2021 , 55, 84-85	1.2	0
145	Psilocybin, a Naturally Occurring Indoleamine Compound, Could Be Useful to Prevent Suicidal Behaviors.. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	3
144	Association Between the A118G Polymorphism of the Gene and Suicidal Depression in a Large Cohort of Outpatients with Depression. <i>Neuropsychiatric Disease and Treatment</i> , 2021 , 17, 3109-3118	3.1	0
143	Psychological pain and depression: it's hard to speak when it hurts. <i>International Journal of Psychiatry in Clinical Practice</i> , 2021 , 25, 180-186	2.4	3
142	The Anti-inflammatory Effect of the Tricyclic Antidepressant Clomipramine and Its High Penetration in the Brain Might Be Useful to Prevent the Psychiatric Consequences of SARS-CoV-2 Infection. <i>Frontiers in Pharmacology</i> , 2021 , 12, 615695	5.6	7
141	Euthanasia and assisted suicide in psychiatric patients: A systematic review of the literature. <i>Journal of Psychiatric Research</i> , 2021 , 135, 153-173	5.2	6
140	A specific association between laxative misuse and suicidal behaviours in patients with anorexia nervosa and bulimia nervosa. <i>Eating and Weight Disorders</i> , 2021 , 1	3.6	5
139	"Waste not and stay at home" evidence of decreased food waste during the COVID-19 pandemic from the U.S. and Italy. <i>Appetite</i> , 2021 , 160, 105110	4.5	40
138	Effects of Hormonal Contraception Use on Cognitive Functions in Patients With Bulimia Nervosa. <i>Frontiers in Psychiatry</i> , 2021 , 12, 658182	5	1
137	Bipolar disorders in severe anorexia nervosa: prevalence and relationships. <i>Eating and Weight Disorders</i> , 2021 , 1	3.6	2
136	Shared genetic risk between eating disorder- and substance-use-related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021 , 26, e12880	4.6	12
135	The Early Impact of the COVID-19 Lockdown on Stress and Addictive Behaviors in an Alcohol-Consuming Student Population in France. <i>Frontiers in Psychiatry</i> , 2021 , 12, 628631	5	14

134	Characteristics and treatment outcome of suicidal depression: Two large naturalistic cohorts of depressed outpatients. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211025697	2.6	4
133	Stigmatization toward People with Anorexia Nervosa, Bulimia Nervosa, and Binge Eating Disorder: A Scoping Review. <i>Nutrients</i> , 2021 , 13,	6.7	1
132	The quantitative ultrasound method for assessing low bone mass in women with anorexia nervosa. <i>Archives of Osteoporosis</i> , 2021 , 16, 13	2.9	1
131	Psychological state of a sample of patients with mood disorders during the first French COVID-19 lockdown. <i>Scientific Reports</i> , 2021 , 11, 23711	4.9	3
130	The impact of the COVID-19 pandemic on eating disorder risk and symptoms. <i>International Journal of Eating Disorders</i> , 2020 , 53, 1166-1170	6.3	161
129	Is post-traumatic embitterment disorder a yet unknown comorbidity of anorexia nervosa?. <i>Medical Hypotheses</i> , 2020 , 140, 109670	3.8	1
128	Neutrophil-to-lymphocyte ratio: A potential new peripheral biomarker of suicidal behavior. <i>European Psychiatry</i> , 2020 , 63, e14	6	21
127	Decision-making in major depressive disorder: Subjective complaint, objective performance, and discrepancy between both. <i>Journal of Affective Disorders</i> , 2020 , 270, 102-107	6.6	5
126	COVID-19 pandemic lockdown and problematic eating behaviors in a student population. <i>Journal of Behavioral Addictions</i> , 2020 , 9, 826-835	6.3	55
125	Cognitive modelling to assess decision-making impairments in patients with current depression and with/without suicide history. <i>European Neuropsychopharmacology</i> , 2020 , 36, 50-59	1.2	10
124	Suicidal ideation and affect lability in single and multiple suicidal attempters with Major Depressive Disorder: An exploratory network analysis. <i>Journal of Affective Disorders</i> , 2020 , 272, 371-379	6.6	5
123	Specific Effects of Anorexia Nervosa and Obesity on Bone Mineral Density and Bone Turnover in Young Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	6
122	The implications of previous history of anorexia nervosa in patients with current bulimia nervosa: Alterations in daily functioning, decision-making, and bone status. <i>European Eating Disorders Review</i> , 2020 , 28, 34-45	5.3	6
121	FOOD ADDICTION AS A PROXY FOR ANOREXIA NERVOSA SEVERITY: NEW DATA BASED ON THE YALE FOOD ADDICTION SCALE 2.0. <i>Psychiatry Research</i> , 2020 , 293, 113472	9.9	10
120	PEPSUI, a Psychoeducational Program for the Management of Suicidal Patients: A Qualitative Study From a Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2020 , 11, 500447	5	
119	Brain Stimulation in Eating Disorders: State of the Art and Future Perspectives. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	8
118	Learning From Artemisia's Lucretia: Embodied Suffering and Interoception in Suicide. <i>Frontiers in Psychiatry</i> , 2020 , 11, 758	5	
117	The Impact of Retrospective Childhood Maltreatment on Eating Disorders as Mediated by Food Addiction: A Cross-Sectional Study. <i>Nutrients</i> , 2020 , 12,	6.7	7

116	Polymorphisms of stress pathway genes and emergence of suicidal ideation at antidepressant treatment onset. <i>Translational Psychiatry</i> , 2020 , 10, 320	8.6	2
115	Mining social networks to improve suicide prevention: A scoping review. <i>Journal of Neuroscience Research</i> , 2020 , 98, 616-625	4.4	23
114	Exploring the boundaries between borderline personality disorder and suicidal behavior disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 959-967	5.1	8
113	Clinical insight in anorexia nervosa: Associated and predictive factors. <i>Psychiatry Research</i> , 2019 , 281, 112561	9.9	13
112	Gratitude diary for the management of suicidal inpatients: A randomized controlled trial. <i>Depression and Anxiety</i> , 2019 , 36, 400-411	8.4	15
111	Safety and efficacy of transcranial direct current stimulation (tDCS) in the treatment of Anorexia Nervosa. The open-label STAR study. <i>Brain Stimulation</i> , 2019 , 12, 1325-1327	5.1	7
110	Medication in AN: A Multidisciplinary Overview of Meta-Analyses and Systematic Reviews. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	23
109	Association of symptoms of attention deficit-hyperactivity disorder and impulsive-aggression with severity of suicidal behavior in adult attempters. <i>Scientific Reports</i> , 2019 , 9, 4593	4.9	9
108	Oral contraceptives partially protect from bone loss in young women with anorexia nervosa. <i>Fertility and Sterility</i> , 2019 , 111, 1020-1029.e2	4.8	9
107	Decision-Making Skills Moderate the Relationship between Psychological and Physical Pain with Suicidal Behavior in Depressed Patients. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 190-191	9.4	4
106	Impact of bipolar disorder on eating disorders severity in real-life settings. <i>Journal of Affective Disorders</i> , 2019 , 246, 867-872	6.6	3
105	Polymorphism A118G of opioid receptor mu 1 (OPRM1) is associated with emergence of suicidal ideation at antidepressant onset in a large naturalistic cohort of depressed outpatients. <i>Scientific Reports</i> , 2019 , 9, 2569	4.9	15
104	Crossed prevalence results between subtypes of eating disorder and bipolar disorder: A systematic review of the literature. <i>L'Encéphale</i> , 2019 , 45, 60-73	2.9	10
103	Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. <i>Nature Genetics</i> , 2019 , 51, 1207-1214	36.3	303
102	Structural differences in eating disorder psychopathology after history of childhood abuse: Insights from a Bayesian network analysis. <i>Journal of Abnormal Psychology</i> , 2019 , 128, 795-805	7	12
101	Association between baseline pro-inflammatory cytokines and brain activation during social exclusion in patients with vulnerability to suicide and depressive disorder. <i>Psychoneuroendocrinology</i> , 2019 , 99, 236-242	5	14
100	Effects of the two types of anorexia nervosa (binge eating/purging and restrictive) on bone metabolism in female patients. <i>Clinical Endocrinology</i> , 2018 , 88, 863-872	3.4	4
99	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. <i>Molecular Psychiatry</i> , 2018 , 23, 133-142	15.1	188

98	Tianeptine is associated with lower risk of suicidal ideation worsening during the first weeks of treatment onset compared with other antidepressants: A naturalistic study. <i>Journal of Psychiatric Research</i> , 2018 , 96, 167-170	5.2	10
97	Binge eating behaviours in bipolar disorders. <i>Journal of Affective Disorders</i> , 2018 , 225, 482-488	6.6	18
96	Acceptance and Commitment Therapy for the Management of Suicidal Patients: A Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 211-222	9.4	27
95	Prise en charge connect�e de la boulimie et de l'hyperphagie boulimique : un gadget � la mode ou une avanc�e significative dans les soins ?. <i>French Journal of Psychiatry</i> , 2018 , 1, S53	0.1	
94	Anhedonia is associated with suicidal ideation independently of depression: A meta-analysis. <i>Depression and Anxiety</i> , 2018 , 35, 382-392	8.4	73
93	Improving decision-making and cognitive impulse control in bulimia nervosa by rTMS: An ancillary randomized controlled study. <i>International Journal of Eating Disorders</i> , 2018 , 51, 1103-1106	6.3	7
92	Positive and negative life events and reasons for living modulate suicidal ideation in a sample of patients with history of suicide attempts. <i>Journal of Psychiatric Research</i> , 2017 , 88, 64-71	5.2	17
91	Impact of child maltreatment on meaning in life in psychiatric patients. <i>Psychiatry Research</i> , 2017 , 251, 204-211	9.9	8
90	Affect lability predicts occurrence of suicidal ideation in bipolar patients: a two-year prospective study. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 460-469	6.5	13
89	Animal models to improve our understanding and treatment of suicidal behavior. <i>Translational Psychiatry</i> , 2017 , 7, e1092	8.6	43
88	Epigenetics in the Remission of Anorexia Nervosa: A Follow-up Study of Whole-genome Methylation Profiles. <i>European Psychiatry</i> , 2017 , 41, S102-S102	6	2
87	Transcranial Magnetic Stimulation and the Urge to Eat: A Comment on Lowe, Vincent, and Hall (2017). <i>Psychosomatic Medicine</i> , 2017 , 79, 837-839	3.7	1
86	Physical and mental health burden in cases of bipolar disorder classified as current, former, or non-tobacco smokers. <i>Journal of Affective Disorders</i> , 2017 , 208, 406-413	6.6	10
85	Amenorrhoea and Anorexia Nervosa in Adolescent Girls. <i>ISGE Series</i> , 2017 , 119-125	0.2	
84	Evidence of a link between resting energy expenditure and bone remodelling, glucose homeostasis and adipokine variations in adolescent girls with anorexia nervosa. <i>Osteoporosis International</i> , 2016 , 27, 135-46	5.3	25
83	Neuroinflammation in suicide: Toward a comprehensive model. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 564-586	3.8	63
82	A Lack of Clinical Effect of High-frequency rTMS to Dorsolateral Prefrontal Cortex on Bulimic Symptoms: A Randomised, Double-blind Trial. <i>European Eating Disorders Review</i> , 2016 , 24, 474-481	5.3	28
81	Whole-genome epigenetic changes genome regarding childhood maltreatment in patients with borderline personality disorder or depression. <i>European Psychiatry</i> , 2016 , 33, S31-S31	6	1

80	Do reasons for living protect against suicidal thoughts and behaviors? A systematic review of the literature. <i>Journal of Psychiatric Research</i> , 2016 , 77, 92-108	5.2	44
79	Decision-making in unipolar or bipolar suicide attempters. <i>Journal of Affective Disorders</i> , 2016 , 190, 128-136	6.3	35
78	Lithium: The Key Antisucide Agent 2016 , 303-311		
77	Personality Traits of Suicidality Are Associated with Premenstrual Syndrome and Premenstrual Dysphoric Disorder in a Suicidal Women Sample. <i>PLoS ONE</i> , 2016 , 11, e0148653	3.7	28
76	Executive Functions in Tobacco Dependence: Importance of Inhibitory Capacities. <i>PLoS ONE</i> , 2016 , 11, e0150940	3.7	14
75	Associations between adverse childhood experiences and clinical characteristics of eating disorders. <i>Scientific Reports</i> , 2016 , 6, 35761	4.9	50
74	Heavy tobacco dependence in suicide attempters making recurrent and medically serious attempts. <i>Drug and Alcohol Dependence</i> , 2016 , 160, 177-82	4.9	12
73	La th�rapie d'acceptation et d'engagement dans la prise en charge des conduites suicidaires. <i>European Psychiatry</i> , 2015 , 30, S47-S48	6	
72	ABCB1 gene polymorphisms and violent suicide attempt among survivors. <i>Journal of Psychiatric Research</i> , 2015 , 61, 52-6	5.2	9
71	Posttraumatic Stress Disorder following childhood abuse increases the severity of suicide attempts. <i>Journal of Affective Disorders</i> , 2015 , 170, 7-14	6.6	20
70	Impaired decision-making in symptomatic anorexia and bulimia nervosa patients: a meta-analysis. <i>Psychological Medicine</i> , 2015 , 45, 3377-91	6.9	49
69	Lithium might be associated with better decision-making performance in euthymic bipolar patients. <i>European Neuropsychopharmacology</i> , 2015 , 25, 788-97	1.2	18
68	The additive effect on suicidality of family history of suicidal behavior and early traumatic experiences. <i>Archives of Suicide Research</i> , 2015 , 19, 275-83	2.3	8
67	Increased CRP levels may be a trait marker of suicidal attempt. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1824-31	1.2	47
66	Increased risk of suicide attempt in bipolar patients with severe tobacco dependence. <i>Journal of Affective Disorders</i> , 2015 , 183, 113-8	6.6	22
65	Exercise and Counseling for Smoking Cessation in Smokers With Depressive Symptoms: A Randomized Controlled Pilot Trial. <i>Journal of Dual Diagnosis</i> , 2015 , 11, 205-16	2.4	22
64	Prevalence and smoking behavior characteristics of nonselected smokers with childhood and/or adult self-reported ADHD symptoms in a smoking-cessation program: a cross-sectional study. <i>Journal of Attention Disorders</i> , 2015 , 19, 293-300	3.7	16
63	A meta-analysis of cytokines in suicidal behavior. <i>Brain, Behavior, and Immunity</i> , 2015 , 46, 203-11	16.6	63

62	A combined high CYP2D6-CYP2C19 metabolic capacity is associated with the severity of suicide attempt as measured by objective circumstances. <i>Pharmacogenomics Journal</i> , 2015 , 15, 172-6	3.5	20
61	Borderline personality disorder and childhood maltreatment: a genome-wide methylation analysis. <i>Genes, Brain and Behavior</i> , 2015 , 14, 177-88	3.6	69
60	A further assessment of decision-making in anorexia nervosa. <i>European Psychiatry</i> , 2015 , 30, 121-7	6	31
59	Impact of axis-I comorbidity and suicidal behavior disorders on sensitivity and specificity of the Mood Disorder Questionnaire in complex depressed inpatients. <i>Comprehensive Psychiatry</i> , 2014 , 55, 876-82	7.3	6
58	Role of sclerostin and dickkopf-1 in the dramatic alteration in bone mass acquisition in adolescents and young women with recent anorexia nervosa. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E582-90	5.6	28
57	Feasibility and validity of ecological momentary assessment in the investigation of suicide risk. <i>Psychiatry Research</i> , 2014 , 220, 564-70	9.9	72
56	Smoking behavior characteristics of non-selected smokers with childhood attention-deficit/hyperactivity disorder (AD/HD) history: a systematic review and meta-analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 379-89	5.1	4
55	A genome-wide association study of anorexia nervosa. <i>Molecular Psychiatry</i> , 2014 , 19, 1085-94	15.1	224
54	Les indications actuelles du lithium: la prévention du risque suicidaire. <i>Annales Medico-Psychologiques</i> , 2014 , 172, 182-185	0.2	
53	Differential impairments underlying decision making in anorexia nervosa and bulimia nervosa: a cognitive modeling analysis. <i>International Journal of Eating Disorders</i> , 2014 , 47, 157-67	6.3	50
52	Increased severity of suicidal behavior in impulsive aggressive patients exposed to familial adversities. <i>Psychological Medicine</i> , 2014 , 44, 3059-68	6.9	29
51	Acceptance and commitment therapy for management of suicidal patients: a pilot study. <i>Psychotherapy and Psychosomatics</i> , 2014 , 83, 374-6	9.4	38
50	Violent and serious suicide attempters: one step closer to suicide?. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e191-7	4.6	46
49	A cross-sectional study of major repeaters: a distinct phenotype of suicidal behavior. <i>primary care companion for CNS disorders</i> , 2014 , 16,	1.2	14
48	La neuromodulation est-elle une technique d'avenir dans la prise en charge des troubles des conduites alimentaires (TCA) ?. <i>European Psychiatry</i> , 2013 , 28, 20-20	6	
47	Self-reported major depressive symptoms at baseline impact abstinence prognosis in smoking cessation program. A one-year prospective study. <i>Journal of Affective Disorders</i> , 2013 , 149, 418-21	6.6	20
46	Methodological differences between pharmacological treatment guidelines for bipolar disorder: what to do for the clinicians?. <i>Comprehensive Psychiatry</i> , 2013 , 54, 309-20	7.3	14
45	Temperament personality profiles in suicidal behaviour: an investigation of associated demographic, clinical and genetic factors. <i>Journal of Affective Disorders</i> , 2013 , 146, 246-53	6.6	39

44	Distinct alterations in value-based decision-making and cognitive control in suicide attempters: toward a dual neurocognitive model. <i>Journal of Affective Disorders</i> , 2013 , 151, 1120-4	6.6	33
43	Repetitive transcranial magnetic stimulation in anorexia nervosa: a pilot study. <i>European Psychiatry</i> , 2013 , 28, 98-101	6	69
42	Guidelines for the use and management of long-acting injectable antipsychotics in serious mental illness. <i>BMC Psychiatry</i> , 2013 , 13, 340	4.2	104
41	HPA axis genes may modulate the effect of childhood adversities on decision-making in suicide attempters. <i>Journal of Psychiatric Research</i> , 2013 , 47, 259-65	5.2	42
40	Altered explicit recognition of facial disgust associated with predisposition to suicidal behavior but not depression. <i>Journal of Affective Disorders</i> , 2013 , 150, 590-3	6.6	25
39	When knowing what to do is not sufficient to make good decisions: deficient use of explicit understanding in remitted patients with histories of suicidal acts. <i>Psychiatry Research</i> , 2013 , 210, 485-90 ^{9.9}	9.9	27
38	Additive effects between prematurity and postnatal risk factors of suicidal behavior. <i>Journal of Psychiatric Research</i> , 2013 , 47, 937-43	5.2	6
37	Smoking cessation, depression, and exercise: empirical evidence, clinical needs, and mechanisms. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 1635-50	4.9	27
36	History of suicidal behaviour and analgesic use in community-dwelling elderly. <i>Psychotherapy and Psychosomatics</i> , 2013 , 82, 341-3	9.4	23
35	Neuromodulation techniques and eating disorders. <i>International Journal of Eating Disorders</i> , 2013 , 46, 447-50	6.3	8
34	Is it valid to measure suicidal ideation by depression rating scales?. <i>Journal of Affective Disorders</i> , 2012 , 136, 398-404	6.6	123
33	CREB1 modulates the influence of childhood sexual abuse on adult's anger traits. <i>Genes, Brain and Behavior</i> , 2012 , 11, 720-6	3.6	5
32	Structural magnetic resonance imaging in eating disorders: a systematic review of voxel-based morphometry studies. <i>European Eating Disorders Review</i> , 2012 , 20, 94-105	5.3	105
31	Handedness, repetitive transcranial magnetic stimulation and bulimic disorders. <i>European Psychiatry</i> , 2012 , 27, 290-3	6	17
30	Suicidal phenotypes associated with family history of suicidal behavior and early traumatic experiences. <i>Journal of Affective Disorders</i> , 2012 , 142, 193-9	6.6	29
29	Classical Stroop effect in bulimia nervosa. <i>Eating and Weight Disorders</i> , 2012 , 17, e203-6	3.6	1
28	Physical activity as a protective factor in relapse following smoking cessation in participants with a depressive disorder. <i>American Journal on Addictions</i> , 2012 , 21, 348-55	3.7	9
27	State and trait food craving in people with bulimic eating disorders. <i>Eating Behaviors</i> , 2012 , 13, 414-7	3	33

26	Comorbid addiction in bipolar affective disorder. <i>Neuropsychiatry</i> , 2012 , 2, 531-541	1.8	
25	Trait-related decision-making impairment in the three phases of bipolar disorder. <i>Biological Psychiatry</i> , 2011 , 70, 357-65	7.9	98
24	Increased methylation of glucocorticoid receptor gene (NR3C1) in adults with a history of childhood maltreatment: a link with the severity and type of trauma. <i>Translational Psychiatry</i> , 2011 , 1, e59	8.6	355
23	The suicidal mind and brain: a review of neuropsychological and neuroimaging studies. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 319-39	3.8	241
22	Adherence to guidelines by French psychiatrists in their real world of clinical practice. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 239-43	1.8	27
21	Neurocognition in bulimic eating disorders: a systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 120-40	6.5	80
20	Distinguishing the relevant features of frequent suicide attempters. <i>Journal of Psychiatric Research</i> , 2011 , 45, 619-25	5.2	49
19	Measurement of total serum cholesterol in the evaluation of suicidal risk. <i>Journal of Affective Disorders</i> , 2011 , 133, 234-8	6.6	43
18	Blinding success of rTMS applied to the dorsolateral prefrontal cortex in randomised sham-controlled trials: a systematic review. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 240-8	3.8	41
17	Characteristics of suicide attempts in anorexia and bulimia nervosa: a case-control study. <i>PLoS ONE</i> , 2011 , 6, e23578	3.7	38
16	COMT but not serotonin-related genes modulates the influence of childhood abuse on anger traits. <i>Genes, Brain and Behavior</i> , 2010 , 9, 193-202	3.6	49
15	Genes, suicide and decisions. <i>European Psychiatry</i> , 2010 , 25, 294-6	6	17
14	Is decision making really impaired in eating disorders?. <i>Neuropsychology</i> , 2010 , 24, 808-12	3.8	48
13	Higher psychological pain during a major depressive episode may be a factor of vulnerability to suicidal ideation and act. <i>Journal of Affective Disorders</i> , 2010 , 120, 226-30	6.6	94
12	Factor analyses of the Suicidal Intent Scale (SIS) and the Risk-Rescue Rating Scale (RRRS): toward the identification of homogeneous subgroups of suicidal behaviors. <i>Journal of Affective Disorders</i> , 2010 , 121, 80-7	6.6	40
11	Suicide attempt characteristics may orientate toward a bipolar disorder in attempters with recurrent depression. <i>Journal of Affective Disorders</i> , 2010 , 122, 53-9	6.6	23
10	Somatic markers and explicit knowledge are both involved in decision-making. <i>Neuropsychologia</i> , 2009 , 47, 2120-4	3.2	75
9	Admixture analysis of age at first suicide attempt. <i>Journal of Psychiatric Research</i> , 2009 , 43, 895-900	5.2	36

8	Genetic and epigenetic analysis of SSAT gene dysregulation in suicidal behavior. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 799-807	3.5	54
7	Childhood trauma as a correlative factor of suicidal behavior - via aggression traits. Similar results in an Italian and in a French sample. <i>European Psychiatry</i> , 2009 , 24, 57-62	6	61
6	Utilité d'un carnet de suivi quotidien dans la thérapie de l'anorexie mentale. <i>Journal De Thérapie Comportementale Et Cognitive</i> , 2008 , 18, 148-156	0.2	3
5	Neurobiologie des conduites suicidaires: voies de recherche actuelles. <i>Encyclopedie Medico-Chirurgicale Psychiatrie</i> , 2008 , 5, 1-8		
4	Diagnósticos psiquiátricos y rasgos de personalidad asociados con el deterioro de la capacidad de toma de decisiones. <i>European Psychiatry (Ed Española)</i> , 2008 , 15, 23-30		
3	The influence of four serotonin-related genes on decision-making in suicide attempters. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 615-24	3.5	66
2	Impaired decision-making in suicide attempters may increase the risk of problems in affective relationships. <i>Journal of Affective Disorders</i> , 2007 , 99, 59-62	6.6	83
1	Psychiatric diagnoses and personality traits associated with disadvantageous decision-making. <i>European Psychiatry</i> , 2007 , 22, 455-61	6	77