

# Liumin Suo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5636957/publications.pdf>

Version: 2024-02-01

74  
papers

13,545  
citations

41344

49  
h-index

74163

75  
g-index

76  
all docs

76  
docs citations

76  
times ranked

10762  
citing authors

#	ARTICLE	IF	CITATIONS
1	Water-in-salt electrolyte enables high-voltage aqueous lithium-ion chemistries. <i>Science</i> , 2015, 350, 938-943.	12.6	2,553
2	A new class of Solvent-in-Salt electrolyte for high-energy rechargeable metallic lithium batteries. <i>Nature Communications</i> , 2013, 4, 1481.	12.8	1,917
3	Advanced High-Voltage Aqueous Lithium-Ion Battery Enabled by Water-in-Salt Electrolyte. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 7136-7141.	13.8	571
4	Fluorine-donating electrolytes enable highly reversible 5-V-class Li metal batteries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 1156-1161.	7.1	512
5	Water-in-Salt Electrolyte Makes Aqueous Sodium-Ion Battery Safe, Green, and Long-Lasting. <i>Advanced Energy Materials</i> , 2017, 7, 1701189.	19.5	487
6	Advanced High-Voltage Aqueous Lithium-Ion Battery Enabled by Water-in-Salt Electrolyte. <i>Angewandte Chemie</i> , 2016, 128, 7252-7257.	2.0	459
7	Intercalation-conversion hybrid cathodes enabling Li-S full-cell architectures with jointly superior gravimetric and volumetric energy densities. <i>Nature Energy</i> , 2019, 4, 374-382.	39.5	449
8	How Solid-Electrolyte Interphase Forms in Aqueous Electrolytes. <i>Journal of the American Chemical Society</i> , 2017, 139, 18670-18680.	13.7	365
9	High-Performance All-Solid-State Lithium-Sulfur Battery Enabled by a Mixed-Conductive Li <sub>2</sub> S Nanocomposite. <i>Nano Letters</i> , 2016, 16, 4521-4527.	9.1	333
10	Progress in Aqueous Rechargeable Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1703008.	19.5	297
11	Liquid Structure with Nano-Heterogeneity Promotes Cationic Transport in Concentrated Electrolytes. <i>ACS Nano</i> , 2017, 11, 10462-10471.	14.6	283
12	High power rechargeable magnesium/iodine battery chemistry. <i>Nature Communications</i> , 2017, 8, 14083.	12.8	251
13	Nitrogen-Doped Carbon for Sodium-Ion Battery Anode by Self-Etching and Graphitization of Bimetallic MOF-Based Composite. <i>CheM</i> , 2017, 3, 152-163.	11.7	228
14	Enhancing the Reversibility of Mg/S Battery Chemistry through Li <sup>+</sup> Mediation. <i>Journal of the American Chemical Society</i> , 2015, 137, 12388-12393.	13.7	225
15	High-Voltage Aqueous Na-Ion Battery Enabled by Inert-Cation-Assisted Water-in-Salt Electrolyte. <i>Advanced Materials</i> , 2020, 32, e1904427.	21.0	221
16	A Rechargeable Al/S Battery with an Ionic-Liquid Electrolyte. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 9898-9901.	13.8	215
17	Electrospun FeS <sub>2</sub> @Carbon Fiber Electrode as a High Energy Density Cathode for Rechargeable Lithium Batteries. <i>ACS Nano</i> , 2016, 10, 1529-1538.	14.6	199
18	Superior Stable Self-Healing SnP <sub>3</sub> Anode for Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1500174.	19.5	197

#	ARTICLE	IF	CITATIONS
19	Stabilizing high voltage $\text{LiCoO}_2$ cathode in aqueous electrolyte with interphase-forming additive. <i>Energy and Environmental Science</i> , 2016, 9, 3666-3673.	30.8	190
20	Flexible Aqueous $\text{Li}^+$ -ion Battery with High Energy and Power Densities. <i>Advanced Materials</i> , 2017, 29, 1701972.	21.0	175
21	A Pyrazine-Based Polymer for Fast-Charge Batteries. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17820-17826.	13.8	173
22	"Water-in-Salt" electrolytes enable green and safe Li-ion batteries for large scale electric energy storage applications. <i>Journal of Materials Chemistry A</i> , 2016, 4, 6639-6644.	10.3	172
23	Towards understanding the effects of carbon and nitrogen-doped carbon coating on the electrochemical performance of $\text{Li}_4\text{Ti}_5\text{O}_{12}$ in lithium ion batteries: a combined experimental and theoretical study. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 15127.	2.8	169
24	Hybrid $\text{Mg}^{2+}/\text{Li}^{+}$ Battery with Long Cycle Life and High Rate Capability. <i>Advanced Energy Materials</i> , 2015, 5, 1401507.	19.5	155
25	Unique aqueous Li-ion/sulfur chemistry with high energy density and reversibility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 6197-6202.	7.1	151
26	Phase Transformation and Lithiation Effect on Electronic Structure of $\text{Li}_x\text{FePO}_4$ : An In-Depth Study by Soft X-ray and Simulations. <i>Journal of the American Chemical Society</i> , 2012, 134, 13708-13715.	13.7	136
27	Ether-based electrolyte enabled Na/FeS <sub>2</sub> rechargeable batteries. <i>Electrochemistry Communications</i> , 2015, 54, 18-22.	4.7	121
28	Epitaxial Induced Plating Current Collector Lasting Lifespan of Anode-Free Lithium Metal Battery. <i>Advanced Energy Materials</i> , 2021, 11, 2003709.	19.5	119
29	In situ formed carbon bonded and encapsulated selenium composites for $\text{Li}^+\text{Se}$ and $\text{Na}^+\text{Se}$ batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 555-561.	10.3	115
30	Spinel $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ Cathode for High-Energy Aqueous Lithium-ion Batteries. <i>Advanced Energy Materials</i> , 2017, 7, 1600922.	19.5	103
31	"Water-in-Salt" electrolyte enabled $\text{LiMn}_2\text{O}_4/\text{TiS}_2$ Lithium-ion batteries. <i>Electrochemistry Communications</i> , 2017, 82, 71-74.	4.7	99
32	Double-oxide sulfur host for advanced lithium-sulfur batteries. <i>Nano Energy</i> , 2017, 38, 12-18.	16.0	93
33	Water-in-Salt Electrolyte Promotes High-Capacity $\text{FeFe}(\text{CN})_6$ Cathode for Aqueous Al-Ion Battery. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 41356-41362.	8.0	93
34	In Situ Formation of a Stable Interface in Solid-State Batteries. <i>ACS Energy Letters</i> , 2019, 4, 1650-1657.	17.4	93
35	The Compensation Effect Mechanism of $\text{Fe}^{\text{II}}\text{Ni}$ Mixed Prussian Blue Analogues in Aqueous Rechargeable Aluminum-ion Batteries. <i>ChemSusChem</i> , 2020, 13, 732-740.	6.8	93
36	Roll-to-roll fabrication of organic nanorod electrodes for sodium ion batteries. <i>Nano Energy</i> , 2015, 13, 537-545.	16.0	91

#	ARTICLE	IF	CITATIONS
37	Pomegranate-Structured Conversion-Reaction Cathode with a Built-in Li Source for High-Energy Li-Ion Batteries. ACS Nano, 2016, 10, 5567-5577.	14.6	88
38	Carbon cage encapsulating nano-cluster Li <sub>2</sub> S by ionic liquid polymerization and pyrolysis for high performance Li-S batteries. Nano Energy, 2015, 13, 467-473.	16.0	76
39	Iodine Vapor Transport-Triggered Preferential Growth of Chevrel Mo <sub>6</sub> S <sub>8</sub> Nanosheets for Advanced Multivalent Batteries. ACS Nano, 2020, 14, 1102-1110.	14.6	72
40	Ultralight Electrolyte for High-Energy Lithium-Sulfur Pouch Cells. Angewandte Chemie - International Edition, 2021, 60, 17547-17555.	13.8	72
41	Li-Rich Li <sub>2</sub> [Ni <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> ]O <sub>2</sub> for Anode-Free Lithium Metal Batteries. Angewandte Chemie - International Edition, 2021, 60, 8289-8296.	13.8	71
42	Interface Concentrated Confinement Suppressing Cathode Dissolution in Water-in-Salt Electrolyte. Advanced Energy Materials, 2020, 10, 2000665.	19.5	70
43	A Rechargeable Al/S Battery with an Ionic-Liquid Electrolyte. Angewandte Chemie, 2016, 128, 10052-10055.	2.0	64
44	In situ lithiated FeF <sub>3</sub> /C nanocomposite as high energy conversion-reaction cathode for lithium-ion batteries. Journal of Power Sources, 2016, 307, 435-442.	7.8	64
45	Manipulating Sulfur Mobility Enables Advanced Li-S Batteries. Matter, 2019, 1, 1047-1060.	10.0	63
46	Amorphous anion-rich titanium polysulfides for aluminum-ion batteries. Science Advances, 2021, 7, .	10.3	63
47	FT-Raman spectroscopy study of solvent-in-salt electrolytes. Chinese Physics B, 2016, 25, 016101.	1.4	61
48	Aqueous interphase formed by CO <sub>2</sub> brings electrolytes back to salt-in-water regime. Nature Chemistry, 2021, 13, 1061-1069.	13.6	57
49	Reversible Al <sup>3+</sup> storage mechanism in anatase TiO <sub>2</sub> cathode material for ionic liquid electrolyte-based aluminum-ion batteries. Journal of Energy Chemistry, 2020, 51, 72-80.	12.9	56
50	Highly ordered staging structural interface between LiFePO <sub>4</sub> and FePO <sub>4</sub> . Physical Chemistry Chemical Physics, 2012, 14, 5363.	2.8	53
51	Size-Dependent Staging and Phase Transition in LiFePO <sub>4</sub> /FePO <sub>4</sub> . Advanced Functional Materials, 2014, 24, 312-318.	14.9	48
52	A Better Choice to Achieve High Volumetric Energy Density: Anode-Free Lithium-Metal Batteries. Advanced Materials, 2022, 34, e2110323.	21.0	46
53	Novel approach for a high-energy-density Li-air battery: tri-dimensional growth of Li <sub>2</sub> O <sub>2</sub> crystals tailored by electrolyte Li <sup>+</sup> ion concentrations. Journal of Materials Chemistry A, 2014, 2, 9020.	10.3	41
54	Low-Density Fluorinated Silane Solvent Enhancing Deep Cycle Lithium-Sulfur Batteries™ Lifetime. Advanced Materials, 2021, 33, e2102034.	21.0	39

#	ARTICLE	IF	CITATIONS
55	Brownian-snowball-mechanism-induced hierarchical cobalt sulfide for supercapacitors. Journal of Power Sources, 2019, 412, 321-330.	7.8	31
56	Cation-synergy stabilizing anion redox of Chevrel phase Mo <sub>6</sub> S <sub>8</sub> in aluminum ion battery. Energy Storage Materials, 2021, 37, 87-93.	18.0	31
57	TiO <sub>2</sub> (B) anode for high-voltage aqueous Li-ion batteries. Energy Storage Materials, 2021, 42, 438-444.	18.0	28
58	Dense All <sup>+</sup> Electrochem <sup>+</sup> Active Electrodes for All <sup>+</sup> Solid <sup>+</sup> State Lithium Batteries. Advanced Materials, 2021, 33, e2008723.	21.0	26
59	Joint Cationic and Anionic Redox Chemistry for Advanced Mg Batteries. Nano Letters, 2020, 20, 6852-6858.	9.1	25
60	Water-in-salt widens the electrochemical stability window: Thermodynamic and kinetic factors. Current Opinion in Electrochemistry, 2021, 29, 100818.	4.8	25
61	Spinel-related Li <sub>2</sub> Ni <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4</sub> cathode for 5-V anode-free lithium metal batteries. Energy Storage Materials, 2022, 45, 821-827.	18.0	21
62	A Pyrazine <sup>+</sup> Based Polymer for Fast <sup>+</sup> Charge Batteries. Angewandte Chemie, 2019, 131, 17984-17990.	2.0	19
63	Wearable Bipolar Rechargeable Aluminum Battery. , 2020, 2, 808-813.		19
64	Solid-Like Nano-Anion Cluster Constructs a Free Lithium-Ion-Conducting Superfluid Framework in a Water-in-Salt Electrolyte. Journal of Physical Chemistry C, 2021, 125, 11838-11847.	3.1	17
65	Amorphous Redox-Rich Polysulfides for Mg Cathodes. JACS Au, 2021, 1, 1266-1274.	7.9	14
66	Cereus <sup>+</sup> Shaped Mesoporous Rutile TiO <sub>2</sub> Formed in Ionic Liquid: Synthesis and Li <sup>+</sup> Storage Properties. ChemElectroChem, 2014, 1, 549-553.	3.4	13
67	Ultralight Electrolyte for High <sup>+</sup> Energy Lithium <sup>+</sup> Sulfur Pouch Cells. Angewandte Chemie, 2021, 133, 17688-17696.	2.0	13
68	Simplifying and accelerating kinetics enabling fast-charge Al batteries. Journal of Materials Chemistry A, 2020, 8, 23834-23843.	10.3	12
69	Electronic Conductive Inorganic Cathodes Promising High <sup>+</sup> Energy Organic Batteries. Advanced Materials, 2021, 33, e2005781.	21.0	12
70	Progress in Rechargeable Aqueous Alkali-Ion Batteries in China. Energy & Fuels, 2021, 35, 9228-9239.	5.1	9
71	All-in-One Ionic <sup>+</sup> Electronic Dual-Carrier Conducting Framework Thickening All-Solid-State Electrode. ACS Energy Letters, 2022, 7, 766-772.	17.4	7
72	Electroactive-catalytic conductive framework for aluminum-sulfur batteries. Energy Storage Materials, 2022, 51, 266-272.	18.0	7

#	ARTICLE	IF	CITATIONS
73	Sandwich Structure Corrosion-Resistant Current Collector for Aqueous Batteries. ACS Applied Energy Materials, 2021, 4, 4928-4934.	5.1	4
74	Li-Rich Li <sub>2</sub> [Ni <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> ]O <sub>2</sub> for Anode-Free Lithium Metal Batteries. Angewandte Chemie, 2021, 133, 8370-8377.	2.0	2