
Daniel P. Bezerra

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5637603/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Overview of the therapeutic potential of piplartine (piperlongumine). European Journal of Pharmaceutical Sciences, 2013, 48, 453-463. | 4.0 | 252 |
| 2 | In vivo growth-inhibition of Sarcoma 180 by piplartine and piperine, two alkaloid amides from Piper. Brazilian Journal of Medical and Biological Research, 2006, 39, 801-807. | 1.5 | 155 |
| 3 | In vitro andin vivo antitumor effect of 5-FU combined with piplartine and piperine. Journal of Applied Toxicology, 2008, 28, 156-163. | 2.8 | 127 |
| 4 | Antitumor properties of a sulfated polysaccharide from the red seaweed <i>Champia feldmannii </i> (Diazâ€Pifferer). Journal of Applied Toxicology, 2009, 29, 20-26. | 2.8 | 125 |
| 5 | The Dual Antioxidant/Prooxidant Effect of Eugenol and Its Action in Cancer Development and Treatment. Nutrients, 2017, 9, 1367. | 4.1 | 111 |
| 6 | Encapsulation of carvacrol, a monoterpene present in the essential oil of oregano, with β-cyclodextrin, improves the pharmacological response on cancer pain experimental protocols. Chemico-Biological Interactions, 2015, 227, 69-76. | 4.0 | 108 |
| 7 | Piplartine induces inhibition of leukemia cell proliferation triggering both apoptosis and necrosis pathways. Toxicology in Vitro, 2007, 21, 1-8. | 2.4 | 97 |
| 8 | Cytotoxic effect of leaf essential oil of Lippia gracilis Schauer (Verbenaceae). Phytomedicine, 2013, 20, 615-621. | 5.3 | 81 |
| 9 | Overview of the Role of Vanillin on Redox Status and Cancer Development. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-9. | 4.0 | 80 |
| 10 | <i>In vivo</i> growth inhibition of sarcoma 180 by piperlonguminine, an alkaloid amide from the <i>Piper</i> species. Journal of Applied Toxicology, 2008, 28, 599-607. | 2.8 | 65 |
| 11 | Carvacrol/β-cyclodextrin inclusion complex inhibits cell proliferation and migration of prostate cancer cells. Food and Chemical Toxicology, 2019, 125, 198-209. | 3.6 | 65 |
| 12 | Chloroquine and hydroxychloroquine in antitumor therapies based on autophagy-related mechanisms. Pharmacological Research, 2021, 168, 105582. | 7.1 | 65 |
| 13 | Synthesis and cytotoxic activity of new acridine-thiazolidine derivatives. Bioorganic and Medicinal Chemistry, 2012, 20, 3533-3539. | 3.0 | 63 |
| 14 | A ruthenium-based 5-fluorouracil complex with enhanced cytotoxicity and apoptosis induction action in HCT116 cells. Scientific Reports, 2018, 8, 288. | 3.3 | 58 |
| 15 | In vitro cytotoxicity against different human cancer cell lines of laticifer proteins of Calotropis procera (Ait.) R. Br. Toxicology in Vitro, 2007, 21, 1563-1573. | 2.4 | 56 |
| 16 | Antitumour properties of the leaf essential oil of Xylopia frutescens Aubl. (Annonaceae). Food Chemistry, 2013, 141, 196-200. | 8.2 | 54 |
| 17 | <i>In Vitro</i> and <i>In Vivo</i> Antitumor Effects of the Essential Oil from the Leaves of <i>Guatteria friesiana</i> . Planta Medica, 2012, 78, 409-414. | 1.3 | 53 |
| 18 | Novel piplartine-containing ruthenium complexes: synthesis, cell growth inhibition, apoptosis induction and ROS production on HCT116 cells. Oncotarget, 2017, 8, 104367-104392. | 1.8 | 53 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Physico-chemical characterization and antibacterial activity of inclusion complexes of Hyptis martiusii Benth essential oil in β-cyclodextrin. Biomedicine and Pharmacotherapy, 2017, 89, 201-207. | 5.6 | 52 |
| 20 | Evaluation of the Cytotoxic Activity of Some Brazilian Medicinal Plants. Planta Medica, 2012, 78, 1601-1606. | 1.3 | 51 |
| 21 | Emerging agents that target signaling pathways to eradicate colorectal cancer stem cells. Cancer Communications, 2021, 41, 1275-1313. | 9.2 | 51 |
| 22 | Kaurenâ€19â€oic acid induces DNA damage followed by apoptosis in human leukemia cells. Journal of Applied Toxicology, 2009, 29, 560-568. | 2.8 | 50 |
| 23 | Docking, Synthesis and Antiproliferative Activity of N-Acylhydrazone Derivatives Designed as Combretastatin A4 Analogues. PLoS ONE, 2014, 9, e85380. | 2.5 | 50 |
| 24 | Chemical Constituents and Anticancer Effects of the Essential Oil from Leaves of Xylopia laevigata. Planta Medica, 2013, 79, 123-130. | 1.3 | 49 |
| 25 | Antiproliferative Effects of Two Amides, Piperine and Piplartine, from Piper Species. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2005, 60, 539-543. | 1.4 | 48 |
| 26 | Antitumor Activity of the Essential Oil from the Leaves of <i>Croton regelianus</i> and Its Component Ascaridole. Chemistry and Biodiversity, 2009, 6, 1224-1231. | 2.1 | 48 |
| 27 | Synthesis and cytotoxic activity of α-santonin derivatives. European Journal of Medicinal Chemistry, 2009, 44, 3739-3745. | 5.5 | 47 |
| 28 | Antitumour Activity of the Microencapsulation of <i>Annona vepretorum</i> Essential Oil. Basic and Clinical Pharmacology and Toxicology, 2016, 118, 208-213. | 2.5 | 45 |
| 29 | In vivo growth-inhibition of Sarcoma 180 by an α-(1Â→Â4)-glucan–β-(1Â→Â6)-glucan-protein complex polysaccharide obtained from Agaricus blazei Murill. Journal of Natural Medicines, 2009, 63, 32-40. | 2.3 | 44 |
| 30 | A novel platinum complex containing a piplartine derivative exhibits enhanced cytotoxicity, causes oxidative stress and triggers apoptotic cell death by ERK/p38 pathway in human acute promyelocytic leukemia HL-60 cells. Redox Biology, 2019, 20, 182-194. | 9.0 | 44 |
| 31 | Synthesis and Cytotoxic Activity of Some 3-Benzyl-5-Arylidenefuran-2(5H)-ones. Molecules, 2007, 12, 1101-1116. | 3.8 | 40 |
| 32 | Cytotoxic Alkaloids from the Stem of Xylopia laevigata. Molecules, 2016, 21, 890. | 3.8 | 40 |
| 33 | Antitumor effect of laticifer proteins of Himatanthus drasticus (Mart.) Plumel – Apocynaceae. Journal of Ethnopharmacology, 2011, 137, 421-426. | 4.1 | 38 |
| 34 | Evaluation of the genotoxicity of piplartine, an alkamide of Piper tuberculatum, in yeast and mammalian V79 cells. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2008, 652, 164-174. | 1.7 | 37 |
| 35 | In vivo growth inhibition of sarcoma 180 by latex proteins from Calotropis procera. Naunyn-Schmiedeberg's Archives of Pharmacology, 2010, 382, 139-149. | 3.0 | 37 |
| 36 | Eudesmol Isomers Induce Caspaseâ€Mediated Apoptosis in Human Hepatocellular Carcinoma <scp>H</scp> ep <scp>G</scp> 2 Cells. Basic and Clinical Pharmacology and Toxicology, 2013, 113, 300-306. | 2.5 | 37 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Preclinical anticancer effectiveness of a fraction from Casearia sylvestris and its component Casearin X: in vivo and ex vivo methods and microscopy examinations. Journal of Ethnopharmacology, 2016, 186, 270-279. | 4.1 | 37 |
| 38 | Anti-liver cancer activity in vitro and in vivo induced by 2-pyridyl 2,3-thiazole derivatives. Toxicology and Applied Pharmacology, 2017, 329, 212-223. | 2.8 | 37 |
| 39 | Larvicidal and Nematicidal Activities of the Leaf Essential Oil of <i>Croton regelianus</i> . Chemistry and Biodiversity, 2008, 5, 2724-2728. | 2.1 | 36 |
| 40 | A novel ruthenium complex with xanthoxylin induces S-phase arrest and causes ERK1/2-mediated apoptosis in HepG2 cells through a p53-independent pathway. Cell Death and Disease, 2018, 9, 79. | 6.3 | 36 |
| 41 | ent-Kaurane diterpenes from the stem bark of Annona vepretorum (Annonaceae) and cytotoxic evaluation. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 3315-3320. | 2.2 | 34 |
| 42 | Antitumor Effect of the Essential Oil from Leaves of <i>Guatteria pogonopus</i> (Annonaceae). Chemistry and Biodiversity, 2013, 10, 722-729. | 2.1 | 33 |
| 43 | Evidence for the involvement of descending pain-inhibitory mechanisms in the attenuation of cancer pain by carvacrol aided through a docking study. Life Sciences, 2014, 116, 8-15. | 4.3 | 33 |
| 44 | Challenges and Therapeutic Opportunities of Autophagy in Cancer Therapy. Cancers, 2020, 12, 3461. | 3.7 | 33 |
| 45 | Antitumor Properties of the Leaf Essential Oil of Zornia brasiliensis. Planta Medica, 2015, 81, 563-567. | 1.3 | 31 |
| 46 | Vatairea Macrocarpa Lectin Induces Paw Edema With Leukocyte Infiltration Protein and Peptide Letters, 2004, 11, 195-200. | 0.9 | 31 |
| 47 | Cytotoxicity of δ-tocotrienols from Kielmeyera coriacea against cancer cell lines. Bioorganic and Medicinal Chemistry, 2011, 19, 623-630. | 3.0 | 30 |
| 48 | Antitumor Activity of Biflorin, an o-Naphthoquinone Isolated from Capraria biflora. Biological and Pharmaceutical Bulletin, 2007, 30, 1416-1421. | 1.4 | 28 |
| 49 | Antitumor Properties of the Essential Oil From the Leaves of Duguetia gardneriana. Planta Medica, 2015, 81, 798-803. | 1.3 | 28 |
| 50 | Ru(II) complexes containing uracil nucleobase analogs with cytotoxicity against tumor cells. Journal of Inorganic Biochemistry, 2019, 198, 110751. | 3.5 | 28 |
| 51 | Xylopine Induces Oxidative Stress and Causes G ₂ /M Phase Arrest, Triggering Caspase-Mediated Apoptosis by p53-Independent Pathway in HCT116 Cells. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-13. | 4.0 | 27 |
| 52 | Inhibition of DNA topoisomerase I activity and induction of apoptosis by thiazacridine derivatives. Toxicology and Applied Pharmacology, 2013, 268, 37-46. | 2.8 | 26 |
| 53 | (4-Methoxyphenyl)(3,4,5-trimethoxyphenyl)methanone inhibits tubulin polymerization, induces G2/M arrest, and triggers apoptosis in human leukemia HL-60 cells. Toxicology and Applied Pharmacology, 2013, 272, 117-126. | 2.8 | 26 |
| 54 | Oxidative stress induction by (+)-cordiaquinone J triggers both mitochondria-dependent apoptosis and necrosis in leukemia cells. Chemico-Biological Interactions, 2010, 183, 369-379. | 4.0 | 24 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | In vitro and in vivo anti-leukemia activity of the stem bark of Salacia impressifolia (Miers) A. C. Smith (Celastraceae). Journal of Ethnopharmacology, 2019, 231, 516-524. | 4.1 | 24 |
| 56 | Cytotoxic potential of selected medicinal plants in northeast Brazil. BMC Complementary and Alternative Medicine, 2016, 16, 199. | 3.7 | 23 |
| 57 | Molecular Modeling and Physicochemical Properties of Supramolecular Complexes of Limonene with α- and β-Cyclodextrins. AAPS PharmSciTech, 2017, 18, 49-57. | 3.3 | 23 |
| 58 | Piplartine induces genotoxicity in eukaryotic but not in prokaryotic model systems. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2009, 677, 8-13. | 1.7 | 22 |
| 59 | Melipona mondury produces a geopropolis with antioxidant, antibacterial and antiproliferative activities. Anais Da Academia Brasileira De Ciencias, 2017, 89, 2247-2259. | 0.8 | 22 |
| 60 | In vitro and in vivo growth inhibition of human acute promyelocytic leukemia HL-60 cells by Guatteria megalophylla Diels (Annonaceae) leaf essential oil. Biomedicine and Pharmacotherapy, 2020, 122, 109713. | 5.6 | 22 |
| 61 | β-Lapachone and its iodine derivatives cause cell cycle arrest at G2/M phase and reactive oxygen species-mediated apoptosis in human oral squamous cell carcinoma cells. Free Radical Biology and Medicine, 2018, 126, 87-100. | 2.9 | 21 |
| 62 | Antitumour Efficacy of Piper tuberculatum and Piplartine Based on the Hollow Fiber Assay. Planta Medica, 2014, 81, 15-19. | 1.3 | 20 |
| 63 | 7,7-Dimethylaporphine and Other Alkaloids from the Bark of <i>Guatteria friesiana</i> . Journal of Natural Products, 2016, 79, 1524-1531. | 3.0 | 20 |
| 64 | Ru(<scp>ii</scp>)–thyminate complexes: new metallodrug candidates against tumor cells. New Journal of Chemistry, 2018, 42, 6794-6802. | 2.8 | 20 |
| 65 | Antitumor Effect of the Essential Oil from the Leaves of Croton matourensis Aubl. (Euphorbiaceae). Molecules, 2018, 23, 2974. | 3.8 | 20 |
| 66 | Cell signaling pathways as molecular targets to eliminate AML stem cells. Critical Reviews in Oncology/Hematology, 2021, 160, 103277. | 4.4 | 20 |
| 67 | p-Cymene attenuates cancer pain via inhibitory pathways and modulation of calcium currents. Phytomedicine, 2019, 61, 152836. | 5.3 | 19 |
| 68 | The in-vitro and in-vivo inhibitory activity of biflorin in melanoma. Melanoma Research, 2011, 21, 106-114. | 1.2 | 18 |
| 69 | Ruthenium Complexes With Piplartine Cause Apoptosis Through MAPK Signaling by a p53-Dependent Pathway in Human Colon Carcinoma Cells and Inhibit Tumor Development in a Xenograft Model. Frontiers in Oncology, 2019, 9, 582. | 2.8 | 18 |
| 70 | Ru(II)-thymine complex causes DNA damage and apoptotic cell death in human colon carcinoma HCT116 cells mediated by JNK/p38/ERK1/2 via a p53-independent signaling. Scientific Reports, 2019, 9, 11094. | 3.3 | 18 |
| 71 | Docking and physico-chemical properties of α- and β-cyclodextrin complex containing isopulegol: a comparative study. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2016, 85, 341-354. | 1.6 | 17 |
| 72 | Ruthenium(II) complexes with 6-methyl-2-thiouracil selectively reduce cell proliferation, cause DNA double-strand break and trigger caspase-mediated apoptosis through JNK/p38 pathways in human acute promyelocytic leukemia cells. Scientific Reports, 2019, 9, 11483. | 3.3 | 17 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Inhibition of CAL27 Oral Squamous Carcinoma Cell by Targeting Hedgehog Pathway With Vismodegib or Itraconazole. Frontiers in Oncology, 2020, 10, 563838. | 2.8 | 17 |
| 74 | Experimental and theoretical study on spectral features, reactivity, solvation, topoisomerase I inhibition and in vitro cytotoxicity in human HepG2 cells of guadiscine and guadiscidine aporphine alkaloids. Journal of Molecular Structure, 2021, 1229, 129844. | 3.6 | 16 |
| 75 | Structural, vibrational, UV–vis, quantum-chemical properties, molecular docking and anti-cancer activity study of annomontine and N-hydroxyannomontine β-carboline alkaloids: A combined experimental and DFT approach. Journal of Molecular Structure, 2018, 1171, 682-695. | 3.6 | 15 |
| 76 | Structure-Based Molecular Networking for the Target Discovery of Oxahomoaporphine and 8-Oxohomoaporphine Alkaloids from Duguetia surinamensis. Journal of Natural Products, 2019, 82, 2220-2228. | 3.0 | 15 |
| 77 | Ruthenium Complexes Containing Heterocyclic Thioamidates Trigger Caspase-Mediated Apoptosis Through MAPK Signaling in Human Hepatocellular Carcinoma Cells. Frontiers in Oncology, 2019, 9, 562. | 2.8 | 15 |
| 78 | Sensitive method for determination of piplartine, an alkaloid amide from Piper species, in rat plasma samples by liquid chromatography-tandem mass spectrometry. Quimica Nova, 2012, 35, 460-465. | 0.3 | 14 |
| 79 | Cyperus articulatus L. (Cyperaceae) Rhizome Essential Oil Causes Cell Cycle Arrest in the G2/M Phase and Cell Death in HepC2 Cells and Inhibits the Development of Tumors in a Xenograft Model. Molecules, 2020, 25, 2687. | 3.8 | 14 |
| 80 | Ru(II)-Thymine Complex Causes Cell Growth Inhibition and Induction of Caspase-Mediated Apoptosis in Human Promyelocytic Leukemia HL-60 Cells. International Journal of Molecular Sciences, 2018, 19, 1609. | 4.1 | 13 |
| 81 | Hedgehog pathway activation in oral squamous cell carcinoma: cancer-associated fibroblasts exhibit nuclear GLI-1 localization. Journal of Molecular Histology, 2020, 51, 675-684. | 2.2 | 13 |
| 82 | Characterization of β-cyclodextrin/myrtenol complex and its protective effect against nociceptive behavior and cognitive impairment in a chronic musculoskeletal pain model. Carbohydrate Polymers, 2020, 244, 116448. | 10.2 | 13 |
| 83 | A new synthetic antitumor naphthoquinone induces ROS-mediated apoptosis with activation of the JNK and p38 signaling pathways. Chemico-Biological Interactions, 2021, 343, 109444. | 4.0 | 13 |
| 84 | Piper anisum as a promising new source of bioactive metabolites. Chemical Papers, 2020, 74, 1505-1515. | 2.2 | 12 |
| 85 | An investigation into the interaction between piplartine (piperlongumine) and human serum albumin. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2019, 220, 117084. | 3.9 | 11 |
| 86 | Biological and physical approaches on the role of piplartine (piperlongumine) in cancer. Scientific Reports, 2020, 10, 22283. | 3.3 | 11 |
| 87 | Cytotoxic properties of the leaf essential oils of <i>Guatteria blepharophylla</i> and <i>Guatteria hispida</i> (Annonaceae). Flavour and Fragrance Journal, 2014, 29, 228-232. | 2.6 | 10 |
| 88 | In vivo antitumor effect, induction of apoptosis and safety of Remirea maritima Aubl. (Cyperaceae) extracts. Phytomedicine, 2016, 23, 914-922. | 5.3 | 10 |
| 89 | Semi-synthesis of \hat{l}^2 -keto-1,2,3-triazole derivatives from ethinylestradiol and evaluation of the cytotoxic activity. Heliyon, 2019, 5, e02408. | 3.2 | 10 |
| 90 | GANT61 Reduces Hedgehog Molecule (GLI1) Expression and Promotes Apoptosis in Metastatic Oral Squamous Cell Carcinoma Cells. International Journal of Molecular Sciences, 2020, 21, 6076. | 4.1 | 10 |

| # | Article | IF | CITATIONS |
|-----|--|------------------|-------------------|
| 91 | Essential oil from leaves of Conobea scoparioides (Cham. & Schltdl.) Benth. (Plantaginaceae) causes cell death in HepG2 cells and inhibits tumor development in a xenograft model. Biomedicine and Pharmacotherapy, 2020, 129, 110402. | 5.6 | 10 |
| 92 | Benzylated Dihydroflavones and Isoquinoline-Derived Alkaloids from the Bark of Diclinanona calycina (Annonaceae) and Their Cytotoxicities. Molecules, 2021, 26, 3714. | 3.8 | 10 |
| 93 | In vitro and in vivo antitumor effects of (4-methoxyphenyl)(3,4,5-trimethoxyphenyl)methanone. Cancer Chemotherapy and Pharmacology, 2011, 68, 45-52. | 2.3 | 9 |
| 94 | Fast synthesis of amides from ethyl salicylate under microwave radiation in a solvent-free system. RSC Advances, 2017, 7, 56566-56574. | 3.6 | 9 |
| 95 | In vitro and in vivo inhibition of HCT116Âcells by essential oils from bark and leaves of Virola surinamensis (Rol. ex Rottb.) Warb. (Myristicaceae). Journal of Ethnopharmacology, 2020, 262, 113166. | 4.1 | 9 |
| 96 | Comparative cytotoxicity of 2,3,9-trimethoxypterocarpan in leukemia cell lines (HL-60, Jurkat, Molt-4,) Tj ETQq0 0 196-199. | 0 rgBT /0 2.3 | verlock 10 T 8 |
| 97 | Pyranochromones from <i>Dictyoloma vandellianum</i> A. <scp>Juss</scp> and Their Cytotoxic Evaluation. Chemistry and Biodiversity, 2017, 14, e1600276. | 2.1 | 8 |
| 98 | Essential Oils of Duguetia Species A. St. Hill (Annonaceae): Chemical Diversity and Pharmacological Potential. Biomolecules, 2022, 12, 615. | 4.0 | 8 |
| 99 | Assessment of genotoxic effects of (4-methoxyphenyl)(3,4,5-trimethoxyphenyl)methanone in human lymphocytes. Toxicology in Vitro, 2011, 25, 2048-2053. | 2.4 | 7 |
| 100 | Chemical Composition of the Essential Oil from the Fresh Fruits of Xylopia Laevigata and its Cytotoxic Evaluation. Natural Product Communications, 2016, 11, 1934578X1601100. | 0.5 | 6 |
| 101 | Essential Oil from Bark of Aniba parviflora (Meisn .) Mez (Lauraceae) Reduces HepC2 Cell Proliferation and Inhibits Tumor Development in a Xenograft Model. Chemistry and Biodiversity, 2021, 18, e2000938. | 2.1 | 6 |
| 102 | Aminoquinolines as Translational Models for Drug Repurposing: Anticancer Adjuvant Properties and Toxicokinetic-Related Features. Journal of Oncology, 2021, 2021, 1-18. | 1.3 | 6 |
| 103 | ASARONE-DERIVED PHENYLPROPANOIDS AND ISOQUINOLINE-DERIVED ALKALOIDS FROM THE BARK OF Duguetia pycnastera (Annonaceae) AND THEIR CYTOTOXICITIES. Quimica Nova, 0, , . | 0.3 | 6 |
| 104 | Cytotoxic and Antifungal Amides Derived from Ferulic Acid: Molecular Docking and Mechanism of Action. BioMed Research International, 2021, 2021, 1-18. | 1.9 | 6 |
| 105 | Antitumor activity of two derivatives from 2-acylamine-1, 4-naphthoquinone in mice bearing S180 tumor. Journal of Experimental Therapeutics and Oncology, 2008, 7, 113-21. | 0.5 | 6 |
| 106 | Essential Oil Constituents: Biodiversity and Their Applicability for Cancer Therapy. , 2013, , 285-300. | | 5 |
| 107 | Antitumor andAedes aegyptiLarvicidal Activities of Essential Oils FromPiper klotzschianum,P. hispidum, andP. arboreum. Natural Product Communications, 2019, 14, 1934578X1986393. | 0.5 | 5 |
| 108 | Synthesis of piplartine analogs and preliminary findings on structure–antimicrobial activity relationship. Medicinal Chemistry Research, 2017, 26, 603-614. | 2.4 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Design, Antileishmanial Activity, and QSAR Studies of a Series of Piplartine Analogues. Journal of Chemistry, 2019, 2019, 1-12. | 1.9 | 4 |
| 110 | Nucleobase Derivatives as Building Blocks to Form Ru(II)-Based Complexes with High Cytotoxicity. ACS Omega, 2020, 5, 122-130. | 3.5 | 4 |
| 111 | Chemical Composition of the Essential Oil from the Fresh Fruits of Xylopia laevigata and its Cytotoxic Evaluation. Natural Product Communications, 2016, 11, 417-8. | 0.5 | 4 |
| 112 | Cranberry A-type proanthocyanidins selectively target acute myeloid leukemia cells. Blood Advances, 2019, 3, 3261-3265. | 5.2 | 3 |
| 113 | A new tropane alkaloid and other metabolites from Erythroxylum macrocalyx (Erythroxylaceae) and their antiproliferative activities. Phytochemistry Letters, 2021, 41, 168-174. | 1.2 | 3 |
| 114 | DIVERSITY OF THE DITERPENES IN THE LEAVES OF Xylopia laevigata (Annonaceae) AND THEIR CYTOTOXICITIES. Quimica Nova, 0, , . | 0.3 | 3 |
| 115 | Antitumor Effect of Guatteria olivacea R. E. Fr. (Annonaceae) Leaf Essential Oil in Liver Cancer. Molecules, 2022, 27, 4407. | 3.8 | 3 |
| 116 | Chemical composition and antioxidant, antibacterial and antiproliferative activities of Macrolobium latifolium Vogel (Fabaceae) stem bark. South African Journal of Botany, 2021, 140, 210-217. | 2.5 | 2 |
| 117 | Tingenone and 22-hydroxytingenone target oxidative stress through downregulation of thioredoxin, leading to DNA double-strand break and JNK/p38-mediated apoptosis in acute myeloid leukemia HL-60 cells. Biomedicine and Pharmacotherapy, 2021, 142, 112034. | 5.6 | 2 |
| 118 | Antioxidant, antibacterial, leishmanicidal and trypanocidal activities of extract and fractions of Manilkara rufula stem bark. International Journal of Advanced Engineering Research and Science, 2019, 6, 672-687. | 0.1 | 2 |
| 119 | In vivogrowth inhibition of sarcoma 180 byKielmeyera rugosaChoisy (Calophyllaceae). Natural Product Research, 2013, 27, 2248-2250. | 1.8 | 1 |
| 120 | Application of LC-DAD Metabolic Fingerprinting in Combination with PCA for Evaluation of Seasonality and Extraction Method on the Chemical Composition of Accessions from Lippia alba (Mill) N. E. Brown and Biological Activities. Journal of the Brazilian Chemical Society, 0, , . | 0.6 | 1 |
| 121 | Pharmacological and physicochemical profile of arylacetamides as tools against human cancers. Toxicology and Applied Pharmacology, 2019, 380, 114692. | 2.8 | 1 |
| 122 | Piplartine (piperlongumine), oxidative stress, and use in cancer. , 2021, , 417-425. | | 1 |
| 123 | Chemical composition, larvicidal and cytotoxic activity of Annona salzmannii (Annonaceae) seed oil. Brazilian Journal of Pharmaceutical Sciences, 0, 57, . | 1.2 | 1 |
| 124 | ALKALOIDS FROM LEAVES OF Guatteria pogonopus (ANNONACEAE) AND THEIR CYTOTOXICITIES. Quimica Nova, 2018, , . | 0.3 | 1 |
| 125 | Principles of Cancer Pathogenesis and Therapies: A Brief Overview. , 2015, , 1-17. | | 1 |
| 126 | Antioxidant, Antitumor and Bactericidal Activities of Ethyl Gallate Quinoxalines. Current Bioactive Compounds, 2020, 16, 900-910. | 0.5 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Biological studies and chromatograms aided by chemometric analysis in evaluation of seasonality and extraction method of Croton grewioides extracts. Revista Brasileira De Botanica, 2022, 45, 607-618. | 1.3 | 1 |
| 128 | Untargeted metabolomics used to describe the chemical composition and antimicrobial effects of the essential oil from the leaves of Guatteria citriodora Ducke. Industrial Crops and Products, 2022, 186, 115180. | 5.2 | 1 |
| 129 | Pharmacological and toxicological studies on anticancer properties of piplartine. Planta Medica, 2008, 74, . | 1.3 | Ο |
| 130 | Phytochemical and Biological Properties of Lippia gracilis. , 2018, , 37-55. | | 0 |