Mara Victoria Selma

List of Publications by Citations

Source: https://exaly.com/author-pdf/5640927/maria-victoria-selma-publications-by-citations.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74 6,278 41 79 g-index

80 7,267 5.2 5.97 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
74	Interaction between phenolics and gut microbiota: role in human health. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 6485-501	5.7	849
73	Fresh-cut product sanitation and wash water disinfection: problems and solutions. <i>International Journal of Food Microbiology</i> , 2009 , 134, 37-45	5.8	545
72	Anti-inflammatory properties of a pomegranate extract and its metabolite urolithin-A in a colitis rat model and the effect of colon inflammation on phenolic metabolism. <i>Journal of Nutritional Biochemistry</i> , 2010 , 21, 717-25	6.3	319
71	Effect of a low dose of dietary resveratrol on colon microbiota, inflammation and tissue damage in a DSS-induced colitis rat model. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 2211-20	5.7	240
70	Urolithins, the rescue of "old" metabolites to understand a "new" concept: Metabotypes as a nexus among phenolic metabolism, microbiota dysbiosis, and host health status. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1500901	5.9	221
69	Ellagic acid metabolism by human gut microbiota: consistent observation of three urolithin phenotypes in intervention trials, independent of food source, age, and health status. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 6535-8	5.7	218
68	Interactions of gut microbiota with dietary polyphenols and consequences to human health. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2016 , 19, 471-476	3.8	191
67	Ozonated water extends the shelf life of fresh-cut lettuce. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 5654-63	5.7	186
66	Pre- and postharvest preventive measures and intervention strategies to control microbial food safety hazards of fresh leafy vegetables. <i>Critical Reviews in Food Science and Nutrition</i> , 2015 , 55, 453-68	11.5	167
65	Description of urolithin production capacity from ellagic acid of two human intestinal Gordonibacter species. <i>Food and Function</i> , 2014 , 5, 1779-84	6.1	152
64	Role of commercial sanitizers and washing systems on epiphytic microorganisms and sensory quality of fresh-cut escarole and lettuce. <i>Postharvest Biology and Technology</i> , 2008 , 49, 155-163	6.2	147
63	Prevention of Escherichia coli cross-contamination by different commercial sanitizers during washing of fresh-cut lettuce. <i>International Journal of Food Microbiology</i> , 2009 , 133, 167-71	5.8	137
62	Disinfection potential of ozone, ultraviolet-C and their combination in wash water for the fresh-cut vegetable industry. <i>Food Microbiology</i> , 2008 , 25, 809-14	6	124
61	Effect of different sanitizers on microbial and sensory quality of fresh-cut potato strips stored under modified atmosphere or vacuum packaging. <i>Postharvest Biology and Technology</i> , 2005 , 37, 37-46	6.2	120
60	Clustering according to urolithin metabotype explains the interindividual variability in the improvement of cardiovascular risk biomarkers in overweight-obese individuals consuming pomegranate: A randomized clinical trial. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600830	5.9	114
59	Suitability of aqueous chlorine dioxide versus sodium hypochlorite as an effective sanitizer for preserving quality of fresh-cut lettuce while avoiding by-product formation. <i>Postharvest Biology and Technology</i> , 2010 , 55, 53-60	6.2	113
58	Growth and bacteriocin production by lactic acid bacteria in vegetable broth and their effectiveness at reducing Listeria monocytogenes in vitro and in fresh-cut lettuce. <i>Food Microbiology</i> , 2007 , 24, 759-66	6	113

57	Time course production of urolithins from ellagic acid by human gut microbiota. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 8797-806	5.7	109
56	Cross-contamination of fresh-cut lettuce after a short-term exposure during pre-washing cannot be controlled after subsequent washing with chlorine dioxide or sodium hypochlorite. <i>Food Microbiology</i> , 2010 , 27, 199-204	6	107
55	Effect of gaseous ozone and hot water on microbial and sensory quality of cantaloupe and potential transference of Escherichia coli O157:H7 during cutting. <i>Food Microbiology</i> , 2008 , 25, 162-8	6	96
54	Elimination by ozone of Shigella sonnei in shredded lettuce and water. <i>Food Microbiology</i> , 2007 , 24, 492	2-0	96
53	Isolation of Human Intestinal Bacteria Capable of Producing the Bioactive Metabolite Isourolithin A from Ellagic Acid. <i>Frontiers in Microbiology</i> , 2017 , 8, 1521	5.7	92
52	Reduction by gaseous ozone of Salmonella and microbial flora associated with fresh-cut cantaloupe. <i>Food Microbiology</i> , 2008 , 25, 558-65	6	88
51	Gordonibacter urolithinfaciens sp. nov., a urolithin-producing bacterium isolated from the human gut. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 2346-2352	2.2	84
50	Where to Look into the Puzzle of Polyphenols and Health? The Postbiotics and Gut Microbiota Associated with Human Metabotypes. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e1900952	5.9	79
49	Baby-leaf and multi-leaf of green and red lettuces are suitable raw materials for the fresh-cut industry. <i>Postharvest Biology and Technology</i> , 2012 , 63, 1-10	6.2	79
48	The gut microbiota metabolism of pomegranate or walnut ellagitannins yields two urolithin-metabotypes that correlate with cardiometabolic risk biomarkers: Comparison between normoweight, overweight-obesity and metabolic syndrome. <i>Clinical Nutrition</i> , 2018 , 37, 897-905	5.9	73
47	Real-time PCR based procedures for detection and quantification of Aspergillus carbonarius in wine grapes. <i>International Journal of Food Microbiology</i> , 2008 , 122, 126-34	5.8	72
46	Electrochemical disinfection: an efficient treatment to inactivate Escherichia coli O157:H7 in process wash water containing organic matter. <i>Food Microbiology</i> , 2012 , 30, 146-56	6	68
45	The human gut microbial ecology associated with overweight and obesity determines ellagic acid metabolism. <i>Food and Function</i> , 2016 , 7, 1769-74	6.1	67
44	Dietary phenolics against colorectal cancerFrom promising preclinical results to poor translation into clinical trials: Pitfalls and future needs. <i>Molecular Nutrition and Food Research</i> , 2015 , 59, 1274-91	5.9	65
43	The gut microbiota urolithin metabotypes revisited: the human metabolism of ellagic acid is mainly determined by aging. <i>Food and Function</i> , 2018 , 9, 4100-4106	6.1	63
42	Application of propidium monoazide-qPCR to evaluate the ultrasonic inactivation of Escherichia coli O157:H7 in fresh-cut vegetable wash water. <i>Food Microbiology</i> , 2012 , 30, 316-20	6	63
41	Interindividual variability in the human metabolism of ellagic acid: Contribution of Gordonibacter to urolithin production. <i>Journal of Functional Foods</i> , 2015 , 17, 785-791	5.1	62
40	Gastrointestinal Simulation Model TWIN-SHIME Shows Differences between Human Urolithin-Metabotypes in Gut Microbiota Composition, Pomegranate Polyphenol Metabolism, and Transport along the Intestinal Tract. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 5480-5493	5.7	61

39	The Endotoxemia Marker Lipopolysaccharide-Binding Protein is Reduced in Overweight-Obese Subjects Consuming Pomegranate Extract by Modulating the Gut Microbiota: A Randomized Clinical Trial. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1800160	5.9	61
38	Sensory quality, bioactive constituents and microbiological quality of green and red fresh-cut lettuces (Lactuca sativa L.) are influenced by soil and soilless agricultural production systems. <i>Postharvest Biology and Technology</i> , 2012 , 63, 16-24	6.2	59
37	Preventive oral treatment with resveratrol pro-prodrugs drastically reduce colon inflammation in rodents. <i>Journal of Medicinal Chemistry</i> , 2010 , 53, 7365-76	8.3	59
36	Deciphering the Human Gut Microbiome of Urolithin Metabotypes: Association with Enterotypes and Potential Cardiometabolic Health Implications. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1	8 00 95	8 ⁵⁶
35	Ellagibacter isourolithinifaciens gen. nov., sp. nov., a new member of the family Eggerthellaceae, isolated from human gut. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 1707-1712	2.2	51
34	A rosemary extract rich in carnosic acid selectively modulates caecum microbiota and inhibits Eglucosidase activity, altering fiber and short chain fatty acids fecal excretion in lean and obese female rats. <i>PLoS ONE</i> , 2014 , 9, e94687	3.7	46
33	Control of Lactobacillus plantarum and Escherichia coli by pulsed electric fields in MRS Broth, Nutrient Broth and orangedarrot juice. <i>Food Microbiology</i> , 2004 , 21, 519-525	6	40
32	PolyphenolsTGut Microbiota Metabolites: Bioactives or Biomarkers?. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 3593-3594	5.7	35
31	Operating conditions for the electrolytic disinfection of process wash water from the fresh-cut industry contaminated with E. coli o157:H7. <i>Food Control</i> , 2013 , 29, 42-48	6.2	34
30	Control of Enterobacter aerogenes by high-intensity, pulsed electric fields in horchata, a Spanish low-acid vegetable beverage. <i>Food Microbiology</i> , 2003 , 20, 105-110	6	34
29	Modelling growth of Escherichia coli O157:H7 in fresh-cut lettuce submitted to commercial process conditions: chlorine washing and modified atmosphere packaging. <i>Food Microbiology</i> , 2013 , 33, 131-8	6	32
28	Urolithin Metabotypes Can Determine the Modulation of Gut Microbiota in Healthy Individuals by Tracking Walnuts Consumption over Three Days. <i>Nutrients</i> , 2019 , 11,	6.7	29
27	Identification of Novel Urolithin Metabolites in Human Feces and Urine after the Intake of a Pomegranate Extract. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 11099-11107	5.7	27
26	Resveratrol and some glucosyl, glucosylacyl, and glucuronide derivatives reduce Escherichia coli O157:H7, Salmonella Typhimurium, and Listeria monocytogenes Scott A adhesion to colonic epithelial cell lines. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 7367-74	5.7	26
25	Impact of organic soil amendments on phytochemicals and microbial quality of rocket leaves (Eruca sativa). <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 8331-7	5.7	25
24	Comparative efficacy of Zataria multiflora Boiss., Origanum compactum and Eugenia caryophyllus essential oils against E. coli O157:H7, feline calicivirus and endogenous microbiota in commercial baby-leaf salads. <i>International Journal of Food Microbiology</i> , 2013 , 166, 249-55	5.8	22
23	Virucidal effect of high power ultrasound combined with a chemical sanitizer containing peroxyacetic acid for water reconditioning in the fresh-cut industry. <i>Food Control</i> , 2015 , 52, 126-131	6.2	21
22	The Human Metabolism of Nuts Proanthocyanidins does not Reveal Urinary Metabolites Consistent with Distinctive Gut Microbiota Metabotypes. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e18008	19 ^{5.9}	20

(2005-2018)

21	Consumption of pomegranate decreases plasma lipopolysaccharide-binding protein levels, a marker of metabolic endotoxemia, in patients with newly diagnosed colorectal cancer: a randomized controlled clinical trial. <i>Food and Function</i> , 2018 , 9, 2617-2622	6.1	19	
20	Microbial quality and bioactive constituents of sweet peppers from sustainable production systems. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 11334-41	5.7	18	
19	Influence of nutrient solutions in an open-field soilless system on the quality characteristics and shelf life of fresh-cut red and green lettuces (Lactuca sativa L.) in different seasons. <i>Journal of the Science of Food and Agriculture</i> , 2013 , 93, 415-21	4.3	17	
18	Water reconditioning by high power ultrasound combined with residual chemical sanitizers to inactivate foodborne pathogens associated with fresh-cut products. <i>Food Control</i> , 2015 , 53, 29-34	6.2	17	
17	Potential microbial risk factors related to soil amendments and irrigation water of potato crops. Journal of Applied Microbiology, 2007 , 103, 2542-9	4.7	17	
16	Disinfection Capacity of High-Power Ultrasound Against E. coli O157:H7 in Process Water of the Fresh-Cut Industry. <i>Food and Bioprocess Technology</i> , 2014 , 7, 3390-3397	5.1	15	
15	Ultraviolet-C and induced stilbenes control ochratoxigenic Aspergillus in grapes. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 9990-6	5.7	15	
14	Main drivers of (poly)phenol effects on human health: metabolite production and/or gut microbiota-associated metabotypes?. <i>Food and Function</i> , 2021 , 12, 10324-10355	6.1	15	
13	There is No Distinctive Gut Microbiota Signature in the Metabolic Syndrome: Contribution of Cardiovascular Disease Risk Factors and Associated Medication. <i>Microorganisms</i> , 2020 , 8,	4.9	14	
12	Simultaneous detection of the main black aspergilli responsible for ochratoxin A (OTA) contamination in grapes by multiplex real-time polymerase chain reaction. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment,</i> 2009 , 26, 180-8	3.2	14	
11	EFFICACY OF PULSED ELECTRIC FIELDS FOR LISTERIA MONOCYTOGENES INACTIVATION AND CONTROL IN HORCHATA. <i>Journal of Food Safety</i> , 2006 , 26, 137-149	2	14	
10	Urolithin Metabotypes can Anticipate the Different Restoration of the Gut Microbiota and Anthropometric Profiles during the First Year Postpartum. <i>Nutrients</i> , 2019 , 11,	6.7	11	
9	Genetic Polymorphisms, Mediterranean Diet and Microbiota-Associated Urolithin Metabotypes can Predict Obesity in Childhood-Adolescence. <i>Scientific Reports</i> , 2020 , 10, 7850	4.9	9	
8	Pharmacological Therapy Determines the Gut Microbiota Modulation by a Pomegranate Extract Nutraceutical in Metabolic Syndrome: A Randomized Clinical Trial. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2001048	5.9	8	
7	Urolithins in Human Breast Milk after Walnut Intake and Kinetics of Colonization in Newly Born: The Role of MothersTUrolithin Metabotypes. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 12606-12	6 1 .6	6	
6	Optimisation of production and storage stability of the starter bacteria Streptococcus thermophilus and Lactobacillus plantarum. <i>Journal of the Science of Food and Agriculture</i> , 2007 , 87, 765	- 1 73	3	
5	Complete Genome Sequence of the New Urolithin-Producing Bacterium DSM 27213. <i>Genome Announcements</i> , 2017 , 5,		2	
4	Overview of Hazards in Fresh-Cut Produce Production: Control and Management of Food Safety Hazards 2005 , 155-219		2	

3	Electrochemical disinfection of process wash water for the fresh-cut industry. <i>Acta Horticulturae</i> , 2018 , 371-378	0.3	2
2	Multiplex Detection of Aspergillus Species. <i>Methods in Molecular Biology</i> , 2017 , 1542, 261-268	1.4	1
1	Impact of climate change and global trends on the microbial quality of leafy greens. <i>Acta Horticulturae</i> , 2018 , 51-56	0.3	