Robert T Woods

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5641249/publications.pdf

Version: 2024-02-01

245 papers 15,975 citations

63 h-index 22102 113 g-index

271 all docs

docs citations

271

times ranked

271

11080 citing authors

#	Article	IF	CITATIONS
1	Nonpharmacological Therapies in Alzheimer's Disease: A Systematic Review of Efficacy. Dementia and Geriatric Cognitive Disorders, 2010, 30, 161-178.	0.7	720
2	New insights into the genetic etiology of Alzheimer's disease and related dementias. Nature Genetics, 2022, 54, 412-436.	9.4	700
3	Efficacy of an evidence-based cognitive stimulation therapy programme for people with dementia. British Journal of Psychiatry, 2003, 183, 248-254.	1.7	681
4	Cognitive stimulation to improve cognitive functioning in people with dementia. The Cochrane Library, 2012, , CD005562.	1.5	443
5	Cognitive training and cognitive rehabilitation for people with early-stage Alzheimer's disease: A review. Neuropsychological Rehabilitation, 2004, 14, 385-401.	1.0	432
6	Whose Quality of Life Is It Anyway?. Alzheimer Disease and Associated Disorders, 2003, 17, 201-208.	0.6	365
7	Cognitive rehabilitation and cognitive training for early-stage Alzheimer's disease and vascular dementia., 2003,, CD003260.		334
8	A European consensus on outcome measures for psychosocial intervention research in dementia care. Aging and Mental Health, 2008, 12, 14-29.	1.5	323
9	Reminiscence therapy for dementia. The Cochrane Library, 2018, 2018, CD001120.	1.5	300
10	Camberwell Assessment of Need for the Elderly (CANE). British Journal of Psychiatry, 2000, 176, 444-452.	1.7	280
11	Cognitive training and cognitive rehabilitation for mild to moderate Alzheimer's disease and vascular dementia. The Cochrane Library, 2013, , CD003260.	1.5	274
12	Factors affecting timely recognition and diagnosis of dementia across Europe: from awareness to stigma. International Journal of Geriatric Psychiatry, 2005, 20, 377-386.	1.3	244
13	Is exercise effective in promoting mental well-being in older age? A systematic review. Aging and Mental Health, 2010, 14, 652-669.	1.5	239
14	Goal-Oriented Cognitive Rehabilitation for People With Early-Stage Alzheimer Disease: A Single-Blind Randomized Controlled Trial of Clinical Efficacy. American Journal of Geriatric Psychiatry, 2010, 18, 928-939.	0.6	221
15	Reminiscence therapy for dementia. The Cochrane Library, 2005, , CD001120.	1.5	209
16	The needs of older people with dementia in residential care. International Journal of Geriatric Psychiatry, 2006, 21, 43-49.	1.3	203
17	Cognitive stimulation therapy for people with dementia: cost-effectiveness analysis. British Journal of Psychiatry, 2006, 188, 574-580.	1.7	197
18	Cognitive stimulation for dementia: A systematic review of the evidence of effectiveness from randomised controlled trials. Ageing Research Reviews, 2013, 12, 253-262.	5.0	192

#	Article	IF	CITATIONS
19	Subjective Memory Complaints and Awareness of Memory Functioning in Mild Cognitive Impairment: A Systematic Review. Dementia and Geriatric Cognitive Disorders, 2009, 28, 95-109.	0.7	188
20	Malnutrition and quality of life in older people: A systematic review and meta-analysis. Ageing Research Reviews, 2013, 12, 561-566.	5.0	187
21	Potentially modifiable lifestyle factors, cognitive reserve, and cognitive function in later life: A cross-sectional study. PLoS Medicine, 2017, 14, e1002259.	3.9	183
22	The impact of the quality of relationship on the experiences and wellbeing of caregivers of people with dementia: A systematic review. Aging and Mental Health, 2009, 13, 143-154.	1,5	176
23	Older adults and withdrawal from benzodiazepine hypnotics in general practice: effects on cognitive function, sleep, mood and quality of life. Psychological Medicine, 2003, 33, 1223-1237.	2.7	167
24	Cognitive training and cognitive rehabilitation for persons with mild to moderate dementia of the Alzheimer's or vascular type: a review. Alzheimer's Research and Therapy, 2013, 5, 35.	3.0	154
25	Can reality orientation be rehabilitated? Development and piloting of an evidence-based programme of cognition-based therapies for people with dementia. Neuropsychological Rehabilitation, 2001, 11, 377-397.	1.0	148
26	Examination of a theoretical model of psychological resilience in older age. Aging and Mental Health, 2008, 12, 285-292.	1.5	147
27	Impact of person-centred care training and person-centred activities on quality of life, agitation, and antipsychotic use in people with dementia living in nursing homes: A cluster-randomised controlled trial. PLoS Medicine, 2018, 15, e1002500.	3.9	147
28	Barriers and facilitators to the access to and use of formal dementia care: findings of a focus group study with people with dementia, informal carers and health and social care professionals in eight European countries. BMC Geriatrics, 2018, 18, 131.	1.1	144
29	People with dementia living alone: what are their needs and what kind of support are they receiving?. International Psychogeriatrics, 2010, 22, 607-617.	0.6	143
30	Reality Orientation for Dementia. Gerontologist, The, 2000, 40, 206-212.	2.3	138
31	The impact of individual reminiscence therapy for people with dementia: systematic review. Expert Review of Neurotherapeutics, 2012, 12, 545-555.	1.4	137
32	The value of personalized psychosocial interventions to address behavioral and psychological symptoms in people with dementia living in care home settings: a systematic review. International Psychogeriatrics, 2014, 26, 1083-1098.	0.6	134
33	Improved quality of life and cognitive stimulation therapy in dementia. Aging and Mental Health, 2006, 10, 219-226.	1.5	133
34	Psychosocial interventions in dementia care research: The INTERDEM manifesto. Aging and Mental Health, 2011, 15, 283-290.	1.5	130
35	The needs of people with dementia living at home from user, caregiver and professional perspectives: a cross-sectional survey. BMC Health Services Research, 2013, 13, 43.	0.9	120
36	Cognitive Stimulation Therapy (CST): effects on different areas of cognitive function for people with dementia. International Journal of Geriatric Psychiatry, 2010, 25, 1253-1258.	1.3	119

#	Article	IF	Citations
37	The impact of motivations and meanings on the wellbeing of caregivers of people with dementia: a systematic review. International Psychogeriatrics, 2010, 22, 43-55.	0.6	117
38	Maintenance cognitive stimulation therapy for dementia: single-blind, multicentre, pragmatic randomised controlled trial. British Journal of Psychiatry, 2014, 204, 454-461.	1.7	115
39	Strain in nursing care of people with dementia: Nurses' experience in Australia, Sweden and United Kingdom. Aging and Mental Health, 2008, 12, 236-243.	1.5	111
40	Changes in the Quality of Life of People With Dementia Living in Care Homes. Alzheimer Disease and Associated Disorders, 2009, 23, 285-290.	0.6	108
41	Impact of Antipsychotic Review and Nonpharmacological Intervention on Antipsychotic Use, Neuropsychiatric Symptoms, and Mortality in People With Dementia Living in Nursing Homes: A Factorial Cluster-Randomized Controlled Trial by the Well-Being and Health for People With Dementia (WHELD) Program, American Journal of Psychiatry, 2016, 173, 252-262.	4.0	108
42	Variations in subjective wellbeing: the mediating role of a psychological resource. Ageing and Society, 2004, 24, 583-602.	1.2	107
43	REMCARE: reminiscence groups for people with dementia and their family caregivers – effectiveness and cost-effectiveness pragmatic multicentre randomised trial. Health Technology Assessment, 2012, 16, v-xv, 1-116.	1.3	106
44	The influence of psychological, social and contextual factors on the expression and measurement of awareness in earlyâ€stage dementia: testing a biopsychosocial model. International Journal of Geriatric Psychiatry, 2012, 27, 167-177.	1.3	105
45	A pilot study examining the effectiveness of maintenance Cognitive Stimulation Therapy (MCST) for people with dementia. International Journal of Geriatric Psychiatry, 2005, 20, 446-451.	1.3	99
46	Unmet needs, quality of life and support networks of people with dementia living at home. Health and Quality of Life Outcomes, 2010, 8, 132.	1.0	97
47	The impact of individual Cognitive Stimulation Therapy (iCST) on cognition, quality of life, caregiver health, and family relationships in dementia: A randomised controlled trial. PLoS Medicine, 2017, 14, e1002269.	3.9	95
48	Daughters of People with Dementia Expressed Emotion, Strain and Coping. British Journal of Psychiatry, 1990, 157, 221-227.	1.7	91
49	Life review and life story books for people with mild to moderate dementia: a randomised controlled trial. Aging and Mental Health, 2014, 18, 363-375.	1.5	89
50	Cognitive stimulation for the treatment of Alzheimer's disease. Expert Review of Neurotherapeutics, 2008, 8, 751-757.	1.4	87
51	Subjective memory complaints, mood and MCI: a follow-up study. Aging and Mental Health, 2017, 21, 313-321.	1.5	85
52	Individual goalâ€oriented cognitive rehabilitation to improve everyday functioning for people with earlyâ€stage dementia: A multicentre randomised controlled trial (the GREAT trial). International Journal of Geriatric Psychiatry, 2019, 34, 709-721.	1.3	84
53	The needs of people with dementia in care homes: the perspectives of users, staff and family caregivers. International Psychogeriatrics, 2008, 20, 941-51.	0.6	83
54	Digital life storybooks for people with dementia living in care homes: an evaluation. Clinical Interventions in Aging, 2016, Volume 11, 1263-1276.	1.3	81

#	Article	IF	CITATIONS
55	REMCARE: Pragmatic Multi-Centre Randomised Trial of Reminiscence Groups for People with Dementia and their Family Carers: Effectiveness and Economic Analysis. PLoS ONE, 2016, 11, e0152843.	1.1	79
56	Living alone and cognitive function in later life. Archives of Gerontology and Geriatrics, 2019, 81, 222-233.	1.4	72
57	Reality Orientation and Staff Attention: a Controlled Study. British Journal of Psychiatry, 1979, 134, 502-507.	1.7	71
58	Systematic review of services providing information and/or advice to people with dementia and/or their caregivers. International Journal of Geriatric Psychiatry, 2012, 27, 628-636.	1.3	71
59	Epidemiology of Pain in People With Dementia Living in Care Homes: Longitudinal Course, Prevalence, and Treatment Implications. Journal of the American Medical Directors Association, 2017, 18, 453.e1-453.e6.	1.2	70
60	Individual cognitive stimulation therapy for dementia: a clinical effectiveness and cost-effectiveness pragmatic, multicentre, randomised controlled trial. Health Technology Assessment, 2015, 19, 1-108.	1.3	69
61	Longitudinal Trajectories of Awareness in Early-stage Dementia. Alzheimer Disease and Associated Disorders, 2012, 26, 140-147.	0.6	68
62	Goal-oriented cognitive rehabilitation in early-stage dementia: study protocol for a multi-centre single-blind randomised controlled trial (GREAT). Trials, 2013, 14, 152.	0.7	68
63	The impact of a visual arts program on quality of life, communication, and well-being of people living with dementia: a mixed-methods longitudinal investigation. International Psychogeriatrics, 2018, 30, 409-423.	0.6	68
64	Dementia: issues in early recognition and intervention in primary care. Journal of the Royal Society of Medicine, 2003, 96, 320-324.	1.1	68
65	The needs of older people with mental health problems according to the user, the carer, and the staff. International Journal of Geriatric Psychiatry, 2003, 18, 803-811.	1.3	67
66	What contributes to a good quality of life in early dementia? awareness and the QoL-AD: a cross-sectional study. Health and Quality of Life Outcomes, 2014, 12, 94.	1.0	66
67	A similarity between amnesic memory and normal forgetting. Neuropsychologia, 1974, 12, 437-445.	0.7	65
68	Promoting well-being and independence for people with dementia. International Journal of Geriatric Psychiatry, 1999, 14, 97-105.	1.3	64
69	The impact of relationships, motivations, and meanings on dementia caregiving outcomes. International Psychogeriatrics, 2012, 24, 1816-1826.	0.6	64
70	Balancing needs: The role of motivations, meanings and relationship dynamics in the experience of informal caregivers of people with dementia. Dementia, 2015, 14, 220-237.	1.0	63
71	A prospective randomised study of local versus general anaesthesia for cataract surgery. Anaesthesia, 1993, 48, 422-428.	1.8	62
72	Living with Ill-Health in Older Age: The Role of a Resilient Personality. Journal of Happiness Studies, 2010, 11, 763-777.	1.9	62

#	Article	IF	CITATIONS
73	Can staff training reduce behavioural problems in residential care for the elderly mentally ill?. , 1998, 13, 149-158.		60
74	Marital Relationship Quality in Early-Stage Dementia. Alzheimer Disease and Associated Disorders, 2012, 26, 148-158.	0.6	60
75	An investigation into the association between nutritional status and quality of life in older people admitted to hospital. Journal of Human Nutrition and Dietetics, 2014, 27, 142-151.	1.3	60
76	Guidelines for psychosocial interventions in dementia care: a European survey and comparison. International Journal of Geriatric Psychiatry, 2012, 27, 40-48.	1.3	58
77	Goal-oriented cognitive rehabilitation for early-stage Alzheimer's and related dementias: the GREAT RCT. Health Technology Assessment, 2019, 23, 1-242.	1.3	58
78	Attitudes to long-term use of benzodiazepine hypnotics by older people in general practice: findings from interviews with service users and providers. Aging and Mental Health, 2004, 8, 242-248.	1.5	57
79	Needs and quality of life of people with middle-stage dementia and their family carers from the European Actifcare study. When informal care alone may not suffice. Aging and Mental Health, 2018, 22, 897-902.	1.5	57
80	Support in the community for people with dementia and their carers: a comparative outcome study of specialist mental health service interventions. International Journal of Geriatric Psychiatry, 2003, 18, 298-307.	1.3	56
81	Factors of Resilience in Informal Caregivers of People with Dementia from Integrative International Data Analysis. Dementia and Geriatric Cognitive Disorders, 2016, 42, 198-214.	0.7	55
82	Towards capturing meaningful outcomes for people with dementia in psychosocial intervention research: A panâ€European consultation. Health Expectations, 2018, 21, 1056-1065.	1.1	55
83	Gender Differences in Carers of Dementia Sufferers. British Journal of Psychiatry, 1991, 158, 69-74.	1.7	54
84	Reality orientation: a welcome return?. Age and Ageing, 2002, 31, 155-156.	0.7	54
85	Awareness in dementia: Ethical and legal issues in relation to people with dementia. Aging and Mental Health, 2005, 9, 423-429.	1.5	53
86	What Do General Practitioners Tell People with Dementia and their Families about the Condition?. Dementia, 2002, 1 , 47-58.	1.0	52
87	A series of brief cognitive therapy interventions with people experiencing both dementia and depression: a description of techniques and common themes. Clinical Psychology and Psychotherapy, 2003, 10, 175-185.	1.4	52
88	Illness representations in early-stage dementia: a preliminary investigation. International Journal of Geriatric Psychiatry, 2006, 21, 761-767.	1.3	52
89	Measuring the well-being of people with dementia: a conceptual scoping review. Health and Quality of Life Outcomes, 2020, 18, 249.	1.0	52
90	The factorial structure of the Wechsler memory scale: Samples of neurological and psychogeriatric patients. Journal of Clinical Neuropsychology, 1980, 2, 293-300.	1.2	51

#	Article	IF	CITATIONS
91	What predicts whether caregivers of people with dementia find meaning in their role?. International Journal of Geriatric Psychiatry, 2012, 27, 1195-1202.	1.3	51
92	Maintenance Cognitive Stimulation Therapy: An Economic Evaluation Within a Randomized Controlled Trial. Journal of the American Medical Directors Association, 2015, 16, 63-70.	1.2	51
93	Peer support and reminiscence therapy for people with dementia and their family carers: a factorial pragmatic randomised trial. Journal of Neurology, Neurosurgery and Psychiatry, 2016, 87, 1218-1228.	0.9	50
94	Impact of antipsychotic review and non-pharmacological intervention on health-related quality of life in people with dementia living in care homes: WHELD-a factorial cluster randomised controlled trial. International Journal of Geriatric Psychiatry, 2017, 32, 1094-1103.	1.3	50
95	The Challenging Behaviour Scale (CBS): Development of a scale for staff caring for older people in residential and nursing homes. British Journal of Clinical Psychology, 2001, 40, 309-322.	1.7	49
96	Reminiscence groups for people with dementia and their family carers: pragmatic eight-centre randomised trial of joint reminiscence and maintenance versus usual treatment: a protocol. Trials, 2009, 10, 64.	0.7	49
97	Multidimensional Assessment of Awareness in Early-Stage Dementia: A Cluster Analytic Approach. Dementia and Geriatric Cognitive Disorders, 2011, 31, 317-327.	0.7	49
98	Core outcome measures for interventions to prevent or slow the progress of dementia for people living with mild to moderate dementia: Systematic review and consensus recommendations. PLoS ONE, 2017, 12, e0179521.	1.1	48
99	AwareCare: a pilot randomized controlled trial of an awareness-based staff training intervention to improve quality of life for residents with severe dementia in long-term care settings. International Psychogeriatrics, 2013, 25, 128-139.	0.6	47
100	Measuring the quality of life and well-being of people with dementia: A review of observational measures. Dementia, 2016, 15, 832-857.	1.0	47
101	Timely diagnosis of dementia? Family carers' experiences in 5 European countries. International Journal of Geriatric Psychiatry, 2019, 34, 114-121.	1.3	46
102	Verbal Fluency and Awareness of Functional Deficits in Early-Stage Dementia. Clinical Neuropsychologist, 2012, 26, 501-519.	1.5	45
103	Staff factors associated with perception of behaviour as 'challenging' in residential and nursing homes. Aging and Mental Health, 2000, 4, 48-55.	1.5	44
104	A comparison of the new executive functioning domains of the CAMCOG-R with existing tests of executive function in elderly stroke survivors. Age and Ageing, 2001, 30, 251-254.	0.7	44
105	Functional analysis of challenging behaviour in dementia: the role of superstition. International Journal of Geriatric Psychiatry, 2001, 16, 45-56.	1.3	44
106	A cluster randomised controlled trial to reduce the unmet needs of people with dementia living in residential care. International Journal of Geriatric Psychiatry, 2007, 22, 1127-1134.	1.3	44
107	Goal-oriented cognitive rehabilitation for an individual with Mild Cognitive Impairment: Behavioural and neuroimaging outcomes. Neurocase, 2009, 15, 318-331.	0.2	44
108	Awareness of social and emotional functioning in people with early-stage dementia and implications for carers. Aging and Mental Health, 2011, 15, 961-969.	1.5	44

#	Article	IF	Citations
109	Phenomena of awareness in dementia: Heterogeneity and its implications. Consciousness and Cognition, 2014, 25, 17-26.	0.8	43
110	Ecopsychosocial Interventions in Cognitive Decline and Dementia. American Journal of Alzheimer's Disease and Other Dementias, 2016, 31, 502-507.	0.9	43
111	Bridging the divide between biomedical and psychosocial approaches in dementia research: the 2019 INTERDEM manifesto. Aging and Mental Health, 2021, 25, 206-212.	1.5	42
112	Attitudes to dementia and dementia care held by nursing staff in U.K. "non-EMI―care homes: what difference do they make?. International Psychogeriatrics, 2005, 17, 383-391.	0.6	41
113	Maintenance Cognitive Stimulation Therapy (CST) for dementia: A single-blind, multi-centre, randomized controlled trial of Maintenance CST vs. CST for dementia. Trials, 2010, 11, 46.	0.7	40
114	Trajectories of quality of life in earlyâ€stage dementia: individual variations and predictors of change. International Journal of Geriatric Psychiatry, 2014, 29, 616-623.	1.3	40
115	The role of memory clinics and psychosocial intervention in the early stages of dementia. International Journal of Geriatric Psychiatry, 1997, 12, 1143-1145.	1.3	39
116	Cognitive Rehabilitation Changes Memory-Related Brain Activity in People With Alzheimer Disease. Neurorehabilitation and Neural Repair, 2013, 27, 448-459.	1.4	39
117	The impact of reminiscence groups in two different settings. International Journal of Geriatric Psychiatry, 1990, 5, 295-302.	1.3	38
118	Development of a core outcome set for disease modification trials in mild to moderate dementia: a systematic review, patient and public consultation and consensus recommendations. Health Technology Assessment, 2017, 21, 1-192.	1.3	37
119	Goal-Setting in Cognitive Rehabilitation for People with Early-Stage Alzheimer's Disease. Clinical Gerontologist, 2011, 34, 220-236.	1.2	36
120	Access to timely formal dementia care in Europe: protocol of the Actifcare (ACcess to Timely Formal) Tj ETQq0 0	O rgBT /O\	verlock 10 Tf
121	"l Don't Think Of It As An Illness― Illness Representations in Mild to Moderate Dementia. Journal of Alzheimer's Disease, 2016, 51, 139-150.	1.2	35
122	Reminiscence therapy for dementia: an abridged Cochrane systematic review of the evidence from randomized controlled trials. Expert Review of Neurotherapeutics, 2018, 18, 715-727.	1.4	35
123	Individual Cognitive Stimulation Therapy for dementia (iCST): study protocol for a randomized controlled trial. Trials, 2012, 13, 172.	0.7	33
124	Negotiating the balance: The triadic relationship between spousal caregivers, people with dementia and Admiral Nurses. Dementia, 2013, 12, 588-605.	1.0	33
125	Mild cognitive impairment and mood: a systematic review. Reviews in Clinical Gerontology, 2013, 23, 317-356.	0.5	32
126	Dissociation between implicit and explicit manifestations of awareness in early stage dementia: evidence from the emotional Stroop effect for dementiaâ€related words. International Journal of Geriatric Psychiatry, 2011, 26, 92-99.	1.3	30

#	Article	IF	Citations
127	Should we use individual cognitive stimulation therapy to improve cognitive function in people with dementia?. BMJ: British Medical Journal, 2012, 344, e633-e633.	2.4	30
128	Quality of Life, Care Resource Use, and Costs of Dementia in 8 European Countries in a Cross-Sectional Cohort of the Actifcare Study. Journal of Alzheimer's Disease, 2018, 66, 1027-1040.	1.2	30
129	A Tablet App Supporting Self-Management for People With Dementia: Explorative Study of Adoption and Use Patterns. JMIR MHealth and UHealth, 2020, 8, e14694.	1.8	30
130	A role for cognitive rehabilitation in dementia care. Neuropsychological Rehabilitation, 2001, 11, 193-196.	1.0	29
131	Challenge Demcare: management of challenging behaviour in dementia at home and in care homes – development, evaluation and implementation of an online individualised intervention for care homes; and a cohort study of specialist community mental health care for families. Programme Grants for Applied Research. 2017. 5. 1-290.	0.4	28
132	Caregiver profiles in dementia related to quality of life, depression and perseverance time in the European Actifcare study: the importance of social health. Aging and Mental Health, 2017, 21, 49-57.	1.5	27
133	Coherence of mind in daughter caregivers of mothers with dementia: Links with their mothers' joy and relatedness on reunion in a strange situation. Attachment and Human Development, 2004, 6, 439-450.	1.2	26
134	Towards the therapeutic use of information and communication technology in reminiscence work for people with dementia: a systematic review. International Journal of Computers in Healthcare, 2010, 1, 106.	0.5	26
135	AwareCare: Development and validation of an observational measure of awareness in people with severe dementia. Neuropsychological Rehabilitation, 2012, 22, 113-133.	1.0	26
136	Malnutrition and Associated Clinical Outcomes in Hospitalized Patients Aged 60 and Older: An Observational Study in Rural Wales. Journal of Nutrition in Gerontology and Geriatrics, 2013, 32, 71-80.	0.4	26
137	Memory Awareness Profiles Differentiate Mild Cognitive Impairment from Early-Stage Dementia: Evidence from Assessments of Performance Monitoring and Evaluative Judgement. Dementia and Geriatric Cognitive Disorders, 2013, 35, 266-279.	0.7	26
138	The limited utility of the Mini-Mental State Examination in screening people over the age of 75 years for dementia in primary care. British Journal of General Practice, 2002, 52, 1002-3.	0.7	26
139	Specificity of learning in reality-orientation sessions: a single-case study. Behaviour Research and Therapy, 1983, 21, 173-175.	1.6	25
140	Family Caregiving: Research and Clinical Intervention 255., 0,, 255-288.		25
141	Self-management and cognitive rehabilitation in early stage dementia – merging methods to promote coping and adoption of assistive technology. A pilot study. Aging and Mental Health, 2020, 24, 1894-1903.	1.5	25
142	Automated testing of geriatric patients using a microcomputer-based system. International Journal of Man-Machine Studies, 1982, 17, 297-300.	0.7	24
143	Rural-urban differences in the effects on mental well-being of caring for people with stroke or dementia. Aging and Mental Health, 2007, 11, 743-750.	1.5	24
144	The development of quality indicators to improve psychosocial care in dementia. International Psychogeriatrics, 2012, 24, 921-930.	0.6	24

#	Article	IF	Citations
145	Improving Well-being and Health for People with Dementia (WHELD): study protocol for a randomised controlled trial. Trials, 2014, 15, 284.	0.7	24
146	PSYCHOLOGICAL APPROACHES TO THE TREATMENT OF THE ELDERLY. Age and Ageing, 1977, 6, 104-112.	0.7	23
147	Selfâ \in concept in early stage dementia: profile, course, correlates, predictors and implications for quality of life. International Journal of Geriatric Psychiatry, 2013, 28, 494-503.	1.3	23
148	Care staff and family member perspectives on quality of life in people with very severe dementia in long-term care: a cross-sectional study. Health and Quality of Life Outcomes, 2014, 12, 175.	1.0	23
149	Maintenance Cognitive Stimulation Therapy (CST) in practice: study protocol for a randomized controlled trial. Trials, 2012, 13, 91.	0.7	22
150	The experience of family carers attending a joint reminiscence group with people with dementia: A thematic analysis. Dementia, 2015, 14, 842-859.	1.0	22
151	In their Own Right: Translating the Policy of Carer Assessment into Practice. British Journal of Social Work, 2007, 37, 1335-1352.	0.9	21
152	Apathy and Its Response to Antipsychotic Review and Nonpharmacological Interventions in People With Dementia Living in Nursing Homes: WHELD, a Factorial Cluster Randomized Controlled Trial. Journal of the American Medical Directors Association, 2016, 17, 741-747.	1.2	21
153	Designing the ReACT App to Support Self-Management of People with Dementia: An Iterative User-Involving Process. Gerontology, 2019, 65, 673-685.	1.4	21
154	Cognition and social adversity in the depressed elderly Journal of Abnormal Psychology, 1987, 96, 23-26.	2.0	20
155	Management of memory impairment in older people with dementia. International Review of Psychiatry, 1994, 6, 153-161.	1.4	20
156	The effects of a Cognitive Stimulation Therapy [CST] programme for people with dementia on family caregivers' health. BMC Geriatrics, 2014, 14, 31.	1.1	20
157	Carers with chronic conditions: changes over time in their physical health. Chronic Illness, 2009, 5, 155-164.	0.6	19
158	â€~She might have what I have got': The potential utility of vignettes as an indirect measure of awareness in early-stage dementia. Aging and Mental Health, 2012, 16, 566-575.	1.5	19
159	Editorial Comment. Tacrine and psychological therapies in dementia? no contest?. International Journal of Geriatric Psychiatry, 1996, 11, 189-192.	1.3	18
160	Peer support for family carers of people with dementia, alone or in combination with group reminiscence in a factorial design: study protocol for a randomised controlled trial. Trials, 2011, 12, 205.	0.7	18
161	Differentiation between organic and functional psychiatric illness in the elderly: An evaluation of four cognitive tests. International Journal of Geriatric Psychiatry, 1992, 7, 263-275.	1.3	17
162	Depression and engagement in a residential home for the elderly. Behaviour Research and Therapy, 1981, 19, 435-438.	1.6	16

#	Article	IF	Citations
163	Can we change brain functioning with cognition-focused interventions in Alzheimer's disease? The role of functional neuroimaging. Restorative Neurology and Neuroscience, 2009, 27, 473-491.	0.4	16
164	Language changes in bilingual individuals with Alzheimer's disease. International Journal of Language and Communication Disorders, 2016, 51, 113-127.	0.7	16
165	Feasibility study of an optimised person-centred intervention to improve mental health and reduce antipsychotics amongst people with dementia in care homes: study protocol for a randomised controlled trial. Trials, 2013, 14, 13.	0.7	15
166	Cognitive rehabilitation for people with mild to moderate dementia. The Cochrane Library, 0, , .	1.5	15
167	Associations of subjective cognitive and memory decline with depression, anxiety, and two-year change in objectively-assessed global cognition and memory. Aging, Neuropsychology, and Cognition, 2022, 29, 840-866.	0.7	15
168	Improving mental health and reducing antipsychotic use in people with dementia in care homes: the WHELD research programme including two RCTs. Programme Grants for Applied Research, 2020, 8, 1-98.	0.4	15
169	The use of a coping strategy focused support group for carers of dementia sufferers. Counselling Psychology Quarterly, 1992, 5, 337-348.	1.5	14
170	Dementia care: progress and prospects. Journal of Mental Health, 1995, 4, 115-124.	1.0	13
171	Recruitment of older adults to three preventative lifestyle improvement studies. Trials, 2018, 19, 121.	0.7	13
172	Is there equity in initial access to formal dementia care in Europe? The Andersen Model applied to the Actifcare cohort. International Journal of Geriatric Psychiatry, 2020, 35, 45-52.	1.3	13
173	Spatial negative priming in early Alzheimer's disease: Evidence for reduced cognitive inhibition. Journal of the International Neuropsychological Society, 2006, 12, 416-23.	1.2	12
174	Relationship quality and sense of coherence in dementia: Results of a E uropean cohort study. International Journal of Geriatric Psychiatry, 2019, 34, 745-755.	1.3	12
175	Support at Home: Interventions to Enhance Life in Dementia (SHIELD) – evidence, development and evaluation of complex interventions. Programme Grants for Applied Research, 2017, 5, 1-184.	0.4	12
176	Wellâ€being and dementia – how can it be achieved?. Quality in Ageing and Older Adults, 2012, 13, 205-211.	0.4	11
177	A validation study of the CarerQol instrument in informal caregivers of people with dementia from eight European countries. Quality of Life Research, 2021, 30, 577-588.	1.5	11
178	Ward orientation training in dementia: A Single-case study. International Journal of Geriatric Psychiatry, 1986, 1, 145-147.	1.3	10
179	Fracture in the Elderly Multidisciplinary Rehabilitation (FEMuR): study protocol for a phase II randomised feasibility study of a multidisciplinary rehabilitation package following hip fracture [ISRCTN22464643]. Pilot and Feasibility Studies, 2015, 1, 13.	0.5	10
180	How Can the Arts Influence the Attitudes of Dementia Caregivers? A Mixed-Methods Longitudinal Investigation. Gerontologist, The, 2020, 60, 1103-1114.	2.3	10

#	Article	lF	Citations
181	Psychosocial management of depression. International Review of Psychiatry, 1993, 5, 427-436.	1.4	9
182	A Study of the Carers Strategy (2000): Supporting Carers in Wales. British Journal of Social Work, 2010, 40, 1470-1487.	0.9	9
183	Predictive validity of â€ ⁻ Malnutrition Universal Screening Toolâ€ ⁻ M (â€ ⁻ MUSTâ€ ⁻ M) and Short Form Mini Nutritional Assessment (MNA-SF) in terms of survival and length of hospital stay. E-SPEN Journal, 2013, 8, e44-e50.	0.5	9
184	Impact of Untimely Access to Formal Care on Costs and Quality of Life in Community Dwelling People with Dementia. Journal of Alzheimer's Disease, 2018, 66, 1165-1174.	1.2	9
185	A longitudinal exploration of mental health resilience, cognitive impairment and loneliness. International Journal of Geriatric Psychiatry, 2021, 36, 1020-1028.	1.3	9
186	â€Îlt's in the eyes': how family members and care staff understand awareness in people with severe dementia. Aging and Mental Health, 2014, 18, 260-268.	1.5	8
187	A validation study of the ICECAP-O in informal carers of people with dementia from eight European Countries. Quality of Life Research, 2020, 29, 237-251.	1.5	8
188	Development of best practice recommendations to enhance access to and use of formal community care services for people with dementia in Europe: a Delphi process conducted by the Actifcare project. Aging and Mental Health, 2021, 25, 2298-2309.	1.5	8
189	Invited commentary on: Non-pharmacological interventions in dementia. Advances in Psychiatric Treatment, 2004, 10, 178-179.	0.6	7
190	Development of an awareness-based intervention to enhance quality of life in severe dementia: trial platform. Trials, 2010, 11, 73.	0.7	7
191	A Collaborative Approach: Care Staff and Families Working Together to Safeguard the Quality of Life of Residents Living With Advanced Dementia. Journal of Central Nervous System Disease, 2019, 11, 117957351984387.	0.7	7
192	Do caregiver profiles predict the use of dementia care services? Findings from the Actifcare study. Aging and Mental Health, 2020, 24, 272-279.	1.5	7
193	Profiles of Met and Unmet Needs in People with Dementia According to Caregivers' Perspective: Results from a European Multicenter Study. Journal of the American Medical Directors Association, 2020, 21, 1609-1616.e1.	1.2	7
194	Carers' experiences of timely access to and use of dementia care services in eight European countries. Ageing and Society, 2021, 41, 403-420.	1.2	7
195	Associations between unmet needs for daytime activities and company and scores on the Neuropsychiatric Inventory-Questionnaire in people with dementia: a longitudinal study. Aging and Mental Health, 2022, 26, 725-734.	1.5	7
196	Ageing and Adaptation. , 0, , 15-32.		7
197	Characteristics of people living with undiagnosed dementia: findings from the CFAS Wales study. BMC Geriatrics, 2022, 22, 409.	1.1	7
198	Talking point: Kitwood's 'The experience of dementia'. Aging and Mental Health, 1997, 1, 11-12.	1.5	6

#	Article	IF	CITATIONS
199	Awareness in dementia: A subject for scrutiny. Aging and Mental Health, 2005, 9, 384-385.	1.5	6
200	Identifying need in care homes for people with dementia: The relationship between two standard assessment tools. Aging and Mental Health, 2008, 12, 719-728.	1.5	6
201	What's so different about older people?. Clinical Psychology and Psychotherapy, 2003, 10, 129-132.	1.4	5
202	Community mental health nursing and early intervention in dementia: developing practice through a single case history. Journal of Clinical Nursing, 2004, 13, 57-67.	1.4	5
203	Future outlook of people living alone with early-stage dementia and their non-resident relatives and friends who support them. Ageing and Society, 2021, 41, 2660-2680.	1.2	5
204	Systemic Interventions and Older People. , 0, , 489-504.		5
205	Memory and Cognition in Ageing., 0,, 33-55.		5
206	Manifestations of Depression and Anxiety in Older Adults. , 0, , 95-110.		5
207	Behavioural Treatment of Social Difficulties with an Aphasic Woman and a Dysarthric Man. International Journal of Language and Communication Disorders, 1979, 14, 31-38.	0.7	4
208	The psychology of atypical ageing. , 2011, , 194-225.		4
209	Awareness of memory task impairment versus everyday memory difficulties in dementia. Journal of Neuropsychology, 2016, 10, 130-142.	0.6	4
210	P4â€185: SOCIAL ISOLATION, COGNITIVE RESERVE, AND COGNITION IN OLDER PEOPLE WITH MENTAL HEALTH PROBLEMS. Alzheimer's and Dementia, 2018, 14, P1509.	0.4	4
211	Obtaining EQ-5D-5L utilities from the disease specific quality of life Alzheimer's disease scale: development and results from a mapping study. Quality of Life Research, 2021, 30, 867-879.	1.5	4
212	Trajectories of relationship quality in dementia: a longitudinal study in eight European countries. Aging and Mental Health, 2022, 26, 2307-2315.	1.5	4
213	Promoting wellâ€being and independence for people with dementia. International Journal of Geriatric Psychiatry, 1999, 14, 97-105.	1.3	4
214	The Neuropsychology of Dementia: Alzheimer's Disease and other Neurodegenerative Disorders. , 0, , 161-184.		4
215	â€~We're happy as we are': the experience of living with possible undiagnosed dementia. Ageing and Society, 2023, 43, 2041-2066.	1.2	4
216	Reflections on a personalized cognitive rehabilitation intervention: Experiences of people living with dementia and their carers participating in the GREAT trial. Neuropsychological Rehabilitation, 2022, 32, 268-286.	1.0	3

#	Article	IF	CITATIONS
217	Implementation processes in a cognitive rehabilitation intervention for people with dementia: a complexity-informed qualitative analysis. BMJ Open, 2021, 11, e051255.	0.8	3
218	Primary Care Psychology and Older People., 0,, 323-339.		3
219	A case of absolute ejaculatory incompetence treated without extra-vaginal ejaculation. Journal of Behavior Therapy and Experimental Psychiatry, 1980, 11, 219-222.	0.6	2
220	Preventing and Overcoming Psychological Problems in Retirement. Journal of the Royal Society of Health, 1990, 110, 85-87.	0.2	2
221	National dementia Plan-Wales. International Journal of Geriatric Psychiatry, 2010, 25, 923-924.	1.3	2
222	Understanding quality of life and well-being for people living with advanced dementia. Nursing Older People, 2019, 31, 18-24.	0.1	2
223	The feasibility of a Comprehensive Resilience-building psychosocial Intervention (CREST) for people with dementia in the community: protocol for a non-randomised feasibility study. Pilot and Feasibility Studies, 2020, 6, 177.	0.5	2
224	â€~ <i>Just because the mind is confused it doesn't mean the spirit is confused':</i> Exploring the role of Anglican clergy in ministry to persons with dementia. Dementia, 2021, 20, 698-716.	1.0	2
225	Who benefits most from resilience-building groups for †at-risk†older people? a pilot service-evaluation. Aging and Mental Health, 2021, 25, 1351-1360.	1.5	2
226	Re-purposing CORDIAL? Toward an effective treatment for depression in dementia. International Psychogeriatrics, 2021, 33, 195-197.	0.6	2
227	Assessing Function, Behaviour and Need. , 0, , 385-414.		2
228	Late Onset Psychosis., 0,, 133-143.		2
229	Values and Diversity in Working with Older People. , 0, , 235-253.		2
230	Psychoanalysis and Old Age. , 0, , 473-487.		2
231	T. L. Brink (ed.), Clinical Gerontology: a Guide to Assessment and Intervention, Haworth Press, New York, 1986, 517 pp., \$49.95, ISBN 0 86656 536 1 Ageing and Society, 1987, 7, 263-264.	1.2	1
232	Pain reliefâ€"a first-line response to agitation in dementia?. Nature Reviews Neurology, 2012, 8, 7-8.	4.9	1
233	[P2–580]: SOCIAL ISOLATION, COGNITIVE RESERVE, AND COGNITION IN LATER LIFE. Alzheimer's and Dementia, 2017, 13, P869.	0.4	1
234	Cognitive impairment negatively impacts allied health service uptake: Investigating the association between health and service use. SSM - Population Health, 2021, 13, 100720.	1.3	1

#	Article	IF	Citations
235	Capacity and Consent: Empowering and Protecting Vulnerable Older People. , 0, , 429-436.		1
236	Neuropsychological Rehabilitation in Later Life: Special Considerations, Contributions and Future Directions., 0,, 505-522.		1
237	Therapeutic Approaches and Activities. Ageing and Society, 1987, 7, 467-471.	1.2	O
238	Denis B. Bromley, Behavioural Gerontology: Central Issues in the Psychology of Ageing, Wiley, Chichester, Sussex, 1990, 410 pp., £49.95, ISBN 0 471 92747 3 Ageing and Society, 1991, 11, 230-231.	1.2	0
239	Editorial. Aging and Mental Health, 2010, 14, 245-246.	1.5	O
240	HOW TO IMPLEMENT CLINICAL RESEARCH IN NURSING HOMES?., 2014, 10, P156-P156.		0
241	[P1–562]: EPIDEMIOLOGY OF PAIN IN PEOPLE WITH DEMENTIA LIVING IN CARE HOMES: LONGITUDINAL COURSE, PREVALENCE AND TREATMENT IMPLICATIONS. Alzheimer's and Dementia, 2017, 13, P509.	0.4	0
242	[F1â€"01â€"01]: IMPACT OF WHELD INTERVENTION ON NEUROPSYCHIATRIC SYMPTOMS, ANTIPSYCHOTIC USE AND QUALITY OF LIFE IN PEOPLE WITH DEMENTIA LIVING IN NURSING HOMES: A CLUSTERâ€RANDOMIZED TRIAL Alzheimer's and Dementia, 2017, 13, P171.		0
243	P3â€643: LIVING ALONE AND COGNITIVE FUNCTION IN LATER LIFE. Alzheimer's and Dementia, 2018, 14, P1379.	0.4	0
244	Residential Care., 0,, 289-309.		0
245	Neuropsychological Assessment of the Older Person. , 0, , 361-383.		O