

Aleksandra JabÅ, oÅ,,ska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/564157/publications.pdf>

Version: 2024-02-01

22
papers

161
citations

1307594

7
h-index

1199594

12
g-index

22
all docs

22
docs citations

22
times ranked

240
citing authors

#	ARTICLE	IF	CITATIONS
1	Intertidal meiofauna of a high-latitude glacial Arctic fjord (Kongsfjorden, Svalbard) with emphasis on the structure of free-living nematode communities. <i>Polar Biology</i> , 2005, 28, 940-950.	1.2	33
2	First record and DNA barcodes of the aquarium shrimp, <i>Neocaridina davidi</i> , in Central Europe from thermally polluted River Oder canal, Poland. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2018, , 14.	1.1	19
3	Contrasting molecular diversity and demography patterns in two intertidal amphipod crustaceans reflect Atlantification of High Arctic. <i>Marine Biology</i> , 2019, 166, 1.	1.5	14
4	The Obscure History of the Lake Skadar and Its Biota: A Perspective for Future Research. <i>Handbook of Environmental Chemistry</i> , 2018, , 47-61.	0.4	13
5	Morphological and molecular evidence for a new shrimp species, <i>Atyaephyra vladoi</i> sp. nov. (Decapoda,) <i>Tj ETQq1 1 0.784314 rgBT /Ove</i> demographic history. <i>Zoologischer Anzeiger</i> , 2018, 275, 66-79.	0.9	11
6	Environmental factors affecting water mite assemblages along eucrenon-hypocrenon gradients in Mediterranean karstic springs. <i>Experimental and Applied Acarology</i> , 2019, 77, 471-486.	1.6	10
7	Long-term within-basin isolation patterns, different conservation units, and interspecific mitochondrial DNA introgression in an amphipod endemic to the ancient Lake Skadar system, Balkan Peninsula. <i>Freshwater Biology</i> , 2020, 65, 209-225.	2.4	9
8	Hidden invertebrate diversity - phytotelmata in Bromeliaceae from palm houses and florist wholesalers (Poland). <i>Biologia (Poland)</i> , 2016, 71, 194-203.	1.5	7
9	First records of <i>Branchiura sowerbyi</i> Beddard, 1892 (Oligochaeta: Tubificidae) in Greece. <i>Aquatic Invasions</i> , 2009, 4, 365-367.	1.6	7
10	Occurrence of the medicinal leech (<i>Hirudo medicinalis</i>) in birds' nests. <i>Biologia (Poland)</i> , 2014, 69, 484-488.	1.5	6
11	<i>Aulodrilus pigueti</i> Kowalewski, 1914 (Annelida: Clitellata) – a new record for the Polish fauna from the Oder River and remarks on other oligochaetes rarely noticed in Poland. <i>Oceanological and Hydrobiological Studies</i> , 2015, 44, 456-465.	0.7	5
12	Occurrence and threats of the medicinal leech (<i>Hirudo medicinalis</i> L.) in Poland (Annelida: Hirudinea). <i>Fragmenta Faunistica</i> , 2008, 51, 79-89.	0.0	5
13	Five species of aquatic oligochaetes new to Iran with an updated checklist. <i>Oceanological and Hydrobiological Studies</i> , 2014, 43, 100-105.	0.7	4
14	First report of freshwater atyid shrimp, <i>Caridina formosae</i> (Decapoda: Caridea) as a host of ectosymbiotic branchiobdellidan, <i>Holtodrilus truncatus</i> (Annelida, Clitellata). <i>Knowledge and Management of Aquatic Ecosystems</i> , 2020, , 33.	1.1	4
15	Undesirable immigrants: hobbyist vivaria as a potential source of alien invertebrate species. <i>PeerJ</i> , 2019, 7, e7617.	2.0	4
16	An integrative approach challenges species hypotheses and provides hints for evolutionary history of two Mediterranean freshwater palaemonid shrimps (Decapoda: Caridea). , 2021, 88, 900-924.		3
17	First record and DNA barcodes of non-native shrimp, <i>Caridina babaulti</i> (Bouvier, 1918) in Europe. , 2021, 88, 816-823.		3
18	Anthropogenic transformations of river ecosystems are not always bad for the environment: Multi-taxa analyses of changes in aquatic and terrestrial environments after dredging of a small lowland river. <i>PeerJ</i> , 2021, 9, e12224.	2.0	2

#	ARTICLE	IF	CITATIONS
19	First report of <i>Atyaephyra thymisensis</i> Christodoulou, Antoniou, Magoulas & Koukouras, 2012 (Decapoda, Caridea, Atyidae) from Albania and the Republic of Macedonia confirmed by DNA barcodes. <i>Crustaceana</i> , 2018, 91, 599-610.	0.3	1
20	DNA barcodes combined with geometric morphometry challenge species hypothesis in palaemonid shrimp. ARPHA Conference Abstracts, 0, 4, .	0.0	1
21	First record and DNA barcodes of the invasive blue-coloured spiny-cheek crayfish <i>Faxonius limosus</i> (Rafinesque, 1817) (Decapoda: Cambaridae). <i>Knowledge and Management of Aquatic Ecosystems</i> , 2020, , 20.	1.1	0
22	Colombian millipede in Poland – <i>Chondrodesmus</i> cf. <i>riparius</i> Carl, 1914 spreads across Europe. <i>BiolInvasions Records</i> , 2021, 10, 997-1003.	1.1	0