## Eva Topinkova

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5643542/publications.pdf

Version: 2024-02-01

109 papers 26,065 citations

76031 42 h-index 105 g-index

114 all docs

114 docs citations

times ranked

114

26698 citing authors

#	Article	IF	CITATIONS
1	Comparison between EWGSOP1 and EWGSOP2 criteria and modelling of diagnostic algorithm for sarcopenic obesity in over 70Âyears old patients. European Geriatric Medicine, 2022, 13, 641-648.	1.2	2
2	Barriers and facilitators in using a Clinical Decision Support System for fall risk management for older people: a European survey. European Geriatric Medicine, 2022, 13, 395-405.	1.2	10
3	Multicomponent intervention to prevent mobility disability in frail older adults: randomised controlled trial (SPRINTT project). BMJ, The, 2022, 377, e068788.	3.0	90
4	Pharmacological management of osteoporosis in nursing home residents: the Shelter study. Maturitas, 2021, 143, 184-189.	1.0	3
5	The prevalence and prescribing patterns of benzodiazepines and Z-drugs in older nursing home residents in different European countries and Israel: retrospective results from the EU SHELTER study. BMC Geriatrics, 2021, 21, 277.	1.1	8
6	International Validation of the Turkish Inappropriate Medication Use in the Elderly (TIME) Criteria Set: A Delphi Panel Study. Drugs and Aging, 2021, 38, 513-521.	1.3	16
7	The Relevance of Diet, Physical Activity, Exercise, and Persuasive Technology in the Prevention and Treatment of Sarcopenic Obesity in Older Adults. Frontiers in Nutrition, 2021, 8, 661449.	1.6	28
8	The Association of Anticholinergic Drugs and Delirium in Nursing Home Patients With Dementia: Results From the SHELTER Study. Journal of the American Medical Directors Association, 2021, 22, 2087-2092.	1.2	5
9	STOPPFall (Screening Tool of Older Persons Prescriptions in older adults with high fall risk): a Delphi study by the EuGMS Task and Finish Group on Fall-Risk-Increasing Drugs. Age and Ageing, 2021, 50, 1189-1199.	0.7	88
10	Enteral tube feeding and mortality in hospitalized older patients: A multicenter longitudinal study. Clinical Nutrition, 2020, 39, 1608-1612.	2.3	9
11	<p>Preserving Mobility in Older Adults with Physical Frailty and Sarcopenia: Opportunities, Challenges, and Recommendations for Physical Activity Interventions</p> . Clinical Interventions in Aging, 2020, Volume 15, 1675-1690.	1.3	100
12	Use of antidepressant medications among older adults in European long-term care facilities: a cross-sectional analysis from the SHELTER study. BMC Geriatrics, 2020, 20, 310.	1.1	22
13	Using the Multidimensional Prognostic Index (MPI) to improve cost-effectiveness of interventions in multimorbid frail older persons: results and final recommendations from the MPI_AGE European Project. Aging Clinical and Experimental Research, 2020, 32, 861-868.	1.4	26
14	Evaluation of geriatric drug‑disease interactions in seniors in log‑term care in the Czech Republic. Klinicka Farmakologie A Farmacie, 2020, 34, 99-107.	0.1	2
15	Older women are frailer, but less often die than men: a prospective study of older hospitalized people. Maturitas, 2019, 128, 81-86.	1.0	26
16	Effectiveness of a multimodal intervention in functionally impaired older people with type 2 diabetes mellitus. Journal of Cachexia, Sarcopenia and Muscle, 2019, 10, 721-733.	2.9	98
17	Standard error of measurement and smallest detectable change of the Sarcopenia Quality of Life (SarQoL) questionnaire: An analysis of subjects from 9 validation studies. PLoS ONE, 2019, 14, e0216065.	1.1	32
18	Predictors of Societal Costs of Older Care-Dependent Adults Living in the Community in 11 European Countries. Health Services Insights, 2019, 12, 117863291882094.	0.6	3

#	Article	IF	Citations
19	Association of polypharmacy and hyperpolypharmacy with frailty states: a systematic review and meta-analysis. European Geriatric Medicine, 2019, 10, 9-36.	1.2	79
20	European postgraduate curriculum in geriatric medicine developed using an international modified Delphi technique. Age and Ageing, 2019, 48, 291-299.	0.7	57
21	Using the Multidimensional Prognostic Index to Predict Clinical Outcomes of Hospitalized Older Persons: A Prospective, Multicenter, International Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1643-1649.	1.7	56
22	Sarcopenia: revised European consensus on definition and diagnosis. Age and Ageing, 2019, 48, 16-31.	0.7	6,824
23	Interactions between drugs and geriatric syndromes in nursing home and home care: results from Shelter and IBenC projects. Aging Clinical and Experimental Research, 2018, 30, 1015-1021.	1.4	37
24	Association of Antidementia Drugs and Mortality in Community-Dwelling Frail Older Patients With Dementia: The Role of Mortality Risk Assessment. Journal of the American Medical Directors Association, 2018, 19, 162-168.	1.2	18
25	Hearing the Voice of the Resident in Long-Term Care Facilities—An Internationally Based Approach to Assessing Quality of Life. Journal of the American Medical Directors Association, 2018, 19, 207-215.	1.2	22
26	Health determinants and survival in nursing home residents in Europe: Results from the SHELTER study. Maturitas, 2018, 107, 19-25.	1.0	32
27	The "Sarcopenia and Physical fRailty IN older people: multi-componenT Treatment strategies―(SPRINTT) randomized controlled trial: Case finding, screening and characteristics of eligible participants. Experimental Gerontology, 2018, 113, 48-57.	1.2	61
28	Are older long term care residents accurately prognosticated and consequently informed about their prognosis? Results from SHELTER study data in 5 European countries. PLoS ONE, 2018, 13, e0200590.	1.1	7
29	Developing quality indicators for in-patient post-acute care. BMC Geriatrics, 2018, 18, 161.	1.1	12
30	Statin therapy in elderly patients. Vnitrni Lekarstvi, 2018, 64, 1021-1027.	0.1	0
31	Sarcopenia as a severe organ failure, its diagnosing and present therapeutic possibilities. Vnitrni Lekarstvi, 2018, 64, 1038-1052.	0.1	3
32	Higher body mass index in narcolepsy with cataplexy: lifelong experience. Sleep Medicine, 2017, 32, 277.	0.8	3
33	The "Sarcopenia and Physical fRailty IN older people: multi-componenT Treatment strategies―(SPRINTT) randomized controlled trial: design and methods. Aging Clinical and Experimental Research, 2017, 29, 89-100.	1.4	131
34	Using a multidimensional prognostic index (MPI) based on comprehensive geriatric assessment (CGA) to predict mortality in elderly undergoing transcatheter aortic valve implantation. International Journal of Cardiology, 2017, 236, 381-386.	0.8	45
35	Influenza and pneumococcal vaccination in older adults living in nursing home: a survival analysis on the shelter study. European Journal of Public Health, 2017, 27, 1016-1020.	0.1	10
36	Antipsychotic Drug Interactions and Mortality Among Nursing Home Residents With Cognitive Impairment. Journal of Clinical Psychiatry, 2017, 78, e76-e82.	1.1	28

#	Article	IF	Citations
37	Warfarin Treatment and Allâ€Cause Mortality in Communityâ€Dwelling Older Adults with Atrial Fibrillation: A Retrospective Observational Study. Journal of the American Geriatrics Society, 2016, 64, 1416-1424.	1.3	35
38	Relation of Statin Use and Mortality in Community-Dwelling Frail Older Patients With Coronary Artery Disease. American Journal of Cardiology, 2016, 118, 1624-1630.	0.7	52
39	Delivery of Care to Nursing Home Residents With Diabetes: Results From the SHELTER Study. Journal of the American Medical Directors Association, 2016, 17, 807-813.	1.2	5
40	Narcolepsy with cataplexy in patients aged over 60 years: a case-control study. Sleep Medicine, 2016, 26, 79-84.	0.8	20
41	Dual Sensory Impairment and Cognitive Decline: The Results From the Shelter Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 117-123.	1.7	83
42	Joint Associations of Dual Sensory Impairment and No-Activity Involvement With 1-Year Mortality in Nursing Homes: Results From the SHELTER Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 643-648.	1.7	12
43	Priority topics for European multidisciplinary guidelines on the management of chronic kidney disease in older adults. International Urology and Nephrology, 2016, 48, 859-869.	0.6	12
44	Healthy brain ageing and cognition: Nutritional factors. European Geriatric Medicine, 2016, 7, 77-85.	1.2	22
45	Quality of care in European home care programs using the second generation interRAI Home Care Quality Indicators (HCQIs). BMC Geriatrics, 2015, 15, 148.	1.1	29
46	Multidimensional Prognostic Index in Association with Future Mortality and Number of Hospital Days in a Population-Based Sample of Older Adults: Results of the EU Funded MPI_AGE Project. PLoS ONE, 2015, 10, e0133789.	1.1	54
47	Inappropriate Drug Use in Advanced Dementia. JAMA Internal Medicine, 2015, 175, 315.	2.6	0
48	Relationship between the $G\tilde{A}$ ©rontop $\tilde{A}$ 1e Frailty Screening Tool and the frailty phenotype in primary care. European Geriatric Medicine, 2015, 6, 518-522.	1.2	16
49	Impact of Dual Sensory Impairment on Onset of Behavioral Symptoms in European Nursing Homes: Results From the Services and Health for Elderly in Long-Term Care Study. Journal of the American Medical Directors Association, 2015, 16, 329-333.	1.2	13
50	The Characteristics of Diabetic Residents in European Nursing Homes: Results from the SHELTER Study. Journal of the American Medical Directors Association, 2015, 16, 334-340.	1.2	15
51	The MPI_AGE European Project: Using Multidimensional Prognostic Indices (MPI) to improve cost-effectiveness of interventions in multimorbid frail older persons. Background, aim and design. European Geriatric Medicine, 2015, 6, 184-188.	1.2	8
52	Statin Treatment and Mortality in Community-Dwelling Frail Older Patients with Diabetes Mellitus: A Retrospective Observational Study. PLoS ONE, 2015, 10, e0130946.	1.1	41
53	Treating Heart Failure in Older and Oldest Old Patients Current Pharmaceutical Design, 2015, 21, 1659-1664.	0.9	5
54	Evaluation of a pilot study to introduce outcome based home care in the Czech Republic. Kontakt, 2014, 16, e149-e154.	0.1	1

#	Article	IF	CITATIONS
55	Insomnia in Longâ€Term Care Facilities: A Comparison of Seven European Countries and Israel: The Services and Health for Elderly in Long TERm care Study. Journal of the American Geriatrics Society, 2014, 62, 2033-2039.	1.3	38
56	International Society of Geriatric Oncology Consensus on Geriatric Assessment in Older Patients With Cancer. Journal of Clinical Oncology, 2014, 32, 2595-2603.	0.8	1,380
57	Prevalence and Correlates of Hearing and Visual Impairments in European Nursing Homes: Results From the SHELTER Study. Journal of the American Medical Directors Association, 2014, 15, 738-743.	1.2	57
58	Arrhythmias and ECG changes in life threatening hyperkalemia in older patients treated by potassium sparing drugs. Biomedical Papers of the Medical Faculty of the University Palacký, Olomouc, Czechoslovakia, 2014, 158, 084-091.	0.2	6
59	Promoting access to innovation for frail old persons. Journal of Nutrition, Health and Aging, 2013, 17, 688-693.	1.5	55
60	Polypharmacy in nursing home residents with severe cognitive impairment: Results from the SHELTER Study., 2013, 9, 587-593.		69
61	Use of gastrostomies in usual practice in the Czech Republic, Germany and Turkey. European Geriatric Medicine, 2013, 4, 122-128.	1.2	2
62	Treatment of Pain in European Nursing Homes: Results from the Services and Health for Elderly in Long TERm Care (SHELTER) Study. Journal of the American Medical Directors Association, 2013, 14, 821-831.	1.2	56
63	Polypharmacy and Mortality Among Nursing Home Residents With Advanced Cognitive Impairment: Results From the Shelter Study. Journal of the American Medical Directors Association, 2013, 14, 450.e7-450.e12.	1.2	103
64	Pain Characteristics and Pain Control in European Nursing Homes: Cross-sectional and Longitudinal Results From the Services and Health for Elderly in Long TERm care (SHELTER) Study. Journal of the American Medical Directors Association, 2013, 14, 421-428.	1.2	57
65	Polypharmacy in Nursing Home in Europe: Results From the SHELTER Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2012, 67A, 698-704.	1.7	250
66	Evidence-Based Strategies for the Optimization of Pharmacotherapy in Older People. Drugs and Aging, 2012, 29, 477-494.	1.3	123
67	Assessment of nursing home residents in Europe: the Services and Health for Elderly in Long TERm care (SHELTER) study. BMC Health Services Research, 2012, 12, 5.	0.9	230
68	End products of lipid peroxidation in erythrocyte membranes in Alzheimer's disease. Cell Biochemistry and Function, 2012, 30, 205-210.	1.4	8
69	Corrigendum to "The lipid peroxidation products as possible markers of Alzheimer's disease in blood― [Experimental Gerontology 46 (2011) 38–42]. Experimental Gerontology, 2012, 47, 410.	1.2	0
70	Inappropriate Drugs in Elderly Patients with Severe Cognitive Impairment: Results from the Shelter Study. PLoS ONE, 2012, 7, e46669.	1.1	42
71	The views of older people and carers on participation in clinical trials: the PREDICT Study. Clinical Investigation, 2012, 2, 327-336.	0.0	19
72	Geriatric care in Europe – the EUGMS Survey part I: Belgium, Czech Republic, Denmark, Germany, Ireland, Spain, Switzerland, United Kingdom. European Geriatric Medicine, 2011, 2, 290-295.	1.2	27

#	Article	IF	Citations
73	Exclusion of Older People from Clinical Trials. Drugs and Aging, 2011, 28, 667-677.	1.3	109
74	The lipid peroxidation products as possible markers of Alzheimer's disease in blood. Experimental Gerontology, 2011, 46, 38-42.	1.2	36
75	HPLC Separation of Fluorescent Products of Lipid Peroxidation in Erythrocytes and Mitochondria. Chromatographia, 2011, 73, 67-73.	0.7	15
76	Prevalence of potentially inappropriate prescribing in an acutely ill population of older patients admitted to six European hospitals. European Journal of Clinical Pharmacology, 2011, 67, 1175-1188.	0.8	284
77	Nutrition in the age-related disablement process. Journal of Nutrition, Health and Aging, 2011, 15, 599-604.	1.5	128
78	The Persistent Exclusion of Older Patients From Ongoing Clinical Trials Regarding Heart Failure. Archives of Internal Medicine, 2011, 171, 550-6.	4.3	272
79	Sarcopenia: European consensus on definition and diagnosis. Age and Ageing, 2010, 39, 412-423.	0.7	9,132
80	Specific nutritional support accelerates pressure ulcer healing and reduces wound care intensity in non-malnourished patients. Nutrition, 2010, 26, 867-872.	1.1	98
81	Understanding sarcopenia as a geriatric syndrome. Current Opinion in Clinical Nutrition and Metabolic Care, 2010, 13, 1-7.	1.3	460
82	Trajectory of care for an elderly stroke patient in the new EU member countries – based on CLESA project. European Geriatric Medicine, 2010, 1, 32-40.	1.2	1
83	C.10.02 Late-life depression – do we diagnose and treat correctly?. European Neuropsychopharmacology, 2010, 20, S644.	0.3	0
84	Urinary incontinence and use of pads – clinical features and need for help in home care at 11 sites in Europe. Scandinavian Journal of Caring Sciences, 2009, 23, 33-44.	1.0	25
85	Inter-rater reliability of STOPP (Screening Tool of Older Persons' Prescriptions) and START (Screening) Tj ETQ and Ageing, 2009, 38, 603-606.	q1 1 0.78 <sup>,</sup> 0.7	4314 rgBT /C 134
86	Shaping home care in Europe: The contribution of the Aged in Home Care project. Maturitas, 2009, 62, 235-242.	1.0	25
87	Tetanus and Pertussis vaccines: their usefulness in the aging population. Aging Clinical and Experimental Research, 2009, 21, 229-235.	1.4	7
88	International price comparisons of Alzheimer's drugs: a way to close the affordability gap. International Psychogeriatrics, 2009, 21, 1116-1126.	0.6	21
89	Unintended weight loss in the elderly living at home: The aged in home care project (ADHOC). Journal of Nutrition, Health and Aging, 2008, 12, 10-16.	1.5	87
90	Use of antipsychotic medications in older home-care patients. Report from nine European countries. Aging Clinical and Experimental Research, 2008, 20, 260-265.	1.4	18

#	Article	IF	Citations
91	Aging, Disability and Frailty. Annals of Nutrition and Metabolism, 2008, 52, 6-11.	1.0	360
92	Home care needs of extremely obese elderly European women. Menopause International, 2007, 13, 84-87.	1.6	2
93	Variations in quality of Home Care between sites across Europe, as measured by Home Care Quality Indicators. Aging Clinical and Experimental Research, 2007, 19, 323-329.	1.4	50
94	Indicators of Elder Abuse: A Crossnational Comparison of Psychiatric Morbidity and Other Determinants in the Ad-HOC Study. American Journal of Geriatric Psychiatry, 2006, 14, 489-497.	0.6	86
95	Proposal of a service delivery integration index of home care for older persons: application in several European cities. International Journal of Integrated Care, 2006, 6, e11.	0.1	17
96	Use of comprehensive geriatric assessment in older cancer patients:. Critical Reviews in Oncology/Hematology, 2005, 55, 241-252.	2.0	1,002
97	Indwelling catheter use in home care: elderly, aged 65+, in 11 different countries in Europe. Age and Ageing, 2005, 34, 377-381.	0.7	61
98	Potentially Inappropriate Medication Use Among Elderly Home Care Patients in Europe. JAMA - Journal of the American Medical Association, 2005, 293, 1348.	3.8	562
99	Community care in Europe. The Aged in HOme Care project (AdHOC). Aging Clinical and Experimental Research, 2004, 16, 259-269.	1.4	130
100	Cross-National Comparisons of Antidepressant Use Among Institutionalized Older Persons Based on the Minimum Data Set (MDS). Canadian Journal on Aging, 2000, 19, 18-37.	0.6	6
101	Culture, Economics, and Alzheimer's Disease: Social Determinants of Resource Allocation. Journal of Applied Gerontology, 1999, 18, 411-422.	1.0	3
102	Is Aging a Preventable or Curable Disease?. Drugs and Aging, 1998, 13, 93-97.	1.3	9
103	Nursing Homes in 10 Nations: A Comparison Between Countries and Settings. Age and Ageing, 1997, 26, 3-12.	0.7	232
104	Urinary Incontinence in Nursing Home Residents: A Cross-National Comparison. Age and Ageing, 1997, 26, 49-54.	0.7	54
105	Comprehensive Clinical Assessment in Community Setting: Applicability of the MDSâ€HC. Journal of the American Geriatrics Society, 1997, 45, 1017-1024.	1.3	476
106	Introduction: Special Issue on Resource Allocation and Societal Responses to Old Age. Ageing and Society, 1995, 15, 157-161.	1.2	1
107	Care for Elders with Chronic Disease and Disability. Hastings Center Report, 1994, 24, 18.	0.7	8
108	Special Supplement: What Do We Owe the Elderly? Allocating Social and Health Care Resources. Hastings Center Report, 1994, 24, S1.	0.7	4

#	Article	IF	CITATIONS
109	Mutagenic activity of inhaled epichlorohydrin in mice and rats. Mutation Research - Environmental Mutagenesis and Related Subjects Including Methodology, 1981, 85, 287-288.	0.4	2